**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Thursday, August 8, 2019 8:26:39 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; afulghum@jaspercountysc.gov; Porter, Henry <porterhj@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; thompsrb@dhec.sc.gov; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; dickmaj@dhec.sc.gov; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; Threatt, Richard <threatrl@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Scaturo, David M. <scaturdm@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Ellenberg, Kristy E. <ellenbke@dhec.sc.gov>; Scott Reynolds <reynolds@dhec.sc.gov>; shealyrg@dhec.sc.gov; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** Re: Able Construction Work Group - Conference Call 10 am Friday

Got it! Thanks again Team EPA!

Sent from my iPad

On Aug 8, 2019, at 2:55 PM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Matt Huyser's cell 678-427-8829 , huyser.matthew@epa.gov

**From:** Garrard, Jordan
**Sent:** Tuesday, August 6, 2019 9:24 AM
**To:** Reece, Myra <reecemc@dhec.sc.gov>; Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; afulghum@jaspercountysc.gov; Porter, Henry <porterhj@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; thompsrb@dhec.sc.gov; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; dickmaj@dhec.sc.gov; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; Threatt, Richard <threatrl@dhec.sc.gov>
**Cc:** Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Scaturo, David M. <scaturdm@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Ellenberg, Kristy E. <ellenbke@dhec.sc.gov>; Scott Reynolds <reynolds@dhec.sc.gov>; shealyrg@dhec.sc.gov
**Subject:** RE: Able Construction Work Group - Conference Call 10 am Friday

Just wanted to give everyone an update on timeline of analytical results. After speaking with the lab, we should receive preliminary phosgene data this evening or tomorrow am. VOC data will not be ready until sometime on Thursday. I still recommend have a conference call on Friday morning to

**From:** Frank Edwards <fedwards@jaspercountysc.gov>
**Sent on:** Thursday, August 8, 2019 7:45:20 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Able Construction Work Group - Conference Call 10 am Friday

Jordon,
I'm assuming we are not doing this conference call based on the changes and now having the physical meeting in the morning at 10 am as we will all be at that meeting.

**From:** Garrard, Jordan [mailto:Garrard.Jordan@epa.gov]
**Sent:** Thursday, August 8, 2019 2:55 PM
**To:** reecemc@dhec.sc.gov; Tisha L. Williams; Frank Edwards; Lisa Wagner; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder; Andrew Fulghum; Porter, Henry; Frost, Keith; thompsrb@dhec.sc.gov; Keisler, Van; Blalock, Juli; dickmaj@dhec.sc.gov; John Snyder; Clay Graves; Russell Wells; eturner@emd.sc.gov; Threatt, Richard
**Cc:** Marshall, Frances (Fran); Marcus, Mike; Scaturo, David M.; Boyce, Lawra; Ellenberg, Kristy E.; Scott Reynolds; shealyrg@dhec.sc.gov; Huyser, Matthew
**Subject:** RE: Able Construction Work Group - Conference Call 10 am Friday

Matt Huyser's cell 678-427-8829 , huyser.matthew@epa.gov

**From:** Garrard, Jordan
**Sent:** Tuesday, August 6, 2019 9:24 AM
**To:** Reece, Myra <reecemc@dhec.sc.gov>; Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; afulghum@jaspercountysc.gov; Porter, Henry <porterhj@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; thompsrb@dhec.sc.gov; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; dickmaj@dhec.sc.gov; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; Threatt, Richard <threatrl@dhec.sc.gov>
**Cc:** Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Scaturo, David M. <scaturdm@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Ellenberg, Kristy E. <ellenbke@dhec.sc.gov>; Scott Reynolds <reynolds@dhec.sc.gov>; shealyrg@dhec.sc.gov
**Subject:** RE: Able Construction Work Group - Conference Call 10 am Friday

Just wanted to give everyone an update on timeline of analytical results. After speaking with the lab, we should receive preliminary phosgene data this evening or tomorrow am. VOC data will not be ready until sometime on Thursday. I still recommend have a conference call on Friday morning to discuss results.

Thanks

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent on:** Thursday, August 8, 2019 9:09:39 PM
**To:** reecemc@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; afulghum@jaspercountysc.gov; Porter, Henry <porterhj@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; thompsrb@dhec.sc.gov; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; dickmaj@dhec.sc.gov; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; Threatt, Richard <threatrl@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Scaturo, David M. <scaturdm@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Ellenberg, Kristy E. <ellenbke@dhec.sc.gov>; Scott Reynolds <reynolds@dhec.sc.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** Re: Able Construction Work Group - Conference Call 10 am Friday

**Everyone - just wanted to update the group that there will not be a conference call at 10:00 am on Friday August 9. Thanks!**

---

**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent:** Thursday, August 8, 2019 4:26 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Cc:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org <chris.collins2@redcross.org>; haley.lawson@redcross.org <haley.lawson@redcross.org>; David Tedder <dtedder@jaspercountysc.gov>; afulghum@jaspercountysc.gov <afulghum@jaspercountysc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; Thompson, Rhonda <thompsrb@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; dickmaj@dhec.sc.gov <dickmaj@dhec.sc.gov>; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov <eturner@emd.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Scaturo, David M. <scaturdm@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Ellenberg, Kristy E. <ellenbke@dhec.sc.gov>; Reynolds, Scott <REYNOLDS@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Huyser, Matthew <huyser.matthew@epa.gov>
**Subject:** Re: Able Construction Work Group - Conference Call 10 am Friday

Got it! Thanks again Team EPA!

Sent from my iPad

On Aug 8, 2019, at 2:55 PM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

**From:** Wise, Katie <Katie.Wise@tetratech.com>
**Sent on:** Sunday, August 4, 2019 1:26:08 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Able Contracting

Story map is updated. Let me know if I need to change anything.
I should be around my computer all day, unless there any new developments with the patient at the hospital.

**Katie Wise, CFM** | GIS Specialist
Direct **678.775.3110** | Mobile **678.516.9070** | katie.wise@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™
1955 Evergreen Blvd., Bldg. 200, Ste. 300 | Duluth, GA 30096 | tetratech.com



**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Sunday, August 4, 2019 8:53 AM
**To:** Wise, Katie <Katie.Wise@tetratech.com>
**Subject:** Re: Able Contracting





**From:** Wise, Katie <Katie.Wise@tetratech.com>
**Sent on:** Sunday, August 4, 2019 12:50:05 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Able Contracting

Here is the plotted points from LINC 161. Doesn't seem correct to me.

Blue=20190803
Pink=20190804

Katie Wise, CFM | GIS Specialist
Direct 678.775.3110 | Mobile 678.516.9070 | katie.wise@tetratech.com

Tetra Tech | Complex World, Clear Solutions™
1955 Evergreen Blvd., Bldg. 200, Ste. 300 | Duluth, GA 30096 | tetratech.com

**From:** Wise, Katie <Katie.Wise@tetratech.com>
**Sent on:** Sunday, August 4, 2019 1:26:08 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Able Contracting

Story map is updated. Let me know if I need to change anything.
I should be around my computer all day, unless there any new developments with the patient at the hospital.

**Katie Wise, CFM** | GIS Specialist
Direct **678.775.3110** | Mobile **678.516.9070** | katie.wise@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™
1955 Evergreen Blvd., Bldg. 200, Ste. 300 | Duluth, GA 30096 | tetratech.com



**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Sunday, August 4, 2019 8:53 AM
**To:** Wise, Katie <Katie.Wise@tetratech.com>
**Subject:** Re: Able Contracting





**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Thursday, August 1, 2019 7:00:27 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting

County said that's not true.

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Thursday, August 1, 2019 2:58 PM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; rwells@jaspercountysc.gov <rwells@jaspercountysc.gov>
**Subject:** Able Contracting



All,

Mr. Lloyd called me this afternoon. According to Mr. Lloyd from someone at the county told him that firefighting activities couldn't resume until the EPA received the sampling results. I want to confirm full scale firefighting activities can resume either by the owner, contractor, or Jasper County Emergency Services. We don't need to wait for analytical results if someone wants to begin putting out the fire permanently.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Sunday, August 4, 2019 12:53:06 PM
**To:** Wise, Katie <katie.wise@tetratech.com>
**Subject:** Re: Able Contracting
**Attachments:** image002.jpg (35.56 KB)



## Armstrong, Kathy

**From:** Garrard, Jordan
**Sent:** Sunday, August 04, 2019 8:53 AM
**To:** Wise, Katie
**Subject:** Re: Able Contracting



Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 4, 2019, at 8:50 AM, Wise, Katie <Katie.Wise@tetratech.com> wrote:

Here is the plotted points from LINC 161. Doesn't seem correct to me.

Blue=20190803
Pink=20190804

<image002.jpg>

Katie Wise, CFM | GIS Specialist
Direct 678.775.3110 | Mobile 678.516.9070 | katie.wise@tetratech.com

Tetra Tech | Complex World, Clear Solutions™
1955 Evergreen Blvd., Bldg. 200, Ste. 300 | Duluth, GA 30096 | tetratech.com



-----Original Message-----
From: Garrard, Jordan <Garrard.Jordan@epa.gov>
Sent: Saturday, August 3, 2019 6:10 PM
To: Wise, Katie <Katie.Wise@tetratech.com>; Snyder, John <John.Snyder@tetratech.com>; Jardine, Rick <Jardine.Richard@epa.gov>; Prys, Paul <Paul.Prys@tetratech.com>
Subject: Able Contracting



Katie, can you update the story map with the roving air monitoring locations.

Thanks

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

Share Copy link Download Delete Copy to Version history Previous 208 of 2

**From:** Wise, Katie <Katie.Wise@tetratech.com>
**Sent on:** Sunday, August 4, 2019 12:50:05 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Able Contracting

Here is the plotted points from LINC 161. Doesn't seem correct to me.

Blue=20190803
Pink=20190804

Katie Wise, CFM | GIS Specialist
Direct 678.775.3110 | Mobile 678.516.9070 | katie.wise@tetratech.com

Tetra Tech | Complex World, Clear Solutions™
1955 Evergreen Blvd., Bldg. 200, Ste. 300 | Duluth, GA 30096 | tetratech.com

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Thursday, August 1, 2019 7:04:52 PM
**To:** Scott Reynolds <reynolds@dhec.sc.gov>
**Subject:** Re: Able Contracting

Roger, just relaying a Message and making sure we are all on the same page.

Thanks

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 1, 2019, at 3:00 PM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

County said that's not true.

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Thursday, August 1, 2019 2:58 PM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; rwells@jaspercountysc.gov <rwells@jaspercountysc.gov>
**Subject:** Able Contracting

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

All,

Mr. Lloyd called me this afternoon. According to Mr. Lloyd from someone at the county told him that firefighting activities couldn't resume until the EPA received the sampling results. I want to confirm full scale firefighting activities can resume either by the owner, contractor, or Jasper County Emergency Services. We don't need to wait for analytical results if someone wants to begin putting out the fire permanently.

Jordan Garrard

On-Scene Coordinator

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Thursday, August 1, 2019 7:00:27 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting

County said that's not true.

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Thursday, August 1, 2019 2:58 PM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; rwells@jaspercountysc.gov <rwells@jaspercountysc.gov>
**Subject:** Able Contracting

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

All,

Mr. Lloyd called me this afternoon. According to Mr. Lloyd from someone at the county told him that firefighting activities couldn't resume until the EPA received the sampling results. I want to confirm full scale firefighting activities can resume either by the owner, contractor, or Jasper County Emergency Services. We don't need to wait for analytical results if someone wants to begin putting out the fire permanently.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Russell Wells <rwells@jaspercountysc.gov>
**Sent on:** Thursday, August 1, 2019 7:09:31 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Scott Reynolds <reynolds@dhec.sc.gov>; keith.frost@dhec.sc.gov
**CC:** David Tedder <dtedder@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>
**Subject:** Re: Able Contracting

Good afternoon Jordan,
I believe there is misinformation in what has been conveyed to you. Jasper County Fire Rescue continues operations equal to that of while the U.S. EPA was onsite. Since the demobilization of your staff. We have conducted site surveys and engaged active visible flames.

Respectfully,
Russell Wells

Sent from my Verizon, Samsung Galaxy smartphone

-------- Original message --------
From: "Garrard, Jordan" <Garrard.Jordan@epa.gov>
Date: 8/1/19 14:59 (GMT-05:00)
To: Scott Reynolds <reynolds@dhec.sc.gov>, keith.frost@dhec.sc.gov, Russell Wells <rwells@jaspercountysc.gov>
Subject: Able Contracting

All,

Mr. Lloyd called me this afternoon. According to Mr. Lloyd from someone at the county told him that firefighting activities couldn't resume until the EPA received the sampling results. I want to confirm full scale firefighting activities can resume either by the owner, contractor, or Jasper County Emergency Services. We don't need to wait for analytical results if someone wants to begin putting out the fire permanently.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Pinkney, James <Pinkney.James@epa.gov> on behalf of Pinkney, James
**Sent on:** Wednesday, July 31, 2019 9:12:25 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting

EPA was requested by SCDHEC to assist in air monitoring and sampling on Thursday, July 25, 2019. EPA conducted air monitoring and air sampling to determine if hazardous substances are being released from the pile to the air or water. EPA conducted air monitoring from Thursday evening to Monday morning, approximately 88 hours.

EPA conducted air monitoring for particulates and VOCs, CO, H2S, O2 and LEL. Elevated particulate readings were observed at various times throughout the day and night. The air monitoring data has been shared with SCDECH and Jasper County.

EPA collected 2 rounds of air samples at the source and downwind at the closest resident. The samples have been sent to an offsite location for analysis. The samples will be analyzed for numerous chemical compounds.

EPA also collected water samples from the firefighting water runoff currently being contained in a series of onsite drainage ditches. Those water samples will be analyzed for numerous compounds as well. As of July 29, 2019, EPA has ceased air monitoring and demobilized from the area. EPA will continue to coordinate with Jasper County and SCDHEC and will share analytical results as soon as they are received.

James Pinkney
Public Affairs Specialist
U.S. Environmental Protection Agency, Region 4 Office of Public & Government Affairs
Email: Pinkney.james@epa.gov
Phone: (404) 562-9183
Cell phone: (404) 695-5503
Follow Region 4 on Twitter: www.twitter.com/EPASoutheast
And Facebook: www.facebook.com/eparegion4

On Jul 31, 2019, at 9:28 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> EPA was requested by SCDECH to help assist in air monitoring and sampling on Thursday July 25. EPA conducted air monitoring and air sampling to help determine if hazardous substances are being released from the pile to the air or water. EPA conducted air monitoring from Thursday evening to Monday am approximately 88 hours. EPA conducted air monitoring for particulates and VOCs, CO, H2S, O2 and LEL. Elevated particulate readings were observed at various times throughout the day and night, the air monitoring data has been shared with SCDECH and Jasper County. EPA collected 2 rounds of air samples at the source and downwind at the closest resident. The samples have been sent for offsite analysis. The samples will be analyzed for numerous chemical compounds. EPA also collected a water sample from the firefighting water runoff currently being contained in a series of onsite drainage ditches. Those water samples will be analyzed for numerous compounds as well.

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, August 9, 2019 7:29:51 PM
**To:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**CC:** Matthew Huyser <Huyser.Matthew@epa.gov>
**Subject:** RE: Able Contracting
**Attachments:** Able Contracting Fire SW Validated Table.pdf (9.19 KB), Viper Summary report_AR and DustTrack_ABLE CONTRACTING_072619.pdf (166.16 KB), Viper Summary report_SPM_08022019NIGHT.pdf (135.72 KB), Viper Summary report_SPM_08032019-08042019.pdf (116.39 KB), Viper Summary report_VOC_08032019-08042019.pdf (106.56 KB), Viper_Summary_Report_AR and DustTrack_07272019_0700_07282019_0700.pdf (265.39 KB), Viper_Summary_Report_AR and DustTrack_ABLE CONTRACTING_072519_1951_through_07262019_0700.pdf (166.16 KB), Viper_Summary_Report_AR and DustTrack_ABLE CONTRACTING_072619_0700_through_07262019_1900.pdf.pdf (193.92 KB), Viper_Summary_Report_AR and DustTrack_ABLE CONTRACTING_072619_1900_through_07272019_0700.pdf (158.44 KB), Viper_Summary_Report_AR and DustTrack_Able_Contracting_07282019_0700_07292019_0200.pdf (200.43 KB)

I have attached the water analysis and all the air monitoring data. Air sampling data is still under review. I have included Matt Huyser on the email. He is replacing me as the EPA lead.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Sent:** Friday, August 9, 2019 3:04 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Able Contracting

Good afternoon Jordan! May we have the results for the testing y'all completed, please?
Thank you,
Angela

**SURFACE WATER RESULTS SUMMARY TABLE**
**DETECTIONS ONLY**
**ABLE CONTRACTING FIRE**

| Parameter | MCL/RSL[1] | ACF-GW-472R | | DHEC (acute/chronic) /EPA (chr/acute)[2] | ACF-SW-DITCH | ACF-SW-POND |
|---|---|---|---|---|---|---|
| | Groundwater | | | Surface Water | | |
| **Metals (µg/L)** | | | | | | |
| Aluminum | *2,000* | 100 U | | *87/750* | 527 | 251 |
| Antimony | 6 | 5.0 U | | *190/900* | 61.0 | 32.3 |
| Arsenic | 10 | 10.0 U | | 340/150 | 554 | 493 |
| Barium | 2,000 | 5.7 | | *220/2,000* | 175 | 133 |
| Cadmium | 5 | 1.0 U | | 0.53/0.10 | 4.3 | 3.6 |
| Calcium | NL | 27,200 | | *116,000/NL* | 904,000 | 725,000 |
| Chromium | 100 | 5.0 U | | 580/28 | 191 | 148 |
| Copper | 1,300 | 27.6 | | 3.8/2.9 | 28.1 | 20.2 |
| Iron | *1,400* | 50.0 U | | *1,000/NL* | 1,070 | 300 |
| Lead | 15 | 5.0 U | | 14/0.54 | 3.0 J | 5.0 U |
| Magnesium | NL | 9,370 | | *82,000/NL* | 83,100 | 48,900 |
| Manganese | *48* | 21.8 | | *93/1,680* | 820 | 526 |
| Nickel | *40* | 2.6 J | | 150/16 | 45.2 | 90.5 |
| Potassium | NL | 2,760 J | | *53,000/NL* | 112,000 | 75,300 |
| Sodium | NL | 10,600 | | *680,000/NL* | 430,000 | 248,000 |
| Vanadium | NL | 5.0 U | | *27/79* | 36.4 | 22.7 |
| Zinc | *600* | 130 | | 37/37 | 72.7 | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | | | | |
| 1,2-Dichloroethane | 5 | 1.0 U | | *2,000/8,200* | 0.83 J | 0.55 J |
| 2-Butanone (MEK) | *1,200* | 5.0 U | | *22,000/200,000* | 71.6 | 43.2 J+ |
| 2-Hexanone | *10* | 5.0 U | | *99/1,800* | 3.5 J | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | *630* | 5.0 U | | *170/2,200* | 9.4 J | 5.0 U |
| Acetone | *1,800* | 25.0 U | | *1,700/15,000* | 325 | 269 J+ |
| Benzene | 5 | 1.0 U | | *160/700* | 29.7 | 21.4 |
| Chloromethane | *19* | 0.69 J | | NL | 2.0 U | 1.8 |
| Ethylbenzene | 700 | 1.0 U | | *61/550* | 6.2 | 6.0 |
| m&p-Xylene | *400* | 2.0 U | | *27/240* | 2.4 J | 1.8 J |
| Naphthalene | *40* | 1.0 U | | *21/170* | 3.9 | 2.3 |
| o-Xylene | *400* | 1.0 U | | *27/240* | 1.6 J | 1.1 |
| Toluene | 1,000 | 1.0 U | | *62/560* | 14.5 | 10.5 |
| Xylene (Total) | 10,000 | 1.0 U | | *27/240* | 2.0 U | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | | | | |
| 2,4-Dimethylphenol | *40* | 100 U | | *15/140* | 108 J- | 6.0 J |
| 2-Methylphenol(o-Cresol) | *100* | 100 U | | *67/600* | 137 J- | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | *200* | 100 U | | *62/560* | 82.9 J- | 7.9 J |
| Phenol | *580* | 100 UJ | | *160/4,700* | 67.8 J- | 9.8 UJ |

**Notes:**

1 Drinking water values are compared to EPA MCLs. When an MCL is not listed, the EPA RSL is used

2 Surface water values are compared to DHEC Freshwater Aquatic Life levels. When DHEC levels are not listed, EPA Surface Water Screening Values are used

SHAD Reported value exceeds the comparison criteria

Acute Acute exposure

Chr Chronic exposure

Cont Continuous exposure

J The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

J+ The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased high.

J- The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased low.

Max Maximum exposure level

MCL Maximum contaminant level

NL Not listed

RSL Regional Screening Level; Tapwater TR=1E-06, THQ=0.1

U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).

**SURFACE WATER RESULTS SUMMARY TABLE**
**DETECTIONS ONLY**
**ABLE CONTRACTING FIRE**

| | |
|---|---|
| UJ | The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is estimated. |
| µg/L | micrograms per liter |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** **Able Contracting Fire**

***From:*** **7/25/19 19:51** ***To:*** ***7/26/19 7:00***

| Station 155 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 7,362 | 5,396 | 0 - 30,618 ppb | 49.5 ppb | 1,000 ppb |
| | CO | No | 7,362 | 662 | 0 - 36 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,362 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,362 | 7,362 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,362 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Moderate | 11,564 | 11,564 | 2 - 652 μg/m³ | 13.8 μg/m³ | See SOG #: T106 |

| Station 156 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 6,209 | 315 | 0 - 1,349 ppb | 7.4 ppb | 1,000 ppb |
| | CO | No | 6,209 | 2,943 | 0 - 41 ppm | 5.1 ppm | 83 ppm |
| | $H_2S$ | No | 6,209 | 202 | 0 - 2.3 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,209 | 6,209 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,209 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Moderate | 14,670 | 14,670 | 9 - 438 μg/m³ | 33.8 μg/m³ | See SOG #: T106 |

| Station 157 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 6,741 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,741 | 6,741 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,741 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Moderate | 8,281 | 8,281 | 11 - 216 μg/m³ | 23.3 μg/m³ | See SOG #: T106 |

| Command Post | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 6,476 | 15 | 0 - 698 ppb | 0.4 ppb | 1,000 ppb |
| | CO | No | 6,476 | 26 | 0 - 10 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,476 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,476 | 6,476 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,476 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| μg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** ABLE CONTRACTING FIRE

***From:*** 8/2/19 20:59 ***To:*** *8/3/19* *8:59*

| Location 1 (Southeast Corner/Residential Property Line) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 1 | Phosgene (COCl2) | 0 | 2192 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 2 (West Side of Pile) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 2 | Phosgene (COCl2) | 0 | 1337 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 3 (Upwind: North) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 3 | Phosgene (COCl2) | 0 | 1844 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

Notes:

| | |
|---|---|
| AEGL | Acute Exposure Guideline levels for airborne chemicals (8 hour exposure) |
| min | Minute |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| RML | Removal Management Level |
| TLV | Threshold limit value |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** ABLE CONTRACTING FIRE

***From:*** **8/3/19 0:00** ***To:*** ***8/4/19 6:59***

| Location 1 (Southeast Corner Residential/Property Line) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 1 | Phosgene (COCl2) | 3 | 4337 | 3 | 0 - 6 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 2 (West Side of Pile) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 2 | Phosgene (COCl2) | 0 | 3267 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 3 (Upwind; North) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 3 | Phosgene (COCl2) | 5 | 4319 | 5 | 0 - 22 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

Notes:

| | |
|---|---|
| AEGL | Acute Exposure Guideline levels for airborne chemicals (8 hour exposure) |
| min | Minute |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| RML | Removal Management Level |
| TLV | Threshold limit value |

# Mobile Air Monitoring Summary Tables

***Project Name:***

***From:*** **8/3/19 12:10** ***To:*** ***8/4/19 7:12***

E.P.A. — OIL & HAZARDOUS SUBSTANCES — REGION 4 EMERGENCY RESPONSE — UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 2 | 12 | 2 | 0 - 210 ppm | 20.8 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 1 | 0 - 10 ppm | 0.83 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

**Location 5**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

**Location 6**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

**Location 7**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

**Location 8**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

Notes:

AEGL Acute Exposure Guideline levels for airborne chemicals
CO Carbon monoxide
min Minute
PEL Permissible exposure limit
ppm Parter per million
VOC Volatile organic compoud

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** **7/27/19 0700 hours** ***To:*** ***7/28/19 0700 hours***

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Av |
|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 11,334 | 6,623 | 0 - 2535 ppb | 86.3 p |
| | CO | No | 11,334 | 455 | 0 - 11 ppm | 0.2 pp |
| | $H_2S$ | No | 11,334 | 0 | 0 - 0 ppm | 0 ppı |
| | $O_2$ | No | 11,334 | 11,334 | 20.9 - 20.9% | 20.9 |
| | LEL | No | 11,334 | 0 | 0 - 0% | 0% |
| DustTrak 1 | PM-2.5 | Good | 41,230 | 39,154 | 0 - 498 µg/m³ | 8.5 µg/ |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Av |
|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 11,166 | 45 | 0 - 718 ppb | 6.1 pp |
| | CO | No | 11,166 | 135 | 0 - 7 ppm | 0 ppı |
| | $H_2S$ | No | 11,166 | 4 | 0 - 0.6 ppm | 0 ppı |
| | $O_2$ | No | 11,166 | 11,166 | 20.9 - 20.9% | 20.9 |
| | LEL | No | 11,166 | 0 | 0 - 0 % | 0% |
| DustTrak 2 | PM-2.5 | Very Unhealthy | 48,763 | 48,763 | 8 - 6550 µg/m³ | 202.6 µg |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Ave |
|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 11,528 | 7,621 | 0 - 3538 ppb | 70.6 pp |
| | CO | No | 11,528 | 31 | 0 - 7 ppm | 0 ppm |
| | $H_2S$ | No | 11,528 | 0 | 0 - 0 ppm | 0 ppm |
| | $O_2$ | No | 11,528 | 11,528 | 20.9 - 20.9% | 20.9% |
| | LEL | No | 11,528 | 0 | 0 - 0% | 0% |
| DustTrak 3 | PM-2.5 | Unhealthy | 42,191 | 42,191 | 16 - 7890 µg/m³ | 88.4 µg/ |

| | |
|---|---|
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppm | Parter per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| $\mu g/m^3$ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** **Able Contracting Fire**

***From:*** **7/25/19 19:51** ***To:*** ***7/26/19 7:00***

| Station 155 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 7,362 | 5,396 | 0 - 30,618 ppb | 49.5 ppb | 1,000 ppb |
| | CO | No | 7,362 | 662 | 0 - 36 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,362 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,362 | 7,362 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,362 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Moderate | 11,564 | 11,564 | 2 - 652 µg/m³ | 13.8 µg/m³ | See SOG #: T106 |

| Station 156 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 6,209 | 315 | 0 - 1,349 ppb | 7.4 ppb | 1,000 ppb |
| | CO | No | 6,209 | 2,943 | 0 - 41 ppm | 5.1 ppm | 83 ppm |
| | $H_2S$ | No | 6,209 | 202 | 0 - 2.3 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,209 | 6,209 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,209 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Moderate | 14,670 | 14,670 | 9 - 438 µg/m³ | 33.8 µg/m³ | See SOG #: T106 |

| Station 157 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 6,741 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,741 | 6,741 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,741 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Moderate | 8,281 | 8,281 | 11 - 216 µg/m³ | 23.3 µg/m³ | See SOG #: T106 |

| Command Post | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 6,476 | 15 | 0 - 698 ppb | 0.4 ppb | 1,000 ppb |
| | CO | No | 6,476 | 26 | 0 - 10 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,476 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,476 | 6,476 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,476 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name: Able Contracting Fire***

***From:*** **7/26/19 7:00** ***To:*** ***7/26/19 18:59***

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 7,598 | 109 | 0 - 6,319 ppb | 7 ppb | 1,000 ppb |
| | CO | No | 7,598 | 529 | 0 - 19 ppm | 0.3 ppm | 83 ppm |
| | $H_2S$ | No | 7,598 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,598 | 7,598 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,598 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 25,313 | 25,310 | 0 - 220 μg/m³ | 6.3 μg/m³ | See SOG #: T106 |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 7,795 | 111 | 0 - 5,277 ppb | 2.4 ppb | 1,000 ppb |
| | CO | No | 7,795 | 148 | 0 - 13 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 7,795 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,795 | 7,795 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,795 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Unhealthy | 44,965 | 44,965 | 1 - 1260 μg/m³ | 84.2 μg/m³ | See SOG #: T106 |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 8,496 | 4,210 | 0 - 20,802 ppb | 45.9 ppb | 1,000 ppb |
| | CO | No | 8,496 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 8,496 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 8,496 | 8,496 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 8,496 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy for Sensative Groups | 38,022 | 38,022 | 14 - 1390 μg/m³ | 52 μg/m³ | See SOG #: T106 |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 7,855 | 88 | 0 - 21,572 ppb | 4.7 ppb | 1,000 ppb |
| | CO | No | 7,855 | 607 | 0 - 24 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,855 | 17 | 0 - 1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,855 | 7,855 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,855 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| μg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** **7/26/19** **1900 hours** ***To:*** ***7/27/19*** ***0700 hours***

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 6,934 | 4,053 | 0 - 881 ppb | 27.8 ppb | 1 ppm |
| | CO | No | 6,934 | 268 | 0 - 11 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 6,934 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,934 | 6,934 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,934 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 36,181 | 36,175 | 0 - 417 μg/m³ | 7.6 μg/m³ | See SOG #: T106 |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 7,164 | 1,248 | 0 - 1513 ppb | 24.8 ppb | 1 ppm |
| | CO | No | 7,164 | 426 | 0 - 16 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 7,164 | 13 | 0 - 1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,164 | 7,164 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,164 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Very Unhealthy | 44,566 | 44,566 | 10 - 10400 μg/m³ | 167.8 μg/m³ | See SOG #: T106 |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 7,952 | 7,952 | 0 - 920 ppb | 31.9 ppb | 1 ppm |
| | CO | No | 7,952 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 7,952 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,952 | 7,952 | 20.9 - 21.1% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,952 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy | 39,505 | 39,505 | 16 - 2430 μg/m³ | 57.8 μg/m³ | See SOG #: T106 |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 7,372 | 219 | 0 - 112984 ppb | 29.2 ppb | 1 ppm |
| | CO | No | 7,372 | 59 | 0 - 23 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 7,372 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,372 | 7,372 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,372 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |

| | |
|---|---|
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppm | Parter per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| $\mu g/m^3$ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name: Able Contracting Fire***

***From:*** **7/28/19** **0700 hours** ***To:*** ***7/29/19*** ***0200 hours***

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY E.P.A. OIL & HAZARDOUS SUBSTANCES REGION 4 EMERGENCY RESPONSE

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 2,452 | 1,406 | 0 - 3,302 ppb | 77.7 ppb | 1,000 ppb |
| | CO | No | 2,452 | 26 | 0 - 6 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,452 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,452 | 2,452 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,452 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 6,341 | 6,332 | 0 - 351 µg/m³ | 8.6 µg/m³ | See SOG #: T106 |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 2,432 | 1 | 0 - 119 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 2,432 | 3 | 0 - 4 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,432 | 1 | 0 - 0.4 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,432 | 2,432 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,432 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Unhealthy for Sensitive Groups | 7,267 | 7,267 | 11 - 363 µg/m³ | 40.6 µg/m³ | See SOG #: T106 |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 2,449 | 1,096 | 0 - 3,200 ppb | 36 ppb | 1,000 ppb |
| | CO | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,449 | 2,449 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,449 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy | 4,708 | 4,708 | 19 - 1060 µg/m³ | 101.6 µg/m³ | See SOG #: T106 |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 2,434 | 404 | 0 - 36,051 ppb | 27.5 ppb | 1,000 ppb |
| | CO | No | 2,434 | 95 | 0 - 19 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 2,434 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,434 | 2,434 | 20.9 - 21.3% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,434 | 0 | 0 - 0% | 0% | 10% |

Notes:

- % Percent
- < Less than
- > Greater than
- AEGL Acute Exposure Guideline levels for airborne chemicals
- CO Carbon monoxide
- $H_2S$ Hydrogen Sulfide
- LEL Lower Explosive Level
- min Minute
- $O_2$ Oxygen
- PEL Permissible exposure limit
- ppm Parts per million
- ppm Parts per million
- PM Particulate matter
- SOG Standard Operating Guidelines
- TLV Threshold limit value
- µg/m³ Micrograms per cubic meter
- VOC Volatile organic compoud

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Thursday, August 1, 2019 7:15:49 PM
**To:** Russell Wells <rwells@jaspercountysc.gov>
**CC:** Scott Reynolds <reynolds@dhec.sc.gov>; keith.frost@dhec.sc.gov; David Tedder <dtedder@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>
**Subject:** Re: Able Contracting

Thanks for the update, I figured it was wrong information but I just wanted to pass along. Thanks again for your help and I will pass along the sampling results as soon as I received them.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 1, 2019, at 3:09 PM, Russell Wells <rwells@jaspercountysc.gov> wrote:

> Good afternoon Jordan,
> I believe there is misinformation in what has been conveyed to you. Jasper County Fire Rescue continues operations equal to that of while the U.S. EPA was onsite. Since the demobilization of your staff. We have conducted site surveys and engaged active visible flames.
>
> Respectfully,
> Russell Wells
>
> Sent from my Verizon, Samsung Galaxy smartphone
>
> -------- Original message --------
> From: "Garrard, Jordan" <Garrard.Jordan@epa.gov>
> Date: 8/1/19 14:59 (GMT-05:00)
> To: Scott Reynolds <reynolds@dhec.sc.gov>, keith.frost@dhec.sc.gov, Russell Wells <rwells@jaspercountysc.gov>
> Subject: Able Contracting
>
> All,
>
> Mr. Lloyd called me this afternoon. According to Mr. Lloyd from someone at the county told him that firefighting activities couldn't resume until the EPA received the sampling results. I want to confirm full scale firefighting activities can resume either by the owner, contractor, or Jasper County

**From:** Russell Wells <rwells@jaspercountysc.gov>
**Sent on:** Thursday, August 1, 2019 7:09:31 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Scott Reynolds <reynolds@dhec.sc.gov>; keith.frost@dhec.sc.gov
**CC:** David Tedder <dtedder@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>
**Subject:** Re: Able Contracting

Good afternoon Jordan,
I believe there is misinformation in what has been conveyed to you. Jasper County Fire Rescue continues operations equal to that of while the U.S. EPA was onsite. Since the demobilization of your staff. We have conducted site surveys and engaged active visible flames.

Respectfully,
Russell Wells

Sent from my Verizon, Samsung Galaxy smartphone

-------- Original message --------
From: "Garrard, Jordan" <Garrard.Jordan@epa.gov>
Date: 8/1/19 14:59 (GMT-05:00)
To: Scott Reynolds <reynolds@dhec.sc.gov>, keith.frost@dhec.sc.gov, Russell Wells <rwells@jaspercountysc.gov>
Subject: Able Contracting

All,

Mr. Lloyd called me this afternoon. According to Mr. Lloyd from someone at the county told him that firefighting activities couldn't resume until the EPA received the sampling results. I want to confirm full scale firefighting activities can resume either by the owner, contractor, or Jasper County Emergency Services. We don't need to wait for analytical results if someone wants to begin putting out the fire permanently.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Wednesday, July 31, 2019 9:16:39 PM
**To:** Pinkney, James <Pinkney.James@epa.gov>
**Subject:** Re: Able Contracting

Looks fine

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Jul 31, 2019, at 5:12 PM, Pinkney, James <Pinkney.James@epa.gov> wrote:

> EPA was requested by SCDHEC to assist in air monitoring and sampling on Thursday, July 25, 2019. EPA conducted air monitoring and air sampling to determine if hazardous substances are being released from the pile to the air or water. EPA conducted air monitoring from Thursday evening to Monday morning, approximately 88 hours.
>
> EPA conducted air monitoring for particulates and VOCs, CO, H2S, O2 and LEL. Elevated particulate readings were observed at various times throughout the day and night. The air monitoring data has been shared with SCDECH and Jasper County.
>
> EPA collected 2 rounds of air samples at the source and downwind at the closest resident. The samples have been sent to an offsite location for analysis. The samples will be analyzed for numerous chemical compounds.
>
> EPA also collected water samples from the firefighting water runoff currently being contained in a series of onsite drainage ditches. Those water samples will be analyzed for numerous compounds as well.
> As of July 29, 2019, EPA has ceased air monitoring and demobilized from the area. EPA will continue to coordinate with Jasper County and SCDHEC and will share analytical results as soon as they are received.
>
> James Pinkney
> Public Affairs Specialist
> U.S. Environmental Protection Agency, Region 4 Office of Public & Government Affairs
> Email: Pinkney.james@epa.gov
> Phone: (404) 562-9183
> Cell phone: (404) 695-5503
> Follow Region 4 on Twitter: www.twitter.com/EPASoutheast
> And Facebook: www.facebook.com/eparegion4
>
> On Jul 31, 2019, at 9:28 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

**From:** Pinkney, James <Pinkney.James@epa.gov> on behalf of Pinkney, James
**Sent on:** Wednesday, July 31, 2019 9:12:25 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting

EPA was requested by SCDHEC to assist in air monitoring and sampling on Thursday, July 25, 2019. EPA conducted air monitoring and air sampling to determine if hazardous substances are being released from the pile to the air or water. EPA conducted air monitoring from Thursday evening to Monday morning, approximately 88 hours.

EPA conducted air monitoring for particulates and VOCs, CO, H2S, O2 and LEL. Elevated particulate readings were observed at various times throughout the day and night. The air monitoring data has been shared with SCDECH and Jasper County.

EPA collected 2 rounds of air samples at the source and downwind at the closest resident. The samples have been sent to an offsite location for analysis. The samples will be analyzed for numerous chemical compounds.

EPA also collected water samples from the firefighting water runoff currently being contained in a series of onsite drainage ditches. Those water samples will be analyzed for numerous compounds as well. As of July 29, 2019, EPA has ceased air monitoring and demobilized from the area. EPA will continue to coordinate with Jasper County and SCDHEC and will share analytical results as soon as they are received.

James Pinkney
Public Affairs Specialist
U.S. Environmental Protection Agency, Region 4 Office of Public & Government Affairs
Email: Pinkney.james@epa.gov
Phone: (404) 562-9183
Cell phone: (404) 695-5503
Follow Region 4 on Twitter: www.twitter.com/EPASoutheast
And Facebook: www.facebook.com/eparegion4

On Jul 31, 2019, at 9:28 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> EPA was requested by SCDECH to help assist in air monitoring and sampling on Thursday July 25. EPA conducted air monitoring and air sampling to help determine if hazardous substances are being released from the pile to the air or water. EPA conducted air monitoring from Thursday evening to Monday am approximately 88 hours. EPA conducted air monitoring for particulates and VOCs, CO, H2S, O2 and LEL. Elevated particulate readings were observed at various times throughout the day and night, the air monitoring data has been shared with SCDECH and Jasper County. EPA collected 2 rounds of air samples at the source and downwind at the closest resident. The samples have been sent for offsite analysis. The samples will be analyzed for numerous chemical compounds. EPA also collected a water sample from the firefighting water runoff currently being contained in a series of onsite drainage ditches. Those water samples will be analyzed for numerous compounds as well.

**From:** Franco, Benjamin <Franco.Benjamin@epa.gov> on behalf of Franco, Benjamin
**Sent on:** Thursday, August 8, 2019 6:42:11 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** RE: Able Contracting

I am going to start ERRS-CMC with $100,000. That will give you some ceiling room under the ER AM. Unless ERRS brings in equipment, that should be sufficient for relocation.

Respectfully,

Benjamin Franco,
Federal On Scene Coordinator
Emergency Response, Removal and Prevention Branch
Superfund Division
USEPA R4
61 Forsyth St
Atlanta, GA 30303

404-562-8758 (w)
404-915-6952 (c)

Report Oil and Chemical Spills to the National Response Center 1-800-424-8802

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Thursday, August 8, 2019 2:22 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Franco, Benjamin <Franco.Benjamin@epa.gov>
**Subject:** Able Contracting

Current ceiling for START TDD is $90,000. I don't know if it would all fall under Removal Action or Assessment, I don't know how management would classify the sampling that was completed. I have also drafted 2 polreps, which are awaiting mgmt approval.

Jordan

**From:** Bryant, Melissa <Bryant.Melissa@epa.gov> on behalf of Bryant, Melissa
**Sent on:** Sunday, August 4, 2019 12:59:51 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting fire

Yup, it sure will.

Melissa Bryant
General Dynamics Information Technology
US EPA - ERT Support Contractor
800-999-6990

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Saturday, August 3, 2019 8:50 PM
**To:** Bryant, Melissa <Bryant.Melissa@epa.gov>; Paul Prys <Paul.Prys@tetratech.com>
**Subject:** Re: Able Contracting fire

Thanks, will it be available at viper.ert.org/R04AbleFire

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 3, 2019, at 7:19 PM, Bryant, Melissa <Bryant.Melissa@epa.gov> wrote:

> Okay Jordan. The automated export will run tomorrow (8/4) @ 7am for the prior 22 hours (9am 8/3).
>
> Pleas let us know if you need any changes to that schedule.
>
> Thanks,
>
> Melissa Bryant
> General Dynamics Information Technology
> US EPA - ERT Support Contractor
> 800-999-6990
>
> ---
>
> **From:** Garrard, Jordan <Garrard.Jordan@epa.gov>

**From:** Bryant, Melissa <Bryant.Melissa@epa.gov> on behalf of Bryant, Melissa
**Sent on:** Saturday, August 3, 2019 11:19:27 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting fire

Okay Jordan. The automated export will run tomorrow (8/4) @ 7am for the prior 22 hours (9am 8/3).

Pleas let us know if you need any changes to that schedule.

Thanks,

Melissa Bryant
General Dynamics Information Technology
US EPA - ERT Support Contractor
800-999-6990

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Saturday, August 3, 2019 4:39 PM
**To:** Bryant, Melissa <Bryant.Melissa@epa.gov>; Schaefer, Joe <Schaefer.Joe@epa.gov>
**Subject:** Able Contracting fire

Melissa,

We are running 3 SPMs with phosgene tapes on viper at the able Contracting Fire. We would like a data pull from 0900 8/3/19 to 0700 8/4/19. We are planning on ending air monitoring tomorrow am.
Thanks

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

**From:** Bryant, Melissa <Bryant.Melissa@epa.gov> on behalf of Bryant, Melissa
**Sent on:** Sunday, August 4, 2019 12:59:51 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting fire

Yup, it sure will.

Melissa Bryant
General Dynamics Information Technology
US EPA - ERT Support Contractor
800-999-6990

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Saturday, August 3, 2019 8:50 PM
**To:** Bryant, Melissa <Bryant.Melissa@epa.gov>; Paul Prys <Paul.Prys@tetratech.com>
**Subject:** Re: Able Contracting fire

Thanks, will it be available at viper.ert.org/R04AbleFire

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 3, 2019, at 7:19 PM, Bryant, Melissa <Bryant.Melissa@epa.gov> wrote:

> Okay Jordan. The automated export will run tomorrow (8/4) @ 7am for the prior 22 hours (9am 8/3).
>
> Pleas let us know if you need any changes to that schedule.
>
> Thanks,
>
> Melissa Bryant
> General Dynamics Information Technology
> US EPA - ERT Support Contractor
> 800-999-6990
>
> ---
>
> **From:** Garrard, Jordan <Garrard.Jordan@epa.gov>

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Sunday, August 4, 2019 12:50:28 AM
**To:** Bryant, Melissa <Bryant.Melissa@epa.gov>; Paul Prys <Paul.Prys@tetratech.com>
**Subject:** Re: Able Contracting fire

Thanks, will it be available at viper.ert.org/R04AbleFire

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 3, 2019, at 7:19 PM, Bryant, Melissa <Bryant.Melissa@epa.gov> wrote:

Okay Jordan. The automated export will run tomorrow (8/4) @ 7am for the prior 22 hours (9am 8/3).

Pleas let us know if you need any changes to that schedule.

Thanks,

Melissa Bryant

General Dynamics Information Technology

US EPA - ERT Support Contractor

800-999-6990

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Saturday, August 3, 2019 4:39 PM
**To:** Bryant, Melissa <Bryant.Melissa@epa.gov>; Schaefer, Joe <Schaefer.Joe@epa.gov>
**Subject:** Able Contracting fire

Melissa,

We are running 3 SPMs with phosgene tapes on viper at the able Contracting Fire. We would like a data pull from 0900 8/3/19 to 0700 8/4/19. We are planning on ending air monitoring tomorrow am.
Thanks

Jordan Garrard

**From:** Bryant, Melissa <Bryant.Melissa@epa.gov> on behalf of Bryant, Melissa
**Sent on:** Saturday, August 3, 2019 11:19:27 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting fire

Okay Jordan. The automated export will run tomorrow (8/4) @ 7am for the prior 22 hours (9am 8/3).

Pleas let us know if you need any changes to that schedule.

Thanks,

Melissa Bryant
General Dynamics Information Technology
US EPA - ERT Support Contractor
800-999-6990

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Saturday, August 3, 2019 4:39 PM
**To:** Bryant, Melissa <Bryant.Melissa@epa.gov>; Schaefer, Joe <Schaefer.Joe@epa.gov>
**Subject:** Able Contracting fire

Melissa,

We are running 3 SPMs with phosgene tapes on viper at the able Contracting Fire. We would like a data pull from 0900 8/3/19 to 0700 8/4/19. We are planning on ending air monitoring tomorrow am.
Thanks

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

**From:** Adams, Glenn <Adams.Glenn@epa.gov> on behalf of Adams, Glenn
**Sent on:** Tuesday, August 6, 2019 1:49:20 AM
**To:** Turner, Nardina <Turner.Nardina@epa.gov>
**CC:** Frederick, Tim <Frederick.Tim@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting Fire

Thanks Nardina.

Jordan, it might be too late, but your START might want to talk with Nardina about this.
Glenn

Sent from my iPhone

On Aug 5, 2019, at 10:00 AM, Turner, Nardina <Turner.Nardina@epa.gov> wrote:

The lab package indicates that the client blank and the lab blank are below the LOQ. The problem is that all the results are below the LOQ. The results are all pushing the limits of the method. The lab cites OSHA Method 61, which I looked up. It is showing an LOQ of 0.014 mg/m3 (14 ug/m3). So, if additional testing will be done, we may want to research a better method. There is an EPA method that looks like it may be more sensitive, but more information would be needed on it.

**From:** Turner, Nardina
**Sent:** Monday, August 5, 2019 9:06 AM
**To:** Adams, Glenn <Adams.Glenn@epa.gov>
**Cc:** Frederick, Tim <Frederick.Tim@epa.gov>
**Subject:** RE: Able Contracting Fire

Looking at the lab package now.

**From:** Adams, Glenn <Adams.Glenn@epa.gov>
**Sent:** Monday, August 5, 2019 9:05 AM
**To:** Turner, Nardina <Turner.Nardina@epa.gov>
**Cc:** Frederick, Tim <Frederick.Tim@epa.gov>
**Subject:** RE: Able Contracting Fire

I talked to Jordan this morning, you are correct about the background sample, but both the lab and field blanks had contamination. They resampled and moved the background sample further away. That data will hopefully be available soon.

**From:** Turner, Nardina <Turner.Nardina@epa.gov>
**Sent:** Monday, August 5, 2019 8:06 AM
**To:** Adams, Glenn <Adams.Glenn@epa.gov>
**Cc:** Frederick, Tim <Frederick.Tim@epa.gov>
**Subject:** RE: Able Contracting Fire

**From:** Walker, Mary <walker.mary@epa.gov> on behalf of Walker, Mary
**Sent on:** Thursday, August 8, 2019 6:01:11 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; reecemc@dhec.sc.gov; Webster, James <Webster.James@epa.gov>; Moore, Tony <moore.tony@epa.gov>
**CC:** Chaffins, Randall <Chaffins.Randall@epa.gov>; Hill, Franklin <Hill.Franklin@epa.gov>
**Subject:** RE: Able Contracting Fire Air Sampling Data

THanks Jordan.

Please call Myra on her cell to discuss – she'll patch in Henry Porter.

Her cell is 803-667-1113

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Thursday, August 8, 2019 1:35 PM
**To:** reecemc@dhec.sc.gov; Webster, James <Webster.James@epa.gov>; Moore, Tony <moore.tony@epa.gov>; Walker, Mary <walker.mary@epa.gov>
**Subject:** Able Contracting Fire Air Sampling Data

Please see the attached preliminary data. The results have not been validated and the QA/QC review has not been conducted.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Monday, August 5, 2019 2:17:48 PM
**To:** Webster, James <Webster.James@epa.gov>; Hill, Franklin <Hill.Franklin@epa.gov>; Moore, Tony <moore.tony@epa.gov>
**Subject:** Re: Able Contracting Fire Update

For clarification the phosgene values were below 8hr and 40hr Aegls and RMLs for the monitoring periods even though there was limited detections of phosgene.

Local tv and print media are covering fire.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 5, 2019, at 9:30 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> On July 25, South Carolina Department of Health and Environmental Control (DHEC) requested that the EPA respond to an ongoing fire at the Able Contracting recycled materials process facility. The facility is approximately ten acres in size and contains a large pile of shredded debris. Frequent fires have been reported resulting in fire department responses to extinguish flames, however a persistent plume of smoke has been observed by locals as well as county and state officials. The property owner was applying water to the pile but reportedly ceased application on July 24. EPA On-Scene Coordinators (OSCs) supported by EPA START contractors conducted monitoring and sampling in air and water.
>
> On Friday, Aug 2nd OSC Garrard and START mobilized back to the Site Friday August 2 to rejoin Unified Command. Continued smoldering and intermittent flash fires erupting contributed to the Jasper County Council Chairman to issue a Declaration of Emergency Order to the nearby community of approximately a dozen residences. The county has secured housing for the evacuees from 6 residences. EPA has resumed air screening and sampling to confirm concentrations from previous sampling event. EPA collected two rounds (Day and Night) air samples for Phosgene and VOCs. EPA also air monitored for Phosgene and VOCs with Single Point Monitors and MultiRae Pro. Field screening indicated low level VOCs and intermittent low phosgene concentrations (0 - 22 ppb). Field screening numbers averaged below health based concern levels. SC DHEC continues to monitor for particulates which remain a health concern. OSC met with residences on August 3rd and referred them to ATSDR and SCDECH to discuss medical symptoms they are experiencing. EPA will receive lab analytical results on Thursday, August 8th. Preliminary water samples results from firefighting runoff have been shared with SCDECH and Jasper County. A conference call with Jasper County and SDECH will be held on Thursday/Friday to discuss the sampling results. Media interest remains fair.

**From:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**Sent on:** Friday, August 2, 2019 8:03:09 PM
**To:** shealyrg@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Stewart, Jill C. <STEWARJC@dhec.sc.gov>
**Subject:** Re: Able Contracting Fire Water Data Summary Table

Jordan,

Renee forwarded on to me the water summary data table. Thank you very much for that. In re: benchmarks for comparison:

GW -- as is listed, we will use the Federal MCLs; when an MCL is not published, we will go to the USEPA RSL tables (tap water value)

SW -- we will use State stream standards https://www.scdhec.gov/sites/default/files/media/document/R.61-68_0.pdf
for parameters where values are not promulgated, we will go to the USEPA R4 ecological screening guidance to check for a supplemental
https://www.epa.gov/risk/regional-ecological-risk-assessment-era-supplemental-guidance

Thanks again and hope that your weekend is not too difficult. Stay safe.

Best Regards,

Mike

**Mike Marcus, Ph.D.**
Chief, Bureau of Water
**S.C. Dept. of Health & Environmental Control**
Office: (803) 898-4210
Fax: (803) 898-3795
Connect: www.scdhec.gov Facebook witter

Healthy People Healthy Communities

---

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 3:33:14 PM
**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**Subject:** Fw: Able Contracting Fire Water Data Summary Table

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent on:** Friday, August 2, 2019 7:19:10 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** John Snyder <john.snyder@tetratech.com>
**Subject:** RE: Able Contracting Fire Water Data Summary Table
**Attachments:** Able Contracting Fire SW Pre-Review Table.pdf (72.38 KB), 92438972_TetraTechMT.XLS (863.5 KB)

Data Summary Table and EDD attached.

**From:** Jones, Chris
**Sent:** Friday, August 02, 2019 3:17 PM
**To:** Garrard, Jordan <garrard.jordan@epa.gov>
**Cc:** Snyder, John <John.Snyder@tetratech.com>
**Subject:** Able Contracting Fire Water Data Summary Table

Mr. Garrard,

See attached for the data summary table for water samples collected at the Able Contracting Fire. I will send you the EDD momentarily.

Let me know if you need anything else.

**Chris Jones** | Readiness Coordinator
Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** | chris.jones@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions

**PRE-REVIEW SURFACE WATER RESULTS SUMMARY TABLE**
**ABLE CONTRACTING FIRE**

| Parameter | MCL | ACF-GW-472R | ACF-SW-DITCH | ACF-SW-POND |
|---|---|---|---|---|
| **Metals (µg/L)** | | | | |
| Aluminum | NL | 100 U | 527 | 251 |
| Antimony | 6 | 5.0 U | **61.8** | **32.3** |
| Arsenic | 10 | 10.0 U | **554** | **493** |
| Barium | 2,000 | 5.7 | 175 | 133 |
| Cadmium | 5 | 1.0 U | 4.3 | 3.6 |
| Calcium | NL | 27200 | 904000 | 725000 |
| Chromium | 100 | 5.0 U | **191** | **148** |
| Copper | 1,300 | 27.6 | 38.1 | 20.2 |
| Iron | NL | 50.0 U | 1070 | 300 |
| Lead | 15 | 5.0 U | 3.0 J | 5.0 U |
| Magnesium | NL | 9370 | 83100 | 48900 |
| Manganese | NL | 21.8 | 820 | 526 |
| Nickel | NL | 2.6 J | 43.2 | 30.5 |
| Potassium | NL | 2760 J | 112000 | 75300 |
| Sodium | NL | 10600 | 430000 | 248000 |
| Vanadium | NL | 5.0 U | 36.4 | 22.7 |
| Zinc | NL | 130 | 72.7 | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | | |
| 1,2-Dichloroethane | 5 | 1.0 U | 0.83 J | 0.55 J |
| 2-Butanone (MEK) | NL | 5.0 U | 71.6 | 43.2 |
| 2-Hexanone | NL | 5.0 U | 3.5 J | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | NL | 5.0 U | 9.4 J | 5.0 U |
| Acetone | NL | 25.0 U | 325 | 269 |
| Benzene | 5 | 1.0 U | **29.7** | **21.4** |
| Chloromethane | NL | 0.69 J | 2.0 U | 1.8 |
| Ethylbenzene | 700 | 1.0 U | 6.2 | 6.0 |
| m&p-Xylene | NL | 2.0 U | 2.4 J | 1.8 J |
| Naphthalene | NL | 1.0 U | 3.9 | 2.3 |
| o-Xylene | NL | 1.0 U | 1.6 J | 1.1 |
| Toluene | 1,000 | 1.0 U | 14.5 | 10.5 |
| Xylene (Total) | 10,000 | 1.0 U | 2.0 U | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | | |
| 2,4-Dimethylphenol | NL | 100 U | 108 | 6.0 J |
| 2-Methylphenol(o-Cresol) | NL | 100 U | 137 | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | NL | 100 U | 82.9 J | 7.9 J |

**Notes:**

**BOLD** Reported value exceeds the MCL.

J The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

MCL Maximum contaminant level

NL Not listed

U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).

| [illegible] | Sample ID | Lab ID | Collected Date | Method | Matrix |
|---|---|---|---|---|---|
| [illegible] | | [illegible] | | [illegible] | [illegible] |
| [illegible] | | [illegible] | | [illegible] | [illegible] |
| [illegible] | | [illegible] | | [illegible] | [illegible] |
| [illegible] | | [illegible] | | [illegible] | [illegible] |
| [illegible] | | [illegible] | | [illegible] | [illegible] |
| [illegible] | | [illegible] | | [illegible] | [illegible] |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| [illegible] | | [illegible] | | EPA 6010D | Water |
| Able Contracting | | 2640313 | | EPA 6010D | Water |
| Able Contracting | | 2640313 | | EPA 6010D | Water |
| Able Contracting | | 2640313 | | EPA 6010D | Water |
| Able Contracting | | 2640313 | | EPA 6010D | Water |
| Able Contracting | | 2640313 | | EPA 6010D | Water |
| Able Contracting | | 2640313 | | EPA 6010D | Water |
| Able Contracting | | 2640313 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640314 | | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | | 2640315 | 07/28/2019 09:00 | EPA 6010D | Water |

| Parameter | Results | Units | LOQ | LOD | Pace Project |
|---|---|---|---|---|---|
| Aluminum | ND | ug/L | 100 | [illegible] | [illegible] |
| Antimony | ND | ug/L | [illegible] | [illegible] | [illegible] |
| Arsenic | ND | ug/L | 10.0 | [illegible] | [illegible] |
| Barium | ND | ug/L | [illegible] | 1.0 | 92438972 |
| Beryllium | ND | ug/L | 1.0 | 0.20 | 92438972 |
| Cadmium | ND | ug/L | 1.0 | 0.40 | 92438972 |
| Calcium | ND | ug/L | 100 | 24.2 | 92438972 |
| Chromium | ND | ug/L | 5.0 | 1.0 | 92438972 |
| Cobalt | ND | ug/L | 5.0 | [illegible] | 92438972 |
| Copper | ND | ug/L | 5.0 | 2.1 | 92438972 |
| Iron | ND | ug/L | 50.0 | 19.5 | 92438972 |
| Lead | ND | ug/L | 5.0 | 1.6 | 92438972 |
| Magnesium | ND | ug/L | 100 | [illegible] | 92438972 |
| Manganese | ND | ug/L | 5.0 | 0.90 | 92438972 |
| Nickel | ND | ug/L | 5.0 | 0.90 | 92438972 |
| Potassium | ND | ug/L | 5000 | 890 | 92438972 |
| Selenium | ND | ug/L | 10.0 | 4.7 | 92438972 |
| Silver | ND | ug/L | 5.0 | 2.5 | 92438972 |
| Sodium | ND | ug/L | 5000 | 174 | 92438972 |
| Thallium | ND | ug/L | 10.0 | 2.6 | 92438972 |
| Vanadium | ND | ug/L | 5.0 | 1.3 | 92438972 |
| Zinc | ND | ug/L | 10.0 | 3.9 | 92438972 |
| Aluminum | 4880 | ug/L | 100 | 29.9 | 92438972 |
| Antimony | 490 | ug/L | 5.0 | 3.0 | 92438972 |
| Arsenic | [illegible] | ug/L | 10.0 | 4.7 | 92438972 |
| Barium | 500 | ug/L | 5.0 | 1.0 | 92438972 |
| Beryllium | 496 | ug/L | 1.0 | 0.20 | 92438972 |
| Cadmium | 482 | ug/L | 1.0 | 0.40 | 92438972 |
| Calcium | 4950 | ug/L | 100 | 24.2 | 92438972 |
| Chromium | 487 | ug/L | 5.0 | 1.0 | 92438972 |
| Cobalt | 491 | ug/L | 5.0 | [illegible] | 92438972 |
| Copper | 490 | ug/L | 5.0 | 2.1 | 92438972 |
| Iron | 4840 | ug/L | 50.0 | 19.5 | 92438972 |
| Lead | 490 | ug/L | 5.0 | 1.6 | 92438972 |
| Magnesium | 4900 | ug/L | 100 | 17.1 | 92438972 |
| Manganese | 490 | ug/L | 5.0 | 0.90 | 92438972 |
| Nickel | 480 | ug/L | 5.0 | 0.90 | 92438972 |
| Potassium | 4900J | ug/L | 5000 | 890 | 92438972 |
| Selenium | 486 | ug/L | 10.0 | 4.7 | 92438972 |
| Silver | [illegible] | ug/L | 5.0 | 2.5 | 92438972 |
| Sodium | 4960J | ug/L | 5000 | 174 | 92438972 |
| Thallium | 496 | ug/L | 10.0 | 2.6 | 92438972 |
| Vanadium | 495 | ug/L | 5.0 | 1.3 | 92438972 |
| Zinc | [illegible] | ug/L | 10.0 | 3.9 | 92438972 |
| Aluminum | 19400 | ug/L | 100 | 29.9 | 92438972 |
| Antimony | 455 | ug/L | 5.0 | 3.0 | 92438972 |
| Arsenic | [illegible] | ug/L | 10.0 | 4.7 | 92438972 |
| Barium | [illegible] | ug/L | 5.0 | 1.0 | 92438972 |
| Beryllium | 480 | ug/L | 1.0 | 0.20 | 92438972 |
| Cadmium | [illegible] | ug/L | [illegible] | 0.40 | 92438972 |
| Calcium | [illegible] | ug/L | 100 | 24.2 | 92438972 |
| Chromium | [illegible] | ug/L | 5.0 | 1.0 | 92438972 |
| Cobalt | [illegible] | ug/L | 5.0 | [illegible] | 92438972 |
| Copper | 595 | ug/L | 5.0 | 2.1 | 92438972 |
| Iron | 17800 | ug/L | 50.0 | 19.5 | 92438972 |
| Lead | [illegible] | ug/L | 5.0 | 1.6 | 92438972 |
| Magnesium | [illegible] | ug/L | 100 | 17.1 | 92438972 |

| [illegible] | [illegible] Date | Prep Date | Analysis Date | Prep Method | QC Batch |
|---|---|---|---|---|---|
| [illegible] | | [illegible] | [illegible] | [illegible] | [illegible] |
| [illegible] | | [illegible] | [illegible] | [illegible] | [illegible] |
| [illegible] | | [illegible] | [illegible] | [illegible] | [illegible] |
| [illegible] | | [illegible] | [illegible] | [illegible] | [illegible] |
| [illegible] | | [illegible] | [illegible] | [illegible] | [illegible] |
| [illegible] | | [illegible] | 07/31/2019 16:37 | EPA 3010A | 489233 |
| [illegible] | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| [illegible] | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:37 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/30/2019 11:28 | | 07/30/2019 15:16 | 07/31/2019 16:40 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |

| CAS | Dilution Factor | JUBE | Basis | Qualifiers | Numerical Result |
|---|---|---|---|---|---|
| [illegible] | | U | not corrected | N | [illegible] |
| [illegible] | | U | not corrected | N | [illegible] |
| [illegible] | | U | not corrected | N | [illegible] |
| [illegible] | | U | not corrected | N | [illegible] |
| [illegible] | 1 | U | not corrected | N | [illegible] |
| [illegible] | 1 | U | not corrected | [illegible] | [illegible] |
| [illegible] | 1 | U | not corrected | N | 3.8 |
| [illegible] | 1 | U | not corrected | N | 32 |
| [illegible] | 1 | U | not corrected | N | 19 |
| [illegible] | 1 | U | not corrected | N | .79 |
| [illegible] | 1 | U | not corrected | N | 5.4 |
| [illegible] | 1 | U | not corrected | N | .59 |
| [illegible] | 1 | U | not corrected | N | 5.5 |
| [illegible] | 1 | U | not corrected | N | .6 |
| [illegible] | 1 | U | not corrected | N | 2 |
| [illegible] | 1 | U | not corrected | N | 13 |
| [illegible] | 1 | U | not corrected | N | [illegible] |
| [illegible] | 1 | U | not corrected | N | 45 |
| [illegible] | 1 | U | not corrected | N | -6.2 |
| [illegible] | 1 | U | not corrected | N | .4 |
| [illegible] | 1 | U | not corrected | N | 10 |
| [illegible] | 1 | U | not corrected | N | .2 |
| [illegible] | 1 | | not corrected | N | 4880 |
| [illegible] | 1 | | not corrected | N | 490 |
| [illegible] | 1 | | not corrected | N | 477 |
| [illegible] | 1 | | not corrected | N | 500 |
| [illegible] | 1 | | not corrected | N | 496 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 4950 |
| [illegible] | 1 | | not corrected | N | 487 |
| [illegible] | | | not corrected | N | 491 |
| [illegible] | 1 | | not corrected | N | 499 |
| [illegible] | 1 | | not corrected | N | 4840 |
| [illegible] | 1 | | not corrected | N | 490 |
| [illegible] | 1 | | not corrected | N | 4900 |
| [illegible] | 1 | | not corrected | N | 450 |
| [illegible] | 1 | | not corrected | N | 489 |
| [illegible] | | U | not corrected | N | 4950 |
| [illegible] | 1 | | not corrected | N | 439 |
| [illegible] | 1 | | not corrected | N | 508 |
| [illegible] | 1 | U | not corrected | N | 4960 |
| [illegible] | 1 | | not corrected | N | 486 |
| [illegible] | 1 | | not corrected | N | 499 |
| [illegible] | | | not corrected | N | 477 |
| [illegible] | 1 | | not corrected | Y | 19400 |
| [illegible] | 1 | | not corrected | N | 455 |
| [illegible] | | | not corrected | N | 455 |
| [illegible] | 1 | | not corrected | N | 2110 |
| [illegible] | | | not corrected | N | 480 |
| [illegible] | 1 | | not corrected | N | 480 |
| [illegible] | | | not corrected | Y | 78500 |
| [illegible] | | | not corrected | N | 477 |
| [illegible] | 1 | | not corrected | N | 489 |
| [illegible] | 1 | | not corrected | N | 506 |
| [illegible] | 1 | | not corrected | Y | 21300 |
| [illegible] | | | not corrected | N | 466 |
| [illegible] | | | not corrected | Y | 50000 |

| [illegible] | [illegible] | [illegible] | Dissolved [illegible] | Moisture | Instrument |
|---|---|---|---|---|---|
| | | | | | [illegible] |
| | | | | | [illegible] |
| | | | | | [illegible] |
| | | | | | [illegible] |
| | | | | | [illegible] |
| | | | | | [illegible] |
| | | | | | [illegible] |
| | | | | | Thermo Elemental |
| | | | | 0 | Thermo Elemental |
| | | | | 0 | Thermo Elemental |
| | | | | 0 | Thermo Elemental |
| | | | | 0 | Thermo Elemental |
| | | | | 0 | Thermo Elemental |
| | | | n | 0 | Thermo Elemental |
| [illegible] | | [illegible] | n | 0 | Thermo Elemental |
| [illegible] | | n | n | 0 | Thermo Elemental |
| [illegible] | [illegible] | n | n | 0 | Thermo Elemental |
| [illegible] | [illegible] | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |

| Qualifier Text | Report Date | Department | Purchase Order | Project Status | Due Date |
|---|---|---|---|---|---|
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| [M1] Matrix spike | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| [M1] Matrix spike | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| [M1] Matrix spike | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | | COMPLETE | |
| [M1] Matrix spike | 8/1/19 4:08 PM | ICP | | COMPLETE | |

| [illegible] | [illegible] | [illegible] | Container ID | Prep Initial Amount | Prep Initial Amount |
|---|---|---|---|---|---|
| [illegible] | | [illegible] | | [illegible] | mL |
| [illegible] | | [illegible] | | [illegible] | mL |
| [illegible] | | [illegible] | | [illegible] | mL |
| [illegible] | | [illegible] | | [illegible] | mL |
| [illegible] | | [illegible] | | [illegible] | mL |
| [illegible] | | [illegible] | | [illegible] | mL |
| [illegible] | | [illegible] | | [illegible] | mL |
| [illegible] | | 6010 W | | 15 | mL |
| [illegible] | | 6010 W | | 15 | mL |
| [illegible] | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |
| 8/1/19 4:56 PM | | 6010 W | | 15 | mL |

| Prep Final Amount | Prep Final Amount | Prep Dilution | Analysis Code | Parameter Sort | Original Result |
|---|---|---|---|---|---|
| [illegible] | mL | | 6010 MET ICP | ALUMINUM | |
| [illegible] | mL | | 6010 MET ICP | ANTIMONY | |
| [illegible] | mL | | 6010 MET ICP | ARSENIC | |
| [illegible] | mL | | 6010 MET ICP | BARIUM | |
| [illegible] | mL | | 6010 MET ICP | BERYLLIUM | |
| [illegible] | mL | | 6010 MET ICP | CADMIUM | |
| [illegible] | mL | | 6010 MET ICP | CALCIUM | |
| [illegible] | mL | | 6010 MET ICP | CHROMIUM | |
| [illegible] | mL | | 6010 MET ICP | COBALT | |
| [illegible] | mL | | 6010 MET ICP | COPPER | |
| [illegible] | mL | | 6010 MET ICP | IRON | |
| [illegible] | mL | | 6010 MET ICP | LEAD | |
| [illegible] | mL | 1 | 6010 MET ICP | MAGNESIUM | |
| [illegible] | mL | 1 | 6010 MET ICP | MANGANESE | |
| [illegible] | mL | 1 | 6010 MET ICP | NICKEL | |
| [illegible] | mL | 1 | 6010 MET ICP | POTASSIUM | |
| [illegible] | mL | 1 | 6010 MET ICP | SELENIUM | |
| [illegible] | mL | 1 | 6010 MET ICP | SILVER | |
| [illegible] | mL | 1 | 6010 MET ICP | SODIUM | |
| [illegible] | mL | | 6010 MET ICP | THALLIUM | |
| [illegible] | mL | | 6010 MET ICP | VANADIUM | |
| [illegible] | mL | 1 | 6010 MET ICP | ZINC | |
| [illegible] | mL | | 6010 MET ICP | ALUMINUM | |
| [illegible] | mL | 1 | 6010 MET ICP | ANTIMONY | |
| [illegible] | mL | | 6010 MET ICP | ARSENIC | |
| [illegible] | mL | | 6010 MET ICP | BARIUM | |
| [illegible] | mL | | 6010 MET ICP | BERYLLIUM | |
| [illegible] | mL | | 6010 MET ICP | CADMIUM | |
| [illegible] | mL | 1 | 6010 MET ICP | CALCIUM | |
| [illegible] | mL | | 6010 MET ICP | CHROMIUM | |
| [illegible] | mL | | 6010 MET ICP | COBALT | |
| [illegible] | mL | | 6010 MET ICP | COPPER | |
| [illegible] | mL | | 6010 MET ICP | IRON | |
| [illegible] | mL | | 6010 MET ICP | LEAD | |
| [illegible] | mL | 1 | 6010 MET ICP | MAGNESIUM | |
| [illegible] | mL | | 6010 MET ICP | MANGANESE | |
| [illegible] | mL | | 6010 MET ICP | NICKEL | |
| [illegible] | mL | | 6010 MET ICP | POTASSIUM | |
| [illegible] | mL | | 6010 MET ICP | SELENIUM | |
| [illegible] | mL | | 6010 MET ICP | SILVER | |
| [illegible] | mL | | 6010 MET ICP | SODIUM | |
| [illegible] | mL | | 6010 MET ICP | THALLIUM | |
| [illegible] | mL | | 6010 MET ICP | VANADIUM | |
| [illegible] | mL | | 6010 MET ICP | ZINC | |
| [illegible] | mL | 1 | 6010 MET ICP | ALUMINUM | 7930 |
| [illegible] | mL | | 6010 MET ICP | ANTIMONY | 0 |
| [illegible] | mL | 1 | 6010 MET ICP | ARSENIC | 0 |
| [illegible] | mL | | 6010 MET ICP | BARIUM | 165[illegible] |
| [illegible] | mL | | 6010 MET ICP | BERYLLIUM | 4.2 |
| [illegible] | mL | | 6010 MET ICP | CADMIUM | 0.56 |
| [illegible] | mL | | 6010 MET ICP | CALCIUM | 76700 |
| [illegible] | mL | 1 | 6010 MET ICP | CHROMIUM | 5.1 |
| [illegible] | mL | | 6010 MET ICP | COBALT | 92.2 |
| [illegible] | mL | | 6010 MET ICP | COPPER | 99.7 |
| [illegible] | mL | | 6010 MET ICP | IRON | 16800 |
| [illegible] | mL | 1 | 6010 MET ICP | LEAD | 9.7 |
| [illegible] | mL | 1 | 6010 MET ICP | MAGNESIUM | 47500 |

| [illegible] | [illegible] | [illegible] | Spike Unit | Spike Recovery | Spike Recovery |
|---|---|---|---|---|---|
| 5000 | 5000 | 4880 | ug/L | 98 | % |
| 500 | 500 | 490 | ug/L | 98 | % |
| 500 | 500 | 477 | ug/L | 95 | % |
| 500 | 500 | 500 | ug/L | 100 | % |
| 500 | 500 | 495 | ug/L | 99 | % |
| 500 | 500 | 492 | ug/L | 98 | % |
| 5000 | 5000 | 4950 | ug/L | 99 | % |
| 500 | 500 | 487 | ug/L | 97 | % |
| 500 | 500 | 491 | ug/L | 98 | % |
| 500 | 500 | 499 | ug/L | 100 | % |
| 5000 | 5000 | 4840 | ug/L | 97 | % |
| 500 | 500 | 490 | ug/L | 98 | % |
| 5000 | 5000 | 4900 | ug/L | 98 | % |
| 500 | 500 | 490 | ug/L | 98 | % |
| 500 | 500 | 489 | ug/L | 98 | % |
| 5000 | 5000 | 4950 | ug/L | 99 | % |
| 500 | 500 | 485 | ug/L | 98 | % |
| 250 | 250 | 238 | ug/L | 95 | % |
| 5000 | 5000 | 4960 | ug/L | 99 | % |
| 500 | 500 | 486 | ug/L | 97 | % |
| 500 | 500 | 495 | ug/L | 99 | % |
| 500 | 500 | [illegible] | ug/L | 95 | % |
| 12900 | 5000 | 19400 | ug/L | 229 | % |
| 500 | 500 | 455 | ug/L | 91 | % |
| 500 | 500 | 455 | ug/L | 91 | % |
| 2190 | 500 | 2110 | ug/L | 35 | % |
| 504 | 500 | 480 | ug/L | 95 | % |
| 501 | 500 | 480 | ug/L | 96 | % |
| 81700 | 5000 | 78300 | ug/L | 31 | % |
| 505 | 500 | 471 | ug/L | 93 | % |
| 532 | 500 | 480 | ug/L | 91 | % |
| 600 | 500 | 595 | ug/L | 99 | % |
| 21800 | 5000 | 27800 | ug/L | 220 | % |
| 510 | 500 | 466 | ug/L | 91 | % |
| 52500 | 5000 | 50700 | ug/L | 55 | % |

| Spike Lower | Spike Upper |
|---|---|
| 80 | 120 |
| [illegible] | [illegible] |
| [illegible] | 120 |
| [illegible] | 120 |
| [illegible] | 120 |
| [illegible] | [illegible] |
| [illegible] | 120 |
| [illegible] | 120 |
| [illegible] | [illegible] |
| 80 | 120 |
| 80 | 120 |
| 80 | 120 |
| [illegible] | 120 |
| [illegible] | 120 |
| [illegible] | 120 |
| [illegible] | 120 |
| [illegible] | [illegible] |
| [illegible] | 120 |
| [illegible] | 120 |
| 80 | 120 |
| 80 | 120 |
| [illegible] | 120 |
| [illegible] | [illegible] |
| [illegible] | 125 |
| [illegible] | 125 |
| [illegible] | [illegible] |
| [illegible] | 125 |
| [illegible] | 125 |
| [illegible] | [illegible] |
| [illegible] | 125 |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | 125 |
| [illegible] | 125 |
| [illegible] | 125 |

| | | | | |
|---|---|---|---|---|
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2640316 | 07/28/2019 09:00 | EPA 6010D | Water |
| Able Contracting | 2641238 | | EPA 7470A | Water |
| Able Contracting | 2641239 | | EPA 7470A | Water |
| Able Contracting | 2641240 | 07/29/2019 11:30 | EPA 7470A | Water |
| Able Contracting | 2641241 | 07/29/2019 11:30 | EPA 7470A | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |
| Able Contracting | 2641448 | | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| Manganese | [illegible] | ug/L | 5.0 | 0.90 | 92438972 |
| Nickel | [illegible] | ug/L | 5.0 | 0.90 | 92438972 |
| Potassium | 7890 | ug/L | 5000 | 690 | 92438972 |
| Selenium | 455 | ug/L | 10.0 | 4.7 | 92438972 |
| Silver | [illegible] | ug/L | 5.0 | 2.5 | 92438972 |
| Sodium | 17600 | ug/L | 5000 | 174 | 92438972 |
| Thallium | 449 | ug/L | 10.0 | 2.6 | 92438972 |
| Vanadium | 484 | ug/L | 5.0 | 1.3 | 92438972 |
| Zinc | 559 | ug/L | 10.0 | 3.9 | 92438972 |
| Aluminum | 13000 | ug/L | 100 | 29.5 | 92438972 |
| Antimony | 464 | ug/L | 5.0 | 3.0 | 92438972 |
| Arsenic | 456 | ug/L | 10.0 | 4.7 | 92438972 |
| Barium | 2130 | ug/L | 5.0 | 1.0 | 92438972 |
| Beryllium | [illegible] | ug/L | 1.0 | 0.20 | 92438972 |
| Cadmium | [illegible] | ug/L | 1.0 | 0.10 | 92438972 |
| Calcium | 19500 | ug/L | 100 | 24.2 | 92438972 |
| Chromium | 471 | ug/L | 5.0 | 1.0 | 92438972 |
| Cobalt | [illegible] | ug/L | 5.0 | 1.1 | 92438972 |
| Copper | 598 | ug/L | 5.0 | 2.1 | 92438972 |
| Iron | 27400 | ug/L | 50.0 | 19.5 | 92438972 |
| Lead | 465 | ug/L | 5.0 | 1.6 | 92438972 |
| Magnesium | 60100 | ug/L | 100 | 17.1 | 92438972 |
| Manganese | 1740 | ug/L | 5.0 | 0.90 | 92438972 |
| Nickel | 469 | ug/L | 5.0 | 0.90 | 92438972 |
| Potassium | 7900 | ug/L | 5000 | 690 | 92438972 |
| Selenium | 460 | ug/L | 10.0 | 4.7 | 92438972 |
| Silver | 239 | ug/L | 5.0 | 2.5 | 92438972 |
| Sodium | 17900 | ug/L | 5000 | 174 | 92438972 |
| Thallium | 450 | ug/L | 10.0 | 2.6 | 92438972 |
| Vanadium | 795 | ug/L | 5.0 | 1.3 | 92438972 |
| Zinc | 560 | ug/L | 10.0 | 3.9 | 92438972 |
| Mercury | ND | ug/L | 0.20 | 0.10 | 92438972 |
| Mercury | 2.2 | ug/L | 0.20 | 0.10 | 92438972 |
| Mercury | [illegible] | ug/L | 0.20 | 0.10 | 92438972 |
| Mercury | 4.4 | ug/L | 0.20 | 0.10 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.5 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.8 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.5 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| 2,4-Dichlorophenol | ND | ug/L | 10.0 | 1.6 | 92438972 |
| 2,4-Dimethylphenol | ND | ug/L | 10.0 | [illegible] | 92438972 |
| 2,4-Dinitrophenol | ND | ug/L | 50.0 | [illegible] | 92438972 |
| 2,4-Dinitrotoluene | ND | ug/L | 10.0 | 1.5 | 92438972 |
| 2,6-Dinitrotoluene | ND | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.6 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.5 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| 2-Methylnaphthalene | ND | ug/L | 10.0 | 1.6 | 92438972 |
| [illegible] | ND | ug/L | 50.0 | 2.3 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.9 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | ND | ug/L | 50.0 | 3.9 | 92438972 |
| [illegible] | ND | ug/L | 50.0 | 2.7 | 92438972 |
| [illegible] | ND | ug/L | 20.0 | 2.2 | 92438972 |

| | | | | |
|---|---|---|---|---|
| [illegible] | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| [illegible] | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| [illegible] | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:47 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/29/2019 10:50 | 07/30/2019 15:16 | 07/31/2019 16:50 | EPA 3010A | 489233 |
| 07/31/2019 08:49 | 07/31/2019 11:50 | 07/31/2019 14:27 | EPA 7470A | 489467 |
| 07/31/2019 08:49 | 07/31/2019 11:50 | 07/31/2019 14:29 | EPA 7470A | 489467 |
| 07/30/2019 10:00 | 07/31/2019 11:50 | 07/31/2019 14:41 | EPA 7470A | 489467 |
| 07/30/2019 10:00 | 07/31/2019 11:50 | 07/31/2019 14:43 | EPA 7470A | 489467 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | [illegible] | [illegible] |
| [illegible] | 1 | | not corrected | N | 7890 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | [illegible] | [illegible] |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 559 |
| [illegible] | 1 | | not corrected | [illegible] | 19000 |
| [illegible] | 1 | | not corrected | N | 454 |
| [illegible] | 1 | | not corrected | N | 456 |
| [illegible] | 1 | | not corrected | N | 2130 |
| [illegible] | | | not corrected | N | 476 |
| [illegible] | 1 | | not corrected | N | 480 |
| [illegible] | 1 | | not corrected | Y | 10500 |
| [illegible] | 1 | | not corrected | N | 471 |
| [illegible] | 1 | | not corrected | N | 457 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | Y | 27400 |
| [illegible] | 1 | | not corrected | N | 486 |
| [illegible] | 1 | | not corrected | N | 52000 |
| [illegible] | 1 | | not corrected | N | 1740 |
| [illegible] | 1 | | not corrected | N | 469 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 490 |
| [illegible] | 1 | | not corrected | N | 239 |
| [illegible] | 1 | | not corrected | N | 17800 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 795 |
| [illegible] | 1 | | not corrected | N | 560 |
| [illegible] | 1 | U | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 4 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | Y | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | Y | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | [illegible] | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| JMW1 | 93 | n | n | 0 | Cetac M7-600 |
| JMW1 | 93 | n | n | 0 | Cetac M7-600 |
| JMW1 | 93 | n | n | 0 | Cetac M7-600 |
| JMW1 | 93 | n | n | 0 | Cetac M7-600 |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| [M1] Matrix spike | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| [M1] Matrix spike | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| [M1] Matrix spike | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | ICP | COMPLETE |
| | 8/1/19 4:08 PM | MERC | COMPLETE |
| | 8/1/19 4:08 PM | MERC | COMPLETE |
| | 8/1/19 4:08 PM | MERC | COMPLETE |
| | 8/1/19 4:08 PM | MERC | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [V1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [V1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [V1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [V1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 6010 W | 15 | mL |
| 8/1/19 4:56 PM | 7470 W92 | 10 | mL |
| 8/1/19 4:56 PM | 7470 W92 | 10 | mL |
| 8/1/19 4:56 PM | 7470 W92 | 10 | mL |
| 8/1/19 4:56 PM | 7470 W92 | 10 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |

| | | | | | |
|---|---|---|---|---|---|
| 15 | mL | 1 | 6010 MET ICP | MANGANESE | 1221 |
| 15 | mL | 1 | 6010 MET ICP | NICKEL | 18.8 |
| 15 | mL | 1 | 6010 MET ICP | POTASSIUM | 2920 |
| 15 | mL | 1 | 6010 MET ICP | SELENIUM | 0 |
| 15 | mL | 1 | 6010 MET ICP | SILVER | 0 |
| 15 | mL | 1 | 6010 MET ICP | SODIUM | 13200 |
| 15 | mL | 1 | 6010 MET ICP | THALLIUM | 3.2 |
| 15 | mL | 1 | 6010 MET ICP | VANADIUM | 306 |
| 15 | mL | 1 | 6010 MET ICP | ZINC | 105 |
| 15 | mL | 1 | 6010 MET ICP | ALUMINUM | 7930 |
| 15 | mL | 1 | 6010 MET ICP | ANTIMONY | 0 |
| 15 | mL | 1 | 6010 MET ICP | ARSENIC | 0 |
| 15 | mL | 1 | 6010 MET ICP | BARIUM | 1690 |
| 15 | mL | 1 | 6010 MET ICP | BERYLLIUM | 4.3 |
| 15 | mL | 1 | 6010 MET ICP | CADMIUM | 0.55 |
| 15 | mL | 1 | 6010 MET ICP | CALCIUM | 78700 |
| 15 | mL | 1 | 6010 MET ICP | CHROMIUM | 5.1 |
| 15 | mL | 1 | 6010 MET ICP | COBALT | 32.2 |
| 15 | mL | 1 | 6010 MET ICP | COPPER | 99.7 |
| 15 | mL | 1 | 6010 MET ICP | IRON | 16300 |
| 15 | mL | 1 | 6010 MET ICP | LEAD | 9.7 |
| 15 | mL | 1 | 6010 MET ICP | MAGNESIUM | 47500 |
| 15 | mL | 1 | 6010 MET ICP | MANGANESE | 1260 |
| 15 | mL | 1 | 6010 MET ICP | NICKEL | 18.3 |
| 15 | mL | 1 | 6010 MET ICP | POTASSIUM | 2920 |
| 15 | mL | 1 | 6010 MET ICP | SELENIUM | 0 |
| 15 | mL | 1 | 6010 MET ICP | SILVER | 0 |
| 15 | mL | 1 | 6010 MET ICP | SODIUM | 13200 |
| 15 | mL | 1 | 6010 MET ICP | THALLIUM | 3.2 |
| 15 | mL | 1 | 6010 MET ICP | VANADIUM | 306 |
| 15 | mL | 1 | 6010 MET ICP | ZINC | 105 |
| 15 | mL | 1 | 7470 Mercury | MERCURY | |
| 15 | mL | 1 | 7470 Mercury | MERCURY | |
| 15 | mL | 1 | 7470 Mercury | MERCURY | 2.1 |
| | mL | 1 | 7470 Mercury | MERCURY | 2.1 |
| | mL | 1 | 8270 MSSV | TRICHLOROBENZ | |
| | mL | 1 | 8270 MSSV | DICHLOROBENZE | |
| | mL | 1 | 8270 MSSV | DICHLOROBENZE | |
| | mL | 1 | 8270 MSSV | DICHLOROBENZE | |
| | mL | 1 | 8270 MSSV | METHYLNAPHTHA | |
| | mL | 1 | 8270 MSSV | OXYBIS(1CHLORO | |
| | mL | 1 | 8270 MSSV | TRICHLOROPHEN | |
| | mL | 1 | 8270 MSSV | TRICHLOROPHEN | |
| | mL | | 8270 MSSV | DICHLOROPHENO | |
| | mL | 1 | 8270 MSSV | DIMETHYLPHENO | |
| | mL | 1 | 8270 MSSV | DINITROPHENOL2 | |
| | mL | 1 | 8270 MSSV | DINITROTOLUENE | |
| | mL | 1 | 8270 MSSV | DINITROTOLUENE | |
| | mL | 1 | 8270 MSSV | CHLORONAPHTH | |
| | mL | 1 | 8270 MSSV | CHLOROPHENOL | |
| | mL | 1 | 8270 MSSV | METHYLNAPHTHA | |
| | mL | 1 | 8270 MSSV | METHYLPHENOL2 | |
| | mL | 1 | 8270 MSSV | NITROANILINE2 | |
| | mL | 1 | 8270 MSSV | NITROPHENOL2 | |
| | mL | 1 | 8270 MSSV | METHYLPHENOL3 | |
| | mL | 1 | 8270 MSSV | DICHLOROBENZI | |
| | mL | 1 | 8270 MSSV | NITROANILINE3 | |
| | mL | 1 | 8270 MSSV | DINITRO2METHYL | |

| | | | | | |
|---|---|---|---|---|---|
| 1780 | 500 | 1720 | ug/L | 88 | % |
| 511 | 500 | 471 | ug/L | 91 | % |
| 7920 | 5000 | 7890 | ug/L | 99 | % |
| 500 | 500 | 489 | ug/L | 98 | % |
| 250 | 250 | 237 | ug/L | 95 | % |
| 18200 | 5000 | 17600 | ug/L | 96 | % |
| 503 | 500 | 448 | ug/L | 89 | % |
| 806 | 500 | 784 | ug/L | 95 | % |
| 605 | 500 | 559 | ug/L | 91 | % |
| 12900 | 5000 | 19000 | ug/L | 221 | % |
| 500 | 500 | 454 | ug/L | 91 | % |
| 500 | 500 | 456 | ug/L | 91 | % |
| 2190 | 500 | 2130 | ug/L | 89 | % |
| 504 | 500 | 478 | ug/L | 95 | % |
| 501 | 500 | 480 | ug/L | 96 | % |
| 81700 | 5000 | 79500 | ug/L | 56 | % |
| 505 | 500 | 471 | ug/L | 93 | % |
| 532 | 500 | 487 | ug/L | 91 | % |
| 600 | 500 | 595 | ug/L | 99 | % |
| 21800 | 5000 | 21400 | ug/L | 211 | % |
| 510 | 500 | 465 | ug/L | 91 | % |
| 52500 | 5000 | 52000 | ug/L | 90 | % |
| 1780 | 500 | 1740 | ug/L | 94 | % |
| 517 | 500 | 465 | ug/L | 90 | % |
| 7920 | 5000 | 7900 | ug/L | 100 | % |
| 500 | 500 | 490 | ug/L | 98 | % |
| 250 | 250 | 235 | ug/L | 96 | % |
| 18200 | 5000 | 17800 | ug/L | 93 | % |
| 503 | 500 | 450 | ug/L | 89 | % |
| 806 | 500 | 795 | ug/L | 98 | % |
| 605 | 500 | 560 | ug/L | 91 | % |
| | | | | | |
| 2.5 | 2.5 | 2.3 | ug/L | 94 | % |
| 4.6 | 2.5 | 4.0 | ug/L | 77 | % |
| 4.6 | 2.5 | 4.4 | ug/L | 91 | % |

| | | | |
|---|---|---|---|
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641448 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | ND | ug/L | 10.0 | 1.5 | 92438972 |
| [illegible] | ND | ug/L | 20.0 | 2.5 | 92438972 |
| [illegible]aniline | ND | ug/L | 50.0 | 2.3 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.8 | 92438972 |
| 4-Nitroaniline | ND | ug/L | 50.0 | 3.4 | 92438972 |
| 4-Nitrophenol | ND | ug/L | 50.0 | 4.3 | 92438972 |
| Acenaphthene | ND | ug/L | 10.0 | 1.6 | 92438972 |
| Acenaphthylene | ND | ug/L | 10.0 | 1.5 | 92438972 |
| Aniline | ND | ug/L | 10.0 | [illegible] | 92438972 |
| Anthracene | ND | ug/L | 10.0 | 1.7 | 92438972 |
| Benzo(a)anthracen | ND | ug/L | 10.0 | [illegible] | 92438972 |
| Benzo(a)pyrene | ND | ug/L | 10.0 | 2.2 | 92438972 |
| Benzo(b)fluoranthe | ND | ug/L | 10.0 | 2.2 | 92438972 |
| Benzo(g,h,i)perylen | ND | ug/L | 10.0 | 2.1 | 92438972 |
| Benzo(k)fluoranthe | ND | ug/L | 10.0 | 2.0 | 92438972 |
| Benzoic Acid | ND | ug/L | 50.0 | 5.0 | 92438972 |
| Benzyl alcohol | ND | ug/L | 20.0 | 3.1 | 92438972 |
| Butylbenzylphthalat | ND | ug/L | 10.0 | 2.5 | 92438972 |
| Chrysene | ND | ug/L | 10.0 | 2.1 | 92438972 |
| Di-n-butylphthalate | ND | ug/L | 10.0 | 2.0 | 92438972 |
| Di-n-octylphthalate | ND | ug/L | 10.0 | 1.5 | 92438972 |
| Dibenz(a,h)anthrac | ND | ug/L | 10.0 | 2.0 | 92438972 |
| Dibenzofuran | ND | ug/L | 10.0 | 1.7 | 92438972 |
| Diethylphthalate | ND | ug/L | 10.0 | 1.6 | 92438972 |
| Dimethylphthalate | ND | ug/L | 10.0 | 1.4 | 92438972 |
| Fluoranthene | ND | ug/L | 10.0 | 2.0 | 92438972 |
| Fluorene | ND | ug/L | 10.0 | 1.6 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 10.0 | 1.6 | 92438972 |
| Hexachlorobenzen | ND | ug/L | 10.0 | 1.7 | 92438972 |
| Hexachlorocyclope | ND | ug/L | 10.0 | 1.3 | 92438972 |
| Hexachloroethane | ND | ug/L | 10.0 | 1.8 | 92438972 |
| Indeno(1,2,3- | ND | ug/L | 10.0 | 2.0 | 92438972 |
| Isophorone | ND | ug/L | 10.0 | 1.3 | 92438972 |
| N-Nitrosodi-n- | ND | ug/L | 10.0 | 1.1 | 92438972 |
| N[illegible] | ND | ug/L | 10.0 | [illegible] | 92438972 |
| N[illegible] | ND | ug/L | 10.0 | 1.4 | 92438972 |
| Naphthalene | ND | ug/L | 10.0 | 1.4 | 92438972 |
| Nitrobenzene | ND | ug/L | 10.0 | 1.6 | 92438972 |
| Pentachlorophenol | ND | ug/L | 50.0 | 3.6 | 92438972 |
| Phenanthrene | ND | ug/L | 10.0 | 1.6 | 92438972 |
| Phenol | ND | ug/L | 10.0 | 1.3 | 92438972 |
| Pyrene | ND | ug/L | 10.0 | 2.2 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.6 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 1.7 | 92438972 |
| [illegible] | ND | ug/L | [illegible] | 2.3 | 92438972 |
| [illegible] | 50 | % | | | 92438972 |
| 2-Fluorobiphenyl | 78 | % | | | 92438972 |
| 2-Fluorophenol (S) | 48 | % | | | 92438972 |
| Nitrobenzene-d5 | [illegible] | % | | | 92438972 |
| Phenol-d6 (S) | 28 | % | | | 92438972 |
| Terphenyl-d14 (S) | [illegible] | % | | | 92438972 |
| [illegible] | 30.5 | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | 32.5 | ug/L | 10.0 | 1.5 | 92438972 |
| [illegible] | 30.9 | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | [illegible] | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | 30.8 | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | 53.9 | ug/L | 10.0 | 1.8 | 92438972 |
| [illegible] | 44.8 | ug/L | 10.0 | [illegible] | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:30 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | [illegible] |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | | | not corrected | N | |
| [illegible] | | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | | | not corrected | N | |
| [illegible] | | | not corrected | N | 35.[illegible] |
| [illegible] | 1 | | not corrected | N | [illegible]0.5 |
| [illegible] | 1 | | not corrected | N | 29.9 |
| [illegible] | 1 | | not corrected | N | 31.0 |
| [illegible] | | | not corrected | N | 59.8 |
| [illegible] | | | not corrected | Y | 55 |
| [illegible] | 1 | | not corrected | N | 44.6 |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [v1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [v1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |

| | | | |
|---|---|---|---|
| mL | 1 | 8270 MSSV | BROMOPHENYLP |
| mL | 1 | 8270 MSSV | CHLORO3METHYL |
| mL | 1 | 8270 MSSV | CHLOROANILINE4 |
| mL | 1 | 8270 MSSV | CHLOROPHENYL |
| mL | 1 | 8270 MSSV | NITROANILINE4 |
| mL | 1 | 8270 MSSV | NITROPHENOL4 |
| mL | 1 | 8270 MSSV | ACENAPHTHENE |
| mL | 1 | 8270 MSSV | ACENAPHTHYLEN |
| mL | 1 | 8270 MSSV | ANILINE |
| mL | 1 | 8270 MSSV | ANTHRACENE |
| mL | 1 | 8270 MSSV | BENZO(A)ANTHRA |
| mL | 1 | 8270 MSSV | BENZO(A)PYRENE |
| mL | 1 | 8270 MSSV | BENZO(B)FLUORA |
| mL | 1 | 8270 MSSV | BENZO(GHI)PERY |
| mL | 1 | 8270 MSSV | BENZO(K)FLUORA |
| mL | 1 | 8270 MSSV | BENZOICACID |
| mL | 1 | 8270 MSSV | BENZYLALCOHOL |
| mL | 1 | 8270 MSSV | BUTYLBENZYLPH |
| mL | 1 | 8270 MSSV | CHRYSENE |
| mL | 1 | 8270 MSSV | DINBUTYLPHTHAL |
| mL | 1 | 8270 MSSV | DINOCTYLPHTHA |
| mL | 1 | 8270 MSSV | DIBENZ(AH)ANTH |
| mL | 1 | 8270 MSSV | DIBENZOFURAN |
| mL | 1 | 8270 MSSV | DIETHYLPHTHALA |
| mL | 1 | 8270 MSSV | DIMETHYLPHTHA |
| mL | 1 | 8270 MSSV | FLUORANTHENE |
| mL | 1 | 8270 MSSV | FLUORENE |
| mL | 1 | 8270 MSSV | HEXACHLORO13B |
| mL | 1 | 8270 MSSV | HEXACHLOROBE |
| mL | 1 | 8270 MSSV | HEXACHLOROCY |
| mL | 1 | 8270 MSSV | HEXACHLOROET |
| mL | 1 | 8270 MSSV | INDENO(123CD)P |
| mL | | 8270 MSSV | ISOPHORONE |
| mL | 1 | 8270 MSSV | NNITROSODINPR |
| mL | 1 | 8270 MSSV | NNITROSODIMET |
| mL | 1 | 8270 MSSV | NNITROSODIPHE |
| mL | 1 | 8270 MSSV | NAPHTHALENE |
| mL | 1 | 8270 MSSV | NITROBENZENE |
| mL | 1 | 8270 MSSV | PENTACHLOROP |
| mL | 1 | 8270 MSSV | PHENANTHRENE |
| mL | 1 | 8270 MSSV | PHENOL |
| mL | 1 | 8270 MSSV | PYRENE |
| mL | 1 | 8270 MSSV | CHLOROETHOXY |
| mL | 1 | 8270 MSSV | CHLOROETHYLET |
| mL | 1 | 8270 MSSV | ETHYLHEXYLPHT |
| mL | 1 | 8270 MSSV | TRIBROMOPHEN |
| mL | 1 | 8270 MSSV | FLUOROBIPHENY |
| mL | 1 | 8270 MSSV | FLUOROPHENOL2 |
| mL | 1 | 8270 MSSV | NITROBENZENED |
| mL | 1 | 8270 MSSV | PHENOLD6(S) |
| mL | 1 | 8270 MSSV | TERPHENYLD14(S |
| mL | 1 | 8270 MSSV | TRICHLOROBENZ |
| mL | 1 | 8270 MSSV | DICHLOROBENZE |
| mL | | 8270 MSSV | DICHLOROBENZE |
| mL | 1 | 8270 MSSV | DICHLOROBENZE |
| mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| mL | 1 | 8270 MSSV | OXYBIS(1CHLORO |
| mL | | 8270 MSSV | TRICHLOROPHEN |

| | | | | | |
|---|---|---|---|---|---|
| 50.0 | 50.0 | 30.2 | ug/L | 62 | % |
| 50.0 | 50.0 | 32.5 | ug/L | 65 | % |
| 50.0 | 50.0 | 29.9 | ug/L | 60 | % |
| 50.0 | 50.0 | 31.5 | ug/L | 63 | % |
| 50.0 | 50.0 | 39.9 | ug/L | 80 | % |
| 50.0 | 50.0 | 55.0 | ug/L | 110 | % |
| 50.0 | 50.0 | 44.8 | ug/L | 90 | % |

| | | | |
|---|---|---|---|
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 41.4 | ug/L | 10.0 | 1.4 | 92438972 |
| 2,4-Dichlorophenol | 43.6 | ug/L | 10.0 | 1.5 | 92438972 |
| 2,4-Dimethylphenol | 45.1 | ug/L | 10.0 | 1.2 | 92438972 |
| 2,4-Dinitrophenol | 309 | ug/L | 50.0 | 3.1 | 92438972 |
| 2,4-Dinitrotoluene | 46.1 | ug/L | 10.0 | 1.5 | 92438972 |
| 2,6-Dinitrotoluene | 47.0 | ug/L | 10.0 | 1.4 | 92438972 |
| 2-[illegible] | 46.7 | ug/L | 10.0 | 1.6 | 92438972 |
| 2-Chlorophenol | 44.2 | ug/L | 10.0 | 1.5 | 92438972 |
| 2-[illegible] | 40.7 | ug/L | 10.0 | 1.4 | 92438972 |
| 2-Methylphenol(o- | 36.8 | ug/L | [illegible] | 1.6 | 92438972 |
| 2-Nitroaniline | 92.2 | ug/L | 50.0 | 3.3 | 92438972 |
| 2-Nitrophenol | 46.8 | ug/L | 10.0 | 1.6 | 92438972 |
| 3&4-[illegible] | 52.9 | ug/L | 10.0 | 1.4 | 92438972 |
| 3,3'-[illegible] | 73.8 | ug/L | 50.0 | 3.9 | 92438972 |
| [illegible] | [illegible] | ug/L | 50.0 | 2.1 | 92438972 |
| 4,6-[illegible] | 130 | ug/L | 20.0 | 2.2 | 92438972 |
| 4-[illegible] | 46.7 | ug/L | 10.0 | 1.5 | 92438972 |
| 4-Chloro-[illegible] | 94 | ug/L | 20.0 | 2.8 | 92438972 |
| 4-Chloroaniline | 53.4 | ug/L | 10.0 | 2.3 | 92438972 |
| 4-[illegible] | 46.1 | ug/L | 10.0 | 1.8 | 92438972 |
| 4-Nitroaniline | 55.2 | ug/L | 50.0 | 3.4 | 92438972 |
| 4-Nitrophenol | 105 | ug/L | 50.0 | 4.3 | 92438972 |
| Acenaphthene | 44.8 | ug/L | 10.0 | 1.6 | 92438972 |
| Acenaphthylene | 40.2 | ug/L | 10.0 | 1.5 | 92438972 |
| Aniline | 36.2 | ug/L | 10.0 | 1.2 | 92438972 |
| Anthracene | 49.1 | ug/L | 10.0 | 1.7 | 92438972 |
| Benzo(a)anthracen | 48.5 | ug/L | 10.0 | 2.1 | 92438972 |
| Benzo(a)pyrene | 49.2 | ug/L | 10.0 | 2.2 | 92438972 |
| Benzo(b)fluoranthe | 51.5 | ug/L | 10.0 | 2.2 | 92438972 |
| Benzo(g,h,i)perylen | 48.0 | ug/L | 10.0 | 2.1 | 92438972 |
| Benzo(k)fluoranthe | 42.8 | ug/L | 10.0 | 2.0 | 92438972 |
| Benzoic Acid | 105 | ug/L | 50.0 | 5.0 | 92438972 |
| [illegible] | [illegible] | ug/L | 20.0 | 3.1 | 92438972 |
| Butylbenzylphthalat | 46.2 | ug/L | 10.0 | 2.5 | 92438972 |
| [illegible] | [illegible] | ug/L | 10.0 | 2.1 | 92438972 |
| Di-n-butylphthalate | 41.5 | ug/L | 10.0 | 2.0 | 92438972 |
| Di-n-octylphthalate | 45.2 | ug/L | 10.0 | 1.5 | 92438972 |
| Dibenz(a,h)anthrac | 45.2 | ug/L | 10.0 | 2.0 | 92438972 |
| Dibenzofuran | 45.8 | ug/L | 10.0 | 1.7 | 92438972 |
| Diethylphthalate | 45.3 | ug/L | 10.0 | 1.6 | 92438972 |
| Dimethylphthalate | 40.5 | ug/L | 10.0 | 1.4 | 92438972 |
| Fluoranthene | 50.1 | ug/L | 10.0 | 1.2 | 92438972 |
| Fluorene | 46.4 | ug/L | 10.0 | 1.6 | 92438972 |
| [illegible] | [illegible] | ug/L | 10.0 | 1.6 | 92438972 |
| Hexachlorobenzen | 40.4 | ug/L | 10.0 | 1.7 | 92438972 |
| Hexachlorocyclope | 31.6 | ug/L | 10.0 | 1.3 | 92438972 |
| Hexachloroethane | [illegible] | ug/L | 10.0 | 1.6 | 92438972 |
| Indeno(1,2,3-[illegible] | 49.1 | ug/L | 10.0 | 2.0 | 92438972 |
| Isophorone | 40.4 | ug/L | 10.0 | 1.6 | 92438972 |
| N-[illegible] | 45.5 | ug/L | 10.0 | [illegible] | 92438972 |
| [illegible] | [illegible] | ug/L | 10.0 | 1.5 | 92438972 |
| [illegible] | 46.1 | ug/L | 10.0 | 1.4 | 92438972 |
| Nitrobenzene | 41.4 | ug/L | 10.0 | 1.4 | 92438972 |
| [illegible] | [illegible] | ug/L | 10.0 | 1.5 | 92438972 |
| [illegible]chlorophenol | [illegible] | ug/L | 50.0 | 3.8 | 92438972 |
| Phenanthrene | 45.5 | ug/L | 10.0 | 1.6 | 92438972 |
| Phenol | 24.0 | ug/L | 10.0 | 1.3 | 92438972 |
| Pyrene | 44.8 | ug/L | 10.0 | 1.2 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |

| | | | | |
|---|---|---|---|---|
| [illegible] | 1 | not corrected | N | 46.4 |
| [illegible] | 1 | not corrected | N | 45.3 |
| [illegible] | 1 | not corrected | N | 45.1 |
| [illegible] | 1 | not corrected | [illegible] | 308 |
| [illegible] | 1 | not corrected | N | 46.1 |
| [illegible] | 1 | not corrected | N | 47 |
| [illegible] | | not corrected | N | 46.7 |
| [illegible] | 1 | not corrected | N | 44.2 |
| [illegible] | 1 | not corrected | N | 40.7 |
| 95-46-[illegible] | 1 | not corrected | N | 38.8 |
| 88-74-4 | 1 | not corrected | N | 82.0 |
| 88-75-5 | 1 | not corrected | N | 46.6 |
| [illegible] | 1 | not corrected | Y | 33.9 |
| [illegible] | | not corrected | N | 79.8 |
| [illegible] | 1 | not corrected | N | 91.1 |
| [illegible] | 1 | not corrected | Y | 130 |
| [illegible] | 1 | not corrected | N | 45.7 |
| [illegible] | 1 | not corrected | N | 94.1 |
| [illegible] | 1 | not corrected | N | 33.4 |
| [illegible] | 1 | not corrected | N | 45.1 |
| [illegible] | 1 | not corrected | N | 93.7 |
| [illegible] | 1 | not corrected | N | 108 |
| [illegible] | 1 | not corrected | N | 44.6 |
| 60-32-[illegible] | | not corrected | N | 46.2 |
| [illegible] | 1 | not corrected | N | 25.2 |
| [illegible] | 1 | not corrected | N | 45.1 |
| [illegible] | 1 | not corrected | N | 48.5 |
| [illegible] | 1 | not corrected | N | 49.2 |
| [illegible] | 1 | not corrected | N | 51.0 |
| [illegible] | | not corrected | N | 48.2 |
| [illegible] | 1 | not corrected | N | 49.8 |
| [illegible] | 1 | not corrected | N | 105 |
| [illegible] | 1 | not corrected | N | 79.9 |
| [illegible] | 1 | not corrected | N | 46.2 |
| [illegible] | 1 | not corrected | N | 48.7 |
| [illegible] | 1 | not corrected | N | 48.9 |
| [illegible] | 1 | not corrected | N | 49.2 |
| [illegible] | 1 | not corrected | N | 46.2 |
| [illegible] | 1 | not corrected | N | 45.8 |
| [illegible] | 1 | not corrected | N | 44.8 |
| [illegible] | 1 | not corrected | N | 46.8 |
| [illegible] | 1 | not corrected | N | 50.1 |
| [illegible] | 1 | not corrected | N | 48.4 |
| [illegible] | 1 | not corrected | N | 25.5 |
| [illegible] | 1 | not corrected | N | 46.4 |
| [illegible] | 1 | not corrected | N | 21.8 |
| [illegible] | 1 | not corrected | N | 17.0 |
| [illegible] | 1 | not corrected | N | 49.1 |
| [illegible] | 1 | not corrected | N | 40.4 |
| [illegible] | 1 | not corrected | N | 45.5 |
| [illegible] | 1 | not corrected | N | 30 |
| [illegible] | | not corrected | N | 40.2 |
| [illegible] | | not corrected | N | 41.4 |
| [illegible] | | not corrected | N | 38.0 |
| [illegible] | | not corrected | Y | 98.6 |
| [illegible] | | not corrected | N | 46.6 |
| [illegible] | | not corrected | [illegible] | 24 |
| [illegible] | | not corrected | N | 44.6 |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [v1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [v1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [v1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [v1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| Continuation applies | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |

| | | | |
|---|---|---|---|
| mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| mL | 1 | 8270 MSSV | DICHLOROPHENO |
| mL | 1 | 8270 MSSV | DIMETHYLPHENO |
| mL | 1 | 8270 MSSV | DINITROPHENOL2 |
| mL | 1 | 8270 MSSV | DINITROTOLUENE |
| mL | 1 | 8270 MSSV | DINITROTOLUENE |
| mL | 1 | 8270 MSSV | CHLORONAPHTH |
| mL | 1 | 8270 MSSV | CHLOROPHENOL |
| mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| mL | 1 | 8270 MSSV | METHYLPHENOL2 |
| mL | 1 | 8270 MSSV | NITROANILINE2 |
| mL | 1 | 8270 MSSV | NITROPHENOL2 |
| mL | 1 | 8270 MSSV | METHYLPHENOL3 |
| mL | 1 | 8270 MSSV | DICHLOROBENZI |
| mL | 1 | 8270 MSSV | NITROANILINE3 |
| mL | 1 | 8270 MSSV | DINITRO2METHYL |
| mL | 1 | 8270 MSSV | BROMOPHENYLP |
| mL | 1 | 8270 MSSV | CHLORO3METHYL |
| mL | 1 | 8270 MSSV | CHLOROANILINE4 |
| mL | 1 | 8270 MSSV | CHLOROPHENYL |
| mL | 1 | 8270 MSSV | NITROANILINE4 |
| mL | 1 | 8270 MSSV | NITROPHENOL4 |
| mL | 1 | 8270 MSSV | ACENAPHTHENE |
| mL | 1 | 8270 MSSV | ACENAPHTHYLEN |
| mL | 1 | 8270 MSSV | ANILINE |
| mL | 1 | 8270 MSSV | ANTHRACENE |
| mL | 1 | 8270 MSSV | BENZO(A)ANTHRA |
| mL | 1 | 8270 MSSV | BENZO(A)PYRENE |
| mL | 1 | 8270 MSSV | BENZO(B)FLUORA |
| mL | 1 | 8270 MSSV | BENZO(GHI)PERY |
| mL | 1 | 8270 MSSV | BENZO(K)FLUORA |
| mL | 1 | 8270 MSSV | BENZOICACID |
| mL | 1 | 8270 MSSV | BENZYLALCOHOL |
| mL | 1 | 8270 MSSV | BUTYLBENZYLPH |
| mL | 1 | 8270 MSSV | CHRYSENE |
| mL | 1 | 8270 MSSV | DINBUTYLPHTHAL |
| mL | 1 | 8270 MSSV | DINOCTYLPHTHA |
| mL | 1 | 8270 MSSV | DIBENZ(AH)ANTH |
| mL | 1 | 8270 MSSV | DIBENZOFURAN |
| mL | 1 | 8270 MSSV | DIETHYLPHTHALA |
| mL | 1 | 8270 MSSV | DIMETHYLPHTHA |
| mL | 1 | 8270 MSSV | FLUORANTHENE |
| mL | 1 | 8270 MSSV | FLUORENE |
| mL | 1 | 8270 MSSV | HEXACHLORO13B |
| mL | 1 | 8270 MSSV | HEXACHLOROBE |
| mL | 1 | 8270 MSSV | HEXACHLOROCY |
| mL | 1 | 8270 MSSV | HEXACHLOROET |
| mL | 1 | 8270 MSSV | INDENO(123CD)P |
| mL | 1 | 8270 MSSV | ISOPHORONE |
| mL | 1 | 8270 MSSV | NNITROSODINPR |
| mL | 1 | 8270 MSSV | NNITROSODIMET |
| mL | 1 | 8270 MSSV | NNITROSODIPHE |
| mL | 1 | 8270 MSSV | NAPHTHALENE |
| mL | 1 | 8270 MSSV | NITROBENZENE |
| mL | 1 | 8270 MSSV | PENTACHLOROP |
| mL | 1 | 8270 MSSV | PHENANTHRENE |
| mL | 1 | 8270 MSSV | PHENOL |
| mL | 1 | 8270 MSSV | PYRENE |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 50.0 | 46.4 | ug/L | 93 | % |
| [illegible] | 50.0 | 45.6 | ug/L | [illegible] | % |
| [illegible] | 50.0 | [illegible] | ug/L | 90 | % |
| 250 | 250 | 309 | ug/L | 124 | % |
| 50.0 | 50.0 | [illegible] | ug/L | 90 | % |
| 50.0 | 50.0 | 47.0 | ug/L | 94 | % |
| 50.0 | 50.0 | 46.7 | ug/L | 93 | % |
| 50.0 | 50.0 | 44.2 | ug/L | 88 | % |
| 50.0 | 50.0 | 40.7 | ug/L | 81 | % |
| 50.0 | 50.0 | 38.8 | ug/L | 78 | % |
| 100 | 100 | 92.2 | ug/L | 92 | % |
| 50.0 | 50.0 | 45.6 | ug/L | 91 | % |
| 50.0 | 50.0 | 83.9 | ug/L | 168 | % |
| 100 | 100 | 79.8 | ug/L | 80 | % |
| 100 | 100 | 91.1 | ug/L | 91 | % |
| 100 | 100 | 120 | ug/L | 120 | % |
| 50.0 | 50.0 | 45.7 | ug/L | 91 | % |
| 100 | 100 | 94.1 | ug/L | 94 | % |
| 100 | 100 | 83.4 | ug/L | 83 | % |
| 50.0 | 50.0 | 46.1 | ug/L | 92 | % |
| 100 | 100 | 93.2 | ug/L | 93 | % |
| 250 | 250 | 108 | ug/L | 43 | % |
| 50.0 | 50.0 | 44.8 | ug/L | 90 | % |
| 50.0 | 50.0 | 45.2 | ug/L | 90 | % |
| 50.0 | 50.0 | 35.2 | ug/L | 70 | % |
| 50.0 | 50.0 | 49.1 | ug/L | 98 | % |
| 50.0 | 50.0 | 48.5 | ug/L | 97 | % |
| 50.0 | 50.0 | 49.2 | ug/L | 98 | % |
| 50.0 | 50.0 | 51.9 | ug/L | 104 | % |
| 50.0 | 50.0 | 48.2 | ug/L | 96 | % |
| 50.0 | 50.0 | 49.8 | ug/L | 100 | % |
| 250 | 250 | 105 | ug/L | 42 | % |
| 100 | 100 | 78.9 | ug/L | 79 | % |
| 50.0 | 50.0 | 46.2 | ug/L | 92 | % |
| 50.0 | 50.0 | 43.[illegible] | ug/L | 87 | % |
| 50.0 | 50.0 | 48.9 | ug/L | 98 | % |
| 50.0 | 50.0 | 49.2 | ug/L | 98 | % |
| 50.0 | 50.0 | 49.2 | ug/L | 98 | % |
| 50.0 | 50.0 | 45.8 | ug/L | 92 | % |
| 50.0 | 50.0 | 46.8 | ug/L | 92 | % |
| 50.0 | 50.0 | 46.5 | ug/L | 93 | % |
| 50.0 | 50.0 | 50.1 | ug/L | 100 | % |
| 50.0 | 50.0 | 46.4 | ug/L | 93 | % |
| 50.0 | 50.0 | 25.5 | ug/L | 51 | % |
| 50.0 | 50.0 | 45.4 | ug/L | 91 | % |
| 50.0 | 50.0 | 21.8 | ug/L | 44 | % |
| 50.0 | 50.0 | 27.9 | ug/L | 56 | % |
| 50.0 | 50.0 | 49.1 | ug/L | 98 | % |
| 50.0 | 50.0 | 40.4 | ug/L | 81 | % |
| 50.0 | 50.0 | 45.5 | ug/L | 91 | % |
| 50.0 | 50.0 | 30.0 | ug/L | 60 | % |
| 50.0 | 50.0 | 49.2 | ug/L | 98 | % |
| 50.0 | 50.0 | 41.4 | ug/L | 83 | % |
| 50.0 | 50.0 | 38.5 | ug/L | 77 | % |
| 100 | 100 | 98.6 | ug/L | 99 | % |
| 50.0 | 50.0 | 48.6 | ug/L | 97 | % |
| 50.0 | 50.0 | 24.0 | ug/L | 48 | % |
| 50.0 | 50.0 | 44.6 | ug/L | 89 | % |

| | | | |
|---|---|---|---|
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641449 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 43.6 | ug/L | 10.0 | 1.6 | 92438972 |
| bis(2-Chloroethyl | 45.2 | ug/L | 10.0 | 1.7 | 92438972 |
| [illegible] | 48.6 | ug/L | 5.0 | 2.3 | 92438972 |
| 2,4,[illegible] | 97 | % | | | 92438972 |
| 2-Fluorobiphenyl | 81 | % | | | 92438972 |
| 2-Fluorophenol (S) | 54 | % | | | 92438972 |
| Nitrobenzene-d5 | 80 | % | | | 92438972 |
| Phenol-d6 (S) | 54 | % | | | 92438972 |
| Terphenyl-d14 (S) | 84 | % | | | 92438972 |
| 1,2,4- | 34.1 | ug/L | 10.0 | 1.4 | 92438972 |
| 1,2- | 35.9 | ug/L | 10.0 | 1.5 | 92438972 |
| 1,3- | 35.3 | ug/L | 10.0 | 1.4 | 92438972 |
| 1,4- | 34.7 | ug/L | 10.0 | 1.4 | 92438972 |
| 1- | 42.6 | ug/L | 10.0 | 1.4 | 92438972 |
| 2,2'-oxybis(1 | 65.9 | ug/L | 10.0 | 1.8 | 92438972 |
| 2,4,6- | 45.1 | ug/L | 10.0 | 1.5 | 92438972 |
| 2,4,5- | 50.8 | ug/L | 10.0 | 1.4 | 92438972 |
| 2,4-Dichlorophenol | 47.5 | ug/L | 10.0 | 1.6 | 92438972 |
| 2,4-Dimethylphenol | 47.6 | ug/L | 10.0 | 1.6 | 92438972 |
| 2,4-Dinitrophenol | 32.6 | ug/L | 50.0 | 5.1 | 92438972 |
| 2,4-Dinitrotoluene | 47.1 | ug/L | 10.0 | 1.5 | 92438972 |
| 2,6-Dinitrotoluene | 46.1 | ug/L | 10.0 | 1.4 | 92438972 |
| 2- | 45.6 | ug/L | 10.0 | 1.6 | 92438972 |
| 2-Chlorophenol | 46.3 | ug/L | 10.0 | 1.5 | 92438972 |
| 2- | 45.8 | ug/L | 10.0 | 1.4 | 92438972 |
| 2-Methylphenol(o- | 46.2 | ug/L | 10.0 | 1.6 | 92438972 |
| 2-Nitroaniline | 41.3 | ug/L | 50.0 | 2.3 | 92438972 |
| 2-Nitrophenol | 46.8 | ug/L | 10.0 | 1.6 | 92438972 |
| 3&4- | 36.4 | ug/L | 10.0 | 1.4 | 92438972 |
| 3,3'- | 79.6 | ug/L | 50.0 | 3.0 | 92438972 |
| 3-Nitroaniline | 50.6 | ug/L | 50.0 | 2.7 | 92438972 |
| 4,6-Dinitro-2- | 138 | ug/L | 20.0 | 2.2 | 92438972 |
| 4- | 46.8 | ug/L | 10.0 | 1.5 | 92438972 |
| 4-Chloro-3- | 47.9 | ug/L | 20.0 | 2.8 | 92438972 |
| 4-Chloroaniline | 34.6 | ug/L | 50.0 | 2.8 | 92438972 |
| 4- | 47.3 | ug/L | 10.0 | 1.6 | 92438972 |
| 4-Nitroaniline | 96.1 | ug/L | 50.0 | 3.4 | 92438972 |
| 4-Nitrophenol | 113 | ug/L | 50.0 | 4.3 | 92438972 |
| Acenaphthene | 47.4 | ug/L | 10.0 | 1.6 | 92438972 |
| Acenaphthylene | 47.0 | ug/L | 10.0 | 1.6 | 92438972 |
| Aniline | 34.3 | ug/L | 10.0 | 1.2 | 92438972 |
| Anthracene | 48.8 | ug/L | 10.0 | 1.7 | 92438972 |
| Benzo(a)anthracen | 49.0 | ug/L | 10.0 | 2.1 | 92438972 |
| Benzo(a)pyrene | 50.2 | ug/L | 10.0 | 2.2 | 92438972 |
| Benzo(b)fluoranthene | 53.[illegible] | ug/L | 10.0 | 2.2 | 92438972 |
| Benzo(g,h,i)perylen | 49.0 | ug/L | 10.0 | 2.1 | 92438972 |
| Benzo(k)fluoranthe | 50.3 | ug/L | 10.0 | 2.0 | 92438972 |
| [illegible] | 10[illegible] | ug/L | 50.0 | 15.0 | 92438972 |
| Benzyl alcohol | 93.4 | ug/L | 20.0 | 3.1 | 92438972 |
| Butylbenzylphthalat | 41.3 | ug/L | 10.0 | 2.5 | 92438972 |
| Chrysene | 44.3 | ug/L | 10.0 | 2.1 | 92438972 |
| Di-n-butylphthalate | 49.9 | ug/L | 10.0 | 2.0 | 92438972 |
| Di-n-octylphthalate | 50.3 | ug/L | 10.0 | 1.9 | 92438972 |
| Dibenz(a,h)anthrac | 49.6 | ug/L | 10.0 | 2.0 | 92438972 |
| Dibenzofuran | 47.5 | ug/L | 10.0 | [illegible] | 92438972 |
| Diethylphthalate | 47.2 | ug/L | 10.0 | 1.6 | 92438972 |
| Dimethylphthalate | 47.6 | ug/L | 10.0 | 1.4 | 92438972 |
| Fluoranthene | 51.2 | ug/L | 10.0 | 2.2 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 19:59 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |

| | | | | |
|---|---|---|---|---|
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | | not corrected | N | 46.8 |
| [illegible] | [illegible] | not corrected | N | |
| [illegible] | 1 | not corrected | N | |
| [illegible] | 1 | not corrected | N | |
| [illegible] | [illegible] | not corrected | N | |
| [illegible] | [illegible] | not corrected | N | |
| [illegible] | [illegible] | not corrected | N | |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 42.6 |
| [illegible] | 1 | not corrected | Y | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 50.8 |
| [illegible] | 1 | not corrected | N | 47.5 |
| [illegible] | [illegible] | not corrected | N | 47.6 |
| [illegible] | 1 | not corrected | Y | [illegible] |
| [illegible] | 1 | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | 49.8 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 43.8 |
| [illegible] | [illegible] | not corrected | N | 40.2 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 48.8 |
| [illegible] | [illegible] | not corrected | Y | [illegible] |
| [illegible] | [illegible] | not corrected | N | 79.6 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | Y | 135 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | [illegible] |
| [illegible] | | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 47.2 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | 49 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 49 |
| [illegible] | 1 | not corrected | N | 50.3 |
| [illegible] | 1 | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 51.4 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 44.3 |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | not corrected | N | 50.3 |
| [illegible] | [illegible] | not corrected | [illegible] | [illegible] |
| [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | [illegible] |
| [illegible] | 1 | not corrected | N | 47.8 |
| [illegible] | 1 | not corrected | N | [illegible] |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [vi] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [vi] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [vi] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| [vi] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |

| | | | |
|---|---|---|---|
| mL | 1 | 8270 MSSV | CHLOROETHOXY |
| mL | 1 | 8270 MSSV | CHLOROETHYLET |
| mL | 1 | 8270 MSSV | ETHYLHEXYLPHT |
| mL | 1 | 8270 MSSV | TRIBROMOPHEN |
| mL | 1 | 8270 MSSV | FLUOROBIPHENY |
| mL | 1 | 8270 MSSV | FLUOROPHENOL2 |
| mL | 1 | 8270 MSSV | NITROBENZENED |
| mL | 1 | 8270 MSSV | PHENOLD6(S) |
| mL | 1 | 8270 MSSV | TERPHENYLD14(S |
| mL | 1 | 8270 MSSV | TRICHLOROBENZ |
| mL | 1 | 8270 MSSV | DICHLOROBENZE |
| mL | 1 | 8270 MSSV | DICHLOROBENZE |
| mL | 1 | 8270 MSSV | DICHLOROBENZE |
| mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| mL | 1 | 8270 MSSV | OXYBIS1CHLORO |
| mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| mL | 1 | 8270 MSSV | DICHLOROPHENO |
| mL | 1 | 8270 MSSV | DIMETHYLPHENO |
| mL | 1 | 8270 MSSV | DINITROPHENOL2 |
| mL | 1 | 8270 MSSV | DINITROTOLUENE |
| mL | 1 | 8270 MSSV | DINITROTOLUENE |
| mL | 1 | 8270 MSSV | CHLORONAPHTH |
| mL | 1 | 8270 MSSV | CHLOROPHENOL |
| mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| mL | 1 | 8270 MSSV | METHYLPHENOL2 |
| mL | 1 | 8270 MSSV | NITROANILINE2 |
| mL | 1 | 8270 MSSV | NITROPHENOL2 |
| mL | 1 | 8270 MSSV | METHYLPHENOL3 |
| mL | 1 | 8270 MSSV | DICHLOROBENZI |
| mL | 1 | 8270 MSSV | NITROANILINE3 |
| mL | 1 | 8270 MSSV | DINITRO2METHYL |
| mL | 1 | 8270 MSSV | BROMOPHENYLP |
| mL | 1 | 8270 MSSV | CHLORO3METHYL |
| mL | 1 | 8270 MSSV | CHLOROANILINE4 |
| mL | 1 | 8270 MSSV | CHLOROPHENYL |
| mL | 1 | 8270 MSSV | NITROANILINE4 |
| mL | 1 | 8270 MSSV | NITROPHENOL4 |
| mL | 1 | 8270 MSSV | ACENAPHTHENE |
| mL | 1 | 8270 MSSV | ACENAPHTHYLEN |
| mL | 1 | 8270 MSSV | ANILINE |
| mL | 1 | 8270 MSSV | ANTHRACENE |
| mL | 1 | 8270 MSSV | BENZO(A)ANTHRA |
| mL | 1 | 8270 MSSV | BENZO(A)PYRENE |
| mL | 1 | 8270 MSSV | BENZO(B)FLUORA |
| mL | 1 | 8270 MSSV | BENZO(GHI)PERY |
| mL | 1 | 8270 MSSV | BENZO(K)FLUORA |
| mL | 1 | 8270 MSSV | BENZOICACID |
| mL | 1 | 8270 MSSV | BENZYLALCOHOL |
| mL | 1 | 8270 MSSV | BUTYLBENZYLPH |
| mL | 1 | 8270 MSSV | CHRYSENE |
| mL | 1 | 8270 MSSV | DINBUTYLPHTHAL |
| mL | 1 | 8270 MSSV | DINOCTYLPHTHA |
| mL | 1 | 8270 MSSV | DIBENZ(AH)ANTH |
| mL | 1 | 8270 MSSV | DIBENZOFURAN |
| mL | 1 | 8270 MSSV | DIETHYLPHTHALA |
| mL | 1 | 8270 MSSV | DIMETHYLPHTHA |
| mL | 1 | 8270 MSSV | FLUORANTHENE |

| | | | | | |
|---|---|---|---|---|---|
| 50.0 | 50.0 | 49.9 | ug/L | 99 | % |
| 50.0 | 50.0 | 45.2 | ug/L | 90 | % |
| 50.0 | 50.0 | 48.6 | ug/L | 97 | % |

| | | | | | |
|---|---|---|---|---|---|
| 50.0 | 50.0 | 34.1 | ug/L | 69 | % |
| 50.0 | 50.0 | 35.9 | ug/L | 72 | % |
| 50.0 | 50.0 | 33.3 | ug/L | 67 | % |
| 50.0 | 50.0 | 34.7 | ug/L | 69 | % |
| 50.0 | 50.0 | 42.6 | ug/L | 85 | % |
| 50.0 | 50.0 | 56.9 | ug/L | 114 | % |
| 50.0 | 50.0 | 45.1 | ug/L | 90 | % |
| 50.0 | 50.0 | 50.8 | ug/L | 102 | % |
| 50.0 | 50.0 | 47.6 | ug/L | 95 | % |
| 50.0 | 50.0 | 47.6 | ug/L | 95 | % |
| 250 | 250 | 328 | ug/L | 131 | % |
| 50.0 | 50.0 | 47.1 | ug/L | 94 | % |
| 50.0 | 50.0 | 48.7 | ug/L | 97 | % |
| 50.0 | 50.0 | 49.5 | ug/L | 100 | % |
| 50.0 | 50.0 | 45.3 | ug/L | 91 | % |
| 50.0 | 50.0 | 43.8 | ug/L | 88 | % |
| 50.0 | 50.0 | 40.2 | ug/L | 80 | % |
| 100 | 100 | 96.3 | ug/L | 96 | % |
| 50.0 | 50.0 | 46.8 | ug/L | 94 | % |
| 50.0 | 50.0 | 86.4 | ug/L | 173 | % |
| 100 | 100 | 79.6 | ug/L | 80 | % |
| 100 | 100 | 93.5 | ug/L | 94 | % |
| 100 | 100 | 135 | ug/L | 135 | % |
| 50.0 | 50.0 | 45.8 | ug/L | 92 | % |
| 100 | 100 | 97.9 | ug/L | 98 | % |
| 100 | 100 | 84.6 | ug/L | 85 | % |
| 50.0 | 50.0 | 47.3 | ug/L | 95 | % |
| 100 | 100 | 96.1 | ug/L | 96 | % |
| 250 | 250 | 113 | ug/L | 45 | % |
| 50.0 | 50.0 | 46.4 | ug/L | 93 | % |
| 50.0 | 50.0 | 47.2 | ug/L | 94 | % |
| 50.0 | 50.0 | 34.3 | ug/L | 69 | % |
| 50.0 | 50.0 | 49.8 | ug/L | 100 | % |
| 50.0 | 50.0 | 49.0 | ug/L | 98 | % |
| 50.0 | 50.0 | 50.2 | ug/L | 100 | % |
| 50.0 | 50.0 | 53.7 | ug/L | 107 | % |
| 50.0 | 50.0 | 49.0 | ug/L | 98 | % |
| 50.0 | 50.0 | 50.3 | ug/L | 101 | % |
| 250 | 250 | 108 | ug/L | 43 | % |
| 100 | 100 | 81.4 | ug/L | 81 | % |
| 50.0 | 50.0 | 47.3 | ug/L | 95 | % |
| 50.0 | 50.0 | 44.3 | ug/L | 89 | % |
| 50.0 | 50.0 | 49.9 | ug/L | 100 | % |
| 50.0 | 50.0 | 50.3 | ug/L | 101 | % |
| 50.0 | 50.0 | 49.6 | ug/L | 99 | % |
| 50.0 | 50.0 | 47.5 | ug/L | 95 | % |
| 50.0 | 50.0 | 47.2 | ug/L | 94 | % |
| 50.0 | 50.0 | 47.8 | ug/L | 96 | % |
| 50.0 | 50.0 | 51.8 | ug/L | 104 | % |

| | | | |
|---|---|---|---|
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641450 | EPA 8270D | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |

| | | | | | |
|---|---|---|---|---|---|
| Fluorene | 46.4 | ug/L | 10.0 | 1.6 | 92438972 |
| Hexachloro-1,3- | 26.0 | ug/L | 10.0 | 1.5 | 92438972 |
| Hexachlorobenzene | 45.7 | ug/L | 10.0 | 1.7 | 92438972 |
| Hexachlorocyclope | 34.6 | ug/L | 10.0 | 1.3 | 92438972 |
| Hexachloroethane | 31.2 | ug/L | 10.0 | 1.8 | 92438972 |
| Indeno(1,2,3- | 49.9 | ug/L | 10.0 | 2.0 | 92438972 |
| Isophorone | 41.5 | ug/L | 10.0 | 1.5 | 92438972 |
| N-Nitroso-di-n- | 46.7 | ug/L | 10.0 | 1.7 | 92438972 |
| N- | 31.2 | ug/L | 10.0 | 1.3 | 92438972 |
| N- | 49.6 | ug/L | 10.0 | 1.4 | 92438972 |
| Naphthalene | 44.3 | ug/L | 10.0 | 1.4 | 92438972 |
| Nitrobenzene | 40.2 | ug/L | 10.0 | 1.6 | 92438972 |
| Pentachlorophenol | 101 | ug/L | 50.0 | 5.9 | 92438972 |
| Phenanthrene | 49.3 | ug/L | 10.0 | 1.6 | 92438972 |
| Phenol | 24.6 | ug/L | 10.0 | 1.3 | 92438972 |
| Pyrene | 44.6 | ug/L | 10.0 | 2.2 | 92438972 |
| bis(2- | 45.4 | ug/L | 10.0 | 1.6 | 92438972 |
| bis(2-Chloroethyl) | 46.9 | ug/L | 10.0 | 1.7 | 92438972 |
| bis(2- | 53.4 | ug/L | 6.0 | 2.3 | 92438972 |
| 2,4,6- | 38 | % | | | 92438972 |
| 2-Fluorobiphenyl | 85 | % | | | 92438972 |
| 2-Fluorophenol (S) | 59 | % | | | 92438972 |
| Nitrobenzene-d5 | 82 | % | | | 92438972 |
| Phenol-d6 (S) | 39 | % | | | 92438972 |
| Terphenyl-d14 (S) | 34 | % | | | 92438972 |
| 1,1,1,2- | ND | ug/L | 1.0 | 0.34 | 92438972 |
| 1,1,1- | ND | ug/L | 1.0 | 0.18 | 92438972 |
| 1,1,2,2- | ND | ug/L | 1.0 | 0.22 | 92438972 |
| 1,1,2- | ND | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1-Dichloroethane | ND | ug/L | 1.0 | 0.21 | 92438972 |
| 1,1-Dichloroethene | ND | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1- | ND | ug/L | 1.0 | 0.21 | 92438972 |
| 1,2,3- | ND | ug/L | 1.0 | 0.34 | 92438972 |
| 1,2,3- | ND | ug/L | 1.0 | 0.35 | 92438972 |
| 1,2,4- | ND | ug/L | 1.0 | 0.22 | 92438972 |
| 1,2-Dibromo-3- | ND | ug/L | 2.0 | 0.26 | 92438972 |
| 1,2- | ND | ug/L | 1.0 | 0.29 | 92438972 |
| 1,2-Dichloroethane | ND | ug/L | 1.0 | 0.34 | 92438972 |
| 1,2- | ND | ug/L | 1.0 | 0.19 | 92438972 |
| 1,3- | ND | ug/L | 1.0 | 0.22 | 92438972 |
| 1,3- | ND | ug/L | 1.0 | 0.18 | 92438972 |
| 1,4- | ND | ug/L | 1.0 | 0.26 | 92438972 |
| 2,2- | ND | ug/L | 1.0 | 0.27 | 92438972 |
| 2-Butanone (MEK) | ND | ug/L | 5.0 | 3.3 | 92438972 |
| 2-Chlorotoluene | ND | ug/L | 1.0 | 0.20 | 92438972 |
| 2-Hexanone | ND | ug/L | 5.0 | 0.57 | 92438972 |
| 4-Chlorotoluene | ND | ug/L | 1.0 | 0.20 | 92438972 |
| 4-Methyl-2- | ND | ug/L | 5.0 | 4.5 | 92438972 |
| [illegible] | ND | ug/L | 10.0 | 6.2 | 92438972 |
| Benzene | ND | ug/L | 1.0 | 0.15 | 92438972 |
| Bromobenzene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Bromochlorometha | ND | ug/L | 1.0 | 0.34 | 92438972 |
| Bromodichlorometh | ND | ug/L | 1.0 | 0.26 | 92438972 |
| Bromoform | ND | ug/L | 1.0 | 0.62 | 92438972 |
| Bromomethane | ND | ug/L | 2.0 | 0.82 | 92438972 |
| Carbon | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Chlorobenzene | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Chloroethane | ND | ug/L | 1.0 | 0.49 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 11:14 | 07/31/2019 15:39 | 07/31/2019 20:27 | EPA 3510C | 489508 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | | 489573 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | | | not corrected | N | 48.4 |
| [illegible] | | | not corrected | N | 29.7 |
| [illegible] | | | not corrected | N | 45.7 |
| [illegible] | | | not corrected | N | 24.6 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 49.6 |
| [illegible] | 1 | | not corrected | N | 41.6 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 51.2 |
| [illegible] | 1 | | not corrected | N | 35.8 |
| [illegible] | 1 | | not corrected | N | 44.3 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 49.5 |
| [illegible] | 1 | | not corrected | N | 24.6 |
| [illegible] | 1 | | not corrected | N | 44.6 |
| [illegible] | 1 | | not corrected | N | 45.4 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 55.4 |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| Recovery did not | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8270WSEPSC | 1000 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |

| | | | |
|---|---|---|---|
| mL | 1 | 8270 MSSV | FLUORENE |
| mL | 1 | 8270 MSSV | HEXACHLORO13B |
| mL | 1 | 8270 MSSV | HEXACHLOROBE |
| mL | 1 | 8270 MSSV | HEXACHLOROCY |
| mL | 1 | 8270 MSSV | HEXACHLOROET |
| mL | 1 | 8270 MSSV | INDENO(123CD)P |
| mL | 1 | 8270 MSSV | ISOPHORONE |
| mL | 1 | 8270 MSSV | NNITROSODINPR |
| mL | 1 | 8270 MSSV | NNITROSODIMET |
| mL | 1 | 8270 MSSV | NNITROSODIPHE |
| mL | 1 | 8270 MSSV | NAPHTHALENE |
| mL | | 8270 MSSV | NITROBENZENE |
| mL | 1 | 8270 MSSV | PENTACHLOROP |
| mL | 1 | 8270 MSSV | PHENANTHRENE |
| mL | 1 | 8270 MSSV | PHENOL |
| mL | 1 | 8270 MSSV | PYRENE |
| mL | 1 | 8270 MSSV | CHLOROETHOXY |
| mL | 1 | 8270 MSSV | CHLOROETHYLET |
| mL | 1 | 8270 MSSV | ETHYLHEXYLPHT |
| mL | 1 | 8270 MSSV | TRIBROMOPHEN |
| mL | 1 | 8270 MSSV | FLUOROBIPHENY |
| mL | 1 | 8270 MSSV | FLUOROPHENOL( |
| mL | 1 | 8270 MSSV | NITROBENZENED |
| mL | 1 | 8270 MSSV | PHENOLD6(S) |
| mL | 1 | 8270 MSSV | TERPHENYLD14(S |
| mL | 1 | 8260 MSV Low | TETRACHLOROET |
| mL | 1 | 8260 MSV Low | TRICHLOROETHA |
| mL | 1 | 8260 MSV Low | TETRACHLOROET |
| mL | 1 | 8260 MSV Low | TRICHLOROETHA |
| mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| mL | 1 | 8260 MSV Low | TRICHLOROPROP |
| mL | | 8260 MSV Low | TRICHLOROBENZ |
| mL | 1 | 8260 MSV Low | DIBROMOCHLOR |
| mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| mL | 1 | 8260 MSV Low | BUTANONE2(MEK |
| mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| mL | 1 | 8260 MSV Low | HEXANONE2 |
| mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| mL | 1 | 8260 MSV Low | METHYLPENTANO |
| mL | 1 | 8260 MSV Low | ACETONE |
| mL | 1 | 8260 MSV Low | BENZENE |
| mL | 1 | 8260 MSV Low | BROMOBENZENE |
| mL | | 8260 MSV Low | BROMOCHLOROM |
| mL | 1 | 8260 MSV Low | BROMODICHLOR |
| mL | 1 | 8260 MSV Low | BROMOFORM |
| mL | 1 | 8260 MSV Low | BROMOMETHANE |
| mL | 1 | 8260 MSV Low | CARBONTETRAC |
| mL | 1 | 8260 MSV Low | CHLOROBENZEN |
| mL | 1 | 8260 MSV Low | CHLOROETHANE |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 50.0 | 48.4 | ug/L | 97 | % |
| [illegible] | 50.0 | [illegible] | ug/L | 59 | % |
| [illegible] | 50.0 | [illegible] | ug/L | 91 | % |
| 50.0 | 50.0 | 24.6 | ug/L | 49 | % |
| 50.0 | 50.0 | 31.2 | ug/L | 62 | % |
| 50.0 | 50.0 | 49.3 | ug/L | 99 | % |
| 50.0 | 50.0 | 41.6 | ug/L | 83 | % |
| 50.0 | 50.0 | 46.7 | ug/L | 93 | % |
| 50.0 | 50.0 | 31.2 | ug/L | 62 | % |
| 50.0 | 50.0 | 49.6 | ug/L | 99 | % |
| 50.0 | 50.0 | 44.3 | ug/L | 89 | % |
| 50.0 | 50.0 | 40.2 | ug/L | 80 | % |
| 100 | 100 | 101 | ug/L | 101 | % |
| 50.0 | 50.0 | 49.5 | ug/L | 99 | % |
| 50.0 | 50.0 | 24.6 | ug/L | 49 | % |
| 50.0 | 50.0 | 44.6 | ug/L | 89 | % |
| 50.0 | 50.0 | 45.4 | ug/L | 91 | % |
| 50.0 | 50.0 | 46.9 | ug/L | 94 | % |
| 50.0 | 50.0 | 55.4 | ug/L | 111 | % |

| | | | |
|---|---|---|---|
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641718 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |
| Able Contracting | 2641719 | EPA 8260B | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | ND | ug/L | [illegible] | 2.3 | 92438972 |
| [illegible]omethane | ND | ug/L | [illegible] | 0.39 | 92438972 |
| Dibromochlorometh | ND | ug/L | 1.0 | 0.41 | 92438972 |
| Dibromomethane | ND | ug/L | 1.0 | 0.46 | 92438972 |
| Dichlorodifluoromet | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Diisopropyl ether | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Ethylbenzene | ND | ug/L | 1.0 | 0.26 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 1.0 | 0.44 | 92438972 |
| Methyl-tert-butyl | ND | ug/L | 1.0 | 0.28 | 92438972 |
| Methylene Chloride | ND | ug/L | 5.0 | 0.7 | 92438972 |
| Naphthalene | ND | ug/L | 1.0 | 0.35 | 92438972 |
| Styrene | ND | ug/L | 1.0 | 0.27 | 92438972 |
| Tetrachloroethene | ND | ug/L | 1.0 | 0.16 | 92438972 |
| Toluene | ND | ug/L | 1.0 | 0.24 | 92438972 |
| Trichloroethene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Trichlorofluorometh | ND | ug/L | 1.0 | 0.31 | 92438972 |
| Vinyl acetate | ND | ug/L | 2.0 | 1.4 | 92438972 |
| Vinyl chloride | ND | ug/L | 1.0 | 0.24 | 92438972 |
| Xylene (Total) | ND | ug/L | 1.0 | 0.63 | 92438972 |
| cis-1,2- | ND | ug/L | 1.0 | 0.29 | 92438972 |
| cis-1,3- | ND | ug/L | 1.0 | 0.30 | 92438972 |
| m&p-Xylene | ND | ug/L | 2.0 | 0.41 | 92438972 |
| o-Xylene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| p-Isopropyltoluene | ND | ug/L | 1.0 | 0.21 | 92438972 |
| trans-1,2- | ND | ug/L | 1.0 | 0.25 | 92438972 |
| trans-1,3- | ND | ug/L | 1.0 | 0.31 | 92438972 |
| 1,2-Dichloroethane- | 90 | % | | | 92438972 |
| 4- | 108 | % | | | 92438972 |
| Toluene-d8 (S) | 105 | % | | | 92438972 |
| [illegible] | 49.4 | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | 49.5 | ug/L | 1.0 | 0.18 | 92438972 |
| 1,2,3- | 53.0 | ug/L | 1.0 | 0.22 | 92438972 |
| 1,1,2- | 54.5 | ug/L | 1.0 | 0.24 | 92438972 |
| -Dichloroethane | 51.4 | ug/L | 1.0 | 0.27 | 92438972 |
| 1,1-Dichloroethene | 52.4 | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1- | 47.2 | ug/L | 1.0 | 0.21 | 92438972 |
| 1,2,3- | 50.8 | ug/L | 1.0 | 0.34 | 92438972 |
| 1,2, | 53.8 | ug/L | 1.0 | 0.35 | 92438972 |
| 1,2,4- | 52.0 | ug/L | 1.0 | 0.22 | 92438972 |
| 1,2-Dibromo-3- | 54.1 | ug/L | 2.0 | 0.26 | 92438972 |
| 1,2- | 50.8 | ug/L | 1.0 | 0.29 | 92438972 |
| 1,2-Dichloroethane | 51.0 | ug/L | 1.0 | 0.34 | 92438972 |
| 1,2- | 54.9 | ug/L | 1.0 | 0.19 | 92438972 |
| 1,3- | 48.4 | ug/L | 1.0 | 0.22 | 92438972 |
| 1,3- | 52.6 | ug/L | 1.0 | 0.16 | 92438972 |
| 1,4- | 49.0 | ug/L | 1.0 | 0.28 | 92438972 |
| 2,2- | 53.3 | ug/L | 1.0 | 0.27 | 92438972 |
| 2-Butanone (MEK) | 93.4 | ug/L | 5.0 | 3.3 | 92438972 |
| 2-Chlorotoluene | 49.0 | ug/L | 1.0 | 0.20 | 92438972 |
| [illegible]-Hexanone | 105 | ug/L | 5.0 | 0.57 | 92438972 |
| [illegible] | [illegible] | ug/L | 1.0 | 0.20 | 92438972 |
| [illegible] | 101 | ug/L | 5.0 | 4.5 | 92438972 |
| Acetone | 106 | ug/L | 25.0 | 6.2 | 92438972 |
| Benzene | 51.9 | ug/L | 1.0 | 0.15 | 92438972 |
| Bromobenzene | 52.2 | ug/L | 1.0 | 0.22 | 92438972 |
| Bromochlorometha | 53.8 | ug/L | 1.0 | 0.34 | 92438972 |
| Bromodichlorometh | 55.5 | ug/L | 1.0 | 0.26 | 92438972 |
| Bromoform | 46.5 | ug/L | 1.0 | 0.62 | 92438972 |

| | | | |
|---|---|---|---|
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 16:06 | 07/31/2019 16:06 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 75-83-4 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0000000001 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | 49.4 |
| [illegible] | 1 | | not corrected | N | 49.5 |
| [illegible] | 1 | | not corrected | N | 53.3 |
| [illegible] | 1 | | not corrected | N | 54.5 |
| [illegible] | 1 | | not corrected | N | 51.4 |
| [illegible] | 1 | | not corrected | N | 52.4 |
| [illegible] | 1 | | not corrected | N | 47.2 |
| [illegible] | 1 | | not corrected | N | 52.8 |
| [illegible] | 1 | | not corrected | N | 53.8 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 54.1 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 49.4 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 49 |
| [illegible] | 1 | | not corrected | N | 51.3 |
| [illegible] | 1 | | not corrected | N | 53.4 |
| [illegible] | 1 | | not corrected | N | 49 |
| [illegible] | 1 | | not corrected | N | 105 |
| [illegible] | 1 | | not corrected | N | 50.7 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 108 |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 52.2 |
| [illegible] | 1 | | not corrected | N | 55.5 |
| [illegible] | 1 | | not corrected | N | 46.5 |

| | | | | | |
|---|---|---|---|---|---|
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| Initial calibration | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| Initial calibration | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |

| | | | | |
|---|---|---|---|---|
| | mL | | 8260 MSV Low | CHLOROFORM |
| | mL | | 8260 MSV Low | CHLOROMETHAN |
| 5 | mL | | 8260 MSV Low | DIBROMOCHLOR |
| 5 | mL | | 8260 MSV Low | DIBROMOMETHA |
| 5 | mL | | 8260 MSV Low | DICHLORODIFLU |
| 5 | mL | | 8260 MSV Low | DIISOPROPYLETH |
| 5 | mL | 1 | 8260 MSV Low | ETHYLBENZENE |
| 5 | mL | | 8260 MSV Low | HEXACHLORO13B |
| 5 | mL | | 8260 MSV Low | METHYLTERTBUT |
| 5 | mL | | 8260 MSV Low | METHYLENECHLO |
| 5 | mL | | 8260 MSV Low | NAPHTHALENE |
| 5 | mL | 1 | 8260 MSV Low | STYRENE |
| 5 | mL | | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | | 8260 MSV Low | TOLUENE |
| | mL | | 8260 MSV Low | TRICHLOROETHE |
| | mL | | 8260 MSV Low | TRICHLOROFLUO |
| | mL | | 8260 MSV Low | VINYLACETATE |
| 5 | mL | | 8260 MSV Low | VINYLCHLORIDE |
| 5 | mL | | 8260 MSV Low | XYLENE(TOTAL) |
| | mL | | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | | 8260 MSV Low | XYLENEMP |
| 5 | mL | 1 | 8260 MSV Low | XYLENEO |
| 5 | mL | | 8260 MSV Low | ISOPROPYLTOLU |
| | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | | 8260 MSV Low | DICHLOROETHAN |
| | mL | | 8260 MSV Low | BROMOFLUOROB |
| 5 | mL | 1 | 8260 MSV Low | TOLUENED8(S) |
| 5 | mL | | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | | 8260 MSV Low | TRICHLOROETHA |
| | mL | | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | | 8260 MSV Low | TRICHLOROETHA |
| | mL | | 8260 MSV Low | DICHLOROETHAN |
| | mL | | 8260 MSV Low | DICHLOROETHEN |
| | mL | | 8260 MSV Low | DICHLOROPROPE |
| | mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| | mL | | 8260 MSV Low | TRICHLOROPROP |
| | mL | | 8260 MSV Low | TRICHLOROBENZ |
| 5 | mL | | 8260 MSV Low | DIBROMO3CHLOR |
| | mL | | 8260 MSV Low | DICHLOROBENZE |
| | mL | | 8260 MSV Low | DICHLOROETHAN |
| | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | | 8260 MSV Low | DICHLOROBENZE |
| | mL | | 8260 MSV Low | DICHLOROPROPA |
| | mL | | 8260 MSV Low | DICHLOROBENZE |
| | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| | mL | | 8260 MSV Low | BUTANONE2(ME |
| | mL | | 8260 MSV Low | CHLOROTOLUEN |
| | mL | | 8260 MSV Low | HEXANONE2 |
| | mL | | 8260 MSV Low | CHLOROTOLUEN |
| | mL | 1 | 8260 MSV Low | METHYLPENTANO |
| | mL | | 8260 MSV Low | ACETONE |
| | mL | | 8260 MSV Low | BENZENE |
| | mL | | 8260 MSV Low | BROMOBENZENE |
| | mL | | 8260 MSV Low | BROMOCHLOROM |
| | mL | | 8260 MSV Low | BROMODICHLOR |
| | mL | | 8260 MSV Low | BROMOFORM |

| | | | | | |
|---|---|---|---|---|---|
| 50.0 | 50.0 | 49.4 | ug/L | 99 | % |
| 50.0 | 50.0 | 49.5 | ug/L | 99 | % |
| 50.0 | 50.0 | 53.3 | ug/L | 107 | % |
| 50.0 | 50.0 | 54.5 | ug/L | 109 | % |
| 50.0 | 50.0 | 51.4 | ug/L | 103 | % |
| 50.0 | 50.0 | 52.4 | ug/L | 105 | % |
| 50.0 | 50.0 | 47.2 | ug/L | 94 | % |
| 50.0 | 50.0 | 52.8 | ug/L | 106 | % |
| 50.0 | 50.0 | 53.9 | ug/L | 108 | % |
| 50.0 | 50.0 | 52.0 | ug/L | 104 | % |
| 50.0 | 50.0 | 54.1 | ug/L | 108 | % |
| 50.0 | 50.0 | 50.8 | ug/L | 102 | % |
| 50.0 | 50.0 | 51.0 | ug/L | 102 | % |
| 50.0 | 50.0 | 54.5 | ug/L | 110 | % |
| 50.0 | 50.0 | 48.4 | ug/L | 97 | % |
| 50.0 | 50.0 | 52.6 | ug/L | 105 | % |
| 50.0 | 50.0 | 49.0 | ug/L | 98 | % |
| 50.0 | 50.0 | 53.3 | ug/L | 107 | % |
| 100 | 100 | 93.4 | ug/L | 93 | % |
| 50.0 | 50.0 | 49.0 | ug/L | 98 | % |
| 100 | 100 | 105 | ug/L | 105 | % |
| 50.0 | 50.0 | 50.7 | ug/L | 101 | % |
| 100 | 100 | 101 | ug/L | 101 | % |
| 100 | 100 | 108 | ug/L | 108 | % |
| 50.0 | 50.0 | 52.5 | ug/L | 105 | % |
| 50.0 | 50.0 | 52.2 | ug/L | 104 | % |
| 50.0 | 50.0 | 52.8 | ug/L | 106 | % |
| 50.0 | 50.0 | 55.5 | ug/L | 111 | % |
| 50.0 | 50.0 | 46.5 | ug/L | 93 | % |

| | | | | |
|---|---|---|---|---|
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641719 | | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible]methane | 45.6 | ug/L | 2.0 | 0.62 | 92438972 |
| [illegible] | 51.0 | ug/L | 1.0 | 0.22 | 92438972 |
| Chlorobenzene | 50.3 | ug/L | 1.0 | 0.23 | 92438972 |
| Chloroethane | 50.0 | ug/L | 1.0 | 0.45 | 92438972 |
| Chloroform | 50.7 | ug/L | 5.0 | 2.3 | 92438972 |
| Chloromethane | 49.6 | ug/L | 1.0 | 0.39 | 92438972 |
| Dibromochlorometh | 49.1 | ug/L | 1.0 | 0.41 | 92438972 |
| Dibromomethane | 50.7 | ug/L | 1.0 | 0.46 | 92438972 |
| Dichlorodifluoromet | 51.4 | ug/L | 1.0 | 0.23 | 92438972 |
| Diisopropyl ether | 49.3 | ug/L | 1.0 | 0.22 | 92438972 |
| Ethylbenzene | 50.9 | ug/L | 1.0 | 0.26 | 92438972 |
| Hexachloro-1,3- | 49.2 | ug/L | 1.0 | 0.44 | 92438972 |
| Methyl-tert-butyl | 47.5 | ug/L | 1.0 | 0.26 | 92438972 |
| Methylene Chloride | 47.9 | ug/L | 1.0 | 3.7 | 92438972 |
| Naphthalene | 52.2 | ug/L | 1.0 | 0.35 | 92438972 |
| Styrene | 51.1 | ug/L | 1.0 | 0.27 | 92438972 |
| Tetrachloroethene | 52.2 | ug/L | 1.0 | 0.16 | 92438972 |
| Toluene | 47.2 | ug/L | 1.0 | 0.24 | 92438972 |
| Trichloroethene | 51.4 | ug/L | 1.0 | 0.22 | 92438972 |
| Trichlorofluorometh | 49.8 | ug/L | 1.0 | 0.31 | 92438972 |
| Vinyl acetate | 93.2 | ug/L | 2.0 | 1.4 | 92438972 |
| Vinyl chloride | 50.7 | ug/L | 1.0 | 0.24 | 92438972 |
| Xylene (Total) | [illegible] | ug/L | 1.0 | 0.63 | 92438972 |
| cis-1,2- | 51.6 | ug/L | 1.0 | 0.29 | 92438972 |
| cis-1,3- | 51.1 | ug/L | 1.0 | 0.30 | 92438972 |
| m&p-Xylene | 101 | ug/L | 2.0 | 0.41 | 92438972 |
| o-Xylene | 51.4 | ug/L | 1.0 | 0.22 | 92438972 |
| p-Isopropyltoluene | 50.3 | ug/L | 1.0 | 0.21 | 92438972 |
| trans-1,2- | 52.6 | ug/L | 1.0 | 0.25 | 92438972 |
| trans-1,3- | 51.3 | ug/L | 1.0 | 0.31 | 92438972 |
| 1,2-Dichloroethane- | 102 | % | | | 92438972 |
| [illegible] | 100 | % | | | 92438972 |
| Toluene-d8 (S) | 97 | % | | | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.18 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.20 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1-Dichloroethane | ND | ug/L | 1.0 | 0.27 | 92438972 |
| 1,1-Dichloroethene | ND | ug/L | 1.0 | 0.24 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.21 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.35 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.22 | 92438972 |
| 1,2-Dibromo-3- | ND | ug/L | 2.0 | 0.26 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.29 | 92438972 |
| 1,2-Dichloroethane | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.18 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.22 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.16 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.26 | 92438972 |
| 2,2- | ND | ug/L | 1.0 | 0.27 | 92438972 |
| 2-Butanone (MEK) | ND | ug/L | 5.0 | 3.3 | 92438972 |
| 2-Chlorotoluene | ND | ug/L | 1.0 | 0.23 | 92438972 |
| 2-Hexanone | ND | ug/L | 5.0 | 0.57 | 92438972 |
| 4-Chlorotoluene | ND | ug/L | 1.0 | 0.20 | 92438972 |
| 4-Methyl-2- | ND | ug/L | 5.0 | 4.5 | 92438972 |
| Acetone | ND | ug/L | 25.0 | 6.2 | 92438972 |
| Benzene | ND | ug/L | 1.0 | 0.15 | 92438972 |

| | | | |
|---|---|---|---|
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/31/2019 14:50 | 07/31/2019 14:53 | 07/31/2019 14:53 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |

| | | | | |
|---|---|---|---|---|
| [illegible] | | not corrected | N | 45.[illegible] |
| [illegible] | | not corrected | N | 51.2 |
| [illegible] | | not corrected | N | 50.3 |
| [illegible] | | not corrected | N | 51.3 |
| [illegible] | | not corrected | N | 50.[illegible] |
| [illegible] | | not corrected | N | 49.6 |
| [illegible] | | not corrected | N | 49.1 |
| [illegible] | | not corrected | N | 50.7 |
| [illegible] | | not corrected | N | 51.4 |
| [illegible] | | not corrected | N | 49.3 |
| [illegible] | | not corrected | N | 50.9 |
| [illegible] | | not corrected | N | 48.2 |
| [illegible] | | not corrected | N | 47.[illegible] |
| [illegible] | | not corrected | N | 47.9 |
| [illegible] | | not corrected | N | 50.2 |
| [illegible] | | not corrected | N | 51.[illegible] |
| [illegible] | | not corrected | N | 52.2 |
| [illegible] | | not corrected | N | 47.2 |
| [illegible] | | not corrected | N | 51.[illegible] |
| [illegible] | | not corrected | N | 49.8 |
| [illegible] | | not corrected | Y | 93.2 |
| [illegible] | | not corrected | N | 53.7 |
| [illegible] | | not corrected | N | 164 |
| [illegible] | | not corrected | N | 51.8 |
| [illegible] | | not corrected | N | 53.1 |
| [illegible] | | not corrected | N | 10[illegible] |
| [illegible] | | not corrected | N | 52.4 |
| [illegible] | | not corrected | N | 51.8 |
| [illegible] | | not corrected | N | 52.5 |
| [illegible] | | not corrected | N | 51.3 |
| [illegible] | | not corrected | N | |
| [illegible] | | not corrected | N | |
| [illegible] | | not corrected | N | |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |
| [illegible] | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| Initial calibration | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |

| | | | | | |
|---|---|---|---|---|---|
| 5 | mL | 1 | 8260 MSV Low | BROMOMETHANE | |
| 5 | mL | 1 | 8260 MSV Low | CARBONTETRAC | |
| 5 | mL | 1 | 8260 MSV Low | CHLOROBENZEN | |
| 5 | mL | 1 | 8260 MSV Low | CHLOROETHANE | |
| 5 | mL | 1 | 8260 MSV Low | CHLOROFORM | |
| 5 | mL | 1 | 8260 MSV Low | CHLOROMETHAN | |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOCHLOR | |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOMETHA | |
| 5 | mL | 1 | 8260 MSV Low | DICHLORODIFLU | |
| 5 | mL | 1 | 8260 MSV Low | DIISOPROPYLETH | |
| 5 | mL | 1 | 8260 MSV Low | ETHYLBENZENE | |
| 5 | mL | 1 | 8260 MSV Low | HEXACHLORO13B | |
| 5 | mL | 1 | 8260 MSV Low | METHYLTERTBUT | |
| 5 | mL | 1 | 8260 MSV Low | METHYLENECHLO | |
| 5 | mL | 1 | 8260 MSV Low | NAPHTHALENE | |
| 5 | mL | 1 | 8260 MSV Low | STYRENE | |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET | |
| 5 | mL | 1 | 8260 MSV Low | TOLUENE | |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHE | |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROFLUO | |
| 5 | mL | 1 | 8260 MSV Low | VINYLACETATE | |
| 5 | mL | 1 | 8260 MSV Low | VINYLCHLORIDE | |
| 5 | mL | 1 | 8260 MSV Low | XYLENE(TOTAL | |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN | |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE | |
| 5 | mL | 1 | 8260 MSV Low | XYLENEMP | |
| 5 | mL | 1 | 8260 MSV Low | XYLENEO | |
| 5 | mL | 1 | 8260 MSV Low | ISOPROPYLTOLU | |
| | mL | 1 | 8260 MSV Low | DICHLOROETHEN | |
| | mL | 1 | 8260 MSV Low | DICHLOROPROPE | |
| | mL | 1 | 8260 MSV Low | DICHLOROETHAN | |
| | mL | 1 | 8260 MSV Low | BROMOFLUOROB | |
| | mL | 1 | 8260 MSV Low | TOLUENED8(S) | |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET | 0 |
| | mL | 1 | 8260 MSV Low | TRICHLOROETHA | 0 |
| | mL | 1 | 8260 MSV Low | TETRACHLOROET | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHA | 0 |
| | mL | 1 | 8260 MSV Low | DICHLOROETHAN | 0 |
| | mL | 1 | 8260 MSV Low | DICHLOROETHEN | 0 |
| | mL | | 8260 MSV Low | DICHLOROPROPE | 0 |
| | mL | 1 | 8260 MSV Low | TRICHLOROBENZ | 0 |
| | mL | 1 | 8260 MSV Low | TRICHLOROPROP | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ | 0 |
| | mL | 1 | 8260 MSV Low | DIBROMO3CHLOR | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN | 0 |
| | mL | 1 | 8260 MSV Low | DICHLOROPROPA | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE | 0 |
| | mL | 1 | 8260 MSV Low | DICHLOROPROPA | 0 |
| | mL | 1 | 8260 MSV Low | DICHLOROBENZE | 0 |
| | mL | 1 | 8260 MSV Low | DICHLOROPROPA | 0 |
| | mL | 1 | 8260 MSV Low | BUTANONE2(MEK | 0 |
| | mL | 1 | 8260 MSV Low | CHLOROTOLUEN | 0 |
| | mL | 1 | 8260 MSV Low | HEXANONE2 | 0 |
| | mL | 1 | 8260 MSV Low | CHLOROTOLUEN | 0 |
| | mL | 1 | 8260 MSV Low | METHYLPENTANO | 0 |
| | mL | 1 | 8260 MSV Low | ACETONE | 0 |
| | mL | 1 | 8260 MSV Low | BENZENE | 0 |

| | | | | | |
|---|---|---|---|---|---|
| 50.0 | 50.0 | 45.5 | ug/L | [illegible] | % |
| 50.0 | 50.0 | [illegible] | ug/L | 103 | % |
| 50.0 | 50.0 | 50.3 | ug/L | 101 | % |
| 50.0 | 50.0 | 50.3 | ug/L | 101 | % |
| 50.0 | 50.0 | 50.7 | ug/L | 101 | % |
| 50.0 | 50.0 | 49.3 | ug/L | 99 | % |
| 50.0 | 50.0 | 49.1 | ug/L | 98 | % |
| 50.0 | 50.0 | 50.7 | ug/L | 101 | % |
| 50.0 | 50.0 | 51.4 | ug/L | 103 | % |
| 50.0 | 50.0 | 49.3 | ug/L | 99 | % |
| 50.0 | 50.0 | 50.9 | ug/L | 102 | % |
| 50.0 | 50.0 | 49.2 | ug/L | 98 | % |
| 50.0 | 50.0 | 47.5 | ug/L | 95 | % |
| 50.0 | 50.0 | 47.9 | ug/L | 96 | % |
| 50.0 | 50.0 | 52.2 | ug/L | 104 | % |
| 50.0 | 50.0 | 51.1 | ug/L | 102 | % |
| 50.0 | 50.0 | 52.2 | ug/L | 104 | % |
| 50.0 | 50.0 | 47.2 | ug/L | 94 | % |
| 50.0 | 50.0 | 53.4 | ug/L | 107 | % |
| 50.0 | 50.0 | 49.8 | ug/L | 100 | % |
| 100 | 100 | 93.2 | ug/L | 93 | % |
| 50.0 | 50.0 | 53.7 | ug/L | 107 | % |
| 150 | 150 | 154 | ug/L | 103 | % |
| 50.0 | 50.0 | 51.8 | ug/L | 104 | % |
| 50.0 | 50.0 | 53.1 | ug/L | 106 | % |
| 100 | 100 | 101 | ug/L | 101 | % |
| 50.0 | 50.0 | 52.4 | ug/L | 105 | % |
| 50.0 | 50.0 | 50.8 | ug/L | 102 | % |
| 50.0 | 50.0 | 52.6 | ug/L | 105 | % |
| 50.0 | 50.0 | 51.3 | ug/L | 103 | % |

| | | | | |
|---|---|---|---|---|
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641720 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |

| | | | | | |
|---|---|---|---|---|---|
| Bromobenzene | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Bromochlorometha | ND | ug/L | 1.0 | 0.34 | 92438972 |
| Bromodichlorometh | ND | ug/L | 1.0 | 0.26 | 92438972 |
| Bromoform | ND | ug/L | 1.0 | 0.32 | 92438972 |
| Bromomethane | ND | ug/L | 1.0 | 0.52 | 92438972 |
| Carbon | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Chlorobenzene | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Chloroethane | ND | ug/L | 1.0 | [illegible] | 92438972 |
| Chloroform | ND | ug/L | 5.0 | 2.2 | 92438972 |
| Chloromethane | ND | ug/L | 1.0 | 0.39 | 92438972 |
| Dibromochlorometh | ND | ug/L | 1.0 | 0.41 | 92438972 |
| Dibromomethane | ND | ug/L | 1.0 | 0.46 | 92438972 |
| Dichlorodifluoromet | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Diisopropyl ether | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Ethylbenzene | ND | ug/L | 1.0 | 0.26 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 1.0 | 0.44 | 92438972 |
| Methyl-tert-butyl | ND | ug/L | 1.0 | 0.28 | 92438972 |
| Methylene Chloride | ND | ug/L | 5.0 | 3.1 | 92438972 |
| Naphthalene | ND | ug/L | 1.0 | 0.3[illegible] | 92438972 |
| Styrene | ND | ug/L | 1.0 | 0.27 | 92438972 |
| Tetrachloroethene | ND | ug/L | 1.0 | 0.18 | 92438972 |
| Toluene | ND | ug/L | 1.0 | 0.24 | 92438972 |
| Trichloroethene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Trichlorofluorometh | ND | ug/L | 1.0 | 0.31 | 92438972 |
| Vinyl acetate | ND | ug/L | 2.0 | 1.4 | 92438972 |
| Vinyl chloride | ND | ug/L | 1.0 | 0.24 | 92438972 |
| Xylene (Total) | ND | ug/L | 1.0 | 0.60 | 92438972 |
| cis-1,2- | ND | ug/L | 1.0 | 0.29 | 92438972 |
| cis-1,3- | ND | ug/L | 1.0 | 0.30 | 92438972 |
| m&p-Xylene | ND | ug/L | 2.0 | 0.41 | 92438972 |
| o-Xylene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| p-Isopropyltoluene | ND | ug/L | 1.0 | 0.21 | 92438972 |
| trans-1,2- | ND | ug/L | 1.0 | 0.25 | 92438972 |
| trans-1,3- | ND | ug/L | 1.0 | 0.31 | 92438972 |
| 1,2-Dichloroethane | 101 | % | | | 92438972 |
| 4- | 99 | % | | | 92438972 |
| Toluene-d8 (S) | 105 | % | | | 92438972 |
| 1,1,1,2- | 19.9 | ug/L | 1.0 | 0.34 | 92438972 |
| 1,1,1- | [illegible] | ug/L | 1.0 | 0.18 | 92438972 |
| 1,1,2,2- | 21.8 | ug/L | 1.0 | 0.22 | 92438972 |
| 1,1,2- | 19.0 | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1-Dichloroethane | 20.9 | ug/L | 1.0 | 0.27 | 92438972 |
| 1,1-Dichloroethene | 21.4 | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1- | 19.8 | ug/L | 1.0 | 0.21 | 92438972 |
| 1,2,3- | 19.3 | ug/L | 1.0 | 0.34 | 92438972 |
| 1,2,3- | 22.3 | ug/L | 1.0 | 0.35 | 92438972 |
| 1,2,4- | 19.5 | ug/L | 1.0 | 0.22 | 92438972 |
| 1,2-Dibromo-3- | [illegible] | ug/L | 2.0 | 0.26 | 92438972 |
| 1,2- | 19.2 | ug/L | 1.0 | 0.25 | 92438972 |
| 1,2-Dichloroethane | 19.4 | ug/L | [illegible] | 0.34 | 92438972 |
| 1,2- | [illegible] | ug/L | 1.0 | 0.19 | 92438972 |
| 1,3- | 19.5 | ug/L | 1.0 | 0.22 | 92438972 |
| 1,3- | 18.6 | ug/L | 1.0 | 0.15 | 92438972 |
| 1,4- | 18.0 | ug/L | 1.0 | 0.26 | 92438972 |
| 2,2- | 20.0 | ug/L | 1.0 | 0.27 | 92438972 |
| 2-Butanone (MEK) | 105 | ug/L | 5.0 | 3.3 | 92438972 |
| 2-Chlorotoluene | 19.5 | ug/L | 1.0 | 0.20 | 92438972 |
| 2-Hexanone | 47.0 | ug/L | 5.0 | 0.57 | 92438972 |

| | | | |
|---|---|---|---|
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 12:21 | 08/01/2019 12:21 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | 489573 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | [illegible] |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | [illegible] |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | [illegible] | not corrected | N | [illegible] |
| [illegible] | [illegible] | U | not corrected | N | [illegible] |
| [illegible] | [illegible] | U | not corrected | N | [illegible] |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | [illegible] |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | [illegible] |
| [illegible] | [illegible] | U | not corrected | N | 000000000 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | | not corrected | N | |
| [illegible] | [illegible] | | not corrected | N | |
| [illegible] | [illegible] | | not corrected | N | |
| [illegible] | [illegible] | | not corrected | N | 19.5 |
| [illegible] | [illegible] | | not corrected | N | 21 |
| [illegible] | [illegible] | | not corrected | N | 21.6 |
| [illegible] | [illegible] | | not corrected | N | 19.7 |
| [illegible] | | | not corrected | N | 20.5 |
| [illegible] | | | not corrected | N | 21.4 |
| [illegible] | [illegible] | | not corrected | N | 18.6 |
| [illegible] | | | not corrected | N | 19.0 |
| [illegible] | [illegible] | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 19.5 |
| [illegible] | [illegible] | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 19.2 |
| [illegible] | | | not corrected | N | 19.4 |
| [illegible] | [illegible] | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 16.5 |
| [illegible] | [illegible] | | not corrected | N | 19.9 |
| [illegible] | [illegible] | | not corrected | N | 13.8 |
| [illegible] | [illegible] | | not corrected | N | 20.6 |
| [illegible] | [illegible] | | not corrected | N | 10.6 |
| [illegible] | [illegible] | | not corrected | N | 13.5 |
| [illegible] | | | not corrected | N | 47 |

| | | | | | |
|---|---|---|---|---|---|
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |

| | | | |
|---|---|---|---|
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| [illegible] Matrix [illegible] | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |
| | 8/1/19 4:08 PM | MSV | COMPLETE |

| | | | |
|---|---|---|---|
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |
| 8/1/19 4:56 PM | 8260 WLLSC | 5 | mL |

| | | | | | |
|---|---|---|---|---|---|
| 5 | mL | 1 | 8260 MSV Low | BROMOBENZENE | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMOCHLOROM | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMODICHLOR | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMOFORM | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMOMETHANE | 0 |
| 5 | mL | 1 | 8260 MSV Low | CARBONTETRAC | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROBENZEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROETHANE | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROFORM | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROMETHAN | 0.69 |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOCHLOR | 0 |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOMETHA | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLORODIFLU | 0 |
| 5 | mL | 1 | 8260 MSV Low | DIISOPROPYLETH | 0 |
| 5 | mL | 1 | 8260 MSV Low | ETHYLBENZENE | 0 |
| 5 | mL | 1 | 8260 MSV Low | HEXACHLORO13B | 0 |
| 5 | mL | 1 | 8260 MSV Low | METHYLTERTBUT | 0 |
| 5 | mL | 1 | 8260 MSV Low | METHYLENECHLO | 0 |
| 5 | mL | 1 | 8260 MSV Low | NAPHTHALENE | 0 |
| 5 | mL | 1 | 8260 MSV Low | STYRENE | 0 |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET | 0 |
| 5 | mL | 1 | 8260 MSV Low | TOLUENE | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHE | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROFLUO | 0 |
| 5 | mL | 1 | 8260 MSV Low | VINYLACETATE | 0 |
| 5 | mL | 1 | 8260 MSV Low | VINYLCHLORIDE | 0 |
| 5 | mL | 1 | 8260 MSV Low | XYLENE(TOTAL) | 0.0000000001 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE | 0 |
| 5 | mL | 1 | 8260 MSV Low | XYLENEMP | 0 |
| 5 | mL | 1 | 8260 MSV Low | XYLENEO | 0 |
| 5 | mL | 1 | 8260 MSV Low | ISOPROPYLTOLU | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN | |
| 5 | mL | 1 | 8260 MSV Low | BROMOFLUOROB | |
| 5 | mL | 1 | 8260 MSV Low | TOLUENED8(S) | |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHA | 0 |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHA | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROPROP | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ | 0 |
| 5 | mL | 1 | 8260 MSV Low | DIBROMO3CHLOR | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN | 0.55 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA | 0 |
| 5 | mL | 1 | 8260 MSV Low | BUTANONE2(MEK | 4.2 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROTOLUEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | HEXANONE2 | 0 |

| | | | | | |
|---|---|---|---|---|---|
| 20.0 | 20.0 | 19.9 | ug/L | 99 | % |
| 20.0 | 20.0 | 21.0 | ug/L | 105 | % |
| 20.0 | 20.0 | 21.8 | ug/L | 109 | % |
| 20.0 | 20.0 | 19.3 | ug/L | 97 | % |
| 20.0 | 20.0 | 20.9 | ug/L | 105 | % |
| 20.0 | 20.0 | 21.4 | ug/L | 107 | % |
| 20.0 | 20.0 | 19.8 | ug/L | 99 | % |
| 20.0 | 20.0 | 19.3 | ug/L | 96 | % |
| 20.0 | 20.0 | 22.3 | ug/L | 111 | % |
| 20.0 | 20.0 | 19.5 | ug/L | 98 | % |
| 20.0 | 20.0 | 21.7 | ug/L | 108 | % |
| 20.0 | 20.0 | 19.2 | ug/L | 96 | % |
| 20.0 | 20.0 | 19.4 | ug/L | 94 | % |
| 20.0 | 20.0 | 20.7 | ug/L | 104 | % |
| 20.0 | 20.0 | 19.5 | ug/L | 98 | % |
| 20.0 | 20.0 | 19.9 | ug/L | 100 | % |
| 20.0 | 20.0 | 18.8 | ug/L | 94 | % |
| 20.0 | 20.0 | 20.6 | ug/L | 103 | % |
| 93.2 | 40.0 | 105 | ug/L | 164 | % |
| 20.0 | 20.0 | 18.5 | ug/L | 93 | % |
| 40.0 | 40.0 | 47.0 | ug/L | 117 | % |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | | 2641721 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |

| | | | | | |
|---|---|---|---|---|---|
| 4-Chlorotoluene | 19.8 | ug/L | 1.0 | 0.20 | 92438972 |
| 4-Methyl-2- | 41.0 | ug/L | 5.0 | 4.5 | 92438972 |
| Acetone | 351 | ug/L | 25.0 | 6.2 | 92438972 |
| Benzene | [illegible] | ug/L | 1.0 | 0.15 | 92438972 |
| Bromobenzene | 19.1 | ug/L | 1.0 | 0.22 | 92438972 |
| Bromochlorometha | 21.5 | ug/L | 1.0 | 0.34 | 92438972 |
| Bromodichlorometh | 20.1 | ug/L | 1.0 | 0.26 | 92438972 |
| Bromoform | 19.0 | ug/L | 1.0 | 0.62 | 92438972 |
| Bromomethane | 25.2 | ug/L | 2.0 | 0.62 | 92438972 |
| Carbon | 20.7 | ug/L | 1.0 | 0.22 | 92438972 |
| Chlorobenzene | 19.3 | ug/L | 1.0 | 0.23 | 92438972 |
| Chloroethane | 35.6 | ug/L | 1.0 | 0.49 | 92438972 |
| Chloroform | 19.7 | ug/L | 5.0 | 1.3 | 92438972 |
| Chloromethane | 22.5 | ug/L | 1.0 | 0.38 | 92438972 |
| Dibromochlorometh | 18.7 | ug/L | 1.0 | 0.41 | 92438972 |
| Dibromomethane | 19.0 | ug/L | 1.0 | 0.46 | 92438972 |
| Dichlorodifluoromet | 17.3 | ug/L | 1.0 | 0.23 | 92438972 |
| Diisopropyl ether | 21.5 | ug/L | 1.0 | 0.22 | 92438972 |
| Ethylbenzene | 25.1 | ug/L | 1.0 | 0.28 | 92438972 |
| Hexachloro-1,3- | 15.8 | ug/L | 1.0 | 0.44 | 92438972 |
| Methyl-tert-butyl | 19.5 | ug/L | 1.0 | 0.28 | 92438972 |
| Methylene Chloride | 19.4 | ug/L | 5.0 | 1.7 | 92438972 |
| Naphthalene | 25.4 | ug/L | 1.0 | 0.35 | 92438972 |
| Styrene | 21.6 | ug/L | 1.0 | 0.27 | 92438972 |
| Tetrachloroethene | 20.3 | ug/L | 1.0 | 0.16 | 92438972 |
| Toluene | 21.3 | ug/L | 1.0 | 0.24 | 92438972 |
| Trichloroethene | 20.5 | ug/L | 1.0 | 0.22 | 92438972 |
| Trichlorofluorometh | 20.6 | ug/L | 1.0 | 0.31 | 92438972 |
| Vinyl acetate | 41.3 | ug/L | 2.0 | 1.4 | 92438972 |
| Vinyl chloride | 21.5 | ug/L | 1.0 | 0.24 | 92438972 |
| Xylene (Total) | 61.9 | ug/L | 1.0 | 0.63 | 92438972 |
| cis-1,2- | 25.4 | ug/L | 1.0 | 0.29 | 92438972 |
| cis-1,3- | 19.5 | ug/L | 1.0 | 0.30 | 92438972 |
| m&p-Xylene | 40.0 | ug/L | 2.0 | 0.41 | 92438972 |
| o-Xylene | 21.5 | ug/L | 1.0 | 0.22 | 92438972 |
| p-Isopropyltoluene | 20.6 | ug/L | 1.0 | 0.21 | 92438972 |
| trans-1,2- | 21.7 | ug/L | 1.0 | 0.25 | 92438972 |
| trans-1,3- | 18.0 | ug/L | 1.0 | 0.51 | 92438972 |
| 1,2-Dichloroethane- | 100 | % | | | 92438972 |
| 4- | 104 | % | | | 92438972 |
| Toluene-d8 (S) | 96 | % | | | 92438972 |
| Aluminum | 521 | ug/L | 100 | 29.8 | 92438972 |
| Antimony | 61.0 | ug/L | 5.0 | 3.0 | 92438972 |
| Arsenic | 554 | ug/L | 10.0 | 4.7 | 92438972 |
| Barium | 176 | ug/L | 5.0 | 1.0 | 92438972 |
| Beryllium | ND | ug/L | 1.0 | 0.20 | 92438972 |
| Cadmium | 4.1 | ug/L | 1.0 | 0.40 | 92438972 |
| Calcium | 904000 | ug/L | 1000 | 242 | 92438972 |
| Chromium | 191 | ug/L | 5.0 | 1.0 | 92438972 |
| Cobalt | ND | ug/L | 5.0 | [illegible] | 92438972 |
| Copper | 30.1 | ug/L | 5.0 | [illegible] | 92438972 |
| Iron | 1070 | ug/L | 50.0 | 19.5 | 92438972 |
| Lead | 7.03 | ug/L | 5.0 | 1.8 | 92438972 |
| Magnesium | 63100 | ug/L | 100 | [illegible] | 92438972 |
| Manganese | 320 | ug/L | 5.0 | 0.90 | 92438972 |
| Nickel | 43.2 | ug/L | 5.0 | 0.90 | 92438972 |
| Potassium | 112000 | ug/L | 50000 | 8900 | 92438972 |
| Selenium | ND | ug/L | 10.0 | 4.7 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 08/01/2019 13:30 | 08/01/2019 13:30 | | 489573 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 22:40 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 22:40 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 47 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 41.7 |
| [illegible] | | | not corrected | N | 19.1 |
| [illegible] | | | not corrected | N | 21.5 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 25.2 |
| [illegible] | | | not corrected | N | 20.7 |
| [illegible] | | | not corrected | N | 19.3 |
| [illegible] | | | not corrected | N | 36.6 |
| [illegible] | | | not corrected | N | 18.7 |
| [illegible] | | | not corrected | N | 22.5 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 19 |
| [illegible] | | | not corrected | N | 17.3 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 25.1 |
| [illegible] | | | not corrected | N | 19.6 |
| [illegible] | | | not corrected | N | 19.5 |
| [illegible] | | | not corrected | N | 19.4 |
| [illegible] | | | not corrected | N | 26.4 |
| [illegible] | | | not corrected | N | 20.6 |
| [illegible] | | | not corrected | N | 20.3 |
| [illegible] | | | not corrected | N | 27.9 |
| [illegible] | | | not corrected | N | 20.6 |
| [illegible] | | | not corrected | N | 20.8 |
| [illegible] | | | not corrected | N | 41.3 |
| [illegible] | | | not corrected | N | 20.3 |
| [illegible] | | | not corrected | N | 51.5 |
| [illegible] | | | not corrected | N | 20.4 |
| [illegible] | | | not corrected | N | 19.5 |
| [illegible] | | | not corrected | N | 40.5 |
| [illegible] | | | not corrected | N | 21.3 |
| [illegible] | | | not corrected | N | 20.6 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 18 |
| [illegible] | | | not corrected | N | |
| [illegible] | | | not corrected | N | |
| [illegible] | | | not corrected | N | |
| [illegible] | | | not corrected | N | 527 |
| [illegible] | | | not corrected | N | 61 |
| [illegible] | | | not corrected | N | 154 |
| [illegible] | | | not corrected | N | 170 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | 4.3 |
| [illegible] | 10 | | not corrected | N | 904000 |
| [illegible] | | | not corrected | N | 191 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | 33.1 |
| [illegible] | | | not corrected | N | 1070 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | 32100 |
| [illegible] | | | not corrected | N | 820 |
| [illegible] | | | not corrected | N | 42.2 |
| [illegible] | 10 | | not corrected | N | 112000 |
| [illegible] | | U | not corrected | N | 3.6 |

| | | | | | |
|---|---|---|---|---|---|
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| CL | Charlotte Lab | n | n | 0 | HP 5972 VOA-4 |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| SH1 | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| SH1 | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |

| | | | | |
|---|---|---|---|---|
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| [M1] Matrix spike | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| [M1] Matrix spike | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | MSV | COMPLETE | |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | | 8260 WLLSC | | 5 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |

| | | | | | |
|---|---|---|---|---|---|
| 5 | mL | 1 | 8260 MSV Low | CHLOROTOLUEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | METHYLPENTANO | 4.3 |
| 5 | mL | 1 | 8260 MSV Low | ACETONE | 269 |
| 5 | mL | 1 | 8260 MSV Low | BENZENE | 21.4 |
| 5 | mL | 1 | 8260 MSV Low | BROMOBENZENE | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMOCHLOROM | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMODICHLOR | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMOFORM | 0 |
| 5 | mL | 1 | 8260 MSV Low | BROMOMETHANE | 0 |
| 5 | mL | 1 | 8260 MSV Low | CARBONTETRAC | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROBENZEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROETHANE | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROFORM | 0 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROMETHAN | 1.6 |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOCHLOR | 0 |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOMETHA | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLORODIFLU | 0 |
| 5 | mL | 1 | 8260 MSV Low | DIISOPROPYLETH | 0 |
| 5 | mL | 1 | 8260 MSV Low | ETHYLBENZENE | 6.0 |
| 5 | mL | 1 | 8260 MSV Low | HEXACHLORO13B | 0 |
| 5 | mL | 1 | 8260 MSV Low | METHYLTERTBUT | 0 |
| 5 | mL | 1 | 8260 MSV Low | METHYLENECHLO | 0 |
| 5 | mL | 1 | 8260 MSV Low | NAPHTHALENE | 2.3 |
| 5 | mL | 1 | 8260 MSV Low | STYRENE | 0 |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET | 0 |
| 5 | mL | 1 | 8260 MSV Low | TOLUENE | 10.5 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHE | 0 |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROFLUO | 0 |
| 5 | mL | 1 | 8260 MSV Low | VINYLACETATE | 0 |
| 5 | mL | 1 | 8260 MSV Low | VINYLCHLORIDE | 0 |
| 5 | mL | 1 | 8260 MSV Low | XYLENE(TOTAL) | 1.1 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE | 0 |
| 5 | mL | 1 | 8260 MSV Low | XYLENEMP | 1.8 |
| 5 | mL | 1 | 8260 MSV Low | XYLENEO | 1.1 |
| 5 | mL | 1 | 8260 MSV Low | ISOPROPYLTOLU | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE | 0 |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN | |
| 5 | mL | 1 | 8260 MSV Low | BROMOFLUOROB | |
| 5 | mL | 1 | 8260 MSV Low | TOLUENED8(S) | |
| 15 | mL | 1 | 6010 MET ICP | ALUMINUM | |
| 15 | mL | 1 | 6010 MET ICP | ANTIMONY | |
| 15 | mL | 1 | 6010 MET ICP | ARSENIC | |
| 15 | mL | 1 | 6010 MET ICP | BARIUM | |
| 15 | mL | 1 | 6010 MET ICP | BERYLLIUM | |
| 15 | mL | 1 | 6010 MET ICP | CADMIUM | |
| 15 | mL | 1 | 6010 MET ICP | CALCIUM | |
| 15 | mL | 1 | 6010 MET ICP | CHROMIUM | |
| 15 | mL | 1 | 6010 MET ICP | COBALT | |
| 15 | mL | 1 | 6010 MET ICP | COPPER | |
| 15 | mL | 1 | 6010 MET ICP | IRON | |
| 15 | mL | 1 | 6010 MET ICP | LEAD | |
| 15 | mL | 1 | 6010 MET ICP | MAGNESIUM | |
| 15 | mL | 1 | 6010 MET ICP | MANGANESE | |
| 15 | mL | 1 | 6010 MET ICP | NICKEL | |
| 15 | mL | 1 | 6010 MET ICP | POTASSIUM | |
| 15 | mL | 1 | 6010 MET ICP | SELENIUM | |

| | | | | | |
|---|---|---|---|---|---|
| 20.0 | 20.0 | 18.8 | ug/L | 94 | % |
| 44.3 | 40.0 | 47.0 | ug/L | 107 | % |
| 309 | 40.0 | 362 | ug/L | 206 | % |
| 41.4 | 20.0 | 41.7 | ug/L | 102 | % |
| 20.0 | 20.0 | 19.1 | ug/L | 96 | % |
| 20.0 | 20.0 | 21.5 | ug/L | 107 | % |
| 20.0 | 20.0 | 20.1 | ug/L | 100 | % |
| 20.0 | 20.0 | 19.0 | ug/L | 95 | % |
| 20.0 | 20.0 | 25.2 | ug/L | 126 | % |
| 20.0 | 20.0 | 20.[illegible] | ug/L | 104 | % |
| 20.0 | 20.0 | 19.3 | ug/L | 97 | % |
| 20.0 | 20.0 | 35.6 | ug/L | 178 | % |
| 20.0 | 20.0 | 18.[illegible] | ug/L | 93 | % |
| 21.8 | 20.0 | 22.9 | ug/L | 103 | % |
| 20.0 | 20.0 | 18.7 | ug/L | 93 | % |
| 20.0 | 20.0 | 19.0 | ug/L | 95 | % |
| 20.0 | 20.0 | 17.3 | ug/L | 86 | % |
| 20.0 | 20.0 | 21.3 | ug/L | 107 | % |
| 26.0 | 20.0 | 25.1 | ug/L | 96 | % |
| 20.0 | 20.0 | 19.6 | ug/L | 98 | % |
| 20.0 | 20.0 | 19.5 | ug/L | 97 | % |
| 20.0 | 20.0 | 19.4 | ug/L | 97 | % |
| 22.3 | 20.0 | 26.4 | ug/L | 115 | % |
| 20.0 | 20.0 | 22.6 | ug/L | 113 | % |
| 20.0 | 20.0 | 20.3 | ug/L | 101 | % |
| 30.5 | 20.0 | 27.9 | ug/L | 87 | % |
| 20.0 | 20.0 | 20.5 | ug/L | 103 | % |
| 20.0 | 20.0 | 20.5 | ug/L | 103 | % |
| 40.0 | 40.0 | 41.3 | ug/L | 103 | % |
| 20.0 | 20.0 | 20.3 | ug/L | 101 | % |
| 61.1 | 60.0 | 61.9 | ug/L | 101 | % |
| 20.0 | 20.0 | 20.4 | ug/L | 102 | % |
| 20.0 | 20.0 | 19.5 | ug/L | 98 | % |
| 41.8 | 40.0 | 40.6 | ug/L | 97 | % |
| 21.1 | 20.0 | 21.3 | ug/L | 101 | % |
| 20.0 | 20.0 | 20.6 | ug/L | 103 | % |
| 20.0 | 20.0 | 21.7 | ug/L | 108 | % |
| 20.0 | 20.0 | 18.0 | ug/L | 90 | % |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 6010D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 7470A | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |

| | | | | | |
|---|---|---|---|---|---|
| Silver | ND | ug/L | 5.0 | 0.5 | 92438972 |
| Sodium | 410000 | ug/L | 50000 | 1040 | 92438972 |
| Thallium | ND | ug/L | 10.0 | 2.0 | 92438972 |
| Vanadium | 35.4 | ug/L | 5.0 | 1.3 | 92438972 |
| Zinc | 72.7 | ug/L | 10.0 | 3.9 | 92438972 |
| Mercury | ND | ug/L | 0.20 | 0.10 | 92438972 |
| 1,1,1,2- | ND | ug/L | 2.0 | 0.56 | 92438972 |
| 1,1,1- | ND | ug/L | 2.0 | 0.35 | 92438972 |
| 1,1,2,2- | ND | ug/L | 2.0 | 0.44 | 92438972 |
| 1,1,2- | ND | ug/L | 2.0 | 0.47 | 92438972 |
| 1,1-Dichloroethane | ND | ug/L | 2.0 | 0.54 | 92438972 |
| 1,1-Dichloroethene | ND | ug/L | 2.0 | 0.49 | 92438972 |
| 1,1- | ND | ug/L | 2.0 | 0.43 | 92438972 |
| 1,2,3- | ND | ug/L | 2.0 | 0.68 | 92438972 |
| 1,2,3- | ND | ug/L | 2.0 | 0.69 | 92438972 |
| 1,2,4- | ND | ug/L | 2.0 | 0.44 | 92438972 |
| 1,2-Dibromo-3- | ND | ug/L | 4.0 | 0.51 | 92438972 |
| 1,2- | ND | ug/L | 2.0 | 0.58 | 92438972 |
| 1,2-Dichloroethane | 0.63J | ug/L | 2.0 | 0.67 | 92438972 |
| 1,2- | ND | ug/L | 2.0 | 0.37 | 92438972 |
| 1,3- | ND | ug/L | 2.0 | 0.43 | 92438972 |
| 1,3 | ND | ug/L | 2.0 | 0.32 | 92438972 |
| 1,4- | ND | ug/L | 2.0 | 0.52 | 92438972 |
| 2,2- | ND | ug/L | 2.0 | 0.54 | 92438972 |
| 2-Butanone (MEK) | 71.6 | ug/L | 10.0 | 6.1 | 92438972 |
| 2-Chlorotoluene | ND | ug/L | 2.0 | 0.41 | 92438972 |
| 2-Hexanone | [illegible] | ug/L | 10.0 | 1.1 | 92438972 |
| 4-Chlorotoluene | ND | ug/L | 2.0 | 0.41 | 92438972 |
| 4-Methyl-2- | 9.4J | ug/L | 10.0 | 9.1 | 92438972 |
| Acetone | 324 | ug/L | 50.0 | 12.0 | 92438972 |
| Benzene | 19.7 | ug/L | 2.0 | 0.30 | 92438972 |
| Bromobenzene | ND | ug/L | 2.0 | 0.44 | 92438972 |
| Bromochloromethane | ND | ug/L | 2.0 | 0.68 | 92438972 |
| Bromodichlorometh | ND | ug/L | 2.0 | 0.51 | 92438972 |
| Bromoform | ND | ug/L | 2.0 | 1.2 | 92438972 |
| Bromomethane | ND | ug/L | 4.0 | 1.2 | 92438972 |
| [illegible] | ND | ug/L | 2.0 | 0.45 | 92438972 |
| Chlorobenzene | ND | ug/L | 2.0 | 0.47 | 92438972 |
| Chloroethane | ND | ug/L | 2.0 | 0.98 | 92438972 |
| Chloroform | ND | ug/L | 10.0 | 4.7 | 92438972 |
| Chloromethane | ND | ug/L | 2.0 | 0.78 | 92438972 |
| Dibromochlorometh | ND | ug/L | 2.0 | 0.83 | 92438972 |
| Dibromomethane | ND | ug/L | 2.0 | 0.92 | 92438972 |
| Dichlorodifluoromet | ND | ug/L | 2.0 | 0.45 | 92438972 |
| Diisopropyl ether | ND | ug/L | 2.0 | 0.44 | 92438972 |
| Ethylbenzene | 6.2 | ug/L | 2.0 | 0.51 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 2.0 | 0.68 | 92438972 |
| Methyl-tert-butyl | ND | ug/L | 2.0 | 0.55 | 92438972 |
| Methylene Chloride | ND | ug/L | 10.0 | 7.4 | 92438972 |
| Naphthalene | 3.9 | ug/L | 2.0 | 0.70 | 92438972 |
| Styrene | ND | ug/L | 2.0 | 0.53 | 92438972 |
| Tetrachloroethene | ND | ug/L | 2.0 | 0.32 | 92438972 |
| Toluene | 14.5 | ug/L | 2.0 | 0.49 | 92438972 |
| Trichloroethene | ND | ug/L | 2.0 | 0.44 | 92438972 |
| Trichlorofluorometh | ND | ug/L | 2.0 | 0.62 | 92438972 |
| Vinyl acetate | ND | ug/L | 4.0 | 2.9 | 92438972 |
| Vinyl chloride | ND | ug/L | 2.0 | 0.48 | 92438972 |
| Xylene (Total) | ND | ug/L | 2.0 | 1.3 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 22:40 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:56 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/31/2019 11:50 | 07/31/2019 14:31 | EPA 7470A | 489461 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | | not corrected | N | 420000 |
| 7440-[illegible] | 1 | U | not corrected | N | 0 |
| 7440-[illegible] | 1 | | not corrected | N | 36.4 |
| 7440-66-6 | 1 | | not corrected | N | [illegible] |
| 7440-[illegible] | | U | not corrected | N | [illegible] |
| [illegible] | 2 | U | not corrected | N | 0 |
| 71-55-6 | 2 | U | not corrected | N | 0 |
| 79-34-5 | 2 | U | not corrected | N | 0 |
| 79-00-5 | 2 | U | not corrected | N | 0 |
| 75-34-3 | 2 | U | not corrected | N | 0 |
| 75-35-4 | 2 | U | not corrected | N | 0 |
| 563-58-6 | 2 | U | not corrected | N | 0 |
| 87-61-6 | 2 | U | not corrected | N | 0 |
| 96-18-4 | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | [illegible] | [illegible] | not corrected | N | .83 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| 106-46-7 | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| 78-93-3 | 2 | | not corrected | N | [illegible] |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | 2 | [illegible] | not corrected | N | 3.5 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | [illegible] | not corrected | N | 9.4 |
| [illegible] | 2 | | not corrected | N | [illegible] |
| [illegible] | 2 | | not corrected | N | [illegible] |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | [illegible] | | not corrected | N | 6.2 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | [illegible] |
| [illegible] | 2 | | not corrected | N | [illegible] |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | [illegible] | U | not corrected | N | 0 |
| [illegible] | [illegible] | | not corrected | N | 14.5 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | [illegible] |

| | | | | | |
|---|---|---|---|---|---|
| DS | 93 | n | n | 0 | Thermo Elemental |
| SH1 | 93 | n | n | 0 | Thermo Elemental |
| DS | 90 | n | n | 0 | Thermo Elemental |
| DS | 90 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| JMW1 | 93 | n | n | 0 | Cetac M7-600 |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |

| | | | |
|---|---|---|---|
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MERC | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972001 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 7470 W92 | 92438972001 | 10 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972001 | 5 | mL |

| | | | | |
|---|---|---|---|---|
| [illegible] | mL | [illegible] | 6010 MET ICP | SILVER |
| [illegible] | mL | 1 | 6010 MET ICP | SODIUM |
| [illegible] | mL | [illegible] | 6010 MET ICP | THALLIUM |
| 10 | mL | [illegible] | 6010 MET ICP | VANADIUM |
| [illegible] | mL | 1 | 6010 MET ICP | ZINC |
| 10 | mL | 1 | 7470 Mercury | MERCURY |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHA |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROPROP |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| 5 | mL | 1 | 8260 MSV Low | DIBROMO3CHLOR |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | BUTANONE2(MEK |
| 5 | mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| 5 | mL | 1 | 8260 MSV Low | HEXANONE2 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| 5 | mL | 1 | 8260 MSV Low | METHYLPENTANO |
| 5 | mL | 1 | 8260 MSV Low | ACETONE |
| 5 | mL | 1 | 8260 MSV Low | BENZENE |
| 5 | mL | 1 | 8260 MSV Low | BROMOBENZENE |
| 5 | mL | 1 | 8260 MSV Low | BROMOCHLOROM |
| 5 | mL | 1 | 8260 MSV Low | BROMODICHLOR |
| 5 | mL | 1 | 8260 MSV Low | BROMOFORM |
| 5 | mL | 1 | 8260 MSV Low | BROMOMETHANE |
| 5 | mL | 1 | 8260 MSV Low | CARBONTETRAC |
| 5 | mL | 1 | 8260 MSV Low | CHLOROBENZEN |
| 5 | mL | 1 | 8260 MSV Low | CHLOROETHANE |
| 5 | mL | 1 | 8260 MSV Low | CHLOROFORM |
| [illegible] | mL | | 8260 MSV Low | CHLOROMETHAN |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOCHLOR |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOMETHA |
| 5 | mL | 1 | 8260 MSV Low | DICHLORODIFLU |
| 5 | mL | 1 | 8260 MSV Low | DIISOPROPYLETH |
| 5 | mL | 1 | 8260 MSV Low | ETHYLBENZENE |
| 5 | mL | 1 | 8260 MSV Low | HEXACHLORO13B |
| 5 | mL | 1 | 8260 MSV Low | METHYLTERTBUT |
| 5 | mL | 1 | 8260 MSV Low | METHYLENECHLO |
| 5 | mL | 1 | 8260 MSV Low | NAPHTHALENE |
| 5 | mL | 1 | 8260 MSV Low | STYRENE |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | 1 | 8260 MSV Low | TOLUENE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROFLUO |
| 5 | mL | 1 | 8260 MSV Low | VINYLACETATE |
| 5 | mL | 1 | 8260 MSV Low | VINYLCHLORIDE |
| 5 | mL | 1 | 8260 MSV Low | XYLENE(TOTAL) |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8260B | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | ND | ug/L | 2.0 | 0.55 | 92438972 |
| [illegible] | ND | ug/L | 2.0 | 0.55 | 92438972 |
| m&p-Xylene | 2.4J | ug/L | 4.0 | 0.82 | 92438972 |
| o-Xylene | 1.6J | ug/L | 2.0 | 0.44 | 92438972 |
| [illegible] | ND | ug/L | 2.0 | 0.42 | 92438972 |
| cis-1,[illegible] | ND | ug/L | 2.0 | 0.51 | 92438972 |
| trans-1,[illegible] | ND | ug/L | 2.0 | 0.62 | 92438972 |
| 1,2-Dichloroethane- | 96 | % | | | 92438972 |
| 4- | 103 | % | | | 92438972 |
| Toluene-d8 (S) | 103 | % | | | 92438972 |
| 1,2,4- | ND | ug/L | 100 | 14.1 | 92438972 |
| 1,2- | ND | ug/L | 100 | 15.0 | 92438972 |
| 1,3- | ND | ug/L | 100 | 13.8 | 92438972 |
| 1,4 | ND | ug/L | 100 | 13.8 | 92438972 |
| 1- | ND | ug/L | 100 | 14.3 | 92438972 |
| 2,2'-Oxybis(1- | ND | ug/L | 100 | 18.2 | 92438972 |
| 2,4,5 | ND | ug/L | 100 | 15.0 | 92438972 |
| 2,4,6 | ND | ug/L | 100 | 14.4 | 92438972 |
| 2,4-Dichlorophenol | ND | ug/L | 100 | 15.5 | 92438972 |
| 2,4-Dimethylphenol | 109 | ug/L | 100 | 16.1 | 92438972 |
| 2,4-Dinitrophenol | ND | ug/L | 500 | 50.8 | 92438972 |
| 2,4-Dinitrotoluene | ND | ug/L | 100 | 15.3 | 92438972 |
| 2,6-Dinitrotoluene | ND | ug/L | 100 | 13.8 | 92438972 |
| 2- | ND | ug/L | 100 | 16.3 | 92438972 |
| [illegible]rophenol | ND | ug/L | 100 | 15.1 | 92438972 |
| | ND | ug/L | 100 | 14.2 | 92438972 |
| 2-Methylphenol(o- | ND | ug/L | 100 | 16.1 | 92438972 |
| 2-Nitroaniline | ND | ug/L | 500 | 22.6 | 92438972 |
| 2-Nitrophenol | ND | ug/L | 100 | 16.5 | 92438972 |
| 3&4 | 82.9J | ug/L | 100 | 14.3 | 92438972 |
| 3,3'- | ND | ug/L | 500 | 38.6 | 92438972 |
| 3-Nitroaniline | ND | ug/L | 500 | 26.6 | 92438972 |
| 4,6-Dinitro-2- | ND | ug/L | 200 | 22.5 | 92438972 |
| 4- | ND | ug/L | 100 | 14.9 | 92438972 |
| 4-Chloro-3- | ND | ug/L | 200 | 28.4 | 92438972 |
| 4-Chloroaniline | ND | ug/L | 500 | 28.1 | 92438972 |
| 4- | ND | ug/L | 100 | 15.5 | 92438972 |
| 4-Nitroaniline | ND | ug/L | 500 | 33.7 | 92438972 |
| 4-Nitrophenol | ND | ug/L | 500 | 42.5 | 92438972 |
| Acenaphthene | ND | ug/L | 100 | 16.0 | 92438972 |
| Acenaphthylene | ND | ug/L | 100 | 14.8 | 92438972 |
| Aniline | ND | ug/L | 100 | 12.3 | 92438972 |
| Anthracene | ND | ug/L | 100 | 17.1 | 92438972 |
| Benzo(a)anthracen | ND | ug/L | 100 | 21.1 | 92438972 |
| Benzo(a)pyrene | ND | ug/L | 100 | 22.1 | 92438972 |
| Benzo(b)fluoranthe | ND | ug/L | 100 | 21.5 | 92438972 |
| Benzo(g,h,i)perylen | ND | ug/L | 100 | 20.8 | 92438972 |
| Benzo(k)fluoranthe | ND | ug/L | 100 | 16.9 | 92438972 |
| Benzoic Acid | ND | ug/L | 500 | 50.1 | 92438972 |
| Benzyl alcohol | ND | ug/L | 200 | 30.6 | 92438972 |
| bis(2-Ethylhexyl)phthalat | ND | ug/L | 100 | 24.9 | 92438972 |
| Chrysene | ND | ug/L | 100 | 20.9 | 92438972 |
| Di-n-butylphthalate | ND | ug/L | 100 | 19.8 | 92438972 |
| Di-n-octylphthalate | ND | ug/L | 100 | 14.9 | 92438972 |
| Dibenz(a,h)anthrac | ND | ug/L | 100 | 20.3 | 92438972 |
| Dibenzofuran | ND | ug/L | 100 | 16.8 | 92438972 |
| Diethylphthalate | ND | ug/L | 100 | 15.2 | 92438972 |
| Dimethylphthalate | ND | ug/L | 100 | 14.1 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:49 | 07/31/2019 22:49 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 2.4 |
| [illegible] | 2 | U | not corrected | N | 1.6 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | U | not corrected | N | 0 |
| [illegible] | 2 | | not corrected | N | |
| [illegible] | 2 | | not corrected | N | |
| [illegible] | 2 | | not corrected | N | |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | Y | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | 103 |
| [illegible] | 1 | U | not corrected | Y | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | 137 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | Y | 82.9 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | Y | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 47.2 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |

| | | | | |
|---|---|---|---|---|
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| [v] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| [v] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| [v] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| [v] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260WLLSC | 92438972001 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |

| | | | | |
|---|---|---|---|---|
| [illegible] | mL | | 8260 MSV Low | DICHLOROETHEN |
| [illegible] | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| [illegible] | mL | 1 | 8260 MSV Low | XYLENEMP |
| 5 | mL | 1 | 8260 MSV Low | XYLENEO |
| 5 | mL | 1 | 8260 MSV Low | ISOPROPYLTOLU |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | BROMOFLUOROB |
| 5 | mL | 1 | 8260 MSV Low | TOLUENED8(S) |
| 1 | mL | 1 | 8270 MSSV | TRICHLOROBENZ |
| 1 | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| 1 | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| 1 | mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| 1 | mL | 1 | 8270 MSSV | OXYBIS(1CHLORO |
| 1 | mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| 1 | mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| 1 | mL | 1 | 8270 MSSV | DICHLOROPHENO |
| 1 | mL | 1 | 8270 MSSV | DIMETHYLPHENO |
| 1 | mL | 1 | 8270 MSSV | DINITROPHENOL2 |
| 1 | mL | 1 | 8270 MSSV | DINITROTOLUENE |
| 1 | mL | 1 | 8270 MSSV | DINITROTOLUENE |
| 1 | mL | 1 | 8270 MSSV | CHLORONAPHTH |
| 1 | mL | 1 | 8270 MSSV | CHLOROPHENOL |
| 1 | mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| 1 | mL | 1 | 8270 MSSV | METHYLPHENOL2 |
| 1 | mL | 1 | 8270 MSSV | NITROANILINE2 |
| 1 | mL | 1 | 8270 MSSV | NITROPHENOL2 |
| 1 | mL | 1 | 8270 MSSV | METHYLPHENOL3 |
| 1 | mL | 1 | 8270 MSSV | DICHLOROBENZI |
| 1 | mL | 1 | 8270 MSSV | NITROANILINE3 |
| 1 | mL | 1 | 8270 MSSV | DINITRO2METHYL |
| 1 | mL | 1 | 8270 MSSV | BROMOPHENYLP |
| 1 | mL | 1 | 8270 MSSV | CHLORO3METHYL |
| 1 | mL | 1 | 8270 MSSV | CHLOROANILINE4 |
| 1 | mL | 1 | 8270 MSSV | CHLOROPHENYL |
| 1 | mL | 1 | 8270 MSSV | NITROANILINE4 |
| 1 | mL | 1 | 8270 MSSV | NITROPHENOL4 |
| 1 | mL | 1 | 8270 MSSV | ACENAPHTHENE |
| 1 | mL | 1 | 8270 MSSV | ACENAPHTHYLEN |
| 1 | mL | 1 | 8270 MSSV | ANILINE |
| 1 | mL | 1 | 8270 MSSV | ANTHRACENE |
| 1 | mL | 1 | 8270 MSSV | BENZO(A)ANTHRA |
| 1 | mL | 1 | 8270 MSSV | BENZO(A)PYRENE |
| 1 | mL | 1 | 8270 MSSV | BENZO(B)FLUORA |
| 1 | mL | 1 | 8270 MSSV | BENZO(GHI)PERY |
| 1 | mL | 1 | 8270 MSSV | BENZO(K)FLUORA |
| 1 | mL | 1 | 8270 MSSV | BENZOICACID |
| 1 | mL | 1 | 8270 MSSV | BENZYLALCOHOL |
| | mL | 1 | 8270 MSSV | BUTYLBENZYLPH |
| 1 | mL | 1 | 8270 MSSV | CHRYSENE |
| | mL | 1 | 8270 MSSV | DINBUTYLPHTHAL |
| | mL | 1 | 8270 MSSV | DINOCTYLPHTHA |
| | mL | 1 | 8270 MSSV | DIBENZ(AH)ANTH |
| | mL | 1 | 8270 MSSV | DIBENZOFURAN |
| 1 | mL | 1 | 8270 MSSV | DIETHYLPHTHALA |
| | mL | 1 | 8270 MSSV | DIMETHYLPHTHA |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-DITCH | 92438972001 | 07/28/2019 09:15 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 6010D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 7470A | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |

| | | | | | |
|---|---|---|---|---|---|
| Fluoranthene | ND | ug/L | 100 | 22.2 | 92438972 |
| Fluorene | ND | ug/L | 100 | 15.6 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 100 | 15.8 | 92438972 |
| Hexachlorobenzen | ND | ug/L | 100 | 16.6 | 92438972 |
| Hexachlorocyclope | ND | ug/L | 100 | 13.4 | 92438972 |
| Hexachloroethane | ND | ug/L | 100 | 13.4 | 92438972 |
| Indeno(1,2,3- | ND | ug/L | 100 | 20.5 | 92438972 |
| Isophorone | ND | ug/L | 100 | 15.0 | 92438972 |
| N-Nitroso-di-n- | ND | ug/L | 100 | 17.1 | 92438972 |
| N- | ND | ug/L | 100 | 15.9 | 92438972 |
| N- | ND | ug/L | 100 | 14.9 | 92438972 |
| Naphthalene | ND | ug/L | 100 | 14.0 | 92438972 |
| Nitrobenzene | ND | ug/L | 100 | 16.1 | 92438972 |
| Pentachlorophenol | ND | ug/L | 500 | 55.2 | 92438972 |
| Phenanthrene | ND | ug/L | 100 | 15.6 | 92438972 |
| Phenol | 87.8J | ug/L | 100 | 12.9 | 92438972 |
| Pyrene | ND | ug/L | 100 | 22.0 | 92438972 |
| [illegible] | ND | ug/L | 100 | 16.2 | 92438972 |
| bis(2-Chloroethyl | ND | ug/L | 100 | 17.1 | 92438972 |
| [illegible] | ND | ug/L | 60.0 | 23.0 | 92438972 |
| 2,4,6- | 18 | % | | | 92438972 |
| 2-Fluorobiphenyl | 81 | % | | | 92438972 |
| 2-Fluorophenol (S) | 10 | % | | | 92438972 |
| Nitrobenzene-d5 | 84 | % | | | 92438972 |
| Phenol-d6 (S) | 17 | % | | | 92438972 |
| Terphenyl-d14 (S) | 81 | % | | | 92438972 |
| Aluminum | 201 | ug/L | 100 | 29.8 | 92438972 |
| Antimony | 33.3 | ug/L | 5.0 | 3.0 | 92438972 |
| Arsenic | 49.? | ug/L | 10.0 | 4.7 | 92438972 |
| Barium | [illegible] | ug/L | 5.0 | 1.0 | 92438972 |
| Beryllium | ND | ug/L | 1.0 | 0.20 | 92438972 |
| Cadmium | 3.8 | ug/L | 1.0 | 0.40 | 92438972 |
| Calcium | 226000 | ug/L | 1000 | 242 | 92438972 |
| Chromium | 14.8 | ug/L | 5.0 | 1.0 | 92438972 |
| Cobalt | ND | ug/L | 5.0 | 1.1 | 92438972 |
| Copper | 29.2 | ug/L | 5.0 | 2.1 | 92438972 |
| Iron | 350 | ug/L | 50.0 | 19.5 | 92438972 |
| Lead | ND | ug/L | 5.0 | 1.0 | 92438972 |
| Magnesium | 46900 | ug/L | 100 | 17.1 | 92438972 |
| Manganese | [illegible] | ug/L | 5.0 | 0.90 | 92438972 |
| Nickel | 30.5 | ug/L | 5.0 | 0.90 | 92438972 |
| Potassium | 76300 | ug/L | 5000 | 890 | 92438972 |
| Selenium | ND | ug/L | 10.0 | 4.7 | 92438972 |
| Silver | ND | ug/L | 5.0 | 2.5 | 92438972 |
| Sodium | 243000 | ug/L | 50000 | 1140 | 92438972 |
| Thallium | ND | ug/L | 10.0 | 2.6 | 92438972 |
| Vanadium | 32.1 | ug/L | 5.0 | 1.3 | 92438972 |
| Zinc | 24.4 | ug/L | 10.0 | 3.9 | 92438972 |
| Mercury | ND | ug/L | 0.20 | 0.10 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.16 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.22 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1-Dichloroethane | ND | ug/L | 1.0 | 0.21 | 92438972 |
| 1,1-Dichloroethene | ND | ug/L | 1.0 | 0.24 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.21 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.35 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 07/31/2019 20:56 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 22:43 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 22:43 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 16:59 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/31/2019 11:50 | 07/31/2019 14:34 | EPA 7470A | 489467 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | | U | not corrected | N | 0 |
| 86-73-7 | 1 | U | not corrected | N | 0 |
| 81-65-3 | 1 | U | not corrected | N | 0 |
| 118-74-1 | 1 | U | not corrected | N | 0 |
| 77-47-4 | 1 | U | not corrected | N | 0 |
| 67-72-1 | 1 | U | not corrected | N | 0 |
| 193-39-5 | 1 | U | not corrected | N | 0 |
| 78-59-1 | 1 | U | not corrected | N | 0 |
| 621-64-7 | 1 | U | not corrected | N | 0 |
| 62-75-9 | 1 | U | not corrected | N | 0 |
| 86-30-6 | 1 | U | not corrected | N | 0 |
| 91-20-3 | 1 | U | not corrected | N | 0 |
| 98-95-3 | 1 | U | not corrected | N | 0 |
| 87-86-5 | 1 | U | not corrected | N | 0 |
| 85-01-8 | 1 | U | not corrected | N | 0 |
| 108-95-2 | 1 | U | not corrected | N | 57.8 |
| 129-00-0 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | Y | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| 7429-90-5 | 1 | | not corrected | N | 251 |
| 7440-36-0 | 1 | | not corrected | N | 32.3 |
| [illegible] | 1 | | not corrected | N | 492 |
| [illegible] | 1 | | not corrected | N | 133 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 7440-43-9 | 1 | | not corrected | N | 0.6 |
| [illegible] | 10 | | not corrected | N | 725000 |
| [illegible] | 1 | | not corrected | N | 143 |
| 7440-48-4 | 1 | U | not corrected | N | 0 |
| 7440-50-8 | 1 | | not corrected | N | 26.2 |
| [illegible] | 1 | | not corrected | N | 500 |
| [illegible] | 1 | U | not corrected | N | [illegible] |
| [illegible] | 1 | | not corrected | N | 48900 |
| [illegible] | 1 | | not corrected | N | 526 |
| [illegible] | 1 | | not corrected | N | 30.6 |
| [illegible] | 1 | | not corrected | N | 75300 |
| [illegible] | 1 | U | not corrected | N | 2.4 |
| 7440-22-4 | 1 | U | not corrected | N | 0 |
| [illegible] | 10 | | not corrected | N | 248000 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | 22 |
| [illegible] | 1 | | not corrected | N | 24.4 |
| [illegible] | 1 | U | not corrected | N | 003 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| BPJ | Charlotte Lab | n | n | 0 | GC 7890A/MS |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| SH1 | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| SH1 | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| JMW1 | 93 | n | n | 0 | Cetac M7-600 |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |

| | | | |
|---|---|---|---|
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MERC | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972001 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972002 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 7470 W92 | 92438972002 | 10 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |

| | | | | |
|---|---|---|---|---|
| | mL | 1 | 8270 MSSV | FLUORANTHENE |
| | mL | 1 | 8270 MSSV | FLUORENE |
| | mL | 1 | 8270 MSSV | HEXACHLORO13B |
| | mL | 1 | 8270 MSSV | HEXACHLOROBE |
| | mL | 1 | 8270 MSSV | HEXACHLOROCY |
| | mL | 1 | 8270 MSSV | HEXACHLOROET |
| | mL | 1 | 8270 MSSV | INDENO(123CD)P |
| | mL | 1 | 8270 MSSV | ISOPHORONE |
| | mL | 1 | 8270 MSSV | NNITROSODINPR |
| | mL | | 8270 MSSV | NNITROSODIMET |
| | mL | 1 | 8270 MSSV | NNITROSODIPHE |
| | mL | 1 | 8270 MSSV | NAPHTHALENE |
| | mL | 1 | 8270 MSSV | NITROBENZENE |
| | mL | 1 | 8270 MSSV | PENTACHLOROP |
| | mL | 1 | 8270 MSSV | PHENANTHRENE |
| | mL | 1 | 8270 MSSV | PHENOL |
| | mL | 1 | 8270 MSSV | PYRENE |
| | mL | | 8270 MSSV | CHLOROETHOX |
| | mL | 1 | 8270 MSSV | CHLOROETHYLET |
| | mL | 1 | 8270 MSSV | ETHYLHEXYLPHT |
| | mL | | 8270 MSSV | TRIBROMOPHEN |
| | mL | 1 | 8270 MSSV | FLUOROBIPHENY |
| | mL | 1 | 8270 MSSV | FLUOROPHENOL2 |
| | mL | 1 | 8270 MSSV | NITROBENZENED |
| | mL | 1 | 8270 MSSV | PHENOLD6(S) |
| | mL | 1 | 8270 MSSV | TERPHENYLD14(S |
| | mL | 1 | 6010 MET ICP | ALUMINUM |
| | mL | 1 | 6010 MET ICP | ANTIMONY |
| | mL | 1 | 6010 MET ICP | ARSENIC |
| | mL | 1 | 6010 MET ICP | BARIUM |
| | mL | 1 | 6010 MET ICP | BERYLLIUM |
| | mL | 1 | 6010 MET ICP | CADMIUM |
| | mL | 1 | 6010 MET ICP | CALCIUM |
| | mL | 1 | 6010 MET ICP | CHROMIUM |
| | mL | 1 | 6010 MET ICP | COBALT |
| | mL | 1 | 6010 MET ICP | COPPER |
| | mL | 1 | 6010 MET ICP | IRON |
| | mL | 1 | 6010 MET ICP | LEAD |
| | mL | 1 | 6010 MET ICP | MAGNESIUM |
| | mL | 1 | 6010 MET ICP | MANGANESE |
| | mL | 1 | 6010 MET ICP | NICKEL |
| | mL | 1 | 6010 MET ICP | POTASSIUM |
| | mL | 1 | 6010 MET ICP | SELENIUM |
| | mL | 1 | 6010 MET ICP | SILVER |
| | mL | 1 | 6010 MET ICP | SODIUM |
| | mL | 1 | 6010 MET ICP | THALLIUM |
| | mL | | 6010 MET ICP | VANADIUM |
| | mL | 1 | 6010 MET ICP | ZINC |
| | mL | 1 | 7470 Mercury | MERCURY |
| | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| | mL | | 8260 MSV Low | TRICHLOROETHA |
| | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| | mL | 1 | 8260 MSV Low | TRICHLOROETHA |
| | mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| | mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| | mL | 1 | 8260 MSV Low | TRICHLOROPROP |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8260B | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| 1,2,4- | ND | ug/L | 1.0 | 0.22 | 92438972 |
| 1,2-Dibromo-3- | ND | ug/L | 2.0 | 0.26 | 92438972 |
| 1,2- | ND | ug/L | 1.0 | 0.09 | 92438972 |
| 1,2-Dichloroethane | 0.55J | ug/L | 1.0 | 0.34 | 92438972 |
| 1,2- | ND | ug/L | 1.0 | 0.19 | 92438972 |
| 1,3- | ND | ug/L | 1.0 | 0.22 | 92438972 |
| 1, | ND | ug/L | 1.0 | 0.16 | 92438972 |
| 1,4- | ND | ug/L | 1.0 | 0.26 | 92438972 |
| 2,2- | ND | ug/L | 1.0 | 0.27 | 92438972 |
| 2-Butanone (MEK) | 43.2 | ug/L | 5.0 | [illegible] | 92438972 |
| 2-Chlorotoluene | ND | ug/L | 1.0 | 0.20 | 92438972 |
| 2-Hexanone | ND | ug/L | 5.0 | [illegible] | 92438972 |
| 4-Chlorotoluene | ND | ug/L | 1.0 | 0.20 | 92438972 |
| 4-Methyl-2- | ND | ug/L | 5.0 | 4.6 | 92438972 |
| Acetone | 239 | ug/L | 25.0 | 9.2 | 92438972 |
| Benzene | 21.4 | ug/L | 1.0 | 0.15 | 92438972 |
| Bromobenzene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Bromochlorometha | ND | ug/L | 1.0 | 0.34 | 92438972 |
| Bromodichlorometh | ND | ug/L | 1.0 | 0.26 | 92438972 |
| Bromoform | ND | ug/L | 1.0 | 0.62 | 92438972 |
| Bromomethane | ND | ug/L | 2.0 | 0.62 | 92438972 |
| Carbon | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Chlorobenzene | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Chloroethane | ND | ug/L | 1.0 | 0.49 | 92438972 |
| Chloroform | ND | ug/L | 5.0 | 2.3 | 92438972 |
| Chloromethane | 1.8 | ug/L | 1.0 | 0.39 | 92438972 |
| Dibromochlorometh | ND | ug/L | 1.0 | 0.41 | 92438972 |
| Dibromomethane | ND | ug/L | 1.0 | 0.46 | 92438972 |
| Dichlorodifluoromet | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Diisopropyl ether | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Ethylbenzene | 5.0 | ug/L | 1.0 | 0.25 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 1.0 | 0.44 | 92438972 |
| Methyl-tert-butyl | ND | ug/L | 1.0 | 0.28 | 92438972 |
| Methylene Chloride | ND | ug/L | 5.0 | [illegible] | 92438972 |
| Naphthalene | 1.3 | ug/L | 1.0 | 0.38 | 92438972 |
| Styrene | ND | ug/L | 1.0 | 0.21 | 92438972 |
| Tetrachloroethene | ND | ug/L | 1.0 | 0.16 | 92438972 |
| Toluene | 10.5 | ug/L | 1.0 | 0.24 | 92438972 |
| Trichloroethene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Trichlorofluorometh | ND | ug/L | 1.0 | 0.31 | 92438972 |
| Vinyl acetate | ND | ug/L | 2.0 | 1.4 | 92438972 |
| Vinyl chloride | ND | ug/L | 1.0 | 0.24 | 92438972 |
| Xylene (Total) | [illegible] | ug/L | 1.0 | 0.63 | 92438972 |
| cis-1,2- | ND | ug/L | 1.0 | 0.29 | 92438972 |
| cis-1,3- | ND | ug/L | 1.0 | 0.30 | 92438972 |
| m&p-Xylene | [illegible] | ug/L | 2.0 | 0.41 | 92438972 |
| o-Xylene | [illegible] | ug/L | 1.0 | 0.22 | 92438972 |
| p-Isopropyltoluene | ND | ug/L | 1.0 | 0.21 | 92438972 |
| trans-1,2- | ND | ug/L | 1.0 | 0.26 | 92438972 |
| trans-1,3- | ND | ug/L | 1.0 | 0.31 | 92438972 |
| 1,2-Dichloroethane | 93 | % | | | 92438972 |
| [illegible] | [illegible] | % | | | 92438972 |
| Toluene-d8 (S) | [illegible]04 | % | | | 92438972 |
| 1,2,4- | ND | ug/L | 9.8 | 1.4 | 92438972 |
| 1,2- | ND | ug/L | 9.8 | 1.5 | 92438972 |
| 1,3- | ND | ug/L | 9.8 | 1.4 | 92438972 |
| 1,4- | ND | ug/L | 9.8 | 1.4 | 92438972 |
| [illegible] | ND | ug/L | 9.8 | 1.4 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:31 | 07/31/2019 22:31 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | .55 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 541-73-1 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | | not corrected | Y | 43.2 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 4.3 |
| [illegible] | 1 | | not corrected | Y | 269 |
| [illegible] | 1 | | not corrected | N | 21.4 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | Y | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | 6 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | 2.3 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | 10.5 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | [illegible] |
| [illegible] | | | not corrected | N | [illegible] |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | | not corrected | N | |
| [illegible] | | | not corrected | N | |
| [illegible] | | | not corrected | N | |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |

| | | | | |
|---|---|---|---|---|
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| [M1] Matrix spike | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| [M1] Matrix spike | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| [M1] Matrix spike | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972002 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |

| | | | | |
|---|---|---|---|---|
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOCHLOR |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | BUTANONE2(MEK |
| 5 | mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| 5 | mL | 1 | 8260 MSV Low | HEXANONE2 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| 5 | mL | 1 | 8260 MSV Low | METHYLPENTANO |
| 5 | mL | 1 | 8260 MSV Low | ACETONE |
| 5 | mL | 1 | 8260 MSV Low | BENZENE |
| 5 | mL | 1 | 8260 MSV Low | BROMOBENZENE |
| 5 | mL | 1 | 8260 MSV Low | BROMOCHLOROM |
| 5 | mL | 1 | 8260 MSV Low | BROMODICHLOR |
| 5 | mL | 1 | 8260 MSV Low | BROMOFORM |
| 5 | mL | 1 | 8260 MSV Low | BROMOMETHANE |
| 5 | mL | 1 | 8260 MSV Low | CARBONTETRAC |
| 5 | mL | 1 | 8260 MSV Low | CHLOROBENZEN |
| 5 | mL | 1 | 8260 MSV Low | CHLOROETHANE |
| 5 | mL | 1 | 8260 MSV Low | CHLOROFORM |
| 5 | mL | 1 | 8260 MSV Low | CHLOROMETHAN |
| 5 | mL | | 8260 MSV Low | DIBROMOCHLOR |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOMETHA |
| 5 | mL | 1 | 8260 MSV Low | DICHLORODIFLU |
| 5 | mL | 1 | 8260 MSV Low | DIISOPROPYLETH |
| 5 | mL | 1 | 8260 MSV Low | ETHYLBENZENE |
| 5 | mL | 1 | 8260 MSV Low | HEXACHLORO13B |
| 5 | mL | 1 | 8260 MSV Low | METHYLTERTBUT |
| 5 | mL | 1 | 8260 MSV Low | METHYLENECHLO |
| 5 | mL | 1 | 8260 MSV Low | NAPHTHALENE |
| 5 | mL | 1 | 8260 MSV Low | STYRENE |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | 1 | 8260 MSV Low | TOLUENE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROFLUO |
| 5 | mL | | 8260 MSV Low | VINYLACETATE |
| 5 | mL | 1 | 8260 MSV Low | VINYLCHLORIDE |
| 5 | mL | 1 | 8260 MSV Low | XYLENE(TOTAL) |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | 1 | 8260 MSV Low | XYLENEMP |
| 5 | mL | 1 | 8260 MSV Low | XYLENEO |
| 5 | mL | 1 | 8260 MSV Low | ISOPROPYLTOLU |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | BROMOFLUOROB |
| 5 | mL | 1 | 8260 MSV Low | TOLUENED8(S) |
| | mL | 1 | 8270 MSSV | TRICHLOROBENZ |
| | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| | mL | 1 | 8270 MSSV | METHYLNAPHTHA |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| 1,2-Diphenylh | ND | ug/L | 9.8 | 1.8 | 92438972 |
| 1,2,4- | ND | ug/L | 9.8 | 1.5 | 92438972 |
| 2,4,5- | ND | ug/L | 9.8 | 1.4 | 92438972 |
| 2,4-Dichlorophenol | ND | ug/L | 9.8 | 1.5 | 92438972 |
| 2,4-Dimethylphenol | 6.0J | ug/L | 9.8 | 1.6 | 92438972 |
| 2,4-Dinitrophenol | ND | ug/L | 49.0 | 6.0 | 92438972 |
| 2,4-Dinitrotoluene | ND | ug/L | 9.8 | 1.5 | 92438972 |
| 2,6-Dinitrotoluene | ND | ug/L | 9.8 | 1.4 | 92438972 |
| 2- | ND | ug/L | 9.8 | 1.6 | 92438972 |
| 2-Chlorophenol | ND | ug/L | 9.8 | 1.5 | 92438972 |
| 2- | ND | ug/L | 9.8 | 1.4 | 92438972 |
| 2-Methylphenol(o- | 11.1 | ug/L | 9.8 | 1.6 | 92438972 |
| 2-Nitroaniline | ND | ug/L | 49.0 | 2.2 | 92438972 |
| 2-Nitrophenol | ND | ug/L | 9.8 | 1.6 | 92438972 |
| 3&4- | 19.1 | ug/L | 9.8 | 1.4 | 92438972 |
| 3,3'- | ND | ug/L | 49.0 | 3.8 | 92438972 |
| 3-Nitroaniline | ND | ug/L | 49.0 | 2.6 | 92438972 |
| 4,6-Dinitro-2- | ND | ug/L | 19.6 | 2.2 | 92438972 |
| 4- | ND | ug/L | 9.8 | 1.5 | 92438972 |
| 4-Chloro-3- | ND | ug/L | 19.6 | 2.8 | 92438972 |
| 4-Chloroaniline | ND | ug/L | 49.0 | 2.8 | 92438972 |
| 4- | ND | ug/L | 9.8 | 1.5 | 92438972 |
| 4-Nitroaniline | ND | ug/L | 49.0 | 3.3 | 92438972 |
| 4-Nitrophenol | ND | ug/L | 49.0 | 4.2 | 92438972 |
| Acenaphthene | ND | ug/L | 9.8 | 1.6 | 92438972 |
| Acenaphthylene | ND | ug/L | 9.8 | 1.5 | 92438972 |
| Aniline | ND | ug/L | 9.8 | 1.3 | 92438972 |
| Anthracene | ND | ug/L | 9.8 | 1.7 | 92438972 |
| Benzo(a)anthracen | ND | ug/L | 9.8 | 2.1 | 92438972 |
| Benzo(a)pyrene | ND | ug/L | 9.8 | 2.2 | 92438972 |
| Benzo(b)fluoranthe | ND | ug/L | 9.8 | 2.1 | 92438972 |
| Benzo(g,h,i)perylen | ND | ug/L | 9.8 | 2.0 | 92438972 |
| Benzo(k)fluoranthe | ND | ug/L | 9.8 | 2.0 | 92438972 |
| Benzoic Acid | ND | ug/L | 49.0 | 4.9 | 92438972 |
| Benzyl alcohol | ND | ug/L | 19.6 | 3.0 | 92438972 |
| Butylbenzylphthalat | ND | ug/L | 9.8 | 2.4 | 92438972 |
| Chrysene | ND | ug/L | 9.8 | 2.0 | 92438972 |
| Di-n-butylphthalate | ND | ug/L | 9.8 | 1.9 | 92438972 |
| Di-n-octylphthalate | ND | ug/L | 9.8 | 1.5 | 92438972 |
| Dibenz(a,h)anthrac | ND | ug/L | 9.8 | 2.0 | 92438972 |
| Dibenzofuran | ND | ug/L | 9.8 | 1.6 | 92438972 |
| Diethylphthalate | ND | ug/L | 9.8 | 1.5 | 92438972 |
| Dimethylphthalate | ND | ug/L | 9.8 | 1.4 | 92438972 |
| Fluoranthene | ND | ug/L | 9.8 | 2.2 | 92438972 |
| Fluorene | ND | ug/L | 9.8 | 1.5 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 9.8 | 1.5 | 92438972 |
| Hexachlorobenzene | ND | ug/L | 9.8 | 1.6 | 92438972 |
| Hexachlorocyclope | ND | ug/L | 9.8 | 1.3 | 92438972 |
| Hexachloroethane | ND | ug/L | 9.8 | 1.8 | 92438972 |
| Indeno(1,2,3- | ND | ug/L | 9.8 | 2.0 | 92438972 |
| Isophorone | ND | ug/L | 9.8 | 1.5 | 92438972 |
| N-Nitrosodimethyla | ND | ug/L | 9.8 | 1.7 | 92438972 |
| N- | ND | ug/L | 9.8 | 1.6 | 92438972 |
| N- | ND | ug/L | 9.8 | 1.4 | 92438972 |
| Naphthalene | ND | ug/L | 9.8 | 1.4 | 92438972 |
| Nitrobenzene | ND | ug/L | 9.8 | 1.6 | 92438972 |
| Pentachlorophenol | ND | ug/L | 49.0 | 3.5 | 92438972 |
| Phenanthrene | ND | ug/L | 9.8 | 1.6 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 1 | U | not corrected | Y | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 51-28-5 | 1 | U | not corrected | N | 0 |
| 121-14-2 | 1 | U | not corrected | N | 0 |
| 606-20-2 | 1 | U | not corrected | N | 0 |
| 91-58-7 | 1 | U | not corrected | N | 0 |
| 95-57-8 | 1 | U | not corrected | N | 0 |
| 91-57-6 | 1 | U | not corrected | N | 0 |
| 95-48-7 | 1 | | not corrected | N | 11.1 |
| 88-74-4 | 1 | U | not corrected | N | 0 |
| 88-75-5 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 7.9 |
| 91-94-1 | 1 | U | not corrected | N | 0 |
| 99-09-2 | 1 | U | not corrected | N | 0 |
| 534-52-1 | 1 | U | not corrected | N | 0 |
| 101-55-3 | 1 | U | not corrected | N | 0 |
| 59-50-7 | 1 | U | not corrected | N | 0 |
| 106-47-8 | 1 | U | not corrected | N | 0 |
| 7005-72-3 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| 208-96-8 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 205-99-2 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 85-68-7 | 1 | U | not corrected | N | 0 |
| 218-01-9 | 1 | U | not corrected | N | 0 |
| 84-74-2 | 1 | U | not corrected | N | 0 |
| 117-84-0 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |

| | | | | |
|---|---|---|---|---|
| [illegible] continuing | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |

| | | | |
|---|---|---|---|
| mL | | 8270 MSSV | OXYBIS(1CHLORP |
| mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| mL | 1 | 8270 MSSV | DICHLOROPHENO |
| mL | 1 | 8270 MSSV | DIMETHYLPHENO |
| mL | 1 | 8270 MSSV | DINITROPHENOL2 |
| mL | 1 | 8270 MSSV | DINITROTOLUENE |
| mL | 1 | 8270 MSSV | DINITROTOLUENE |
| mL | 1 | 8270 MSSV | CHLORONAPHTH |
| mL | 1 | 8270 MSSV | CHLOROPHENOL |
| mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| mL | 1 | 8270 MSSV | METHYLPHENOL2 |
| mL | 1 | 8270 MSSV | NITROANILINE2 |
| mL | 1 | 8270 MSSV | NITROPHENOL2 |
| mL | 1 | 8270 MSSV | METHYLPHENOL? |
| mL | 1 | 8270 MSSV | DICHLOROBENZI |
| mL | 1 | 8270 MSSV | NITROANILINE3 |
| mL | 1 | 8270 MSSV | DINITRO2METHYL |
| mL | 1 | 8270 MSSV | BROMOPHENYLP |
| mL | 1 | 8270 MSSV | CHLORO3METHYL |
| mL | 1 | 8270 MSSV | CHLOROANILINE4 |
| mL | 1 | 8270 MSSV | CHLOROPHENYL |
| mL | 1 | 8270 MSSV | NITROANILINE4 |
| mL | 1 | 8270 MSSV | NITROPHENOL4 |
| mL | 1 | 8270 MSSV | ACENAPHTHENE |
| mL | 1 | 8270 MSSV | ACENAPHTHYLEN |
| mL | 1 | 8270 MSSV | ANILINE |
| mL | 1 | 8270 MSSV | ANTHRACENE |
| mL | 1 | 8270 MSSV | BENZO(A)ANTHRA |
| mL | 1 | 8270 MSSV | BENZO(A)PYRENE |
| mL | 1 | 8270 MSSV | BENZO(B)FLUORA |
| mL | | 8270 MSSV | BENZO(GHI)PERY |
| mL | 1 | 8270 MSSV | BENZO(K)FLUORA |
| mL | 1 | 8270 MSSV | BENZOICACID |
| mL | 1 | 8270 MSSV | BENZYLALCOHOL |
| mL | 1 | 8270 MSSV | BUTYLBENZYLPH |
| mL | 1 | 8270 MSSV | CHRYSENE |
| mL | 1 | 8270 MSSV | DINBUTYLPHTHAL |
| mL | 1 | 8270 MSSV | DINOCTYLPHTHA |
| mL | 1 | 8270 MSSV | DIBENZ(AH)ANTH |
| mL | 1 | 8270 MSSV | DIBENZOFURAN |
| mL | 1 | 8270 MSSV | DIETHYLPHTHALA |
| mL | 1 | 8270 MSSV | DIMETHYLPHTHA |
| mL | 1 | 8270 MSSV | FLUORANTHENE |
| mL | 1 | 8270 MSSV | FLUORENE |
| mL | 1 | 8270 MSSV | HEXACHLORO13B |
| mL | 1 | 8270 MSSV | HEXACHLOROBE |
| mL | 1 | 8270 MSSV | HEXACHLOROCY |
| mL | 1 | 8270 MSSV | HEXACHLOROET |
| mL | 1 | 8270 MSSV | INDENO(123CD)P |
| mL | 1 | 8270 MSSV | ISOPHORONE |
| mL | 1 | 8270 MSSV | NNITROSODINPR |
| mL | 1 | 8270 MSSV | NNITROSODIMET |
| mL | 1 | 8270 MSSV | NNITROSODIPHE |
| mL | 1 | 8270 MSSV | NAPHTHALENE |
| mL | 1 | 8270 MSSV | NITROBENZENE |
| mL | 1 | 8270 MSSV | PENTACHLOROP |
| mL | 1 | 8270 MSSV | PHENANTHRENE |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-SW-POND | 92438972002 | 07/28/2019 09:55 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 6010D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 7470A | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | ND | ug/L | 9.8 | 1.3 | 92438972 |
| [illegible] | ND | ug/L | 9.8 | 2.2 | 92438972 |
| [illegible] | ND | ug/L | 9.8 | 1.8 | 92438972 |
| bis(2-Chloroethyl) | ND | ug/L | 9.8 | 1.7 | 92438972 |
| bis(2- | ND | ug/L | 9.8 | 2.3 | 92438972 |
| 2,4,6- | 96 | % | | | 92438972 |
| 2-Fluorobiphenyl | 86 | % | | | 92438972 |
| 2-Fluorophenol (S) | 42 | % | | | 92438972 |
| Nitrobenzene-d5 | 4 | % | | | 92438972 |
| Phenol-d6 (S) | 32 | % | | | 92438972 |
| Terphenyl-d14 (S) | 86 | % | | | 92438972 |
| Aluminum | ND | ug/L | 100 | 29.8 | 92438972 |
| Antimony | ND | ug/L | 5.0 | 3.0 | 92438972 |
| Arsenic | ND | ug/L | 10.0 | 4.7 | 92438972 |
| Barium | 5.7 | ug/L | 5.0 | 1.0 | 92438972 |
| Beryllium | ND | ug/L | 1.0 | 0.20 | 92438972 |
| Cadmium | ND | ug/L | 1.0 | 0.40 | 92438972 |
| Calcium | 37200 | ug/L | 100 | 24.2 | 92438972 |
| Chromium | ND | ug/L | 5.0 | 1.0 | 92438972 |
| Cobalt | ND | ug/L | 5.0 | 1.1 | 92438972 |
| Copper | 27.6 | ug/L | 5.0 | 2.1 | 92438972 |
| Iron | ND | ug/L | 50.0 | 19.5 | 92438972 |
| Lead | ND | ug/L | 5.0 | 1.6 | 92438972 |
| Magnesium | 9370 | ug/L | 100 | 17.1 | 92438972 |
| Manganese | 21.8 | ug/L | 5.0 | 0.90 | 92438972 |
| Nickel | 2.6J | ug/L | 5.0 | 0.90 | 92438972 |
| Potassium | 2760J | ug/L | 5000 | 390 | 92438972 |
| Selenium | ND | ug/L | 10.0 | 4.7 | 92438972 |
| Silver | ND | ug/L | 5.0 | 2.5 | 92438972 |
| Sodium | 10800 | ug/L | 5000 | 174 | 92438972 |
| Thallium | ND | ug/L | 10.0 | 2.6 | 92438972 |
| Vanadium | ND | ug/L | 5.0 | 1.3 | 92438972 |
| Zinc | [illegible] | ug/L | 10.0 | 3.9 | 92438972 |
| Mercury | ND | ug/L | 0.20 | 0.10 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.18 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.22 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.24 | 92438972 |
| 1,1-Dichloroethane | ND | ug/L | 1.0 | 0.27 | 92438972 |
| 1,1-Dichloroethene | ND | ug/L | 1.0 | 0.24 | 92438972 |
| | ND | ug/L | 1.0 | 0.21 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.35 | 92438972 |
| 1,2,4- | ND | ug/L | 1.0 | 0.22 | 92438972 |
| 1,2-Dibromo-3- | ND | ug/L | 2.0 | 0.28 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.29 | 92438972 |
| 1,2-Dichloroethane | ND | ug/L | 1.0 | 0.34 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.19 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.22 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.16 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.28 | 92438972 |
| [illegible] | ND | ug/L | 1.0 | 0.27 | 92438972 |
| 2-Butanone (MEK) | ND | ug/L | 5.0 | 3.3 | 92438972 |
| 2-Chlorotoluene | ND | ug/L | 1.0 | 0.20 | 92438972 |
| 2-Hexanone | ND | ug/L | 5.0 | 0.57 | 92438972 |
| 4-Chlorotoluene | ND | ug/L | 1.0 | 0.20 | 92438972 |
| 4-Methyl-2- | ND | ug/L | 5.0 | 4.5 | 92438972 |
| Acetone | ND | ug/L | 25.0 | 6.2 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 12:24 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/30/2019 15:16 | 07/31/2019 17:09 | EPA 3010A | 489233 |
| 07/29/2019 14:07 | 07/31/2019 11:50 | 07/31/2019 14:36 | EPA 7470A | 489467 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| 1?7-12-4 | 1 | | not corrected | N | |
| 4165-60-0 | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | U | not corrected | N | 0 |
| 7440-?6-0 | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | 5.7 |
| [illegible] | 1 | U | not corrected | N | 17 |
| 7440-?5-? | 1 | U | not corrected | N | 32 |
| 7440-?? | 1 | | not corrected | N | 27200 |
| 7440-?? | 1 | U | not corrected | N | 3 |
| 7440-?9-4 | 1 | U | not corrected | N | 0 |
| 7440-?? | 1 | | not corrected | N | 27.6 |
| [illegible] | 1 | U | not corrected | N | 14.8 |
| [illegible] | 1 | U | not corrected | N | 53 |
| [illegible] | 1 | | not corrected | N | 9870 |
| 7439-?? | 1 | | not corrected | N | 21.6 |
| 7440-02-0 | 1 | J | not corrected | N | 2.6 |
| 7440-?? | | J | not corrected | N | 2760 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | 10600 |
| [illegible] | 1 | U | not corrected | N | 1.5 |
| [illegible] | 1 | U | not corrected | N | 35 |
| [illegible] | 1 | | not corrected | N | 130 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | J | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | J | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | J | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | J | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | J | not corrected | N | 0 |
| [illegible] | 1 | J | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| DS | 93 | n | n | 0 | Thermo Elemental |
| JMW1 | 93 | n | n | 0 | Cetac M7-600 |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |

| | | | |
|---|---|---|---|
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | ICP | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MERC | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972002 | 1020 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 6010 W | 92438972003 | 15 | mL |
| 8/1/19 4:56 PM | 3 | 7470 W92 | 92438972003 | 10 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |

| | | | | |
|---|---|---|---|---|
| | mL | 1 | 8270 MSSV | PHENOL |
| 1 | mL | 1 | 8270 MSSV | PYRENE |
| 1 | mL | 1 | 8270 MSSV | CHLOROETHOXY |
| 1 | mL | 1 | 8270 MSSV | CHLOROETHYLET |
| 1 | mL | 1 | 8270 MSSV | ETHYLHEXYLPHT |
| 1 | mL | 1 | 8270 MSSV | TRIBROMOPHEN |
| 1 | mL | 1 | 8270 MSSV | FLUOROBIPHENY |
| 1 | mL | 1 | 8270 MSSV | FLUOROPHENOL2 |
| 1 | mL | 1 | 8270 MSSV | NITROBENZENED |
| 1 | mL | 1 | 8270 MSSV | PHENOLD6(5) |
| 1 | mL | 1 | 8270 MSSV | TERPHENYLD14(5 |
| 15 | mL | 1 | 6010 MET ICP | ALUMINUM |
| 15 | mL | 1 | 6010 MET ICP | ANTIMONY |
| 15 | mL | 1 | 6010 MET ICP | ARSENIC |
| 15 | mL | 1 | 6010 MET ICP | BARIUM |
| 15 | mL | 1 | 6010 MET ICP | BERYLLIUM |
| 15 | mL | 1 | 6010 MET ICP | CADMIUM |
| 15 | mL | 1 | 6010 MET ICP | CALCIUM |
| 15 | mL | 1 | 6010 MET ICP | CHROMIUM |
| 15 | mL | 1 | 6010 MET ICP | COBALT |
| 15 | mL | 1 | 6010 MET ICP | COPPER |
| 15 | mL | 1 | 6010 MET ICP | IRON |
| 15 | mL | 1 | 6010 MET ICP | LEAD |
| 15 | mL | 1 | 6010 MET ICP | MAGNESIUM |
| 15 | mL | 1 | 6010 MET ICP | MANGANESE |
| 15 | mL | 1 | 6010 MET ICP | NICKEL |
| 15 | mL | 1 | 6010 MET ICP | POTASSIUM |
| 15 | mL | 1 | 6010 MET ICP | SELENIUM |
| 15 | mL | 1 | 6010 MET ICP | SILVER |
| 15 | mL | 1 | 6010 MET ICP | SODIUM |
| 15 | mL | 1 | 6010 MET ICP | THALLIUM |
| 15 | mL | 1 | 6010 MET ICP | VANADIUM |
| 15 | mL | 1 | 6010 MET ICP | ZINC |
| 15 | mL | 1 | 7470 Mercury | MERCURY |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHA |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROPROP |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROBENZ |
| 5 | mL | 1 | 8260 MSV Low | DIBROMO3CHLOP |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROBENZE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPA |
| 5 | mL | 1 | 8260 MSV Low | BUTANONE2(MEK |
| | mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| 5 | mL | 1 | 8260 MSV Low | HEXANONE2 |
| 5 | mL | 1 | 8260 MSV Low | CHLOROTOLUEN |
| 5 | mL | 1 | 8260 MSV Low | METHYLPENTANO |
| 5 | mL | 1 | 8260 MSV Low | ACETONE |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8260B | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| Benzene | ND | ug/L | 1.0 | 0.18 | 92438972 |
| [illegible]benzene | ND | ug/L | 1.0 | 0.29 | 92438972 |
| Bromochlorometha | ND | ug/L | 1.0 | 0.34 | 92438972 |
| Bromodichlorometh | ND | ug/L | 1.0 | 0.28 | 92438972 |
| Bromoform | ND | ug/L | 1.0 | 0.62 | 92438972 |
| Bromomethane | ND | ug/L | 2.0 | 0.62 | 92438972 |
| C[illegible] | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Chlorobenzene | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Chloroethane | ND | ug/L | 1.0 | 0.49 | 92438972 |
| Chloroform | ND | ug/L | 5.0 | [illegible] | 92438972 |
| Chloromethane | 0.89J | ug/L | 1.0 | 0.39 | 92438972 |
| Dibromochlorometh | ND | ug/L | 1.0 | 0.41 | 92438972 |
| Dibromomethane | ND | ug/L | 1.0 | 0.46 | 92438972 |
| Dichlorodifluoromet | ND | ug/L | 1.0 | 0.23 | 92438972 |
| Diisopropyl ether | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Ethylbenzene | ND | ug/L | 1.0 | 0.26 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 1.0 | 0.44 | 92438972 |
| Methyl-tert-butyl | ND | ug/L | 1.0 | 0.28 | 92438972 |
| Methylene Chloride | ND | ug/L | 5.0 | 3.7 | 92438972 |
| Naphthalene | ND | ug/L | 1.0 | 0.35 | 92438972 |
| Styrene | ND | ug/L | 1.0 | 0.27 | 92438972 |
| Tetrachloroethene | ND | ug/L | 1.0 | 0.16 | 92438972 |
| Toluene | ND | ug/L | 1.0 | 0.24 | 92438972 |
| Trichloroethene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| Trichlorofluorometh | ND | ug/L | 1.0 | 0.31 | 92438972 |
| Vinyl acetate | ND | ug/L | 2.0 | 1.4 | 92438972 |
| Vinyl chloride | ND | ug/L | 1.0 | 0.24 | 92438972 |
| Xylene (Total) | ND | ug/L | 1.0 | 0.63 | 92438972 |
| cis-1,2- | ND | ug/L | 1.0 | 0.29 | 92438972 |
| cis-1,3- | ND | ug/L | 1.0 | 0.30 | 92438972 |
| m&p-Xylene | ND | ug/L | 2.0 | 0.41 | 92438972 |
| o-Xylene | ND | ug/L | 1.0 | 0.22 | 92438972 |
| p-Isopropyltoluene | ND | ug/L | 1.0 | 0.21 | 92438972 |
| trans-1,2- | ND | ug/L | 1.0 | 0.25 | 92438972 |
| trans-1,3- | ND | ug/L | 1.0 | 0.31 | 92438972 |
| 1,2-Dichloroethane- | 56 | % | | | 92438972 |
| 4- | 101 | % | | | 92438972 |
| Toluene-d8 (S) | 105 | % | | | 92438972 |
| 1,2,4- | ND | ug/L | 100 | 14.[illegible] | 92438972 |
| 1,2- | ND | ug/L | 100 | 16.0 | 92438972 |
| 1,3- | ND | ug/L | 100 | 13.8 | 92438972 |
| 1,4- | ND | ug/L | 100 | 13.8 | 92438972 |
| [illegible] | ND | ug/L | 100 | 14.3 | 92438972 |
| 2,2'-[illegible] | ND | ug/L | 100 | 18.2 | 92438972 |
| 2,4,5- | ND | ug/L | 100 | 15.0 | 92438972 |
| 2,4,6- | ND | ug/L | 100 | 14.4 | 92438972 |
| 2,4-Dichlorophenol | ND | ug/L | 100 | 15.5 | 92438972 |
| 2,4-Dimethylphenol | ND | ug/L | 100 | 18.[illegible] | 92438972 |
| 2,4-Dinitrophenol | ND | ug/L | 500 | 50.8 | 92438972 |
| 2,4-Dinitrotoluene | ND | ug/L | 100 | 15.[illegible] | 92438972 |
| 2,6-Dinitrotoluene | ND | ug/L | 100 | 13.6 | 92438972 |
| 2- | ND | ug/L | 100 | 16.3 | 92438972 |
| 2-Chlorophenol | ND | ug/L | 100 | 15.1 | 92438972 |
| 2- | ND | ug/L | 100 | 14.2 | 92438972 |
| 2-Methylphenol(o- | ND | ug/L | 100 | 16.1 | 92438972 |
| 2-Nitroaniline | ND | ug/L | 500 | 22.6 | 92438972 |
| 2-Nitrophenol | ND | ug/L | 100 | 18.5 | 92438972 |
| 3&4- | ND | ug/L | 100 | 14.3 | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 22:12 | 07/31/2019 22:12 | | 489573 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 75-00-3 | 1 | U | not corrected | N | 0 |
| 67-66-3 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 69 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 75-71-8 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 100-41-4 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 1634-04-4 | 1 | U | not corrected | N | 0 |
| 75-09-2 | 1 | U | not corrected | N | 0 |
| 91-20-3 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | .0000000001 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |

| | | | | | |
|---|---|---|---|---|---|
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| CL | Charlotte Lab | n | n | 0 | Agilent GC 7890B / |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |

| | | | | |
|---|---|---|---|---|
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| [v1] The continuing | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| | 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8260 WLLSC | 92438972003 | 5 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |

| | | | | |
|---|---|---|---|---|
| 5 | mL | 1 | 8260 MSV Low | BENZENE |
| 5 | mL | 1 | 8260 MSV Low | BROMOBENZENE |
| 5 | mL | 1 | 8260 MSV Low | BROMOCHLOROM |
| 5 | mL | 1 | 8260 MSV Low | BROMODICHLOR |
| 5 | mL | 1 | 8260 MSV Low | BROMOFORM |
| 5 | mL | 1 | 8260 MSV Low | BROMOMETHANE |
| 5 | mL | 1 | 8260 MSV Low | CARBONTETRAC |
| 5 | mL | 1 | 8260 MSV Low | CHLOROBENZEN |
| 5 | mL | 1 | 8260 MSV Low | CHLOROETHANE |
| 5 | mL | 1 | 8260 MSV Low | CHLOROFORM |
| 5 | mL | 1 | 8260 MSV Low | CHLOROMETHAN |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOCHLOR |
| 5 | mL | 1 | 8260 MSV Low | DIBROMOMETHA |
| 5 | mL | 1 | 8260 MSV Low | DICHLORODIFLU |
| 5 | mL | 1 | 8260 MSV Low | DIISOPROPYLETH |
| 5 | mL | 1 | 8260 MSV Low | ETHYLBENZENE |
| 5 | mL | 1 | 8260 MSV Low | HEXACHLORO13B |
| 5 | mL | 1 | 8260 MSV Low | METHYLTERTBUT |
| 5 | mL | 1 | 8260 MSV Low | METHYLENECHLO |
| 5 | mL | 1 | 8260 MSV Low | NAPHTHALENE |
| 5 | mL | 1 | 8260 MSV Low | STYRENE |
| 5 | mL | 1 | 8260 MSV Low | TETRACHLOROET |
| 5 | mL | 1 | 8260 MSV Low | TOLUENE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROETHE |
| 5 | mL | 1 | 8260 MSV Low | TRICHLOROFLUO |
| 5 | mL | 1 | 8260 MSV Low | VINYLACETATE |
| 5 | mL | 1 | 8260 MSV Low | VINYLCHLORIDE |
| 5 | mL | 1 | 8260 MSV Low | XYLENE(TOTAL) |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | 1 | 8260 MSV Low | XYLENEMP |
| 5 | mL | 1 | 8260 MSV Low | XYLENEO |
| 5 | mL | 1 | 8260 MSV Low | ISOPROPYLTOLU |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHEN |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROPROPE |
| 5 | mL | 1 | 8260 MSV Low | DICHLOROETHAN |
| 5 | mL | 1 | 8260 MSV Low | BROMOFLUOROB |
| 5 | mL | 1 | 8260 MSV Low | TOLUENED8(S) |
| [illegible] | mL | 1 | 8270 MSSV | TRICHLOROBENZ |
| [illegible] | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| [illegible] | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| [illegible] | mL | 1 | 8270 MSSV | DICHLOROBENZE |
| [illegible] | mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| [illegible] | mL | 1 | 8270 MSSV | OXYBIS(1CHLORO |
| [illegible] | mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| [illegible] | mL | 1 | 8270 MSSV | TRICHLOROPHEN |
| [illegible] | mL | 1 | 8270 MSSV | DICHLOROPHENO |
| [illegible] | mL | 1 | 8270 MSSV | DIMETHYLPHENO |
| [illegible] | mL | 1 | 8270 MSSV | DINITROPHENOL2 |
| [illegible] | mL | 1 | 8270 MSSV | DINITROTOLUENE |
| [illegible] | mL | 1 | 8270 MSSV | DINITROTOLUENE |
| [illegible] | mL | 1 | 8270 MSSV | CHLORONAPHTH |
| [illegible] | mL | 1 | 8270 MSSV | CHLOROPHENOL |
| [illegible] | mL | 1 | 8270 MSSV | METHYLNAPHTHA |
| [illegible] | mL | 1 | 8270 MSSV | METHYLPHENOL2 |
| [illegible] | mL | 1 | 8270 MSSV | NITROANILINE2 |
| [illegible] | mL | 1 | 8270 MSSV | NITROPHENOL2 |
| [illegible] | mL | 1 | 8270 MSSV | METHYLPHENOL2 |

| | | | | | |
|---|---|---|---|---|---|
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |
| Able Contracting | ACF-GW-472R | 92438972003 | 07/28/2019 15:10 | EPA 8270D | Water |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] | ND | ug/L | 500 | 30.6 | 92438972 |
| [illegible]-Nitroaniline | ND | ug/L | 500 | 26.[illegible] | 92438972 |
| 4,6-Dinitro-2- | ND | ug/L | 200 | 22.5 | 92438972 |
| 4- | ND | ug/L | 100 | 14.9 | 92438972 |
| 4-[illegible] | ND | ug/L | 200 | 28.4 | 92438972 |
| 4-Chloroaniline | ND | ug/L | 500 | 28.1 | 92438972 |
| 4- | ND | ug/L | 100 | 16.5 | 92438972 |
| 4-Nitroaniline | ND | ug/L | 500 | 33.7 | 92438972 |
| 4-Nitrophenol | ND | ug/L | 500 | 42.6 | 92438972 |
| Acenaphthene | ND | ug/L | 100 | 16.0 | 92438972 |
| Acenaphthylene | ND | ug/L | 100 | 14.8 | 92438972 |
| [illegible] | ND | ug/L | 100 | 12.3 | 92438972 |
| Anthracene | ND | ug/L | 100 | 17.1 | 92438972 |
| Benzo(a)anthracen | ND | ug/L | 100 | 21.1 | 92438972 |
| Benzo(a)pyrene | ND | ug/L | 100 | 22.1 | 92438972 |
| Benzo(b)fluoranthe | ND | ug/L | 100 | 21.9 | 92438972 |
| Benzo(g,h,i)perylen | ND | ug/L | 100 | 20.8 | 92438972 |
| Benzo(k)fluoranthe | ND | ug/L | 100 | 19.9 | 92438972 |
| Benzoic Acid | ND | ug/L | 500 | 50.1 | 92438972 |
| Benzyl alcohol | ND | ug/L | 200 | 30.8 | 92438972 |
| Butylbenzylphthalat | ND | ug/L | 100 | 24.9 | 92438972 |
| Chrysene | ND | ug/L | 100 | 20.9 | 92438972 |
| Di-n-butylphthalate | ND | ug/L | 100 | 19.8 | 92438972 |
| Di-n-octylphthalate | ND | ug/L | 100 | 14.9 | 92438972 |
| Dibenz(a,h)anthrac | ND | ug/L | 100 | 20.3 | 92438972 |
| Dibenzofuran | ND | ug/L | 100 | 16.5 | 92438972 |
| Diethylphthalate | ND | ug/L | 100 | 15.2 | 92438972 |
| Dimethylphthalate | ND | ug/L | 100 | 14.1 | 92438972 |
| Fluoranthene | ND | ug/L | 100 | 22.2 | 92438972 |
| Fluorene | ND | ug/L | 100 | 15.6 | 92438972 |
| Hexachloro-1,3- | ND | ug/L | 100 | 15.8 | 92438972 |
| Hexachlorobenzen | ND | ug/L | 100 | 16.6 | 92438972 |
| Hexachlorocyclope | ND | ug/L | 100 | 13.4 | 92438972 |
| Hexachloroethane | ND | ug/L | 100 | 18.4 | 92438972 |
| [illegible] | ND | ug/L | 100 | 20.5 | 92438972 |
| [illegible] | ND | ug/L | 100 | 15.0 | 92438972 |
| N-Nitrosodi-n- | ND | ug/L | 100 | 17.1 | 92438972 |
| N- | ND | ug/L | 100 | 15.9 | 92438972 |
| N- | ND | ug/L | 100 | 14.5 | 92438972 |
| Naphthalene | ND | ug/L | 100 | 14.0 | 92438972 |
| Nitrobenzene | ND | ug/L | 100 | 16.[illegible] | 92438972 |
| Pentachlorophenol | ND | ug/L | 500 | 36.2 | 92438972 |
| Phenanthrene | ND | ug/L | 100 | 15.5 | 92438972 |
| Phenol | ND | ug/L | 100 | 12.9 | 92438972 |
| Pyrene | ND | ug/L | 100 | 22.0 | 92438972 |
| bis(2- | ND | ug/L | 100 | 16.2 | 92438972 |
| bis(2-Chloroethyl) | ND | ug/L | 100 | 17.1 | 92438972 |
| bis(2- | ND | ug/L | 50.0 | 23.0 | 92438972 |
| 2,4,6- | [illegible] | % | | | 92438972 |
| 2-Fluorobiphenyl | [illegible] | % | | | 92438972 |
| 2-Fluorophenol (S) | 46 | % | | | 92438972 |
| Nitrobenzene-d5 | [illegible] | % | | | 92438972 |
| [illegible] | 23 | % | | | 92438972 |
| [illegible] | 38 | % | | | 92438972 |

| | | | | |
|---|---|---|---|---|
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |
| 07/29/2019 14:07 | 07/31/2019 15:39 | 08/01/2019 11:49 | EPA 3510C | 489508 |

| | | | | | |
|---|---|---|---|---|---|
| 91-94-1 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 534-52-1 | 1 | U | not corrected | N | 0 |
| 101-55-3 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 7005-72-3 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 100-02-7 | 1 | U | not corrected | N | 0 |
| 83-32-9 | 1 | U | not corrected | N | 0 |
| 208-96-8 | 1 | U | not corrected | N | 0 |
| 62-53-3 | 1 | U | not corrected | N | 0 |
| 120-12-7 | 1 | U | not corrected | N | 0 |
| 56-55-3 | 1 | U | not corrected | N | 0 |
| 50-32-8 | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 65-85-0 | 1 | U | not corrected | N | 0 |
| 100-51-6 | 1 | U | not corrected | N | 0 |
| 85-68-7 | 1 | U | not corrected | N | 0 |
| 218-01-9 | 1 | U | not corrected | N | 0 |
| 84-74-2 | 1 | U | not corrected | N | 0 |
| 117-84-0 | 1 | U | not corrected | N | 0 |
| 53-70-3 | 1 | U | not corrected | N | 0 |
| 132-64-9 | 1 | U | not corrected | N | 0 |
| 84-66-2 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 206-44-0 | 1 | U | not corrected | N | 0 |
| 86-73-7 | 1 | U | not corrected | N | 0 |
| 87-68-3 | 1 | U | not corrected | N | 0 |
| 118-74-1 | 1 | U | not corrected | N | 0 |
| 77-47-4 | 1 | U | not corrected | N | 0 |
| 67-72-1 | 1 | U | not corrected | N | 0 |
| [illegible] | | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 86-30-6 | 1 | U | not corrected | N | 0 |
| 91-20-3 | 1 | U | not corrected | N | 0 |
| 98-95-3 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| 85-01-8 | 1 | U | not corrected | N | 0 |
| 108-95-2 | 1 | U | not corrected | N | 0 |
| 129-00-0 | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | U | not corrected | N | 0 |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |
| [illegible] | 1 | | not corrected | N | |

| | | | | | |
|---|---|---|---|---|---|
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |
| BPJ | Charlotte Lab | n | n | 0 | Agilent 5975 |

| | | | |
|---|---|---|---|
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |
| 8/1/19 4:08 PM | MSSV | COMPLETE | 8/1/19 7:00 PM |

| | | | | | |
|---|---|---|---|---|---|
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |
| 8/1/19 4:56 PM | 3 | 8270WSEPSC | 92438972003 | 100 | mL |

| | | | | |
|---|---|---|---|---|
| 1 | mL | 1 | 8270 MSSV | DICHLOROBENZI |
| 1 | mL | | 8270 MSSV | NITROANILINE |
| 1 | mL | 1 | 8270 MSSV | DINITRO2METHYL |
| 1 | mL | 1 | 8270 MSSV | BROMOPHENYLP |
| 1 | mL | 1 | 8270 MSSV | CHLORO3METHY |
| 1 | mL | 1 | 8270 MSSV | CHLOROANILINE4 |
| 1 | mL | 1 | 8270 MSSV | CHLOROPHENYL |
| 1 | mL | 1 | 8270 MSSV | NITROANILINE4 |
| 1 | mL | 1 | 8270 MSSV | NITROPHENOL4 |
| 1 | mL | 1 | 8270 MSSV | ACENAPHTHENE |
| 1 | mL | 1 | 8270 MSSV | ACENAPHTHYLEN |
| 1 | mL | 1 | 8270 MSSV | ANILINE |
| 1 | mL | 1 | 8270 MSSV | ANTHRACENE |
| 1 | mL | 1 | 8270 MSSV | BENZO(A)ANTHRA |
| 1 | mL | 1 | 8270 MSSV | BENZO(A)PYRENE |
| 1 | mL | 1 | 8270 MSSV | BENZO(B)FLUORA |
| 1 | mL | 1 | 8270 MSSV | BENZO(GHI)PERY |
| 1 | mL | 1 | 8270 MSSV | BENZO(K)FLUORA |
| 1 | mL | 1 | 8270 MSSV | BENZOICACID |
| 1 | mL | 1 | 8270 MSSV | BENZYLALCOHOL |
| 1 | mL | 1 | 8270 MSSV | BUTYLBENZYLPH |
| 1 | mL | 1 | 8270 MSSV | CHRYSENE |
| 1 | mL | 1 | 8270 MSSV | DINBUTYLPHTHAL |
| 1 | mL | 1 | 8270 MSSV | DINOCTYLPHTHA |
| 1 | mL | 1 | 8270 MSSV | DIBENZ(AH)ANTH |
| 1 | mL | 1 | 8270 MSSV | DIBENZOFURAN |
| 1 | mL | 1 | 8270 MSSV | DIETHYLPHTHALA |
| 1 | mL | 1 | 8270 MSSV | DIMETHYLPHTHA |
| 1 | mL | 1 | 8270 MSSV | FLUORANTHENE |
| 1 | mL | 1 | 8270 MSSV | FLUORENE |
| 1 | mL | 1 | 8270 MSSV | HEXACHLORO13B |
| | mL | 1 | 8270 MSSV | HEXACHLOROBE |
| 1 | mL | 1 | 8270 MSSV | HEXACHLOROCY |
| 1 | mL | 1 | 8270 MSSV | HEXACHLOROET |
| 1 | mL | 1 | 8270 MSSV | INDENO(123CD)P |
| | mL | 1 | 8270 MSSV | ISOPHORONE |
| 1 | mL | 1 | 8270 MSSV | NNITROSODINPR |
| 1 | mL | 1 | 8270 MSSV | NNITROSODIMET |
| 1 | mL | 1 | 8270 MSSV | NNITROSODIPHE |
| | mL | 1 | 8270 MSSV | NAPHTHALENE |
| | mL | 1 | 8270 MSSV | NITROBENZENE |
| 1 | mL | 1 | 8270 MSSV | PENTACHLOROP |
| | mL | 1 | 8270 MSSV | PHENANTHRENE |
| 1 | mL | 1 | 8270 MSSV | PHENOL |
| | mL | 1 | 8270 MSSV | PYRENE |
| 1 | mL | 1 | 8270 MSSV | CHLOROETHOXY |
| 1 | mL | 1 | 8270 MSSV | CHLOROETHYLET |
| 1 | mL | 1 | 8270 MSSV | ETHYLHEXYLPHT |
| 1 | mL | 1 | 8270 MSSV | TRIBROMOPHEN |
| | mL | 1 | 8270 MSSV | FLUOROBIPHENY |
| 1 | mL | 1 | 8270 MSSV | FLUOROPHENOL2 |
| 1 | mL | 1 | 8270 MSSV | NITROBENZENED |
| | mL | 1 | 8270 MSSV | PHENOLD6(3) |
| 1 | mL | 1 | 8270 MSSV | TERPHENYLD14(3) |

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Saturday, August 3, 2019 2:32:23 PM
**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**CC:** shealyrg@dhec.sc.gov; Stewart, Jill C. <STEWARJC@dhec.sc.gov>
**Subject:** Re: Able Contracting Fire Water Data Summary Table
**Attachments:** Outlook-tgsz33fh.png (6.71 KB)

## Armstrong, Kathy

**From:** Garrard, Jordan
**Sent:** Saturday, August 03, 2019 10:32 AM
**To:** Marcus, Mike
**Cc:** shealyrg@dhec.sc.gov; Stewart, Jill C.
**Subject:** Re: Able Contracting Fire Water Data Summary Table





I have included some photos showing the drainage ditch. The blockage was put in by an adjacent property owner. I spoke with him and asked him to open the ditch back up to allow the water to drain.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 2, 2019, at 4:03 PM, Marcus, Mike <MARCUSJM@dhec.sc.gov> wrote:

Jordan,

Renee forwarded on to me the water summary data table. Thank you very much for that. In re: benchmarks for comparison:

GW -- as is listed, we will use the Federal MCLs; when an MCL is not published, we will go to the USEPA RSL tables (tap water value)

SW -- we will use State stream standards https://www.scdhec.gov/sites/default/files/media/document/R.61-68_0.pdf
for parameters where values are not promulgated, we will go to the USEPA R4 ecological screening guidance to check for a supplemental
https://www.epa.gov/risk/regional-ecological-risk-assessment-era-supplemental-guidance

Thanks again and hope that your weekend is not too difficult. Stay safe.

Best Regards,

Mike

**Mike Marcus, Ph.D.**
Chief, Bureau of Water
**S.C. Dept. of Health & Environmental Control**
Office: (803) 898-4210
Fax: (803) 898-3795
Connect: www.scdhec.gov Facebook witter

<Outlook-tgsz33fh.png>

---

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 3:33:14 PM
**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**Subject:** Fw: Able Contracting Fire Water Data Summary Table

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 2, 2019 3:19 PM
**To:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Subject:** Fwd: Able Contracting Fire Water Data Summary Table

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Waiting on EDD

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

Begin forwarded message:

> **From:** "Jones, Chris" <chris.jones@tetratech.com>
> **Date:** August 2, 2019 at 3:16:44 PM EDT
> **To:** "Garrard, Jordan" <garrard.jordan@epa.gov>
> **Cc:** "Snyder, John" <John.Snyder@tetratech.com>
> **Subject: Able Contracting Fire Water Data Summary Table**
>
> Mr. Garrard,
>
> See attached for the data summary table for water samples collected at the Able Contracting Fire. I will send you the EDD momentarily.
>
> Let me know if you need anything else.
>
> **Chris Jones** | Readiness Coordinator
>
> Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** | chris.jones@tetratech.com
>
> **Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions
>
> 

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, August 2, 2019 8:09:09 PM
**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**CC:** shealyrg@dhec.sc.gov; Stewart, Jill C. <STEWARJC@dhec.sc.gov>
**Subject:** Re: Able Contracting Fire Water Data Summary Table
**Attachments:** Outlook-tgsz33fh.png (6.71 KB)

Thank you for the information

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 2, 2019, at 4:03 PM, Marcus, Mike <MARCUSJM@dhec.sc.gov> wrote:

Jordan,

Renee forwarded on to me the water summary data table. Thank you very much for that. In re: benchmarks for comparison:

GW -- as is listed, we will use the Federal MCLs; when an MCL is not published, we will go to the USEPA RSL tables (tap water value)

SW -- we will use State stream standards https://www.scdhec.gov/sites/default/files/media/document/R.61-68_0.pdf
for parameters where values are not promulgated, we will go to the USEPA R4 ecological screening guidance to check for a supplemental
https://www.epa.gov/risk/regional-ecological-risk-assessment-era-supplemental-guidance

Thanks again and hope that your weekend is not too difficult. Stay safe.

Best Regards,

Mike

**Mike Marcus, Ph.D.**
Chief, Bureau of Water
S.C. Dept. of Health & Environmental Control

## Armstrong, Kathy

**From:** Garrard, Jordan
**Sent:** Friday, August 02, 2019 4:09 PM
**To:** Marcus, Mike
**Cc:** shealyrg@dhec.sc.gov; Stewart, Jill C.
**Subject:** Re: Able Contracting Fire Water Data Summary Table

Thank you for the information

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 2, 2019, at 4:03 PM, Marcus, Mike <MARCUSJM@dhec.sc.gov> wrote:

Jordan,

Renee forwarded on to me the water summary data table. Thank you very much for that. In re: benchmarks for comparison:

GW -- as is listed, we will use the Federal MCLs; when an MCL is not published, we will go to the USEPA RSL tables (tap water value)

SW -- we will use State stream standards https://www.scdhec.gov/sites/default/files/media/document/R.61-68_0.pdf
for parameters where values are not promulgated, we will go to the USEPA R4 ecological screening guidance to check for a supplemental
https://www.epa.gov/risk/regional-ecological-risk-assessment-era-supplemental-guidance

Thanks again and hope that your weekend is not too difficult. Stay safe.

Best Regards,

Mike

**Mike Marcus, Ph.D.**
Chief, Bureau of Water
**S.C. Dept. of Health & Environmental Control**
Office: (803) 898-4210
Fax: (803) 898-3795
Connect: www.scdhec.gov Facebook witter

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 3:33:14 PM
**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**Subject:** Fw: Able Contracting Fire Water Data Summary Table

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 2, 2019 3:19 PM
**To:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Subject:** Fwd: Able Contracting Fire Water Data Summary Table

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Waiting on EDD

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

Begin forwarded message:

> **From:** "Jones, Chris" <chris.jones@tetratech.com>
> **Date:** August 2, 2019 at 3:16:44 PM EDT
> **To:** "Garrard, Jordan" <garrard.jordan@epa.gov>
> **Cc:** "Snyder, John" <John.Snyder@tetratech.com>
> **Subject: Able Contracting Fire Water Data Summary Table**
>
> Mr. Garrard,
>
> See attached for the data summary table for water samples collected at the Able Contracting Fire. I will send you the EDD momentarily.
>
> Let me know if you need anything else.

**Chris Jones** | Readiness Coordinator

Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** | chris.jones@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions

**From:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**Sent on:** Friday, August 2, 2019 8:03:09 PM
**To:** shealyrg@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Stewart, Jill C. <STEWARJC@dhec.sc.gov>
**Subject:** Re: Able Contracting Fire Water Data Summary Table

Jordan,

Renee forwarded on to me the water summary data table. Thank you very much for that. In re: benchmarks for comparison:

GW -- as is listed, we will use the Federal MCLs; when an MCL is not published, we will go to the USEPA RSL tables (tap water value)

SW -- we will use State stream standards https://www.scdhec.gov/sites/default/files/media/document/R.61-68_0.pdf
for parameters where values are not promulgated, we will go to the USEPA R4 ecological screening guidance to check for a supplemental
https://www.epa.gov/risk/regional-ecological-risk-assessment-era-supplemental-guidance

Thanks again and hope that your weekend is not too difficult. Stay safe.

Best Regards,

Mike

**Mike Marcus, Ph.D.**
Chief, Bureau of Water
**S.C. Dept. of Health & Environmental Control**
Office: (803) 898-4210
Fax: (803) 898-3795
Connect: www.scdhec.gov Facebook witter

---

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 3:33:14 PM
**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>

**From:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**Sent on:** Friday, August 2, 2019 8:03:09 PM
**To:** shealyrg@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Stewart, Jill C. <STEWARJC@dhec.sc.gov>
**Subject:** Re: Able Contracting Fire Water Data Summary Table

Jordan,

Renee forwarded on to me the water summary data table. Thank you very much for that. In re: benchmarks for comparison:

GW -- as is listed, we will use the Federal MCLs; when an MCL is not published, we will go to the USEPA RSL tables (tap water value)

SW -- we will use State stream standards https://www.scdhec.gov/sites/default/files/media/document/R.61-68_0.pdf
for parameters where values are not promulgated, we will go to the USEPA R4 ecological screening guidance to check for a supplemental
https://www.epa.gov/risk/regional-ecological-risk-assessment-era-supplemental-guidance

Thanks again and hope that your weekend is not too difficult. Stay safe.

Best Regards,

Mike

**Mike Marcus, Ph.D.**
Chief, Bureau of Water
**S.C. Dept. of Health & Environmental Control**
Office: (803) 898-4210
Fax: (803) 898-3795
Connect: www.scdhec.gov Facebook witter

dhec
Healthy People Healthy Communities

---

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 3:33:14 PM
**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent on:** Friday, August 2, 2019 7:19:10 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** John Snyder <john.snyder@tetratech.com>
**Subject:** RE: Able Contracting Fire Water Data Summary Table
**Attachments:** Able Contracting Fire SW Pre-Review Table.pdf (72.38 KB), 92438972_TetraTechMT.XLS (863.5 KB)

Data Summary Table and EDD attached.

**From:** Jones, Chris
**Sent:** Friday, August 02, 2019 3:17 PM
**To:** Garrard, Jordan <garrard.jordan@epa.gov>
**Cc:** Snyder, John <John.Snyder@tetratech.com>
**Subject:** Able Contracting Fire Water Data Summary Table

Mr. Garrard,

See attached for the data summary table for water samples collected at the Able Contracting Fire. I will send you the EDD momentarily.

Let me know if you need anything else.

**Chris Jones** | Readiness Coordinator
Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** | chris.jones@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions

## Armstrong, Kathy

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent:** Friday, August 02, 2019 3:19 PM
**To:** Garrard, Jordan
**Cc:** John Snyder
**Subject:** RE: Able Contracting Fire Water Data Summary Table
**Attachments:** Able Contracting Fire SW Pre-Review Table.pdf; 92438972_TetraTechMT.XLS

Data Summary Table and EDD attached.

**From:** Jones, Chris
**Sent:** Friday, August 02, 2019 3:17 PM
**To:** Garrard, Jordan <garrard.jordan@epa.gov>
**Cc:** Snyder, John <John.Snyder@tetratech.com>
**Subject:** Able Contracting Fire Water Data Summary Table

Mr. Garrard,

See attached for the data summary table for water samples collected at the Able Contracting Fire. I will send you the EDD momentarily.

Let me know if you need anything else.

**Chris Jones** | Readiness Coordinator
Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** | chris.jones@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions

## PRE-REVIEW SURFACE WATER RESULTS SUMMARY TABLE
## ABLE CONTRACTING FIRE

| Parameter | MCL | ACF-GW-472R | ACF-SW-DITCH | ACF-SW-POND |
|---|---|---|---|---|
| **Metals (µg/L)** | | | | |
| Aluminum | NL | 100 U | 527 | 251 |
| Antimony | 6 | 5.0 U | **61.0** | **32.3** |
| Arsenic | 10 | 10.0 U | **554** | **493** |
| Barium | 2,000 | 5.7 | 175 | 133 |
| Cadmium | 5 | 1.0 U | 4.3 | 3.6 |
| Calcium | NL | 27200 | 904000 | 725000 |
| Chromium | 100 | 5.0 U | **191** | **148** |
| Copper | 1,300 | 27.6 | 38.1 | 20.2 |
| Iron | NL | 50.0 U | 1070 | 300 |
| Lead | 15 | 5.0 U | 3.0 J | 5.0 U |
| Magnesium | NL | 9370 | 83100 | 48900 |
| Manganese | NL | 21.8 | 820 | 526 |
| Nickel | NL | 2.6 J | 43.2 | 30.5 |
| Potassium | NL | 2760 J | 112000 | 75300 |
| Sodium | NL | 10600 | 430000 | 248000 |
| Vanadium | NL | 5.0 U | 36.4 | 22.7 |
| Zinc | NL | 130 | 72.7 | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | | |
| 1,2-Dichloroethane | 5 | 1.0 U | 0.83 J | 0.55 J |
| 2-Butanone (MEK) | NL | 5.0 U | 71.6 | 43.2 |
| 2-Hexanone | NL | 5.0 U | 3.5 J | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | NL | 5.0 U | 9.4 J | 5.0 U |
| Acetone | NL | 25.0 U | 325 | 269 |
| Benzene | 5 | 1.0 U | **29.7** | **21.4** |
| Chloromethane | NL | 0.69 J | 2.0 U | 1.8 |
| Ethylbenzene | 700 | 1.0 U | 6.2 | 6.0 |
| m&p-Xylene | NL | 2.0 U | 2.4 J | 1.8 J |
| Naphthalene | NL | 1.0 U | 3.9 | 2.3 |
| o-Xylene | NL | 1.0 U | 1.6 J | 1.1 |
| Toluene | 1,000 | 1.0 U | 14.5 | 10.5 |
| Xylene (Total) | 10,000 | 1.0 U | 2.0 U | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | | |
| 2,4-Dimethylphenol | NL | 100 U | 108 | 6.0 J |
| 2-Methylphenol(o-Cresol) | NL | 100 U | 137 | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | NL | 100 U | 82.9 J | 7.9 J |

**Notes:**

**BOLD** Reported value exceeds the MCL.
J The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
MCL Maximum contaminant level
NL Not listed
U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent on:** Saturday, August 3, 2019 2:47:53 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Marcus, Mike <MARCUSJM@dhec.sc.gov>; Stewart, Jill C. <STEWARJC@dhec.sc.gov>
**Subject:** Re: Able Contracting Fire Water Data Summary Table
**Attachments:** image2.jpeg (1.63 MB), image3.jpeg (1.2 MB), image4.jpeg (838.62 KB)

Jordan - want to be sure I am clear as to which property owner. It is Stiver that has put the berm up?

Sent from my iPhone

On Aug 3, 2019, at 10:33 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

## Armstrong, Kathy

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent:** Saturday, August 03, 2019 10:48 AM
**To:** Garrard, Jordan
**Cc:** Marcus, Mike; Stewart, Jill C.
**Subject:** Re: Able Contracting Fire Water Data Summary Table

Jordan - want to be sure I am clear as to which property owner. It is Stiver that has put the berm up?

Sent from my iPhone

On Aug 3, 2019, at 10:33 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***



<image3.jpeg>
<image4.jpeg>
I have included some photos showing the drainage ditch. The blockage was put in by an adjacent property owner. I spoke with him and asked him to open the ditch back up to allow the water to drain.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 2, 2019, at 4:03 PM, Marcus, Mike <MARCUSJM@dhec.sc.gov> wrote:

Jordan,

Renee forwarded on to me the water summary data table. Thank you very much for that. In re: benchmarks for comparison:

GW -- as is listed, we will use the Federal MCLs; when an MCL is not published, we will go to the USEPA RSL tables (tap water value)

SW -- we will use State stream standards https://www.scdhec.gov/sites/default/files/media/document/R.61-68_0.pdf

for parameters where values are not promulgated, we will go to the USEPA R4 ecological screening guidance to check for a supplemental https://www.epa.gov/risk/regional-ecological-risk-assessment-era-supplemental-guidance

Thanks again and hope that your weekend is not too difficult. Stay safe.

Best Regards,

Mike

**Mike Marcus, Ph.D.**
Chief, Bureau of Water
**S.C. Dept. of Health & Environmental Control**
Office: (803) 898-4210
Fax: (803) 898-3795
Connect: www.scdhec.gov Facebook witter

<Outlook-tgsz33fh.png>

---

**From:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 3:33:14 PM

**To:** Marcus, Mike <MARCUSJM@dhec.sc.gov>
**Subject:** Fw: Able Contracting Fire Water Data Summary Table

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 2, 2019 3:19 PM
**To:** Shealy, Renee <shealyrg@dhec.sc.gov>
**Subject:** Fwd: Able Contracting Fire Water Data Summary Table

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Waiting on EDD

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

Begin forwarded message:

> **From:** "Jones, Chris" <chris.jones@tetratech.com>
> **Date:** August 2, 2019 at 3:16:44 PM EDT
> **To:** "Garrard, Jordan" <garrard.jordan@epa.gov>
> **Cc:** "Snyder, John" <John.Snyder@tetratech.com>
> **Subject: Able Contracting Fire Water Data Summary Table**
>
> Mr. Garrard,
>
> See attached for the data summary table for water samples collected at the Able Contracting Fire. I will send you the EDD momentarily.
>
> Let me know if you need anything else.
>
> **Chris Jones** | Readiness Coordinator
>
> Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** |
> chris.jones@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions

*This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.*

Think Green: Reduce, Reuse, Recycle

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Monday, August 5, 2019 6:09:51 PM
**To:** Prys, Paul <Paul.Prys@tetratech.com>
**Subject:** Re: Able Contracting Summary Table

I didn't get an attachment, can you please
Resend.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 5, 2019, at 2:02 PM, Prys, Paul <Paul.Prys@tetratech.com> wrote:

Jordan,

Here's the mobile air monitoring tables for VOCs and CO. Give them a look and let me know if you need anything else.

Paul Prys | Senior Environmental Scientist/Project Manager
Direct: 678.775.3106 | Cell: 404.849.7136 | Fax: 678.775.3138
paul.prys@tetratech.com

Tetra Tech | Atlanta Office
1955 Evergreen Blvd. Bldg. 200, Ste. 300, Duluth, GA 30096 www.tetratech.com | NASDAQ:TTEK

**From:** Prys, Paul <Paul.Prys@tetratech.com>
**Sent on:** Monday, August 5, 2019 6:11:43 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Able Contracting Summary Table
**Attachments:** Viper Summary report_VOC_08032019-08042019.pdf (106.56 KB)

You know, it definitely helps to send the attachment the first time around. Sorry about that.

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Monday, August 05, 2019 2:10 PM
**To:** Prys, Paul <Paul.Prys@tetratech.com>
**Subject:** Re: Able Contracting Summary Table

⚠ **CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

I didn't get an attachment, can you please
Resend.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 5, 2019, at 2:02 PM, Prys, Paul <Paul.Prys@tetratech.com> wrote:

Jordan,

Here's the mobile air monitoring tables for VOCs and CO. Give them a look and let me know if you need anything else.

Paul Prys | Senior Environmental Scientist/Project Manager
Direct: 678.775.3106 | Cell: 404.849.7136 | Fax: 678.775.3138
paul.prys@tetratech.com

Tetra Tech | Atlanta Office
1955 Evergreen Blvd. Bldg. 200, Ste. 300, Duluth, GA 30096 www.tetratech.com | NASDAQ:TTEK

# Mobile Air Monitoring Summary Tables

***Project Name:***

***From:*** 8/3/19 12:10 ***To:*** 8/4/19 7:12

| Location 1 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

| Location 2 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

| Location 3 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 2 | 12 | 2 | 0 - 210 ppm | 20.8 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 4 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 1 | 0 - 10 ppm | 0.83 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 5 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 6 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 7 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 8 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

Notes:

AEGL Acute Exposure Guideline levels for airborne chemicals

CO Carbon monoxide

min Minute

PEL Permissible exposure limit

ppm Parter per million

VOC Volatile organic compoud

**From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Sent on:** Friday, August 9, 2019 7:39:20 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Contracting

Thanks Jordan!
Angela

On Fri, Aug 9, 2019 at 2:29 PM Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

I have attached the water analysis and all the air monitoring data. Air sampling data is still under review. I have included Matt Huyser on the email. He is replacing me as the EPA lead.

Jordan Garrard

On-Scene Coordinator

EPA Region 4

Emergency Response and Removal Branch

Work: 404-562-8642

Cell: 678-644-8648

**From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Sent:** Friday, August 9, 2019 3:04 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Able Contracting

Good afternoon Jordan! May we have the results for the testing y'all completed, please?

Thank you,

Angela

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Thursday, July 25, 2019 6:06:29 PM
**To:** Jessica Vickers <Jessica.Vickers@tetratech.com>
**CC:** Huyser, Matthew <Huyser.Matthew@epa.gov>; John Snyder <john.snyder@tetratech.com>
**Subject:** Re: Able Fire - air sampling methods
**Attachments:** image001.png (18.17 KB)

Let's do VOCs as well, let's plan on at least 2 rounds of sampling 4 locations per round

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Jul 25, 2019, at 1:53 PM, Vickers, Jessica <jessica.vickers@tetratech.com> wrote:

Combining the analyses for Bishop Road Landfill and Bennett Landfill, I come up with the following list of analyses to request:

- VOCs (although I understand we may drop these)
- SVOCs
- Formaldehyde
- Phosgene
- Dioxins/Furans
- Metals (including mercury)
- Asbestos (TEM)
- PM2.5
- Particle size
- Total mass

Please let me know definitively about this list and whether we want to do VOCs, and I'll see about getting sample media sent out to the field.

**Jessica A. Vickers** | USEPA Region 4 START IV QA Manager/Senior Chemist
Direct: 678.775.3094 **note new phone number**
jessica.vickers@tetratech.com

**Tetra Tech** | *Complex World, Clear Solutions* TM
Tetra Tech EM Inc. | www.tetratech.com | NASDAQ:TTEK

## Armstrong, Kathy

| | |
|---|---|
| **From:** | Garrard, Jordan |
| **Sent:** | Thursday, July 25, 2019 2:06 PM |
| **To:** | Jessica Vickers |
| **Cc:** | Huyser, Matthew; John Snyder |
| **Subject:** | Re: Able Fire - air sampling methods |

Let's do VOCs as well, let's plan on at least 2 rounds of sampling 4 locations per round

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Jul 25, 2019, at 1:53 PM, Vickers, Jessica <jessica.vickers@tetratech.com> wrote:

Combining the analyses for Bishop Road Landfill and Bennett Landfill, I come up with the following list of analyses to request:

- VOCs (although I understand we may drop these)
- SVOCs
- Formaldehyde
- Phosgene
- Dioxins/Furans
- Metals (including mercury)
- Asbestos (TEM)
- PM2.5
- Particle size
- Total mass

Please let me know definitively about this list and whether we want to do VOCs, and I'll see about getting sample media sent out to the field.

**Jessica A. Vickers** | USEPA Region 4 START IV QA Manager/Senior Chemist
Direct 678.775.3094 **note new phone number**
jessica.vickers@tetratech.com

**Tetra Tech** | *Complex World, Clear Solutions* ™
Tetra Tech EM Inc | www.tetratech.com | NASDAQ:TTEK


**From:** Huyser, Matthew <Huyser.Matthew@epa.gov>
**Sent:** Thursday, July 25, 2019 12:40 PM
**To:** Vickers, Jessica <jessica.vickers@tetratech.com>
**Cc:** Garrard, Jordan <garrard.jordan@epa.gov>
**Subject:** Able Fire - air sampling methods

⚠ **CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Below is a list from Dave Mickunas on sampling methodology that would be beneficial.

- Primary focus should be on PAHs which are expected
- Formaldehyde method is also provided below
- Both Dave and SESD recommended considering phthalates, except the TO-13A method doesn't list phthalates so Dave is checking in with a laboratory in CA on phthalates and will respond to me in an hour about their response
- VOCs may still be beneficial for poly-vinyl chloride and benzene so measurement of VOCs shouldn't be completely dismissed
- Dioxins, pesticides, and PCBs are optional

Attached is a COC and report from Bennett Landfill sampling. These samples were taken over the smoke plume. Analyses in the COC is listed below and the report contains the method numbers

- VOCs
- PM2.5 mass
- Total metals
- Particle Size
- Formaldehyde
- Total Mass

**Matthew J. Huyser, PE - On-Scene Coordinator**
U.S. Environmental Protection Agency, Region 4 | 61 Forsyth St SW | Atlanta, Georgia | 30303
Emergency Response Removal and Prevention Branch (ERRPB)
office: **404-562-8934** | cell: **678-427-8829** | fax: **404-562-8699**
epaosc.org

**From:** Mickunas, Dave
**Sent:** Thursday, July 25, 2019 1:27 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** Air Methods

Good Afternoon,

https://www3.epa.gov/ttnamti1/files/ambient/airtox/tocomp99.pdf
**VOCs** - Method TO-15: Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography Mass Spectrometry (GC/MS)
**VOCs** - Method TO-17: Determination of Volatile Organic Compounds in Ambient Air Using Active Sampling Onto Sorbent Tubes Compendium Method TO-13A
**SVOCs** - Method TO-13A: Determination of Polycyclic Aromatic Hydrocarbons (PAHs) in Ambient Air Using Gas Chromatographic/Mass Spectrometry (GC/MS)
**Formaldehyde** - Method TO-11A: Determination of Formaldehyde in Ambient Air Using Adsorbent Cartridge Followed by High Performance Liquid Chromatography (HPLC)
**Pesticides and PCBs** - Method TO-10A: Determination Of Pesticides And Polychlorinated Biphenyls In Ambient Air Using Low Volume Polyurethane Foam (PUF) Sampling Followed By Gas Chromatographic/Multi-Detector Detention (GC/MD)

**Dioxins** - Method TO-9A- Determination of Polychlorinated, Polybrominated And Brominated/Chlorinated Dibenzo-p-Dioxins And Dibenzofurans In Ambient Air

**PAH** - https://www.cdc.gov/niosh/docs/2003-154/pdfs/5515.pdf
**PAH** - https://www.cdc.gov/niosh/docs/2003-154/pdfs/5506.pdf

Best regards,
David B. Mickunas
Trace Atmospheric Gas Analyzer (TAGA) Laboratories Coordinator
US EPA/Environmental Response Team
109 T.W. Alexander Drive
Mail Code E343-04
Research Triangle Park, NC 27711
919 541 4191 (office)
609 865 1574 (cellular)
<image001.png>

**From:** Moore, Abena <Moore.Abena@epa.gov> on behalf of Moore, Abena
**Sent on:** Thursday, July 25, 2019 9:16:40 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**CC:** Miller, Angela <Miller.Angela@epa.gov>
**Subject:** RE: Able Fire - CIC availability

It's Abena Moore, recently got married.

**From:** Huyser, Matthew
**Sent:** Thursday, July 25, 2019 4:24 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Cc:** Miller, Angela <Miller.Angela@epa.gov>; Moore, Abena <Moore.Abena@epa.gov>
**Subject:** Able Fire - CIC availability

Jordan and Kevin,

Rachel called and informed me that Angela Miller and Abena Ajanaku will be available to provide support beginning 7/26/2019 if you need them.

Angela Miller
678-575-8132

Abena Ajanaku
404-735-9352

**Matthew J. Huyser, PE - On-Scene Coordinator**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Emergency Response Removal and Prevention Branch (ERRPB)**
office: **404-562-8934** | cell: **678-427-8829** | fax: **404-562-8699**
epaosc.org

**From:** Moore, Tony <moore.tony@epa.gov> on behalf of Moore, Tony
**Sent on:** Saturday, July 27, 2019 1:26:11 AM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>
**CC:** Webster, James <Webster.James@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Fire - story map

Good thinking outside the box. Let's not set up an expectation that it will be routinely done, unless the DD or BC wants it. Good job.

Sent from my iPhone

On Jul 26, 2019, at 3:32 PM, Huyser, Matthew <Huyser.Matthew@epa.gov> wrote:

> Tetra tech was charged today with building a story map that displays information and data on the Able Contracting Fire Site. This task was done with remote resources that are both supporting requests from the field and accessing data from the field without imposing any reporting burden on field personnel - in this restriction Tetra Tech demonstrates the capability to create the story map without slowing the response even during the first 24 hours.
>
> This is the first version of the story map. Edits are needed and the VIPER data dashboard is still under construction until later this evening. The resource dedication for this task was light, so the delay is a factor of resources and not overall time.
>
> The story map works extremely well on a mobile device. This product is a demonstration of proof of capability and is not intended to be used for public dissemination. If it WERE to be released to the public, this product would be reviewed and approved by the PAD prior to external publication. Under an emergency response that required this product for the public, we would hope that approval would be done within a matter of hours.
>
> https://storymaps.arcgis.com/stories/3d81262963bb420097e625b94807a0a9
>
> **Matthew J. Huyser, PE - On-Scene Coordinator**
> **U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
> **Emergency Response Removal and Prevention Branch (ERRPB)**
> office: **404-562-8934** | cell: **678-427-8829** | fax:**404-562-8699**
> **epaosc.org**

**From:** Moore, Tony <moore.tony@epa.gov> on behalf of Moore, Tony
**Sent on:** Saturday, July 27, 2019 1:26:11 AM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>
**CC:** Webster, James <Webster.James@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Fire - story map

Good thinking outside the box. Let's not set up an expectation that it will be routinely done, unless the DD or BC wants it. Good job.

Sent from my iPhone

On Jul 26, 2019, at 3:32 PM, Huyser, Matthew <Huyser.Matthew@epa.gov> wrote:

> Tetra tech was charged today with building a story map that displays information and data on the Able Contracting Fire Site. This task was done with remote resources that are both supporting requests from the field and accessing data from the field without imposing any reporting burden on field personnel - in this restriction Tetra Tech demonstrates the capability to create the story map without slowing the response even during the first 24 hours.
>
> This is the first version of the story map. Edits are needed and the VIPER data dashboard is still under construction until later this evening. The resource dedication for this task was light, so the delay is a factor of resources and not overall time.
>
> The story map works extremely well on a mobile device. This product is a demonstration of proof of capability and is not intended to be used for public dissemination. If it WERE to be released to the public, this product would be reviewed and approved by the PAD prior to external publication. Under an emergency response that required this product for the public, we would hope that approval would be done within a matter of hours.
>
> https://storymaps.arcgis.com/stories/3d81262963bb420097e625b94807a0a9
>
> **Matthew J. Huyser, PE - On-Scene Coordinator**
> **U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
> **Emergency Response Removal and Prevention Branch (ERRPB)**
> office: **404-562-8934** | cell: **678-427-8829** | fax:**404-562-8699**
> **epaosc.org**

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, July 26, 2019 10:54:34 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Webster, James <Webster.James@epa.gov>; Moore, Tony <moore.tony@epa.gov>
**CC:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Subject:** RE: Able Fire - story map

Matt, Thanks for your help yesterday and today

Jordan

**From:** Huyser, Matthew
**Sent:** Friday, July 26, 2019 6:33 PM
**To:** Webster, James <Webster.James@epa.gov>; Moore, Tony <moore.tony@epa.gov>
**Cc:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Able Fire - story map

Tetra tech was charged today with building a story map that displays information and data on the Able Contracting Fire Site. This task was done with remote resources that are both supporting requests from the field and accessing data from the field without imposing any reporting burden on field personnel - in this restriction Tetra Tech demonstrates the capability to create the story map without slowing the response even during the first 24 hours.

This is the first version of the story map. Edits are needed and the VIPER data dashboard is still under construction until later this evening. The resource dedication for this task was light, so the delay is a factor of resources and not overall time.

The story map works extremely well on a mobile device. This product is a demonstration of proof of capability and is not intended to be used for public dissemination. If it WERE to be released to the public, this product would be reviewed and approved by the PAD prior to external publication. Under an emergency response that required this product for the public, we would hope that approval would be done within a matter of hours.

https://storymaps.arcgis.com/stories/3d81262963bb420097e625b94807a0a9

**Matthew J. Huyser, PE - On-Scene Coordinator**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Emergency Response Removal and Prevention Branch (ERRPB)**
office: **404-562-8934** | cell: **678-427-8829** | fax:**404-562-8699**
**epaosc.org**

**From:** Huyser, Matthew <Huyser.Matthew@epa.gov> on behalf of Huyser, Matthew
**Sent on:** Saturday, July 27, 2019 1:59:39 AM
**To:** Moore, Tony <moore.tony@epa.gov>
**CC:** Webster, James <Webster.James@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able Fire - story map

Understood. No proposal is being made that this will be a routine task and no one is asking that this one be made public. The goals were to exercise our contractors' capability and demonstrate the product. I think those goals have been achieved.

**Matthew J. Huyser, PE - On-Scene Coordinator**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Emergency Response Removal and Prevention Branch (ERRPB)**
office: **404-562-8934** | cell: **678-427-8829** | fax:**404-562-8699**
**epaosc.org**

On Jul 26, 2019, at 9:26 PM, Moore, Tony <moore.tony@epa.gov> wrote:

> Good thinking outside the box. Let's not set up an expectation that it will be routinely done, unless the DD or BC wants it. Good job.
>
> Sent from my iPhone
>
> On Jul 26, 2019, at 3:32 PM, Huyser, Matthew <Huyser.Matthew@epa.gov> wrote:
>
>> Tetra tech was charged today with building a story map that displays information and data on the Able Contracting Fire Site. This task was done with remote resources that are both supporting requests from the field and accessing data from the field without imposing any reporting burden on field personnel - in this restriction Tetra Tech demonstrates the capability to create the story map without slowing the response even during the first 24 hours.
>>
>> This is the first version of the story map. Edits are needed and the VIPER data dashboard is still under construction until later this evening. The resource dedication for this task was light, so the delay is a factor of resources and not overall time.
>>
>> The story map works extremely well on a mobile device. This product is a demonstration of proof of capability and is not intended to be used for public dissemination. If it WERE to be released to the public, this product would be reviewed and approved by the PAD prior to external publication. Under an emergency response that required this product for the public, we would hope that approval would be done within a matter of hours.

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Wednesday, August 7, 2019 1:11:36 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 6 Midnight to midnight)
Palmetto Exterminators 10ug/M3 (Good)
Schinger 46ug/M3 (Unhealthy for Sensitive Groups)

The community has been downwind and current ~8 hour average is ~68 ( in the unhealthy range), likely to moderate as the day goes on, but still indicating higher concentrations at night. Winds are predicted to be from the west during extended periods Thursday through late Saturday

---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Tuesday, August 6, 2019 9:17:31 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 5 Midnight to midnight)
Palmetto Exterminators 15ug/M3 (Moderate)
Schinger 44ug/M3 (Unhealthy for Sensitive Groups)

The community has been( and continues to be) downwind and has seen elevated concentrations throughout the day - even during rain events . No break in impact during the day..

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Tuesday, August 6, 2019 1:17:31 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 5 Midnight to midnight)

| | | |
|---|---|---|
| Palmetto Exterminators | 15ug/M3 (Moderate) |
| Schinger | 44ug/M3 (Unhealthy for Sensitive Groups) |

The community has been( and continues to be) downwind and has seen elevated concentrations throughout the day - even during rain events . No break in impact during the day..




---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Monday, August 5, 2019 9:20:38 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>;

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Monday, August 5, 2019 1:20:38 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 4 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 16ug/M3 (Moderate) |
| Schinger | 16ug/M3 (Moderate) |




---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Sunday, August 4, 2019 11:02:07 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 3:02:07 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

When there aren't folks on site , rain events may be inferred from the ambient temperature dips . I'd guess short rain events at ~2 and 5pm yesterday.
in particular, at both locations at the same time.







---

**From:** Thompson, Rhonda <thompsrb@dhec.sc.gov>

**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 2:43:22 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** thompsrb@dhec.sc.gov; Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

My apology........just noted change in wind direction below.........

Sent from my iPad

On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> It rained twice yesterday for approximately 15 mins each time l.
>
> Jordan Garrard
> On Scene Coordinator
> EPA Region 4
> Garrard.jordan@epa.gov
> 678-644-8648
>
> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
>
>> Did they get rain?
>>
>> Sent from my iPad
>>
>> Rhonda B. Thompson, P.E.
>> Chief, Bureau of Air Quality
>> South Carolina Department of Health & Environmental Control
>> thompsrb@dhec.sc.gov
>> (803)898-4391
>>
>> On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

**Armstrong, Kathy**

**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent:** Sunday, August 04, 2019 10:43 AM
**To:** Garrard, Jordan
**Cc:** thompsrb@dhec.sc.gov; Scott Reynolds; Frost, Keith; shealyrg@dhec.sc.gov; Marshall, Frances (Fran); Marcus, Mike; Porter, Henry; Keisler, Van; Blalock, Juli; Taylor, Monica N.; Dickman, Jacquelyn S.; Timmerman, Kelsey A.; Threatt, Richard; Boyce, Lawra; Boswell, Wendy
**Subject:** Re: Able PM

My apology........just noted change in wind direction below.........

Sent from my iPad

On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> It rained twice yesterday for approximately 15 mins each time I.
>
> Jordan Garrard
> On Scene Coordinator
> EPA Region 4
> Garrard.jordan@epa.gov
> 678-644-8648
>
> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
>
> > Did they get rain?
> >
> > Sent from my iPad
> >
> > Rhonda B. Thompson, P.E.
> > Chief, Bureau of Air Quality
> > South Carolina Department of Health & Environmental Control
> > thompsrb@dhec.sc.gov
> > (803)898-4391
> >
> > On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:
> >
> > > Yesterday's 24 hour averages (Aug 3 Midnight to midnight)
> > >
> > > Palmetto Exterminators 7ug/M3 (Good)
> > >
> > > Schinger 8ug/M3 (Good)
> > >
> > > Wind still predicted to shift back to from the west(towards community) early Monday

<pastedImage.png>

<pastedImage.png>

---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Saturday, August 3, 2019 8:31:36 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Cc:** Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Able PM

Yesterday's 24 hour averages (Aug 1 Midnight to midnight)

Palmetto Exterminators 29ug/M3 (Moderate)

Schinger* 17ug/M3 (Moderate)

*Since Noon yesterday the Schinger monitor concentrations have been uncannily low and consistent. 'Tho it's been generally upwind and there's been precip, if someone can put eyes on it to confirm it the particulate inlet appears OK, I'd feel better..

Neighborhood monitors



**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 2:42:27 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** thompsrb@dhec.sc.gov; Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

Shift in wind direction? Scott: any data on that piece?

Sent from my iPad

On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> It rained twice yesterday for approximately 15 mins each time l.
>
> Jordan Garrard
> On Scene Coordinator
> EPA Region 4
> Garrard.jordan@epa.gov
> 678-644-8648
>
> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
>
> > Did they get rain?
> >
> > Sent from my iPad
> >
> > Rhonda B. Thompson, P.E.
> > Chief, Bureau of Air Quality
> > South Carolina Department of Health & Environmental Control
> > thompsrb@dhec.sc.gov
> > (803)898-4391
> >
> > On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 2:41:21 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** thompsrb@dhec.sc.gov; Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

Did Mr Lloyd or the fire dept apply water to the pile?

Sent from my iPad

On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> It rained twice yesterday for approximately 15 mins each time l.
>
> Jordan Garrard
> On Scene Coordinator
> EPA Region 4
> Garrard.jordan@epa.gov
> 678-644-8648
>
> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
>
>> Did they get rain?
>>
>> Sent from my iPad
>>
>> Rhonda B. Thompson, P.E.
>> Chief, Bureau of Air Quality
>> South Carolina Department of Health & Environmental Control
>> thompsrb@dhec.sc.gov
>> (803)898-4391
>>
>> On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Wednesday, August 7, 2019 1:11:36 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 6 Midnight to midnight)
Palmetto Exterminators 10ug/M3 (Good)
Schinger 46ug/M3 (Unhealthy for Sensitive Groups)

The community has been downwind and current ~8 hour average is ~68 ( in the unhealthy range), likely to moderate as the day goes on, but still indicating higher concentrations at night. Winds are predicted to be from the west during extended periods Thursday through late Saturday

---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Tuesday, August 6, 2019 9:17:31 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 5 Midnight to midnight)
Palmetto Exterminators 15ug/M3 (Moderate)
Schinger 44ug/M3 (Unhealthy for Sensitive Groups)

The community has been( and continues to be) downwind and has seen elevated concentrations throughout the day - even during rain events . No break in impact during the day..



**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 12:55:23 PM
**To:** thompsrb@dhec.sc.gov; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 3 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 7ug/M3 (Good) |
| Schinger | 8ug/M3 (Good) |

Wind still predicted to shift back to from the west(towards community) early Monday






**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Tuesday, August 6, 2019 1:17:31 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 5 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 15ug/M3 (Moderate) |
| Schinger | 44ug/M3 (Unhealthy for Sensitive Groups) |

The community has been( and continues to be) downwind and has seen elevated concentrations throughout the day - even during rain events . No break in impact during the day..




---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Monday, August 5, 2019 9:20:38 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>;

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Monday, August 5, 2019 1:20:38 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 4 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 16ug/M3 (Moderate) |
| Schinger | 16ug/M3 (Moderate) |




**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Sunday, August 4, 2019 11:02:07 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Saturday, August 3, 2019 12:42:47 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Thanks. Rain/water( and wind) good for smoke . Not so much for sampling Thanks for the look and hope you're able to get some representative samples /readings.

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Saturday, August 3, 2019 8:38:38 AM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Cc:** Thompson, Rhonda <thompsrb@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Just checked it the instrument, inlet looks good. Mr. Hampton Lloyd was putting water on a hot spot on the southeast corner of the pile last night. Since we have been hear the smoke has been blowing to the south and south west down the power lines.
Jordan

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 3, 2019, at 8:31 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

> Yesterday's 24 hour averages (Aug 1 Midnight to midnight)
> Palmetto Exterminators 29ug/M3 (Moderate)
> Schinger* 17ug/M3 (Moderate)
> *Since Noon yesterday the Schinger monitor concentrations have been uncannily low and consistent. 'Tho it's been generally upwind and there's been precip, if someone can put eyes on it to confirm it the particulate inlet appears OK, I'd feel better..
>
> <pastedImage.png>

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Sunday, August 4, 2019 2:55:46 PM
**To:** reecemc@dhec.sc.gov
**CC:** thompsrb@dhec.sc.gov; Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

Not last night

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 4, 2019, at 10:41 AM, Reece, Myra <reecemc@dhec.sc.gov> wrote:

> Did Mr Lloyd or the fire dept apply water to the pile?
>
> Sent from my iPad
>
> On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:
>
>> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
>> It rained twice yesterday for approximately 15 mins each time l.
>>
>> Jordan Garrard
>> On Scene Coordinator
>> EPA Region 4
>> Garrard.jordan@epa.gov
>> 678-644-8648
>>
>> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:

## Armstrong, Kathy

**From:** Garrard, Jordan
**Sent:** Sunday, August 04, 2019 10:56 AM
**To:** reecemc@dhec.sc.gov
**Cc:** thompsrb@dhec.sc.gov; Scott Reynolds; Frost, Keith; shealyrg@dhec.sc.gov; Marshall, Frances (Fran); Marcus, Mike; Porter, Henry; Keisler, Van; Blalock, Juli; Taylor, Monica N.; Dickman, Jacquelyn S.; Timmerman, Kelsey A.; Threatt, Richard; Boyce, Lawra; Boswell, Wendy
**Subject:** Re: Able PM

Not last night

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 4, 2019, at 10:41 AM, Reece, Myra <reecemc@dhec.sc.gov> wrote:

> Did Mr Lloyd or the fire dept apply water to the pile?
>
> Sent from my iPad
>
> On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:
>
> > *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> > It rained twice yesterday for approximately 15 mins each time I.
> >
> > Jordan Garrard
> > On Scene Coordinator
> > EPA Region 4
> > Garrard.jordan@epa.gov
> > 678-644-8648
> >
> > On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
> >
> > > Did they get rain?
> > >
> > > Sent from my iPad
> > >
> > > Rhonda B. Thompson, P.E.
> > > Chief, Bureau of Air Quality
> > > South Carolina Department of Health & Environmental Control
> > > thompsrb@dhec.sc.gov
> > > (803)898-4391

On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

Yesterday's 24 hour averages (Aug 3 Midnight to midnight)

Palmetto Exterminators 7ug/M3 (Good)

Schinger 8ug/M3 (Good)

Wind still predicted to shift back to from the west(towards community) early Monday

<pastedImage.png>

<pastedImage.png>

---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Saturday, August 3, 2019 8:31:36 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Cc:** Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Able PM

Yesterday's 24 hour averages (Aug 1 Midnight to midnight)

Palmetto Exterminators 29ug/M3 (Moderate)

Schinger*        17ug/M3 (Moderate)

*Since Noon yesterday the Schinger monitor concentrations have been uncannily low and consistent. 'Tho it's been generally upwind and there's been precip, if someone can put eyes on it to confirm it the particulate inlet appears OK, I'd feel better..



**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 2:43:22 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** thompsrb@dhec.sc.gov; Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

My apology........just noted change in wind direction below.........

Sent from my iPad

On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> It rained twice yesterday for approximately 15 mins each time l.
>
> Jordan Garrard
> On Scene Coordinator
> EPA Region 4
> Garrard.jordan@epa.gov
> 678-644-8648
>
> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
>
>> Did they get rain?
>>
>> Sent from my iPad
>>
>> Rhonda B. Thompson, P.E.
>> Chief, Bureau of Air Quality
>> South Carolina Department of Health & Environmental Control
>> thompsrb@dhec.sc.gov
>> (803)898-4391
>>
>> On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

Share Copy link Download Delete Copy to Version history Previous 257 of 2

**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 2:42:27 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** thompsrb@dhec.sc.gov; Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

Shift in wind direction? Scott: any data on that piece?

Sent from my iPad

On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> It rained twice yesterday for approximately 15 mins each time l.
>
> Jordan Garrard
> On Scene Coordinator
> EPA Region 4
> Garrard.jordan@epa.gov
> 678-644-8648
>
> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
>
>> Did they get rain?
>>
>> Sent from my iPad
>>
>> Rhonda B. Thompson, P.E.
>> Chief, Bureau of Air Quality
>> South Carolina Department of Health & Environmental Control
>> thompsrb@dhec.sc.gov
>> (803)898-4391
>>
>> On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 2:41:21 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** thompsrb@dhec.sc.gov; Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

Did Mr Lloyd or the fire dept apply water to the pile?

Sent from my iPad

On Aug 4, 2019, at 10:16 AM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> *** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***
> It rained twice yesterday for approximately 15 mins each time l.
>
> Jordan Garrard
> On Scene Coordinator
> EPA Region 4
> Garrard.jordan@epa.gov
> 678-644-8648
>
> On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:
>
>> Did they get rain?
>>
>> Sent from my iPad
>>
>> Rhonda B. Thompson, P.E.
>> Chief, Bureau of Air Quality
>> South Carolina Department of Health & Environmental Control
>> thompsrb@dhec.sc.gov
>> (803)898-4391
>>
>> On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Sunday, August 4, 2019 2:16:26 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Scott Reynolds <reynolds@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

It rained twice yesterday for approximately 15 mins each time l.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 4, 2019, at 9:57 AM, Thompson, Rhonda <thompsrb@dhec.sc.gov> wrote:

> Did they get rain?
>
> Sent from my iPad
>
> Rhonda B. Thompson, P.E.
> Chief, Bureau of Air Quality
> South Carolina Department of Health & Environmental Control
> thompsrb@dhec.sc.gov
> (803)898-4391
>
> On Aug 4, 2019, at 8:55 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:
>
>> Yesterday's 24 hour averages (Aug 3 Midnight to midnight)
>>
>> Palmetto Exterminators 7ug/M3 (Good)
>>
>> Schinger 8ug/M3 (Good)
>>
>> Wind still predicted to shift back to from the west(towards community) early Monday

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Sunday, August 4, 2019 12:55:23 PM
**To:** thompsrb@dhec.sc.gov; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 3 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 7ug/M3 (Good) |
| Schinger | 8ug/M3 (Good) |

Wind still predicted to shift back to from the west(towards community) early Monday






**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Saturday, August 3, 2019 12:42:47 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Thanks. Rain/water( and wind) good for smoke . Not so much for sampling Thanks for the look and hope you're able to get some representative samples /readings.

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Saturday, August 3, 2019 8:38:38 AM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Cc:** Thompson, Rhonda <thompsrb@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM



Just checked it the instrument, inlet looks good. Mr. Hampton Lloyd was putting water on a hot spot on the southeast corner of the pile last night. Since we have been hear the smoke has been blowing to the south and south west down the power lines.
Jordan

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 3, 2019, at 8:31 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

> Yesterday's 24 hour averages (Aug 1 Midnight to midnight)
> Palmetto Exterminators 29ug/M3 (Moderate)
> Schinger* 17ug/M3 (Moderate)
> *Since Noon yesterday the Schinger monitor concentrations have been uncannily low and consistent. 'Tho it's been generally upwind and there's been precip, if someone can put eyes on it to confirm it the particulate inlet appears OK, I'd feel better..
>
> <pastedImage.png>

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Saturday, August 3, 2019 12:38:38 PM
**To:** Scott Reynolds <reynolds@dhec.sc.gov>
**CC:** thompsrb@dhec.sc.gov; Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>
**Subject:** Re: Able PM
**Attachments:** pastedImage.png (37.81 KB)

Just checked it the instrument, inlet looks good. Mr. Hampton Lloyd was putting water on a hot spot on the southeast corner of the pile last night. Since we have been hear the smoke has been blowing to the south and south west down the power lines.
Jordan

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

On Aug 3, 2019, at 8:31 AM, Reynolds, Scott <REYNOLDS@dhec.sc.gov> wrote:

Yesterday's 24 hour averages (Aug 1 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 29ug/M3 (Moderate) |
| Schinger* | 17ug/M3 (Moderate) |

*Since Noon yesterday the Schinger monitor concentrations have been uncannily low and consistent. 'Tho it's been generally upwind and there's been precip, if someone can put eyes on it to confirm it the particulate inlet appears OK, I'd feel better..

<pastedImage.png>

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Friday, August 9, 2019 1:26:21 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 8 Midnight to midnight)

| | | |
|---|---|---|
| Palmetto Exterminators | | 14 ug/M3 (Moderate) |
| | Schinger | 82 ug/M3 (Unhealthy ) |

It appears the Palmetto exterminators PM2.5 stopped transmitting data at~6:30AM this morning. PM10 is still.sending data.




---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Thursday, August 8, 2019 9:18:09 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Friday, August 9, 2019 2:26:49 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Hopefully someplace with less smoke/emissions/discharge/release /contamination/driving than at work.
I'll put him on the list -
Would you like to be spared the daily's temporarily or permanently?

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 9, 2019 9:43:57 AM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Cc:** Huyser, Matthew <huyser.matthew@epa.gov>
**Subject:** RE: Able PM

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Scott, please include Matt Huyser on the distribution list. He is responding to the facility now, since I am going on vacation.

Thanks

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Friday, August 9, 2019 9:26 AM
**To:** thompsrb@dhec.sc.gov
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 8 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 14 ug/M3 (Moderate) |
| Schinger | 82 ug/M3 (Unhealthy ) |

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, August 9, 2019 1:43:57 PM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**CC:** Matthew Huyser <Huyser.Matthew@epa.gov>
**Subject:** RE: Able PM

Scott, please include Matt Huyser on the distribution list. He is responding to the facility now, since I am going on vacation.

Thanks

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Friday, August 9, 2019 9:26 AM
**To:** thompsrb@dhec.sc.gov
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 8 Midnight to midnight)

Palmetto Exterminators 14 ug/M3 (Moderate)

Schinger 82 ug/M3 (Unhealthy )

It appears the Palmetto exterminators PM2.5 stopped transmitting data at~6:30AM this morning. PM10 is still.sending data.

Neighborhood monitors

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Thursday, August 8, 2019 1:18:09 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 7 Midnight to midnight)
Palmetto Exterminators 6 ug/M3 (Good)
Schinger 55 ug/M3 (Unhealthy for Sensitive Groups)- but right on the cusp of being classified 'Unhealthy'

A PM10 was deployed to Palmetto Exterminators yesterday to see if it could serve as a surrogate after the planned move of the PM2.5 to Okatie Elementary next week.




---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Wednesday, August 7, 2019 9:41:43 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>;

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Wednesday, August 7, 2019 1:41:43 PM
**To:** thompsrb@dhec.sc.gov
**CC:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Forgot the graph.
Everybody likes graphs
Right?




---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Wednesday, August 7, 2019 9:11:36 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Friday, August 9, 2019 2:26:49 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Hopefully someplace with less smoke/emissions/discharge/release /contamination/driving than at work.
I'll put him on the list -
Would you like to be spared the daily's temporarily or permanently?

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 9, 2019 9:43:57 AM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Cc:** Huyser, Matthew <huyser.matthew@epa.gov>
**Subject:** RE: Able PM

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Scott, please include Matt Huyser on the distribution list. He is responding to the facility now, since I am going on vacation.

Thanks

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Friday, August 9, 2019 9:26 AM
**To:** thompsrb@dhec.sc.gov
**Cc:** Frost, Keith <frostrk@dhec.sc.gov>; shealyrg@dhec.sc.gov; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; reecemc@dhec.sc.gov; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>; Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Able PM

Yesterday's 24 hour averages (Aug 8 Midnight to midnight)

| | |
|---|---|
| Palmetto Exterminators | 14 ug/M3 (Moderate) |
| Schinger | 82 ug/M3 (Unhealthy ) |

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Monday, July 29, 2019 4:01:09 PM
**To:** Pinkney, James <Pinkney.James@epa.gov>
**Subject:** RE: ACTION: The Island Packet & Beaufort Gazette Inquiry

Please see the answers below

**From:** Pinkney, James
**Sent:** Monday, July 29, 2019 10:59 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** ACTION: The Island Packet & Beaufort Gazette Inquiry

Jordan,

Can you answer the following questions or do you prefer an interview?

Call me, (404) 695-5503

James Pinkney
Public Affairs Specialist
U.S. Environmental Protection Agency, Region 4
Office of External Affairs
Phone: (404) 562-9183
Email: pinkney.james@epa.gov
https://www.epa.gov/aboutepa/about-epa-region-4-southeast
Follow Region 4 on Twitter: www.twitter.com/EPASoutheast
And Facebook: www.facebook.com/eparegion4

**Subject:** Story on Deadline

Hello,

I'm a reporter with The Island Packet and Beaufort Gazette in Beaufort County, S.C. and I'm working on a story about a lingering fire at a recycling facility in Ridgeland, S.C. at Able Contracting Inc. I received an email from a DHEC representative Friday that said the EPA was investigating the fire as well. I'm working to get a story out today about the investigation so I can alert the public about potential health and environmental concerns. My deadline is this afternoon, so if I could speak with someone from the EPA by noon, that would be great. I'll send some of my questions below:

When did the EPA first get involved in the investigation? – **EPA was requested by SCDECH to help assist in air monitoring and sampling on Thursday July 25.**
What's the EPA's role in the investigation? – **EPA conducted air monitoring and air sampling to help determine if hazardous substances are being released from the pile to the air or water**
How are the EPA, DHEC and Jasper County Emergency Services working to stop the flames? – **EPA is currently only conducting air monitoring and air sampling activities. Jasper County Emergency Services did come out numerous times over the weekend to extinguish hot spots of the pile**. They should speak to jasper county or

**From:** Snyder, John <John.Snyder@tetratech.com>
**Sent on:** Saturday, August 10, 2019 12:16:40 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; chris.jones@tetratech.com; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Redd, Courtney <Courtney.Redd@tetratech.com>; Josiah Williams <josiah.williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** RE: Air Data tables

I'll get this

**From:** Huyser, Matthew <Huyser.Matthew@epa.gov>
**Sent:** Friday, August 9, 2019 10:58 PM
**To:** Jones, Chris <chris.jones@tetratech.com>; Garrard, Jordan <garrard.jordan@epa.gov>
**Cc:** Snyder, John <John.Snyder@tetratech.com>; Redd, Courtney <Courtney.Redd@tetratech.com>; Williams, Josiah <Josiah.Williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** RE: Air Data tables



I spoke too soon. These still have the phosgene numbers in them.

The phosgene numbers need to be taken out because they're still undergoing review and the exceedance in the Acrolein needs to be highlighted.

**Matthew J. Huyser, PE - On-Scene Coordinator**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Emergency Response Removal and Prevention Branch (ERRPB)**
office: **404-562-8934** | cell: **678-427-8829** | fax: **404-562-8699**
epaosc.org

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent:** Friday, August 9, 2019 6:04 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Cc:** John Snyder <john.snyder@tetratech.com>; Redd, Courtney <Courtney.Redd@tetratech.com>; Josiah Williams <josiah.williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** Air Data tables

Matt and Jordan,

See attached for validated air data tables for samples collected 7/27 and 28 and 8/2.

**Chris Jones** | Readiness Coordinator
Direct (678) 775-3081 | Main (678) 775-3080 | Cell (404) 395-5220 | chris.jones@tetratech.com

**From:** Huyser, Matthew <Huyser.Matthew@epa.gov> on behalf of Huyser, Matthew
**Sent on:** Saturday, August 10, 2019 2:58:08 AM
**To:** chris.jones@tetratech.com; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** John Snyder <john.snyder@tetratech.com>; Redd, Courtney <Courtney.Redd@tetratech.com>; Josiah Williams <josiah.williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** RE: Air Data tables

I spoke too soon. These still have the phosgene numbers in them.

The phosgene numbers need to be taken out because they're still undergoing review and the exceedance in the Acrolein needs to be highlighted.

**Matthew J. Huyser, PE - On-Scene Coordinator**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Emergency Response Removal and Prevention Branch (ERRPB)**
office: **404-562-8934** | cell: **678-427-8829** | fax: **404-562-8699**
epaosc.org

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent:** Friday, August 9, 2019 6:04 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Cc:** John Snyder <john.snyder@tetratech.com>; Redd, Courtney <Courtney.Redd@tetratech.com>; Josiah Williams <josiah.williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** Air Data tables

Matt and Jordan,

See attached for validated air data tables for samples collected 7/27 and 28 and 8/2.

**Chris Jones** | Readiness Coordinator
Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** | chris.jones@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions

**From:** Huyser, Matthew <Huyser.Matthew@epa.gov> on behalf of Huyser, Matthew
**Sent on:** Friday, August 9, 2019 10:05:54 PM
**To:** chris.jones@tetratech.com
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>; Redd, Courtney <Courtney.Redd@tetratech.com>; Josiah Williams <josiah.williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** Re: Air Data tables

These are fantastic

**Matthew J. Huyser, PE - On-Scene Coordinator**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Emergency Response Removal and Prevention Branch (ERRPB)**
office: **404-562-8934** | cell: **678-427-8829** | fax:**404-562-8699**
**epaosc.org**

On Aug 9, 2019, at 6:04 PM, Jones, Chris <chris.jones@tetratech.com> wrote:

Matt and Jordan,

See attached for validated air data tables for samples collected 7/27 and 28 and 8/2.

**Chris Jones** | Readiness Coordinator
Direct **(678) 775-3081** | Main **(678) 775-3080** | Cell **(404) 395-5220** | chris.jones@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions



<Air Data_072719_Able Contracting Fire.pdf>

<Air Data_080219_Able Contracting Fire.pdf>

**From:** Snyder, John <John.Snyder@tetratech.com>
**Sent on:** Saturday, August 10, 2019 12:33:04 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; chris.jones@tetratech.com; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Redd, Courtney <Courtney.Redd@tetratech.com>; Josiah Williams <josiah.williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** RE: Air Data tables
**Attachments:** Draft_Summary Tables Able Contracting_for release_2ndRound.pdf (142.31 KB), Draft_Summary Tables Able Contracting_for release_1stRound.pdf (135.38 KB)

**From:** Huyser, Matthew <Huyser.Matthew@epa.gov>
**Sent:** Friday, August 9, 2019 10:58 PM
**To:** Jones, Chris <chris.jones@tetratech.com>; Garrard, Jordan <garrard.jordan@epa.gov>
**Cc:** Snyder, John <John.Snyder@tetratech.com>; Redd, Courtney <Courtney.Redd@tetratech.com>; Williams, Josiah <Josiah.Williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** RE: Air Data tables



I spoke too soon. These still have the phosgene numbers in them.

The phosgene numbers need to be taken out because they're still undergoing review and the exceedance in the Acrolein needs to be highlighted.

**Matthew J. Huyser, PE - On-Scene Coordinator**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Emergency Response Removal and Prevention Branch (ERRPB)**
office: **404-562-8934** | cell: **678-427-8829** | fax: **404-562-8699**
epaosc.org

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent:** Friday, August 9, 2019 6:04 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Cc:** John Snyder <john.snyder@tetratech.com>; Redd, Courtney <Courtney.Redd@tetratech.com>; Josiah Williams <josiah.williams@tetratech.com>; Huss, Eric <Eric.Huss@tetratech.com>
**Subject:** Air Data tables

Matt and Jordan,

See attached for validated air data tables for samples collected 7/27 and 28 and 8/2.

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR AUGUST 2, 2019

| | | STATION 1 (SE Corner) | | STATION 2 (West Side) | | STATION 3 (Upwind) | |
|---|---|---|---|---|---|---|---|
| | | ACF-AS-RES-24HRVOC | | ACF-AS-SMOKE-24HRVOC | | ACF-AS-UPWIND-24HRVOC | |
| Date | | 8/2/2019 | | 8/2/2019 | | 8/2/2019 | |
| Start Time | | 20:10 | | 20:30 | | 21:00 | |
| End time | | 15:20 | | 12:55 | | 16:55 | |
| Analyte | EPA RMLs | *Sample Volume* | | *Sample Volume* | | *Sample Volume* | |
| Volatile Organic Compounds (μg/m³) | | - | | - | | - | |
| Propylene | 9,400 | 2.98 | | 21.5 | | 0.633 | |
| Freon 12 (CCl2F2) | Not Listed | 2.44 | | 2.43 | | 2.37 | |
| Freon 114 (C2Cl2F4) | Not Listed | 0.481 | U | 0.483 | U | 0.489 | U |
| Chloromethane | 280 | 3.53 | | 13.8 | | 2.09 | |
| Chloroethene (Vinyl chloride) | Not Listed | 0.177 | U | 0.178 | U | 0.180 | U |
| 1,3-Butadiene | Not Listed | 0.195 | | 2.35 | | 0.151 | U |
| Bromomethane | 16 | 0.264 | U | 0.46 | | 0.268 | U |
| Chloroethane | Not Listed | 0.183 | U | 0.268 | | 0.186 | U |
| Bromoethene (Vinyl bromide) | Not Listed | 0.300 | U | 0.301 | U | 0.305 | U |
| Freon 11 (CCl3F) | Not Listed | 1.42 | | 1.41 | | 1.39 | |
| Ethanol | Not Listed | 2.62 | | 3.26 | | 1.21 | J+ |
| Acrolein | 0.063 | 0.307 | | 2.56 | | 0.273 | |
| Freon 113 (C2Cl3F3) | Not Listed | 0.591 | | 0.613 | | 0.584 | |
| 1,1-Dichloroethene | Not Listed | 0.273 | U | 0.274 | U | 0.277 | U |
| Acetone | 97000 | 6.87 | | 14.7 | | 5.46 | |
| Carbon disulfide | 2200 | 0.448 | J+ | 0.736 | J+ | 0.262 | J+ |
| Isopropyl alcohol | Not Listed | 0.432 | | 0.41 | | 0.305 | |
| Allyl chloride (3-chloropropene) | Not Listed | 0.217 | U | 0.218 | U | 0.220 | U |
| Acetonitrile | 190 | 1.17 | | 3.64 | | 0.893 | |
| Methylene chloride | 1900 | 0.625 | J+ | 0.66 | J+ | 0.551 | |
| trans-1,2-Dichloroethene | Not Listed | 0.278 | U | 0.279 | U | 0.282 | U |
| Methyl tert-butyl ether | Not Listed | 0.254 | U | 0.355 | | 0.258 | U |
| Acrylonitrile | 4 | 0.153 | U | 0.946 | | 0.155 | U |
| Hexane | Not Listed | 0.849 | | 1.71 | | 0.28 | |
| 1,1-Dichloroethane | Not Listed | 0.274 | U | 0.275 | U | 0.278 | U |
| Vinyl acetate | 630 | 0.246 | U | 0.247 | U | 0.250 | U |
| cis-1,2-Dichloroethene | Not Listed | 0.275 | U | 0.276 | U | 0.279 | U |
| Methyl ethyl ketone (2-Butanone) | 16,000 | 0.657 | | 2.69 | | 0.42 | |
| Ethyl acetate | 220 | 0.719 | | 0.251 | U | 0.253 | U |
| Chloroform | 12 | 0.340 | U | 0.341 | U | 0.345 | U |
| Tetrahydrofuran | Not Listed | 0.222 | | 1.32 | | 0.208 | U |
| 1,1,1-Trichloroethane | Not Listed | 0.374 | U | 0.375 | U | 0.379 | U |
| Cyclohexane | 19,000 | 0.241 | U | 0.319 | | 0.244 | U |
| Carbon tetrachloride | 47 | 0.523 | | 0.497 | | 0.491 | |
| Benzene | 36 | 2.00 | | 26.2 | | 0.223 | U |
| 2,2,4-trimethylpentane | Not Listed | 0.322 | | 0.331 | U | 0.334 | U |
| 1,2-Dichloroethane | Not Listed | 0.285 | U | 0.286 | U | 0.289 | U |
| Heptane | Not Listed | 0.478 | | 1.51 | | 0.288 | U |
| Trichloroethene | Not Listed | 0.371 | U | 0.373 | U | 0.377 | U |
| 1,2-Dichloropropane | Not Listed | 0.325 | U | 0.326 | U | 0.330 | U |
| Methyl methacrylate | 2200 | 0.292 | U | 1.4 | | 0.297 | U |
| 1,4-Dioxane | Not Listed | 0.251 | U | 0.584 | | 0.254 | U |
| Bromodichloromethane | 7.6 | 0.458 | U | 0.460 | U | 0.465 | U |
| cis-1,3-Dichloropropene | Not Listed | 0.307 | U | 0.31 | U | 0.31 | U |
| Methyl isobutyl ketone | Not Listed | 0.291 | U | 0.292 | U | 0.295 | U |
| Toluene | 16000 | 2.26 | | 11.8 | | 0.657 | |
| trans-1,3-Dichloropropene | Not Listed | 0.317 | U | 0.319 | U | 0.322 | U |
| 1,1,2-Trichloroethane | Not Listed | 0.376 | U | 0.378 | U | 0.382 | U |
| Tetrachloroethene | Not Listed | 0.471 | U | 0.473 | U | 0.478 | U |
| 2-Hexanone (Methyl butyl ketone) | Not Listed | 0.286 | U | 0.338 | | 0.291 | U |
| Dibromochloromethane | Not Listed | 0.578 | U | 0.581 | U | 0.587 | U |
| 1,2-Dibromoethane | Not Listed | 0.535 | U | 0.538 | U | 0.544 | U |
| Chlorobenzene | 160 | 0.326 | U | 0.748 | | 0.331 | U |
| Ethylbenzene | 110 | 1.33 | | 8 | | 0.298 | U |
| 1,1,1,2-Tetrachloroethane | Not Listed | 0.472 | U | 0.474 | U | 0.479 | U |
| m-/p-Xylenes | Not Listed | 0.673 | | 2.07 | | 0.307 | U |
| o-Xylene | Not Listed | 0.284 | J+ | 0.98 | | 0.303 | U |
| Styrene | 3100 | 0.842 | | 21.2 | | 0.29 | U |
| Bromoform | 260 | 0.714 | U | 0.717 | U | 0.725 | U |
| 1,1,2,2-Tetrachloroethane | Not Listed | 0.472 | U | 0.474 | U | 0.479 | U |
| 4-Ethyltoluene | Not Listed | 0.341 | U | 0.342 | U | 0.346 | U |
| 2-Chlorotoluene | Not Listed | 0.359 | U | 0.360 | U | 0.364 | U |
| 1,3,5-Trimethylbenzene | Not Listed | 0.339 | U | 0.535 | | 0.344 | U |
| 1,2,4-Trimethylbenzene | Not Listed | 0.336 | U | 0.534 | | 0.341 | U |
| 1,3-Dichlorobenzene | Not Listed | 0.417 | U | 0.419 | U | 0.424 | U |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR AUGUST 2, 2019

| | | STATION 1 (SE Corner) | | STATION 2 (West Side) | | STATION 3 (Upwind) | |
|---|---|---|---|---|---|---|---|
| | | ACF-AS-RES-24HRVOC | | ACF-AS-SMOKE-24HRVOC | | ACF-AS-UPWIND-24HRVOC | |
| **Date** | | **8/2/2019** | | **8/2/2019** | | **8/2/2019** | |
| **Start Time** | | **20:10** | | **20:30** | | **21:00** | |
| **End time** | | **15:20** | | **12:55** | | **16:55** | |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | | ***Sample Volume*** | | ***Sample Volume*** | |
| **Volatile Organic Compounds ($\mu g/m^3$)** | | - | | - | | - | |
| 1,4-Dichlorobenzene | Not Listed | 0.415 | U | 0.417 | U | 0.421 | U |
| Benzyl chloride | 3.1 | 0.355 | U | 0.357 | U | 0.361 | U |
| 1,2-Dichlorobenzene | Not Listed | 0.422 | U | 0.423 | U | 0.428 | U |
| 1,2,4-Trichlorobenzene | Not Listed | 0.518 | U | 0.520 | U | 0.526 | U |
| Hexachlorobutadiene | 13 | 0.735 | U | 0.738 | U | 0.746 | U |
| Naphthalene | Not Listed | 0.373 | U | **1.02** | | 0.379 | U |
| 1-Bromopropane | Not Listed | 0.342 | U | 0.343 | U | 0.347 | U |
| 1-Octene | Not Listed | 0.309 | U | 0.310 | U | 0.314 | U |
| n-Octane | Not Listed | 0.322 | U | **0.957** | | 0.327 | U |
| Isopropylbenzene | Not Listed | **0.466** | | **1.92** | | **0.355** | |
| n-Propylbenzene | Not Listed | 0.344 | U | **0.453** | | 0.349 | U |

Notes:

| | |
|---|---|
| ACF | Able Contracting Fire |
| EPA | Environmental Protection Agency |
| J+ | The identification of the analyte is acceptable; the reported value is an estimate biased high |
| $\mu g/m^3$ | Micrograms per cubic meter |
| NA | Not Analysed |
| ND | Not Detected |
| RMLs | Removal Management Levels; Residential Ambient Air, April 2019. (Lower value of carcinogenic/noncarcinogenic listed; TR=1E-04/THQ+3.0) |
| U | The analyte was not detected at or above the reporting limit |
| UJ | The analyte |
| **BOLD** | Bolded values |
| **SHADE** | Shaded values indicate an RML exceedance |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR AUGUST 2, 2019

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR JULY 27 and 28, 2019

| | | BACKGROUND | STATION 1 (SE Corner) | STATION 2 (SW Corner) | STATION 1 (SE Corner) | STATION 2 (SW Corner) |
|---|---|---|---|---|---|---|
| | | ACF-AS-BKGD-072819 | ACF-AS-RES-AM-072719 | ACF-AS-SMOKE-AM-072719 | ACF-AS-RES-PM-072719 | ACF-AS-SMOKE-PM-072719 |
| **Date** | | 7/28/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 |
| **Start Time** | | 11:30 | 0:18 | 1:00 | 12:10 | 12:15 |
| **End time** | | 19:15 | 8:10 | 8:35 | 20:20 | 20:30 |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** |
| **Asbestos (fibers/cc)** | | *946.3 Liters* | *767 Liters* | *898.6 Liters* | *965.3 Liters* | *913.3 Liters* |
| Asbestos | Not Listed | None detected | None detected | None detected | None detected | None detected |
| **Formaldehyde (µg/m³)** | | *516.20 Liters* | *410.60 Liters* | *411.80 Liters* | *541.50 Liters* | *549.50 Liters* |
| Formaldehyde | 22 | **4.88** | **1.70** | **2.50** | **3.04** | **6.09** |
| **Metals (µg/m³)** | | *776.6 Liters* | *672.6 Liters* | *657.5 Liters* | *744.8 Liters* | *784.6 Liters* |
| Aluminum | 16 | **0.55** | **0.77** | **0.52** | **0.5** | **0.48** |
| Antimony | Not Listed | 0.19 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Arsenic | Not Listed | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Barium | 1.6 | 0.11 U | 0.13 U | **0.25 J+** | **0.13 J+** | 0.11 U |
| Beryllium | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Cadmium | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Calcium | Not Listed | **52.7 J+** | 0.54 U | 55.1 U | **48 J+** | 41.3 U |
| Chromium | Not Listed | 0.73 U | 0.89 U | 0.9 U | 1.1 U | 0.75 U |
| Cobalt | 0.019 | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Copper | Not Listed | 0.019 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Iron | Not Listed | **0.93 J+** | **1.3 J+** | 0.87 U | **0.81 J+** | **0.86 J+** |
| Lead | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Manganese | Not Listed | 0.19 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Magnesium | Not Listed | **9.6 J+** | **11.2 J+** | **11.5 J+** | **10.4 J+** | 8.5 U |
| Nickel | Not Listed | 0.19 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Selenium | 63 | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Silver | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Thallium | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Vanadium | Not Listed | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Zinc | Not Listed | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Potassium | Not Listed | 3.9 U | 4.5 U | 4.6 U | 4 U | 3.8 U |
| Sodium | Not Listed | **12.7 J+** | **15.8 J+** | **16.5 J+** | **14.7 J+** | 12 U |
| **Volatile Organic Compounds (µg/m³)** | | - | - | - | - | - |
| Propylene | 9,400 | **2.91** | **7.88** | **3.99** | **2.96** | **14.2** |
| Freon 12 (CCl2F2) | Not Listed | **2.33** | **2.4** | **2.38** | **2.41** | **2.36** |
| Freon 114 (C2Cl2F4) | Not Listed | 0.5 U | 0.502 U | 0.5 U | 0.513 U | 0.505 U |
| Chloromethane | 280 | **1.23** | **4.76** | **2.95** | **1.23** | **11.6** |
| Chloroethene (Vinyl chloride) | Not Listed | 0.184 U | 0.185 U | 0.184 U | 0.189 U | 0.186 U |
| 1,3-Butadiene | Not Listed | **0.749** | **1.06** | **0.689** | **0.769** | **2.21** |
| Bromomethane | 16 | 0.275 U | 0.276 U | 0.274 U | 0.282 U | 0.277 U |
| Chloroethane | Not Listed | 0.19 U | 0.191 U | 0.19 U | 0.195 U | **0.276** |
| Bromoethene (Vinyl bromide) | Not Listed | 0.312 U | 0.313 U | 0.312 U | 0.32 U | 0.315 U |
| Freon 11 (CCl3F) | Not Listed | **1.18** | **1.38** | **1.33** | **1.4** | **1.28** |
| Ethanol | Not Listed | **16.7** | **4.28** | **2.33** | **9.26** | **2.56** |
| Acrolein | 0.063 | **0.25** | **0.49** | **0.498** | **0.283** | **1.18** |
| Freon 113 (C2Cl3F3) | Not Listed | **0.554** | **0.66** | **0.547** | **0.605** | **0.577** |
| 1,1-Dichloroethene | Not Listed | 0.284 U | 0.285 U | 0.284 U | 0.291 U | 0.287 U |
| Acetone | 97000 | **12** | **8.66** | **7.51** | **10.5** | **16.1** |
| Carbon disulfide | 2200 | 0.214 | 0.514 J+ | **0.279 J+** | **0.444 J+** | **0.405 J+** |
| Isopropyl alcohol | Not Listed | **0.404** | **0.468** | **0.434** | **0.949** | **0.478** |
| Allyl chloride (3-chloropropene) | Not Listed | 0.225 U | 0.226 U | 0.225 U | 0.231 U | 0.227 U |
| Acetonitrile | 190 | **1.85** | **2.17** | **0.892** | **0.99** | **1.63 J+** |
| Methylene chloride | 1900 | **0.691 J+** | **0.871 J+** | **0.674 J+** | **0.999 J+** | **0.651** |
| trans-1,2-Dichloroethene | Not Listed | 0.289 U | 0.29 U | 0.289 U | 0.296 U | 0.292 U |
| Methyl tert-butyl ether | Not Listed | 0.264 U | 0.265 U | 0.264 U | **0.312** | 0.267 U |
| Acrylonitrile | 4 | 0.159 U | 0.159 U | 0.158 U | 0.163 U | **0.202** |
| Hexane | Not Listed | **4.05** | **1.55** | **0.647** | **2.37** | **1.43** |
| 1,1-Dichloroethane | Not Listed | 0.285 U | 0.286 U | 0.285 U | 0.292 U | 0.288 U |
| Vinyl acetate | 630 | 0.256 U | 0.257 U | 0.256 U | 0.263 U | 0.259 U |
| cis-1,2-Dichloroethene | Not Listed | 0.285 U | 0.287 U | 0.285 U | 0.293 U | 0.288 U |
| Methyl ethyl ketone (2-Butanone) | 16,000 | **1.02** | **0.847** | **0.805** | **0.612** | **1.57** |
| Ethyl acetate | 220 | 0.259 U | 0.261 U | 0.259 U | 0.266 U | 0.262 U |
| Chloroform | 12 | 0.353 U | 0.354 U | 0.353 U | 0.362 U | 0.356 U |
| Tetrahydrofuran | Not Listed | 0.213 U | **0.472** | **0.373** | 0.218 U | **0.796** |
| 1,1,1-Trichloroethane | Not Listed | 0.388 U | 0.39 U | 0.388 U | 0.398 U | 0.392 U |
| Cyclohexane | 19,000 | **0.999** | **0.262** | 0.25 U | **0.803** | 0.253 U |
| Carbon tetrachloride | 47 | **0.481** | **0.482** | **0.478** | **0.496** | **0.466** |
| Benzene | 36 | **2.52** | **6.46** | **3.4** | **2.5** | **15.1** |
| 2,2,4-trimethylpentane | Not Listed | **2.12** | **0.684** | 0.342 U | **0.487** | 0.346 U |
| 1,2-Dichloroethane | Not Listed | 0.296 U | 0.297 U | 0.296 U | 0.303 U | 0.299 U |
| Heptane | Not Listed | **2.26** | **0.769** | **0.365** | **0.891** | **1** |
| Trichloroethene | Not Listed | 0.386 U | 0.387 U | 0.385 U | 0.396 U | 0.39 U |
| 1,2-Dichloropropane | Not Listed | 0.338 U | 0.339 U | 0.337 U | 0.346 U | 0.341 U |
| Methyl methacrylate | 2200 | 0.304 U | 0.305 U | 0.303 U | 0.312 U | **0.857** |
| 1,4-Dioxane | Not Listed | **0.321** | **0.294** | 0.26 U | 0.267 U | **0.374** |
| Bromodichloromethane | 7.6 | 0.476 U | 0.478 U | 0.475 U | 0.488 U | 0.48 U |
| cis-1,3-Dichloropropene | Not Listed | *0.319* U | *0.32* U | *0.319* U | *0.327* U | *0.322* U |
| Methyl isobutyl ketone | Not Listed | 0.302 U | **0.373** | 0.302 U | 0.31 U | 0.305 U |
| Toluene | 16000 | **9.82** | **6.48** | **2.62** | **5.08** | **7.6** |
| trans-1,3-Dichloropropene | Not Listed | 0.33 U | 0.331 U | 0.329 U | 0.338 U | 0.333 U |
| 1,1,2-Trichloroethane | Not Listed | 0.391 U | 0.393 U | 0.391 U | 0.401 U | 0.395 U |
| Tetrachloroethene | Not Listed | 0.489 U | 0.491 U | 0.489 U | **0.736** | 0.494 U |
| 2-Hexanone (Methyl butyl ketone) | Not Listed | 0.298 U | 0.299 U | 0.297 U | 0.305 U | 0.3 U |
| Dibromochloromethane | Not Listed | 0.601 U | 0.604 U | 0.601 U | 0.617 U | 0.607 U |
| 1,2-Dibromoethane | Not Listed | 0.556 U | 0.559 U | 0.556 U | 0.571 U | 0.562 U |
| Chlorobenzene | 160 | 0.339 U | 0.34 U | 0.338 U | 0.348 U | 0.342 U |
| Ethylbenzene | 110 | **2.07** | 3.36 | **1.12** | **0.768** | **5.86** |
| 1,1,1,2-Tetrachloroethane | Not Listed | 0.491 U | 0.493 U | 0.49 U | 0.504 U | 0.496 U |
| m-/p-Xylenes | Not Listed | **6.86** | **2.37** | **0.941** | **2.51** | **1.66** |
| o-Xylene | Not Listed | **2.75** | **0.95** | **0.362** | **0.916** | **0.759** |
| Styrene | 3100 | **0.348** | **1.71** | **2.13** | **0.446** | **8.66** |
| Bromoform | 260 | 0.742 U | 0.745 U | 0.741 U | 0.761 U | 0.749 U |
| 1,1,2,2-Tetrachloroethane | Not Listed | 0.491 U | 0.493 U | 0.49 U | 0.504 U | 0.496 U |
| 4-Ethyltoluene | Not Listed | **0.913** | 0.355 U | 0.354 U | 0.363 U | 0.357 U |
| 2-Chlorotoluene | Not Listed | 0.373 U | 0.374 U | 0.372 U | 0.382 U | 0.376 U |
| 1,3,5-Trimethylbenzene | Not Listed | **0.898** | 0.354 U | 0.352 U | 0.362 U | 0.356 U |
| 1,2,4-Trimethylbenzene | Not Listed | **3.23** | **0.784** | **0.318 J** | **0.817** | **0.414** |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR JULY 27 and 28, 2019

| | | BACKGROUND | STATION 1 (SE Corner) | STATION 2 (SW Corner) | STATION 1 (SE Corner) | STATION 2 (SW Corner) |
|---|---|---|---|---|---|---|
| | | ACF-AS-BKGD-072819 | ACF-AS-RES-AM-072719 | ACF-AS-SMOKE-AM-072719 | ACF-AS-RES-PM-072719 | ACF-AS-SMOKE-PM-072719 |
| Date | | 7/28/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 |
| Start Time | | 11:30 | 0:18 | 1:00 | 12:10 | 12:15 |
| End time | | 19:15 | 8:10 | 8:35 | 20:20 | 20:30 |
| **Analyte** | **EPA RMLs** | *Sample Volume* | *Sample Volume* | *Sample Volume* | *Sample Volume* | *Sample Volume* |
| 1,3-Dichlorobenzene | Not Listed | 0.434 U | 0.436 U | 0.433 U | 0.445 U | 0.438 U |
| 1,4-Dichlorobenzene | Not Listed | 0.431 U | 0.433 U | 0.431 U | 0.442 U | 0.435 U |
| Benzyl chloride | 3.1 | 0.369 U | 0.371 U | 0.369 U | 0.379 U | 0.373 U |
| 1,2-Dichlorobenzene | Not Listed | 0.438 U | 0.44 U | 0.438 U | 0.449 U | 0.442 U |
| 1,2,4-Trichlorobenzene | Not Listed | 0.538 U | 0.541 U | 0.538 U | 0.553 U | 0.544 U |
| Hexachlorobutadiene | 13 | 0.764 U | 0.767 U | 0.763 U | 0.784 U | 0.772 U |
| Naphthalene | Not Listed | **0.336 J** | 0.39 U | 0.388 U | 0.398 U | **0.537** |
| 1-Bromopropane | Not Listed | 0.355 U | 0.357 U | 0.355 U | 0.365 U | 0.359 U |
| 1-Octene | Not Listed | 0.321 U | 0.322 U | 0.321 U | 0.329 U | 0.324 U |
| n-Octane | Not Listed | **0.99** | **0.353** | 0.334 U | 0.343 U | **0.562** |
| Isopropylbenzene | Not Listed | 0.357 U | **0.838** | 0.421 | 0.366 U | **1.06** |
| n-Propylbenzene | Not Listed | **0.629** | 0.359 U | 0.357 U | 0.367 U | 0.361 U |
| **Semivolatile Organic Compounds ($\mu g/m^3$)** | | *439.4 Liters* | *486.2 Liters* | *562.5 Liters* | *421.4 Liters* | *438.3 Liters* |
| Semivolatile Organic Compounds | Not Listed | None detected | None detected | None detected | None detected | None detected |
| N-Nitrosodimethylamine | Not Listed | 8.78 U | 7.94 U | 6.86 U | 9.16 U | 8.81 U |
| Pyridine | Not Listed | 17.1 U | 15.4 U | 13.3 U | 17.8 U | 17.1 U |
| Phenol (CCC) | Not Listed | 7.39 U | 6.67 U | 5.77 U | 7.70 U | 7.40 U |
| Aniline | 3.1 | 7.90 U | 7.14 U | 6.17 U | 8.23 U | 7.92 U |
| bis(2-Chloroethyl)ether | 0.85 | 8.97 U | 8.10 U | 7.00 U | 9.35 U | 8.99 U |
| 2-Chlorophenol | Not Listed | 7.10 U | 6.42 U | 5.55 U | 7.40 U | 7.12 U |
| 1,3-Dichlorobenzene | Not Listed | 6.35 U | 5.74 U | 4.96 U | 6.62 U | 6.37 U |
| 1,4-Dichlorobenzene (CCC) | Not Listed | 6.01 U | 5.43 U | 4.69 U | 6.26 U | 6.02 U |
| Benzyl alcohol | Not Listed | 7.97 U | 7.20 U | 6.22 U | 8.31 U | 7.99 U |
| 1,2-Dichlorobenzene | Not Listed | 6.35 U | 5.74 U | 4.96 U | 6.62 U | 6.37 U |
| 2-Methylphenol | Not Listed | 7.70 U | 6.96 U | 6.02 U | 8.03 U | 7.72 U |
| bis(2-Chloroisopropyl) ether | Not Listed | 11.2 U | 10.1 U | 8.73 U | 11.7 U | 11.2 U |
| 3/4-Methylphenol | Not Listed | 6.73 U | 6.08 U | 5.25 U | 7.01 U | 6.74 U |
| N-Nitroso-di-n-propylamine (SPCC) | Not Listed | 9.47 U | 8.56 U | 7.40 U | 9.87 U | 9.49 U |
| o-Toluidine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Hexachloroethane | 26 | 7.19 U | 6.50 U | 5.62 U | 7.50 U | 7.21 U |
| Nitrobenzene | 7 | 9.29 U | 8.39 U | 7.25 U | 9.68 U | 9.31 U |
| Isophorone | 6300 | 8.51 U | 7.69 U | 6.65 U | 8.88 U | 8.53 U |
| 2,4-Dimethylphenol | Not Listed | 8.30 U | 7.50 U | 6.48 U | 8.65 U | 8.32 U |
| 2-Nitrophenol (CCC) | Not Listed | 7.61 U | 6.88 U | 5.95 U | 7.94 U | 7.63 U |
| Benzoic acid | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| bis(2-Chloroethoxy)methane | Not Listed | 8.33 U | 7.53 U | 6.51 U | 8.69 U | 8.35 U |
| 2,4-Dichlorophenol (CCC) | Not Listed | 7.42 U | 6.71 U | 5.80 U | 7.74 U | 7.44 U |
| a,a-Dimethylphenethylamine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 1,2,4-Trichlorobenzene | Not Listed | 7.02 U | 6.35 U | 5.48 U | 7.32 U | 7.04 U |
| Naphthalene | Not Listed | 7.57 U | 6.84 U | 5.91 U | 7.89 U | 7.59 U |
| 4-Chloroaniline | Not Listed | 9.66 U | 8.73 U | 7.55 U | 10.1 U | 9.69 U |
| Hexachlorobutadiene (CCC) | Not Listed | 6.93 U | 6.26 U | 5.41 U | 7.23 U | 6.95 U |
| Quinoline | Not Listed | 11.4 U | 10.3 U | 8.89 U | 11.9 U | 11.4 U |
| 1,4-Phenylenediamine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 4-Chloro-3 methylphenol (CCC) | Not Listed | 7.52 U | 6.80 U | 5.88 U | 7.84 U | 7.54 U |
| 2-Methylnaphthalene | Not Listed | 7.03 U | 6.36 U | 5.49 U | 7.33 U | 7.05 U |
| 1-Methylnaphthalene | Not Listed | 6.98 U | 6.30 U | 5.45 U | 7.27 U | 6.99 U |
| Hexachlorocyclopentadiene (SPCC) | Not Listed | 92.4 U | 83.5 U | 72.2 U | 96.3 U | 92.6 U |
| 2,4,6-Trichlorophenol (CCC) | Not Listed | 8.40 U | 7.59 U | 6.56 U | 8.76 U | 8.42 U |
| 2,4,5-Trichlorophenol | Not Listed | 6.16 U | 5.56 U | 4.81 U | 6.42 U | 6.17 U |
| Biphenyl | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 2-Chloronaphthalene | Not Listed | 7.42 U | 6.71 U | 5.80 U | 7.74 U | 7.44 U |
| 2-Nitroaniline | Not Listed | 11.0 U | 9.93 U | 8.59 U | 11.5 U | 11.0 U |
| 1,4-Dinitrobenzene | Not Listed | 7.65 U | 6.91 U | 5.97 U | 7.97 U | 7.67 U |
| Dimethylphthalate | Not Listed | 9.21 U | 8.32 U | 7.19 U | 9.60 U | 9.23 U |
| 1,3-Dinitrobenzene | Not Listed | 9.32 U | 8.42 U | 7.28 U | 9.72 U | 9.34 U |
| 2,6-Dinitrotoluene | Not Listed | 8.82 U | 7.97 U | 6.89 U | 9.20 U | 8.84 U |
| 1,2-Dinitrobenzene | Not Listed | 8.84 U | 7.99 U | 6.91 U | 9.22 U | 8.86 U |
| Acenaphthylene | Not Listed | 7.68 U | 6.94 U | 6.00 U | 8.01 U | 7.70 U |
| 3-Nitroaniline | Not Listed | 9.29 U | 8.39 U | 7.25 U | 9.68 U | 9.31 U |
| Acenaphthene (CCC) | Not Listed | 10.6 U | 9.61 U | 8.30 U | 11.1 U | 10.7 U |
| 2,4-Dinitrophenol (SPCC) | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 4-Nitrophenol (SPCC) | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 2,4-Dinitrotoluene | Not Listed | 9.15 U | 8.27 U | 7.15 U | 9.54 U | 9.17 U |
| Dibenzofuran | Not Listed | 7.83 U | 7.08 U | 6.12 U | 8.16 U | 7.85 U |
| 2,3,5,6-Tetrachlorophenol | Not Listed | 8.66 U | 7.83 U | 6.76 U | 9.03 U | 8.68 U |
| 2,3,4,6-Tetrachlorophenol | Not Listed | 7.98 U | 7.21 U | 6.23 U | 8.32 U | 8.00 U |
| Diethlyphthalate | Not Listed | 11.6 U | 10.5 U | 9.07 U | 12.1 U | 11.6 U |
| 4-Chlorophenyl-phenylether | Not Listed | 8.58 U | 7.75 U | 6.70 U | 8.95 U | 8.60 U |
| Fluorene | Not Listed | 8.91 U | 8.05 U | 6.96 U | 9.29 U | 8.93 U |
| 4-Nitroaniline | Not Listed | 7.90 U | 7.14 U | 6.17 U | 8.24 U | 7.92 U |
| 4,6-Dinitro2-methylphenol | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| N-Nitrosodiphenylamine (CCC) | Not Listed | 8.15 U | 7.36 U | 6.36 U | 8.50 U | 8.17 U |
| Azobenzene | 9.1 | 11.3 U | 10.2 U | 8.81 U | 11.8 U | 11.3 U |
| 4-Bromophenyl-phenylether | Not Listed | 7.64 U | 6.90 U | 5.96 U | 7.96 U | 7.65 U |
| Hexachlorobenzene | 0.61 | 6.21 U | 5.61 U | 4.85 U | 6.48 U | 6.23 U |
| Pentachlorophenol (CCC) | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Phenanthrene | Not Listed | 8.77 U | 7.93 U | 6.85 U | 9.15 U | 8.80 U |
| Anthracene | Not Listed | 8.65 U | 7.82 U | 6.76 U | 9.02 U | 8.67 U |
| Carbazole | Not Listed | 8.02 U | 7.25 U | 6.27 U | 8.36 U | 8.04 U |
| Di-n-butylphthalate | Not Listed | 11.8 U | 10.7 U | 9.24 U | 12.3 U | 11.9 U |
| Fluoranthene (CCC) | Not Listed | 10.5 U | 9.45 U | 8.17 U | 10.9 U | 10.5 U |
| Benzidine | 0.0015 | 259 U | 234 U | 203 U | 271 U | 260 U |
| Pyrene | Not Listed | 10.7 U | 9.64 U | 8.33 U | 11.1 U | 10.7 U |
| 4-Dimethylaminoazobenzene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Butylbenzylphthalate | Not Listed | 9.22 U | 8.33 U | 7.20 U | 9.61 U | 9.24 U |
| 3,3-Dimethylbenzidine | Not Listed | 123 U | 111 U | 96.0 U | 128 U | 123 U |
| bis(2-Ethylhexyl)adipate | Not Listed | 9.95 U | 8.99 U | 7.77 U | 10.4 U | 9.97 U |
| 3,3-Dimethoxybenzidine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| bis(2-Ethylhexyl)phthalate | Not Listed | 19.8 U | 17.9 U | 15.5 U | 20.6 U | 19.8 U |
| 3,3'-Dichlorobenzidine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Benzo(a)anthracene | Not Listed | 6.26 U | 5.66 U | 4.89 U | 6.53 U | 6.27 U |
| Chrysene | Not Listed | 6.33 U | 5.72 U | 4.94 U | 6.60 U | 6.34 U |
| Di-n-octylphthalate (CCC) | Not Listed | 7.33 U | 6.62 U | 5.72 U | 7.64 U | 7.35 U |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR JULY 27 and 28, 2019

| | | BACKGROUND | STATION 1 (SE Corner) | STATION 2 (SW Corner) | STATION 1 (SE Corner) | STATION 2 (SW Corner) |
|---|---|---|---|---|---|---|
| | | ACF-AS-BKGD-072819 | ACF-AS-RES-AM-072719 | ACF-AS-SMOKE-AM-072719 | ACF-AS-RES-PM-072719 | ACF-AS-SMOKE-PM-072719 |
| Date | | 7/28/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 |
| Start Time | | 11:30 | 0:18 | 1:00 | 12:10 | 12:15 |
| End time | | 19:15 | 8:10 | 8:35 | 20:20 | 20:30 |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** |
| 7,12-Dimethylbenz(a)anthracene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Benzo(b)fluoranthene | Not Listed | 3.41 U | 3.09 U | 2.67 U | 3.56 U | 3.42 U |
| Benzo(k)fluoranthene | Not Listed | 4.05 U | 3.66 U | 3.16 U | 4.22 U | 4.06 U |
| Benzo(e)pyrene | Not Listed | 3.87 U | 3.50 U | 3.02 U | 4.03 U | 3.88 U |
| Benzo(a)pyrene (CCC) | Not Listed | 3.87 U | 3.50 U | 3.02 U | 4.03 U | 3.88 U |
| Perylene | Not Listed | 3.87 U | 3.50 U | 3.02 U | 4.03 U | 3.88 U |
| 3-Methylcholanthrene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Indeno(1,2,3-cd)pyrene | Not Listed | 3.41 U | 3.09 U | 2.67 U | 3.56 U | 3.42 U |
| Dibenz(a,h)anthracene | Not Listed | 4.84 U | 4.37 U | 3.78 U | 5.04 U | 4.85 U |
| Benzo(g,h,i)perylene | Not Listed | 4.01 U | 3.62 U | 3.13 U | 4.18 U | 4.02 U |
| Dibenzo(a,e)pyrene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |

Notes:

| | |
|---|---|
| ACF | Able Contracting Fire |
| EPA | Environmental Protection Agency |
| J | The identification of the analyte is acceptable; the reported value is an estimate |
| J+ | The identification of the analyte is acceptable; the reported value is an estimate biased high |
| $\mu g/m^3$ | Micrograms per cubic meter |
| NA | Not Analysed |
| ND | Not Detected |
| RMLs | Removal Management Levels; Residential Ambient Air, April 2019. (Lower value of carcinogenic/noncarcinogenic listed; TR=1E-04/THQ+3.0) |
| U | The analyte was not detected at or above the reporting limit |
| UJ | The analyte was not detected at or above the reporting limit; which is considered approximate due to |
| **BOLD** | Bolded values indicate a chemical detection |
| SHADE | Shaded values indicate an RML exceedance |

**From:** Russell Wells <rwells@jaspercountysc.gov>
**Sent on:** Sunday, July 28, 2019 10:37:08 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/27, 0700 through 07/28, 0700 (24 hour period)

Good evening Jordan,
Thank you for the updates. I will swing by the site in the morning on my way into the office. If we can be of assistance please don't hesitate to let us know.

Sincerely,

*RUSSELL W. WELLS, DEPUTY DIRECTOR*
*JASPER COUNTY EMERGENCY SERVICES*
*POB 1509*
*RIDGELAND, SC 29936*
*843-726-7607 (OFFICE)*
*843-726-7966 (FAX)*
*843-263-1316 (CELLULAR)*
*843-726-7519 (DISPATCH NON-EMERGENCY)*

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Sunday, July 28, 2019 6:21 PM
**To:** keith.frost@dhec.sc.gov; threatrl@dhec.sc.gov; Russell Wells <rwells@jaspercountysc.gov>
**Subject:** FW: Air Monitoring Summary Table, 07/27, 0700 through 07/28, 0700 (24 hour period)

The fire department was onsite again last night for approximately 1.5 hours. We will be done sampling by 20:00 tonight. We collected 2 rounds of sampling consisting of a nighttime and daytime run at the source and downwind at the closest resident. We also collected an upwind sample for comparison. The samples will be delivered to the lab on July 29. The samples will be analyzed on a 3 day turn around for VOCs, SVOCs, Metals, Formaldehyde, Phosgene, and Asbestos. I hope to have preliminary data by Thursday evening. We will continue to operate the air monitoring stations until 0700 July 29, 2019, at that time we will begin demobilizing resources. If you have any questions please contact me.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Eichinger, Kevin
**Sent:** Sunday, July 28, 2019 6:08 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>

**From:** Russell Wells <rwells@jaspercountysc.gov>
**Sent on:** Sunday, July 28, 2019 10:37:08 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/27, 0700 through 07/28, 0700 (24 hour period)

Good evening Jordan,
Thank you for the updates. I will swing by the site in the morning on my way into the office. If we can be of assistance please don't hesitate to let us know.

Sincerely,

*RUSSELL W. WELLS, DEPUTY DIRECTOR*
*JASPER COUNTY EMERGENCY SERVICES*
*POB 1509*
*RIDGELAND, SC 29936*
*843-726-7607 (OFFICE)*
*843-726-7966 (FAX)*
*843-263-1316 (CELLULAR)*
*843-726-7519 (DISPATCH NON-EMERGENCY)*

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Sunday, July 28, 2019 6:21 PM
**To:** keith.frost@dhec.sc.gov; threatrl@dhec.sc.gov; Russell Wells <rwells@jaspercountysc.gov>
**Subject:** FW: Air Monitoring Summary Table, 07/27, 0700 through 07/28, 0700 (24 hour period)

The fire department was onsite again last night for approximately 1.5 hours. We will be done sampling by 20:00 tonight. We collected 2 rounds of sampling consisting of a nighttime and daytime run at the source and downwind at the closest resident. We also collected an upwind sample for comparison. The samples will be delivered to the lab on July 29. The samples will be analyzed on a 3 day turn around for VOCs, SVOCs, Metals, Formaldehyde, Phosgene, and Asbestos. I hope to have preliminary data by Thursday evening. We will continue to operate the air monitoring stations until 0700 July 29, 2019, at that time we will begin demobilizing resources. If you have any questions please contact me.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Eichinger, Kevin
**Sent:** Sunday, July 28, 2019 6:08 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>

Share Copy link Download Delete Copy to Version history < Previous 276 of 3

**From:** Frost, Keith <frostrk@dhec.sc.gov>
**Sent on:** Sunday, July 28, 2019 10:27:22 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Threatt, Richard <threatrl@dhec.sc.gov>; rwells@jaspercountysc.gov
**Subject:** Re: Air Monitoring Summary Table, 07/27, 0700 through 07/28, 0700 (24 hour period)

Thank you very much for the work you have done.

R. Keith Frost, Assistant Chief
Bureau of Air Quality
SC DHEC

(803) 898-4115 office
(803) 465-1529 cell

Sent from my iPhone

On Jul 28, 2019, at 6:21 PM, Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

The fire department was onsite again last night for approximately 1.5 hours. We will be done sampling by 20:00 tonight. We collected 2 rounds of sampling consisting of a nighttime and daytime run at the source and downwind at the closest resident. We also collected an upwind sample for comparison. The samples will be delivered to the lab on July 29. The samples will be analyzed on a 3 day turn around for VOCs, SVOCs, Metals, Formaldehyde, Phosgene, and Asbestos. I hope to have preliminary data by Thursday evening. We will continue to operate the air monitoring stations until 0700 July 29, 2019, at that time we will begin demobilizing resources. If you have any questions please contact me.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Eichinger, Kevin
**Sent:** Sunday, July 28, 2019 6:08 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>
**Subject:** Air Monitoring Summary Table, 07/27, 0700 through 07/28, 0700 (24 hour period)

Attached and uploaded to the website.

**From:** Frost, Keith <frostrk@dhec.sc.gov>
**Sent on:** Monday, July 29, 2019 3:49:30 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200
**Attachments:** ATT00001.txt (51 Bytes)

Jordan, we are working to provide some oversight and monitoring of the site until your sample results come back later this week. Can you send me a map of the locations of samplers you deployed around the site and the individual sample data? We are considering placing another monitor closer to the pile and hope this data will help us determine the most appropriate location to identify possible flare-ups. We also want to see how our monitor tracks with the peaks and valleys.
Can you tell me what triggers you used to reach out to the fire dept? It seems like it was mostly visual cues (heavy smoke, flames, etc) and not as much data driven but want to be sure we use the same ones moving forward.
Thanks for your help. I will be on the call at 1, if you have any questions of us.

R. Keith Frost
Assistant Chief, Bureau of Air Quality
S.C. Dept. of Health & Environmental Control
Office: (803) 898-4115
Mobile: (803) 465-1529
Connect: www.scdhec.gov Facebook Twitter
http://www.scdhec.gov/images/logo_email.jpg

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Monday, July 29, 2019 10:28 AM
**To:** Lee, Paul <leepd@dhec.sc.gov>; rwells@jaspercountysc.gov; Frost, Keith <frostrk@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>
**Subject:** FW: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200


I will provide an final 0200 – 0700 data table this afternoon. EPA has completed the air monitoring and sampling. We have demobilized resources.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Eichinger, Kevin
**Sent:** Monday, July 29, 2019 8:56 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Monday, July 29, 2019 4:04:08 PM
**To:** Frost, Keith <frostrk@dhec.sc.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200
**Attachments:** Map for 7072619 meeting.pdf (12.03 MB)

**From:** Frost, Keith <frostrk@dhec.sc.gov>
**Sent:** Monday, July 29, 2019 11:50 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200

Jordan, we are working to provide some oversight and monitoring of the site until your sample results come back later this week. Can you send me a map of the locations of samplers you deployed around the site and the individual sample data? We are considering placing another monitor closer to the pile and hope this data will help us determine the most appropriate location to identify possible flare-ups. We also want to see how our monitor tracks with the peaks and valleys.
Can you tell me what triggers you used to reach out to the fire dept? It seems like it was mostly visual cues (heavy smoke, flames, etc) and not as much data driven but want to be sure we use the same ones moving forward.
Thanks for your help. I will be on the call at 1, if you have any questions of us.

R. Keith Frost
Assistant Chief, Bureau of Air Quality
S.C. Dept. of Health & Environmental Control
Office: (803) 898-4115
Mobile: (803) 465-1529
Connect: www.scdhec.gov Facebook Twitter
http://www.scdhec.gov/images/logo_email.jpg

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Monday, July 29, 2019 10:28 AM
**To:** Lee, Paul <leepd@dhec.sc.gov>; rwells@jaspercountysc.gov; Frost, Keith <frostrk@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>
**Subject:** FW: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200


I will provide an final 0200 – 0700 data table this afternoon. EPA has completed the air monitoring and sampling. We have demobilized resources.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404 562 8642



Able Contracting Fire
Instrumentation Configuration
Night of 7/25/19
Legend
EPA Air Monitoring Station
SCDHEC Air Monitoring Station
Station 157
Station 155
Station 156
Mackinlay Way
SCDHEC AirStation
Google Earth
© 2018 Google
N
300 ft

**From:** Frost, Keith <frostrk@dhec.sc.gov>
**Sent on:** Monday, July 29, 2019 3:49:30 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200
**Attachments:** ATT00001.txt (51 Bytes)

Jordan, we are working to provide some oversight and monitoring of the site until your sample results come back later this week. Can you send me a map of the locations of samplers you deployed around the site and the individual sample data? We are considering placing another monitor closer to the pile and hope this data will help us determine the most appropriate location to identify possible flare-ups. We also want to see how our monitor tracks with the peaks and valleys.

Can you tell me what triggers you used to reach out to the fire dept? It seems like it was mostly visual cues (heavy smoke, flames, etc) and not as much data driven but want to be sure we use the same ones moving forward.

Thanks for your help. I will be on the call at 1, if you have any questions of us.

R. Keith Frost
Assistant Chief, Bureau of Air Quality
S.C. Dept. of Health & Environmental Control
Office: (803) 898-4115
Mobile: (803) 465-1529
Connect: www.scdhec.gov Facebook Twitter
http://www.scdhec.gov/images/logo_email.jpg

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Monday, July 29, 2019 10:28 AM
**To:** Lee, Paul <leepd@dhec.sc.gov>; rwells@jaspercountysc.gov; Frost, Keith <frostrk@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>
**Subject:** FW: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200



I will provide an final 0200 – 0700 data table this afternoon. EPA has completed the air monitoring and sampling. We have demobilized resources.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Eichinger, Kevin
**Sent:** Monday, July 29, 2019 8:56 AM

**From:** Frost, Keith <frostrk@dhec.sc.gov>
**Sent on:** Monday, July 29, 2019 4:07:26 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200
**Attachments:** ATT00001.txt (51 Bytes)

Thank you.

R. Keith Frost
Assistant Chief, Bureau of Air Quality
S.C. Dept. of Health & Environmental Control
Office: (803) 898-4115
Mobile: (803) 465-1529
Connect: www.scdhec.gov Facebook Twitter
http://www.scdhec.gov/images/logo_email.jpg

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Monday, July 29, 2019 12:04 PM
**To:** Frost, Keith <frostrk@dhec.sc.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200



**From:** Frost, Keith <frostrk@dhec.sc.gov>
**Sent:** Monday, July 29, 2019 11:50 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air Monitoring Summary Table, 07/28, 0700 through 07/29, 0200

Jordan, we are working to provide some oversight and monitoring of the site until your sample results come back later this week. Can you send me a map of the locations of samplers you deployed around the site and the individual sample data? We are considering placing another monitor closer to the pile and hope this data will help us determine the most appropriate location to identify possible flare-ups. We also want to see how our monitor tracks with the peaks and valleys.
Can you tell me what triggers you used to reach out to the fire dept? It seems like it was mostly visual cues (heavy smoke, flames, etc) and not as much data driven but want to be sure we use the same ones moving forward.
Thanks for your help. I will be on the call at 1, if you have any questions of us.

R. Keith Frost
Assistant Chief, Bureau of Air Quality
S.C. Dept. of Health & Environmental Control
Office: (803) 898-4115
Mobile: (803) 465-1529
Connect: www.scdhec.gov Facebook Twitter
http://www.scdhec.gov/images/logo_email.jpg

**From:** Russell Wells <rwells@jaspercountysc.gov>
**Sent on:** Sunday, July 28, 2019 1:15:10 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Air Monitoring Summary Tables

Thank you for the reports!

Sent from my Verizon, Samsung Galaxy smartphone

-------- Original message --------
From: "Garrard, Jordan" <Garrard.Jordan@epa.gov>
Date: 7/27/19 18:42 (GMT-05:00)
To: Russell Wells <rwells@jaspercountysc.gov>
Subject: FW: Air Monitoring Summary Tables

**From:** Eichinger, Kevin
**Sent:** Saturday, July 27, 2019 6:30 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>
**Subject:** Air Monitoring Summary Tables

Attached are the three summary tables. I renamed them so you can tell the time period by the file name. They have been loaded up to the website.

Kevin

**Kevin Eichinger, CHMM - Federal On-Scene Coordinator and Industrial Hygienist**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Superfund and Emergency Management Division**
**Emergency Response, Removal, Prevention and Prepardness Branch (ERRPPB)**
office: **404-562-8268** | cell: **678-897-3759** | **response.epa.gov**

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent on:** Friday, August 16, 2019 4:20:26 PM
**To:** Harper, Greg <Harper.Greg@epa.gov>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>; Negron, Jose <Negron.Jose@epa.gov>
**Subject:** RE: Air Sampling and monitoring data for Able
**Attachments:** Draft_Summary Tables Able Contracting_for release_2ndRound.pdf (142.31 KB), Draft_Summary Tables Able Contracting_for release_1stRound.pdf (135.38 KB)

See attached for Air Sampling data summary tables.

Air monitoring summary tables to follow shortly.

Chris

**From:** Harper, Greg [mailto:Harper.Greg@epa.gov]
**Sent:** Friday, August 16, 2019 12:16 PM
**To:** Jones, Chris <chris.jones@tetratech.com>
**Cc:** Garrard, Jordan <garrard.jordan@epa.gov>; Huyser, Matthew <huyser.matthew@epa.gov>; Negron, Jose <Negron.Jose@epa.gov>
**Subject:** Air Sampling and monitoring data for Able

⚠ **CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Chris,

Can you send me the air sampling results and air monitoring data START collected at Able? Can it be provided today? EPA has a request from the USCG for the information.

Thanks
Greg

Gregory L. Harper
EPA On-Scene Coordinator
U.S. Environmental Protection Agency, Region 4
Emergency Response Removal and Prevention Branch, 11th Floor
61 Forsyth Street. S.W.
Atlanta, Georgia 30303
Office (404) 562-8322
Cell (770) 570-8106
harper.greg@epa.gov

Sent from my iPhone

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR AUGUST 2, 2019

| | | STATION 1 (SE Corner) | | STATION 2 (West Side) | | STATION 3 (Upwind) | |
|---|---|---|---|---|---|---|---|
| | | ACF-AS-RES-24HRVOC | | ACF-AS-SMOKE-24HRVOC | | ACF-AS-UPWIND-24HRVOC | |
| **Date** | | **8/2/2019** | | **8/2/2019** | | **8/2/2019** | |
| **Start Time** | | **20:10** | | **20:30** | | **21:00** | |
| **End time** | | **15:20** | | **12:55** | | **16:55** | |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | | ***Sample Volume*** | | ***Sample Volume*** | |
| **Volatile Organic Compounds (μg/m³)** | | - | | - | | - | |
| Propylene | 9,400 | **2.98** | | **21.5** | | **0.633** | |
| Freon 12 (CCl2F2) | Not Listed | **2.44** | | **2.43** | | **2.37** | |
| Freon 114 (C2Cl2F4) | Not Listed | 0.481 | U | 0.483 | U | 0.489 | U |
| Chloromethane | 280 | **3.53** | | **13.8** | | 2.09 | |
| Chloroethene (Vinyl chloride) | Not Listed | 0.177 | U | 0.178 | U | 0.180 | U |
| 1,3-Butadiene | Not Listed | **0.195** | | **2.35** | | 0.151 | U |
| Bromomethane | 16 | 0.264 | U | **0.46** | | 0.268 | U |
| Chloroethane | Not Listed | 0.183 | U | **0.268** | | 0.186 | U |
| Bromoethene (Vinyl bromide) | Not Listed | 0.300 | U | 0.301 | U | 0.305 | U |
| Freon 11 (CCl3F) | Not Listed | **1.42** | | **1.41** | | **1.39** | |
| Ethanol | Not Listed | **2.62** | | **3.26** | | **1.21** | J+ |
| Acrolein | 0.063 | **0.307** | | **2.56** | | **0.273** | |
| Freon 113 (C2Cl3F3) | Not Listed | **0.591** | | **0.613** | | **0.584** | |
| 1,1-Dichloroethene | Not Listed | 0.273 | U | **0.274** | U | 0.277 | U |
| Acetone | 97000 | **6.87** | | **14.7** | | **5.46** | |
| Carbon disulfide | 2200 | **0.448** | J+ | **0.736** | J+ | **0.262** | J+ |
| Isopropyl alcohol | Not Listed | **0.432** | | **0.41** | | **0.305** | |
| Allyl chloride (3-chloropropene) | Not Listed | 0.217 | U | 0.218 | U | 0.220 | U |
| Acetonitrile | 190 | **1.17** | | **3.64** | | **0.893** | |
| Methylene chloride | 1900 | **0.625** | J+ | **0.66** | J+ | **0.551** | |
| trans-1,2-Dichloroethene | Not Listed | 0.278 | U | 0.279 | U | 0.282 | U |
| Methyl tert-butyl ether | Not Listed | 0.254 | U | **0.355** | | 0.258 | U |
| Acrylonitrile | 4 | 0.153 | U | **0.946** | | 0.155 | U |
| Hexane | Not Listed | **0.849** | | **1.71** | | **0.28** | |
| 1,1-Dichloroethane | Not Listed | 0.274 | U | 0.275 | U | 0.278 | U |
| Vinyl acetate | 630 | 0.246 | U | 0.247 | U | 0.250 | U |
| cis-1,2-Dichloroethene | Not Listed | 0.275 | U | 0.276 | U | 0.279 | U |
| Methyl ethyl ketone (2-Butanone) | 16,000 | **0.657** | | **2.69** | | 0.42 | |
| Ethyl acetate | 220 | **0.719** | | **0.251** | U | 0.253 | U |
| Chloroform | 12 | 0.340 | U | **0.341** | U | 0.345 | U |
| Tetrahydrofuran | Not Listed | **0.222** | | **1.32** | | 0.208 | U |
| 1,1,1-Trichloroethane | Not Listed | 0.374 | U | 0.375 | U | 0.379 | U |
| Cyclohexane | 19,000 | 0.241 | U | **0.319** | | 0.244 | U |
| Carbon tetrachloride | 47 | **0.523** | | **0.497** | | **0.491** | |
| Benzene | 36 | **2.00** | | **26.2** | | 0.223 | U |
| 2,2,4-trimethylpentane | Not Listed | **0.322** | | 0.331 | U | 0.334 | U |
| 1,2-Dichloroethane | Not Listed | 0.285 | U | 0.286 | U | 0.289 | U |
| Heptane | Not Listed | **0.478** | | **1.51** | | 0.288 | U |
| Trichloroethene | Not Listed | 0.371 | U | 0.373 | U | 0.377 | U |
| 1,2-Dichloropropane | Not Listed | 0.325 | U | 0.326 | U | 0.330 | U |
| Methyl methacrylate | 2200 | 0.292 | U | **1.4** | | 0.297 | U |
| 1,4-Dioxane | Not Listed | 0.251 | U | **0.584** | | 0.254 | U |
| Bromodichloromethane | 7.6 | 0.458 | U | 0.460 | U | 0.465 | U |
| cis-1,3-Dichloropropene | Not Listed | 0.307 | U | 0.31 | U | 0.31 | U |
| Methyl isobutyl ketone | Not Listed | 0.291 | U | 0.292 | U | 0.295 | U |
| Toluene | 16000 | **2.26** | | **11.8** | | **0.657** | |
| trans-1,3-Dichloropropene | Not Listed | 0.317 | U | 0.319 | U | 0.322 | U |
| 1,1,2-Trichloroethane | Not Listed | 0.376 | U | 0.378 | U | 0.382 | U |
| Tetrachloroethene | Not Listed | 0.471 | U | 0.473 | U | 0.478 | U |
| 2-Hexanone (Methyl butyl ketone) | Not Listed | 0.286 | U | **0.338** | | 0.291 | U |
| Dibromochloromethane | Not Listed | 0.578 | U | 0.581 | U | 0.587 | U |
| 1,2-Dibromoethane | Not Listed | 0.535 | U | 0.538 | U | 0.544 | U |
| Chlorobenzene | 160 | 0.326 | U | **0.748** | | 0.331 | U |
| Ethylbenzene | 110 | **1.33** | | **8** | | 0.298 | U |
| 1,1,1,2-Tetrachloroethane | Not Listed | 0.472 | U | 0.474 | U | 0.479 | U |
| m-/p-Xylenes | Not Listed | **0.673** | | **2.07** | | 0.307 | U |
| o-Xylene | Not Listed | **0.284** | J+ | **0.98** | | 0.303 | U |
| Styrene | 3100 | **0.842** | | **21.2** | | 0.29 | U |
| Bromoform | 260 | 0.714 | U | 0.717 | U | 0.725 | U |
| 1,1,2,2-Tetrachloroethane | Not Listed | 0.472 | U | 0.474 | U | 0.479 | U |
| 4-Ethyltoluene | Not Listed | 0.341 | U | 0.342 | U | 0.346 | U |
| 2-Chlorotoluene | Not Listed | 0.359 | U | 0.360 | U | 0.364 | U |
| 1,3,5-Trimethylbenzene | Not Listed | 0.339 | U | **0.535** | | 0.344 | U |
| 1,2,4-Trimethylbenzene | Not Listed | 0.336 | U | **0.534** | | 0.341 | U |
| 1,3-Dichlorobenzene | Not Listed | 0.417 | U | 0.419 | U | 0.424 | U |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR AUGUST 2, 2019

| | | STATION 1 (SE Corner) | | STATION 2 (West Side) | | STATION 3 (Upwind) | |
|---|---|---|---|---|---|---|---|
| | | ACF-AS-RES-24HRVOC | | ACF-AS-SMOKE-24HRVOC | | ACF-AS-UPWIND-24HRVOC | |
| **Date** | | 8/2/2019 | | 8/2/2019 | | 8/2/2019 | |
| **Start Time** | | 20:10 | | 20:30 | | 21:00 | |
| **End time** | | 15:20 | | 12:55 | | 16:55 | |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | | ***Sample Volume*** | | ***Sample Volume*** | |
| **Volatile Organic Compounds (µg/m³)** | | - | | - | | - | |
| 1,4-Dichlorobenzene | Not Listed | 0.415 | U | 0.417 | U | 0.421 | U |
| Benzyl chloride | 3.1 | 0.355 | U | 0.357 | U | 0.361 | U |
| 1,2-Dichlorobenzene | Not Listed | 0.422 | U | 0.423 | U | 0.428 | U |
| 1,2,4-Trichlorobenzene | Not Listed | 0.518 | U | 0.520 | U | 0.526 | U |
| Hexachlorobutadiene | 13 | 0.735 | U | 0.738 | U | 0.746 | U |
| Naphthalene | Not Listed | 0.373 | U | **1.02** | | 0.379 | U |
| 1-Bromopropane | Not Listed | 0.342 | U | 0.343 | U | 0.347 | U |
| 1-Octene | Not Listed | 0.309 | U | 0.310 | U | 0.314 | U |
| n-Octane | Not Listed | 0.322 | U | **0.957** | | 0.327 | U |
| Isopropylbenzene | Not Listed | **0.466** | | **1.92** | | **0.355** | |
| n-Propylbenzene | Not Listed | 0.344 | U | **0.453** | | 0.349 | U |

Notes:

| | |
|---|---|
| ACF | Able Contracting Fire |
| EPA | Environmental Protection Agency |
| J+ | The identification of the analyte is acceptable; the reported value is an estimate biased high |
| µg/m³ | Micrograms per cubic meter |
| NA | Not Analysed |
| ND | Not Detected |
| RMLs | Removal Management Levels; Residential Ambient Air, April 2019. (Lower value of carcinogenic/noncarcinogenic listed; TR=1E-04/THQ+3.0) |
| U | The analyte was not detected at or above the reporting limit |
| UJ | The analyte |
| **BOLD** | Bolded values |
| **SHADE** | Shaded values indicate an RML exceedance |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR AUGUST 2, 2019

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR JULY 27 and 28, 2019

| | | BACKGROUND | STATION 1 (SE Corner) | STATION 2 (SW Corner) | STATION 1 (SE Corner) | STATION 2 (SW Corner) |
|---|---|---|---|---|---|---|
| | | ACF-AS-BKGD-072819 | ACF-AS-RES-AM-072719 | ACF-AS-SMOKE-AM-072719 | ACF-AS-RES-PM-072719 | ACF-AS-SMOKE-PM-072719 |
| Date | | 7/28/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 | 7/27/2019 |
| Start Time | | 11:30 | 0:18 | 1:00 | 12:10 | 12:15 |
| End time | | 19:15 | 8:10 | 8:35 | 20:20 | 20:30 |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** |
| **Asbestos (fibers/cc)** | | *946.3 Liters* | *767 Liters* | *898.6 Liters* | *965.3 Liters* | *913.3 Liters* |
| Asbestos | Not Listed | None detected | None detected | None detected | None detected | None detected |
| **Formaldehyde (µg/m³)** | | *516.20 Liters* | *410.60 Liters* | *411.80 Liters* | *541.50 Liters* | *549.50 Liters* |
| Formaldehyde | 22 | **4.88** | **1.70** | **2.50** | **3.04** | **6.09** |
| **Metals (µg/m³)** | | *776.6 Liters* | *672.6 Liters* | *657.5 Liters* | *744.8 Liters* | *784.6 Liters* |
| Aluminum | 16 | **0.55** | **0.77** | **0.52** | **0.5** | **0.48** |
| Antimony | Not Listed | 0.19 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Arsenic | Not Listed | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Barium | 1.6 | 0.11 U | 0.13 U | **0.25 J+** | **0.13 J+** | 0.11 U |
| Beryllium | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Cadmium | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Calcium | Not Listed | **52.7 J+** | 0.54 U | 55.1 U | **48 J+** | 41.3 U |
| Chromium | Not Listed | 0.73 U | 0.89 U | 0.9 U | 1.1 U | 0.75 U |
| Cobalt | 0.019 | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Copper | Not Listed | 0.019 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Iron | Not Listed | **0.93 J+** | **1.3 J+** | 0.87 U | **0.81 J+** | **0.86 J+** |
| Lead | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | **0.038 U** |
| Manganese | Not Listed | 0.19 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Magnesium | Not Listed | **9.6 J+** | **11.2 J+** | **11.5 J+** | **10.4 J+** | 8.5 U |
| Nickel | Not Listed | 0.19 U | 0.22 U | 0.23 U | 0.2 U | 0.19 U |
| Selenium | 63 | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Silver | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Thallium | Not Listed | 0.039 U | 0.045 U | 0.046 U | 0.04 U | 0.038 U |
| Vanadium | Not Listed | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Zinc | Not Listed | 0.39 U | 0.45 U | 0.46 U | 0.4 U | 0.38 U |
| Potassium | Not Listed | 3.9 U | 4.5 U | 4.6 U | 4 U | 3.8 U |
| Sodium | Not Listed | **12.7 J+** | **15.8 J+** | **16.5 J+** | **14.7 J+** | 12 U |
| **Volatile Organic Compounds (µg/m³)** | | - | - | - | - | - |
| Propylene | 9,400 | **2.91** | **7.88** | **3.99** | **2.96** | **14.2** |
| Freon 12 (CCl2F2) | Not Listed | **2.33** | **2.4** | **2.38** | **2.41** | **2.36** |
| Freon 114 (C2Cl2F4) | Not Listed | 0.5 U | 0.502 U | 0.5 U | 0.513 U | **0.505 U** |
| Chloromethane | 280 | **1.23** | **4.76** | **2.95** | **1.23** | **11.6** |
| Chloroethene (Vinyl chloride) | Not Listed | 0.184 U | 0.185 U | 0.184 U | 0.189 U | 0.186 U |
| 1,3-Butadiene | Not Listed | **0.749** | **1.06** | **0.689** | **0.769** | **2.21** |
| Bromomethane | 16 | 0.275 U | 0.276 U | 0.274 U | 0.282 U | 0.277 U |
| Chloroethane | Not Listed | 0.19 U | 0.191 U | 0.19 U | 0.195 U | **0.276** |
| Bromoethene (Vinyl bromide) | Not Listed | 0.312 U | 0.313 U | 0.312 U | 0.32 U | 0.315 U |
| Freon 11 (CCl3F) | Not Listed | **1.18** | **1.38** | **1.33** | **1.4** | **1.28** |
| Ethanol | Not Listed | **16.7** | **4.28** | **2.33** | **9.26** | **2.56** |
| Acrolein | 0.063 | **0.25** | [illegible] | [illegible] | [illegible] | **1.18** |
| Freon 113 (C2Cl3F3) | Not Listed | **0.554** | **0.66** | **0.547** | **0.605** | **0.577** |
| 1,1-Dichloroethene | Not Listed | 0.284 U | 0.285 U | 0.284 U | 0.291 U | **0.287 U** |
| Acetone | 97000 | **12** | **8.66** | **7.51** | **10.5** | **16.1** |
| Carbon disulfide | 2200 | 0.214 | 0.514 J+ | **0.279 J+** | **0.444 J+** | **0.405 J+** |
| Isopropyl alcohol | Not Listed | **0.404** | **0.468** | **0.434** | **0.949** | **0.478** |
| Allyl chloride (3-chloropropene) | Not Listed | 0.225 U | 0.226 U | 0.225 U | 0.231 U | 0.227 U |
| Acetonitrile | 190 | **1.85** | **2.17** | **0.892** | **0.99** | **1.63 J+** |
| Methylene chloride | 1900 | **0.691 J+** | **0.871 J+** | **0.674 J+** | **0.999 J+** | **0.651** |
| trans-1,2-Dichloroethene | Not Listed | 0.289 U | 0.29 U | 0.289 U | 0.296 U | 0.292 U |
| Methyl tert-butyl ether | Not Listed | 0.264 U | 0.265 U | 0.264 U | **0.312** | 0.267 U |
| Acrylonitrile | 4 | 0.159 U | 0.159 U | 0.158 U | 0.163 U | **0.202** |
| Hexane | Not Listed | **4.05** | **1.55** | **0.647** | **2.37** | **1.43** |
| 1,1-Dichloroethane | Not Listed | 0.285 U | 0.286 U | 0.285 U | 0.292 U | 0.288 U |
| Vinyl acetate | 630 | 0.256 U | 0.257 U | 0.256 U | 0.263 U | 0.259 U |
| cis-1,2-Dichloroethene | Not Listed | 0.285 U | 0.287 U | 0.285 U | 0.293 U | 0.288 U |
| Methyl ethyl ketone (2-Butanone) | 16,000 | **1.02** | **0.847** | **0.805** | **0.612** | **1.57** |
| Ethyl acetate | 220 | 0.259 U | 0.261 U | 0.259 U | 0.266 U | 0.262 U |
| Chloroform | 12 | 0.353 U | 0.354 U | 0.353 U | 0.362 U | 0.356 U |
| Tetrahydrofuran | Not Listed | 0.213 U | **0.472** | **0.373** | 0.218 U | **0.796** |
| 1,1,1-Trichloroethane | Not Listed | 0.388 U | 0.39 U | 0.388 U | 0.398 U | 0.392 U |
| Cyclohexane | 19,000 | **0.999** | **0.262** | 0.25 U | **0.803** | 0.253 U |
| Carbon tetrachloride | 47 | **0.481** | **0.482** | **0.478** | **0.496** | **0.466** |
| Benzene | 36 | **2.52** | **6.46** | **3.4** | **2.5** | **15.1** |
| 2,2,4-trimethylpentane | Not Listed | **2.12** | **0.684** | 0.342 U | **0.487** | 0.346 U |
| 1,2-Dichloroethane | Not Listed | 0.296 U | 0.297 U | 0.296 U | 0.303 U | 0.299 U |
| Heptane | Not Listed | **2.26** | **0.769** | **0.365** | **0.891** | **1** |
| Trichloroethene | Not Listed | 0.386 U | 0.387 U | **0.385 U** | 0.396 U | 0.39 U |
| 1,2-Dichloropropane | Not Listed | 0.338 U | 0.339 U | 0.337 U | 0.346 U | 0.341 U |
| Methyl methacrylate | 2200 | 0.304 U | 0.305 U | 0.303 U | 0.312 U | **0.857** |
| 1,4-Dioxane | Not Listed | **0.321** | **0.294** | 0.26 U | 0.267 U | **0.374** |
| Bromodichloromethane | 7.6 | 0.476 U | 0.478 U | **0.475 U** | 0.488 U | 0.48 U |
| cis-1,3-Dichloropropene | Not Listed | *0.319* U | *0.32* U | *0.319* U | *0.327* U | *0.322* U |
| Methyl isobutyl ketone | Not Listed | 0.302 U | **0.373** | 0.302 U | 0.31 U | 0.305 U |
| Toluene | 16000 | **9.82** | **6.48** | **2.62** | **5.08** | **7.6** |
| trans-1,3-Dichloropropene | Not Listed | 0.33 U | 0.331 U | 0.329 U | 0.338 U | 0.333 U |
| 1,1,2-Trichloroethane | Not Listed | 0.391 U | 0.393 U | 0.391 U | 0.401 U | 0.395 U |
| Tetrachloroethene | Not Listed | 0.489 U | 0.491 U | 0.489 U | **0.736** | 0.494 U |
| 2-Hexanone (Methyl butyl ketone) | Not Listed | 0.298 U | 0.299 U | 0.297 U | 0.305 U | 0.3 U |
| Dibromochloromethane | Not Listed | 0.601 U | 0.604 U | 0.601 U | 0.617 U | 0.607 U |
| 1,2-Dibromoethane | Not Listed | 0.556 U | 0.559 U | 0.556 U | 0.571 U | 0.562 U |
| Chlorobenzene | 160 | 0.339 U | 0.34 U | 0.338 U | 0.348 U | 0.342 U |
| Ethylbenzene | 110 | **2.07** | 3.36 | **1.12** | **0.768** | **5.86** |
| 1,1,1,2-Tetrachloroethane | Not Listed | 0.491 U | 0.493 U | 0.49 U | 0.504 U | 0.496 U |
| m-/p-Xylenes | Not Listed | **6.86** | **2.37** | **0.941** | **2.51** | **1.66** |
| o-Xylene | Not Listed | **2.75** | **0.95** | **0.362** | **0.916** | **0.759** |
| Styrene | 3100 | **0.348** | **1.71** | **2.13** | **0.446** | **8.66** |
| Bromoform | 260 | 0.742 U | 0.745 U | 0.741 U | 0.761 U | 0.749 U |
| 1,1,2,2-Tetrachloroethane | Not Listed | 0.491 U | 0.493 U | 0.49 U | 0.504 U | 0.496 U |
| 4-Ethyltoluene | Not Listed | **0.913** | 0.355 U | 0.354 U | 0.363 U | 0.357 U |
| 2-Chlorotoluene | Not Listed | 0.373 U | 0.374 U | 0.372 U | 0.382 U | 0.376 U |
| 1,3,5-Trimethylbenzene | Not Listed | **0.898** | 0.354 U | 0.352 U | 0.362 U | 0.356 U |
| 1,2,4-Trimethylbenzene | Not Listed | **3.23** | **0.784** | **0.318 J** | **0.817** | **0.414** |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR JULY 27 and 28, 2019

| | | BACKGROUND | STATION 1 (SE Corner) | STATION 2 (SW Corner) | STATION 1 (SE Corner) | STATION 2 (SW Corner) |
|---|---|---|---|---|---|---|
| | | ACF-AS-BKGD-072819 | ACF-AS-RES-AM-072719 | ACF-AS-SMOKE-AM-072719 | ACF-AS-RES-PM-072719 | ACF-AS-SMOKE-PM-072719 |
| **Date** | | **7/28/2019** | **7/27/2019** | **7/27/2019** | **7/27/2019** | **7/27/2019** |
| **Start Time** | | **11:30** | **0:18** | **1:00** | **12:10** | **12:15** |
| **End time** | | **19:15** | **8:10** | **8:35** | **20:20** | **20:30** |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** |
| 1,3-Dichlorobenzene | Not Listed | 0.434 U | 0.436 U | 0.433 U | 0.445 U | 0.438 U |
| 1,4-Dichlorobenzene | Not Listed | 0.431 U | 0.433 U | 0.431 U | 0.442 U | 0.435 U |
| Benzyl chloride | 3.1 | 0.369 U | 0.371 U | 0.369 U | 0.379 U | 0.373 U |
| 1,2-Dichlorobenzene | Not Listed | 0.438 U | 0.44 U | 0.438 U | 0.449 U | 0.442 U |
| 1,2,4-Trichlorobenzene | Not Listed | 0.538 U | 0.541 U | 0.538 U | 0.553 U | 0.544 U |
| Hexachlorobutadiene | 13 | 0.764 U | 0.767 U | 0.763 U | 0.784 U | 0.772 U |
| Naphthalene | Not Listed | **0.336 J** | 0.39 U | 0.388 U | 0.398 U | **0.537** |
| 1-Bromopropane | Not Listed | 0.355 U | 0.357 U | 0.355 U | 0.365 U | 0.359 U |
| 1-Octene | Not Listed | 0.321 U | 0.322 U | 0.321 U | 0.329 U | 0.324 U |
| n-Octane | Not Listed | **0.99** | **0.353** | 0.334 U | 0.343 U | **0.562** |
| Isopropylbenzene | Not Listed | 0.357 U | **0.838** | 0.421 | 0.366 U | **1.06** |
| n-Propylbenzene | Not Listed | **0.629** | 0.359 U | 0.357 U | 0.367 U | 0.361 U |
| **Semivolatile Organic Compounds ($\mu g/m^3$)** | | ***439.4 Liters*** | ***486.2 Liters*** | ***562.5 Liters*** | ***421.4 Liters*** | ***438.3 Liters*** |
| Semivolatile Organic Compounds | Not Listed | None detected | None detected | None detected | None detected | None detected |
| N-Nitrosodimethylamine | Not Listed | 8.78 U | 7.94 U | 6.86 U | 9.16 U | 8.81 U |
| Pyridine | Not Listed | 17.1 U | 15.4 U | 13.3 U | 17.8 U | 17.1 U |
| Phenol (CCC) | Not Listed | 7.39 U | 6.67 U | 5.77 U | 7.70 U | 7.40 U |
| Aniline | 3.1 | 7.90 U | 7.14 U | 6.17 U | 8.23 U | 7.92 U |
| bis(2-Chloroethyl)ether | 0.85 | 8.97 U | 8.10 U | 7.00 U | 9.35 U | 8.99 U |
| 2-Chlorophenol | Not Listed | 7.10 U | 6.42 U | 5.55 U | 7.40 U | 7.12 U |
| 1,3-Dichlorobenzene | Not Listed | 6.35 U | 5.74 U | 4.96 U | 6.62 U | 6.37 U |
| 1,4-Dichlorobenzene (CCC) | Not Listed | 6.01 U | 5.43 U | 4.69 U | 6.26 U | 6.02 U |
| Benzyl alcohol | Not Listed | 7.97 U | 7.20 U | 6.22 U | 8.31 U | 7.99 U |
| 1,2-Dichlorobenzene | Not Listed | 6.35 U | 5.74 U | 4.96 U | 6.62 U | 6.37 U |
| 2-Methylphenol | Not Listed | 7.70 U | 6.96 U | 6.02 U | 8.03 U | 7.72 U |
| bis(2-Chloroisopropyl) ether | Not Listed | 11.2 U | 10.1 U | 8.73 U | 11.7 U | 11.2 U |
| 3/4-Methylphenol | Not Listed | 6.73 U | 6.08 U | 5.25 U | 7.01 U | 6.74 U |
| N-Nitroso-di-n-propylamine (SPCC) | Not Listed | 9.47 U | 8.56 U | 7.40 U | 9.87 U | 9.49 U |
| o-Toluidine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Hexachloroethane | 26 | 7.19 U | 6.50 U | 5.62 U | 7.50 U | 7.21 U |
| Nitrobenzene | 7 | 9.29 U | 8.39 U | 7.25 U | 9.68 U | 9.31 U |
| Isophorone | 6300 | 8.51 U | 7.69 U | 6.65 U | 8.88 U | 8.53 U |
| 2,4-Dimethylphenol | Not Listed | 8.30 U | 7.50 U | 6.48 U | 8.65 U | 8.32 U |
| 2-Nitrophenol (CCC) | Not Listed | 7.61 U | 6.88 U | 5.95 U | 7.94 U | 7.63 U |
| Benzoic acid | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| bis(2-Chloroethoxy)methane | Not Listed | 8.33 U | 7.53 U | 6.51 U | 8.69 U | 8.35 U |
| 2,4-Dichlorophenol (CCC) | Not Listed | 7.42 U | 6.71 U | 5.80 U | 7.74 U | 7.44 U |
| a,a-Dimethylphenethylamine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 1,2,4-Trichlorobenzene | Not Listed | 7.02 U | 6.35 U | 5.48 U | 7.32 U | 7.04 U |
| Naphthalene | Not Listed | 7.57 U | 6.84 U | 5.91 U | 7.89 U | 7.59 U |
| 4-Chloroaniline | Not Listed | 9.66 U | 8.73 U | 7.55 U | 10.1 U | 9.69 U |
| Hexachlorobutadiene (CCC) | Not Listed | 6.93 U | 6.26 U | 5.41 U | 7.23 U | 6.95 U |
| Quinoline | Not Listed | 11.4 U | 10.3 U | 8.89 U | 11.9 U | 11.4 U |
| 1,4-Phenylenediamine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 4-Chloro-3 methylphenol (CCC) | Not Listed | 7.52 U | 6.80 U | 5.88 U | 7.84 U | 7.54 U |
| 2-Methylnaphthalene | Not Listed | 7.03 U | 6.36 U | 5.49 U | 7.33 U | 7.05 U |
| 1-Methylnaphthalene | Not Listed | 6.98 U | 6.30 U | 5.45 U | 7.27 U | 6.99 U |
| Hexachlorocyclopentadiene (SPCC) | Not Listed | 92.4 U | 83.5 U | 72.2 U | 96.3 U | 92.6 U |
| 2,4,6-Trichlorophenol (CCC) | Not Listed | 8.40 U | 7.59 U | 6.56 U | 8.76 U | 8.42 U |
| 2,4,5-Trichlorophenol | Not Listed | 6.16 U | 5.56 U | 4.81 U | 6.42 U | 6.17 U |
| Biphenyl | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 2-Chloronaphthalene | Not Listed | 7.42 U | 6.71 U | 5.80 U | 7.74 U | 7.44 U |
| 2-Nitroaniline | Not Listed | 11.0 U | 9.93 U | 8.59 U | 11.5 U | 11.0 U |
| 1,4-Dinitrobenzene | Not Listed | 7.65 U | 6.91 U | 5.97 U | 7.97 U | 7.67 U |
| Dimethylphthalate | Not Listed | 9.21 U | 8.32 U | 7.19 U | 9.60 U | 9.23 U |
| 1,3-Dinitrobenzene | Not Listed | 9.32 U | 8.42 U | 7.28 U | 9.72 U | 9.34 U |
| 2,6-Dinitrotoluene | Not Listed | 8.82 U | 7.97 U | 6.89 U | 9.20 U | 8.84 U |
| 1,2-Dinitrobenzene | Not Listed | 8.84 U | 7.99 U | 6.91 U | 9.22 U | 8.86 U |
| Acenaphthylene | Not Listed | 7.68 U | 6.94 U | 6.00 U | 8.01 U | 7.70 U |
| 3-Nitroaniline | Not Listed | 9.29 U | 8.39 U | 7.25 U | 9.68 U | 9.31 U |
| Acenaphthene (CCC) | Not Listed | 10.6 U | 9.61 U | 8.30 U | 11.1 U | 10.7 U |
| 2,4-Dinitrophenol (SPCC) | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 4-Nitrophenol (SPCC) | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| 2,4-Dinitrotoluene | Not Listed | 9.15 U | 8.27 U | 7.15 U | 9.54 U | 9.17 U |
| Dibenzofuran | Not Listed | 7.83 U | 7.08 U | 6.12 U | 8.16 U | 7.85 U |
| 2,3,5,6-Tetrachlorophenol | Not Listed | 8.66 U | 7.83 U | 6.76 U | 9.03 U | 8.68 U |
| 2,3,4,6-Tetrachlorophenol | Not Listed | 7.98 U | 7.21 U | 6.23 U | 8.32 U | 8.00 U |
| Diethlyphthalate | Not Listed | 11.6 U | 10.5 U | 9.07 U | 12.1 U | 11.6 U |
| 4-Chlorophenyl-phenylether | Not Listed | 8.58 U | 7.75 U | 6.70 U | 8.95 U | 8.60 U |
| Fluorene | Not Listed | 8.91 U | 8.05 U | 6.96 U | 9.29 U | 8.93 U |
| 4-Nitroaniline | Not Listed | 7.90 U | 7.14 U | 6.17 U | 8.24 U | 7.92 U |
| 4,6-Dinitro2-methylphenol | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| N-Nitrosodiphenylamine (CCC) | Not Listed | 8.15 U | 7.36 U | 6.36 U | 8.50 U | 8.17 U |
| Azobenzene | 9.1 | 11.3 U | 10.2 U | 8.81 U | 11.8 U | 11.3 U |
| 4-Bromophenyl-phenylether | Not Listed | 7.64 U | 6.90 U | 5.96 U | 7.96 U | 7.65 U |
| Hexachlorobenzene | 0.61 | 6.21 U | 5.61 U | 4.85 U | 6.48 U | 6.23 U |
| Pentachlorophenol (CCC) | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Phenanthrene | Not Listed | 8.77 U | 7.93 U | 6.85 U | 9.15 U | 8.80 U |
| Anthracene | Not Listed | 8.65 U | 7.82 U | 6.76 U | 9.02 U | 8.67 U |
| Carbazole | Not Listed | 8.02 U | 7.25 U | 6.27 U | 8.36 U | 8.04 U |
| Di-n-butylphthalate | Not Listed | 11.8 U | 10.7 U | 9.24 U | 12.3 U | 11.9 U |
| Fluoranthene (CCC) | Not Listed | 10.5 U | 9.45 U | 8.17 U | 10.9 U | 10.5 U |
| Benzidine | 0.0015 | 259 U | 234 U | 203 U | 271 U | 260 U |
| Pyrene | Not Listed | 10.7 U | 9.64 U | 8.33 U | 11.1 U | 10.7 U |
| 4-Dimethylaminoazobenzene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Butylbenzylphthalate | Not Listed | 9.22 U | 8.33 U | 7.20 U | 9.61 U | 9.24 U |
| 3,3-Dimethylbenzidine | Not Listed | 123 U | 111 U | 96.0 U | 128 U | 123 U |
| bis(2-Ethylhexyl)adipate | Not Listed | 9.95 U | 8.99 U | 7.77 U | 10.4 U | 9.97 U |
| 3,3-Dimethoxybenzidine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| bis(2-Ethylhexyl)phthalate | Not Listed | 19.8 U | 17.9 U | 15.5 U | 20.6 U | 19.8 U |
| 3,3'-Dichlorobenzidine | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Benzo(a)anthracene | Not Listed | 6.26 U | 5.66 U | 4.89 U | 6.53 U | 6.27 U |
| Chrysene | Not Listed | 6.33 U | 5.72 U | 4.94 U | 6.60 U | 6.34 U |
| Di-n-octylphthalate (CCC) | Not Listed | 7.33 U | 6.62 U | 5.72 U | 7.64 U | 7.35 U |

ABLE CONTRACTING FIRE
AIR SAMPLE RESULTS FOR JULY 27 and 28, 2019

| | | BACKGROUND | STATION 1 (SE Corner) | STATION 2 (SW Corner) | STATION 1 (SE Corner) | STATION 2 (SW Corner) |
|---|---|---|---|---|---|---|
| | | ACF-AS-BKGD-072819 | ACF-AS-RES-AM-072719 | ACF-AS-SMOKE-AM-072719 | ACF-AS-RES-PM-072719 | ACF-AS-SMOKE-PM-072719 |
| **Date** | | **7/28/2019** | **7/27/2019** | **7/27/2019** | **7/27/2019** | **7/27/2019** |
| **Start Time** | | **11:30** | **0:18** | **1:00** | **12:10** | **12:15** |
| **End time** | | **19:15** | **8:10** | **8:35** | **20:20** | **20:30** |
| **Analyte** | **EPA RMLs** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** | ***Sample Volume*** |
| 7,12-Dimethylbenz(a)anthracene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Benzo(b)fluoranthene | Not Listed | 3.41 U | 3.09 U | 2.67 U | 3.56 U | 3.42 U |
| Benzo(k)fluoranthene | Not Listed | 4.05 U | 3.66 U | 3.16 U | 4.22 U | 4.06 U |
| Benzo(e)pyrene | Not Listed | 3.87 U | 3.50 U | 3.02 U | 4.03 U | 3.88 U |
| Benzo(a)pyrene (CCC) | Not Listed | 3.87 U | 3.50 U | 3.02 U | 4.03 U | 3.88 U |
| Perylene | Not Listed | 3.87 U | 3.50 U | 3.02 U | 4.03 U | 3.88 U |
| 3-Methylcholanthrene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |
| Indeno(1,2,3-cd)pyrene | Not Listed | 3.41 U | 3.09 U | 2.67 U | 3.56 U | 3.42 U |
| Dibenz(a,h)anthracene | Not Listed | 4.84 U | 4.37 U | 3.78 U | 5.04 U | 4.85 U |
| Benzo(g,h,i)perylene | Not Listed | 4.01 U | 3.62 U | 3.13 U | 4.18 U | 4.02 U |
| Dibenzo(a,e)pyrene | Not Listed | 56.9 U | 51.4 U | 44.4 U | 59.3 U | 57.0 U |

Notes:

| | |
|---|---|
| ACF | Able Contracting Fire |
| EPA | Environmental Protection Agency |
| J | The identification of the analyte is acceptable; the reported value is an estimate |
| J+ | The identification of the analyte is acceptable; the reported value is an estimate biased high |
| $\mu g/m^3$ | Micrograms per cubic meter |
| NA | Not Analysed |
| ND | Not Detected |
| RMLs | Removal Management Levels; Residential Ambient Air, April 2019. (Lower value of carcinogenic/noncarcinogenic listed; TR=1E-04/THQ+3.0) |
| U | The analyte was not detected at or above the reporting limit |
| UJ | The analyte was not detected at or above the reporting limit; which is considered approximate due to |
| **BOLD** | Bolded values indicate a chemical detection |
| SHADE | Shaded values indicate an RML exceedance |

**From:** Jones, Chris <chris.jones@tetratech.com>
**Sent on:** Friday, August 16, 2019 6:41:36 PM
**To:** Harper, Greg <Harper.Greg@epa.gov>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>; Negron, Jose <Negron.Jose@epa.gov>
**Subject:** RE: Air Sampling and monitoring data for Able
**Attachments:** 2019_0814_night_Able_Viper Summary report.pdf (999.38 KB), 2019_0814-DAY_Viper Summary report_Able Fire_AR and DustTrack.pdf (863.64 KB), 2019_0815-DAY_Able_Viper Summary report_rev 1.pdf (838.29 KB), 2019_0815-NIGHT_Able_Viper Summary report.pdf (882.54 KB), 2019_0726Viper Summary report_AR and DustTrack_ABLE CONTRACTING.pdf (166.16 KB), 2019_0802_NIGHT_Viper Summary report_SPM.pdf (135.72 KB), 2019_0803-0804_Viper Summary report_SPM_.pdf (116.39 KB), 2019_0803-0804_Viper Summary report_VOC.pdf (106.56 KB), 2019_0810_NIGHT_Able_START_Viper Summary report_AR and DustTrack.pdf (369.8 KB), 2019_0811_DAY_Able_START_Viper Summary report_AR and DustTrack.pdf (420.21 KB), 2019_0811_NIGHT_Able_START_Viper Summary report_AR and DustTrack.pdf (388.26 KB), 2019_0812_NIGHT_Viper Summary report_Able Fire Template_AR and DustTrack-with Graphs.pdf (545.26 KB), 2019_0812-DAY_Viper Summary report_AR and DustTrack-with graphs.pdf (357.04 KB), 2019_0813_Night-Rev1_Viper Summary report_Able Fire Template_AR and DustTrack.pdf (698.71 KB), 2019_0813-DAY_Viper Summary report_Able Fire Template_AR and DustTrack.pdf (507.2 KB)

Greg,

See attached for air monitoring summary tables.

**From:** Harper, Greg [mailto:Harper.Greg@epa.gov]
**Sent:** Friday, August 16, 2019 12:16 PM
**To:** Jones, Chris <chris.jones@tetratech.com>
**Cc:** Garrard, Jordan <garrard.jordan@epa.gov>; Huyser, Matthew <huyser.matthew@epa.gov>; Negron, Jose <Negron.Jose@epa.gov>
**Subject:** Air Sampling and monitoring data for Able

⚠ **CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Chris,

Can you send me the air sampling results and air monitoring data START collected at Able? Can it be provided today? EPA has a request from the USCG for the information.

Thanks
Greg

Gregory L. Harper
EPA On-Scene Coordinator

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** **8/14/19 19:00** ***To:*** ***8/15/19 6:58***

| SE Corner of Able Contracting | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 747 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 747 | 19 | 0 - 6 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 747 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 747 | 747 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 747 | 0 | 0 - 0% | 0% | 10% |

| Peacock Collision | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| DustTrak 1 | PM-2.5 | Moderate | 3 | 3 | 19 - 19 μg/m³ | 19 μg/m³ | See SOG #: T106 |

| On Site, Immediately West of Pile | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 749 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 749 | 49 | 0 - 11 ppm | 0.3 ppm | 83 ppm |
| | $H_2S$ | No | 749 | 15 | 0 - 1.1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 749 | 749 | 20.4 - 20.5% | 20.4% | <19.5 or >23% |
| | LEL | No | 749 | 0 | 0 - 0 % | 0% | 10% |

| Short Cut Road | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| DustTrak 2 | PM-2.5 | Good | 3 | 3 | 1 - 1 μg/m³ | 1 μg/m³ | See SOG #: T106 |

| Able Contracting Workshop, Northeast of Pile | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 750 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 750 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 750 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 750 | 750 | 20.4 - 20.5% | 20.5% | <19.5 or >23% |
| | LEL | No | 750 | 0 | 0 - 0% | 0% | 10% |

| Grace Costal Church | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| DustTrak 3 | PM-2.5 | Moderate | 614 | 614 | 4 - 46 μg/m³ | 20.8 μg/m³ | See SOG #: T106 |

| Palmetto Exterminators | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 754 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 754 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 754 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 754 | 754 | 19.9 - 20% | 19.9% | <19.5 or >23% |
| | LEL | No | 754 | 0 | 0 - 0% | 0% | 10% |

| Sun City | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| EBAM 1 | PM-2.5 | Moderate | 71 | 41 | 0 - 192 μg/m³ | 34.2 μg/m³ | See SOG #: T106 |

| Brooke Mill Apartments | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| EBAM 2 | PM-2.5 | Moderate | 743 | 587 | 0 - 300 μg/m³ | 22.7 μg/m³ | See SOG #: T106 |

| EPA Mobile Command Post | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| EBAM 3 | PM-2.5 | Moderate | 724 | 531 | 0 - 96 μg/m³ | 15.4 μg/m³ | See SOG #: T106 |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| μg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

8/14/19 NIGHT Data for DustTrak 1 ($PM_{2.5}$) - Peacock Collision




8/14/19 NIGHT Data for DustTrak 2 ($PM_{2.5}$) – Short Cut Road




8/14/19 NIGHT Data for DustTrak 3 ($PM_{2.5}$) – Grace Costal Church



## 8/14/19 NIGHT Data for EBAM 1 (ConcRT) – Sun City




## 8/14/19 NIGHT Data for EBAM 2 (ConcRT) – Brooke Mill Apartments




## 8/14/19 NIGHT Data for EBAM 3 (ConcRT) – EPA Mobile Command Post



## Threshold Values and Air Quality Index Categories for PM2.5

| Level of Health Concern | Particulate Matter ≤2.5 microns measured in µg/m3 | | Interpretation |
|---|---|---|---|
| | 1 hour average | 24 hour average | |
| Good | 0.0-40.0 | 0.0-12.0 | Air quality is considered satisfactory, and air pollution poses little or no risk |
| **Moderate** | **40.1-80.0** | **12.1-35.4** | **Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.** |
| Unhealthy for Sensitive groups | 80.1-175.0 | 35.5-55.4 | Members of sensitive groups may experience health effects. The general public is not likely to be affected. |
| Unhealthy | 175.1-300.0 | 55.5-150.4 | Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects. |
| Very Unhealthy | 300.1-500.0 | 150.5-250.4 | Health warnings of emergency conditions. The entire population is more likely to be affected. |
| Hazardous | >500.0 | >250.5 | Health alert: everyone may experience more serious health effects |

- Threshold values taken from original EPA AQI online calculator found at http://airnow.gov/index.cfm?action=resources.aqi_conc_calc for PM2.5 (24 hour) and Idaho Department of Environmental Quality AQI for PM2.5 (1 hour) taken from http://app.airsis.com/usfs/aqi.asp.
- Recommendations are from the EPA Air Now web site.
- People who are unusually sensitive to air pollution are a subset of Sensitive Individuals. Unusually sensitive to air pollution can be defined as the very young, the elderly, pregnant women, and the immunocompromised.
- Sensitive individuals defined as people with lung disease, older adults and children who are at a greater risk from exposure to ozone; and persons with heart and lung disease, older adults and children who are at greater risk from the presence of particles in the air.

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** *8/15/19* *7:00* ***To:*** *8/15/19* *18:58*

E.P.A. REGION 4 EMERGENCY RESPONSE — UNITED STATES ENVIRONMENTAL PROTECTION AGENCY — OIL & HAZARDOUS SUBSTANCES

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 753 | 3 | 0 - 151 ppb | 0.4 ppb | 1,000 ppb |
| | CO | No | 753 | 26 | 0 - 5 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 753 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 753 | 753 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 753 | 0 | 0 - 0% | 0% | 10% |
| | HCN | No | 753 | 616 | 0 - 0.9 ppm | 0.2 ppm | 7.1 ppm% |

**Peacock Collision**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Moderate | 2,133 | 1,989 | 0 - 168 µg/m³ | 13.4 µg/m³ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 754 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 754 | 53 | 0 - 10 ppm | 0.3 ppm | 83 ppm |
| | $H_2S$ | No | 754 | 7 | 0 - 1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 754 | 754 | 20.4 - 20.6% | 20.4% | <19.5 or >23% |
| | LEL | No | 754 | 0 | 0 - 0 % | 0% | 10% |
| | HCN | No | 754 | 48 | 0 - 5.3 ppm | 0 ppm | 7.1 ppm |

**Short Cut Road**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 738 | 519 | 0 - 88 µg/m³ | 13.2 µg/m³ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 751 | 16 | 0 - 307 ppb | 2.7 ppb | 1,000 ppb |
| | CO | No | 751 | 13 | 0 - 5 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 751 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 751 | 751 | 20.4 - 20.9% | 20.8% | <19.5 or >23% |
| | LEL | No | 751 | 0 | 0 - 0% | 0% | 10% |
| | HCN | No | 751 | 610 | 0 - 1 ppm | 0.3 ppm | 7.1 ppm |

**Grace Costal Church**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 709 | 709 | 6 - 48 µg/m³ | 15.3 µg/m³ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 750 | 3 | 0 - 176 ppb | 0.3 ppb | 1,000 ppb |
| | CO | No | 750 | 12 | 0 - 82 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 750 | 1 | 0 - 1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 750 | 750 | 19.6 - 20.9% | 20.4% | <19.5 or >23% |
| | LEL | No | 750 | 0 | 0 - 0% | 0% | 10% |
| | HCN | No | 750 | 0 | 0 - 3.2 ppm | 0 ppm | 7.1 ppm |

**Sun City**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 1 | PM-2.5 | Moderate | 760 | 550 | 0 - 159 µg/m³ | 16.1 µg/m³ | See SOG #: T106 |

**Brooks Mill Apartments**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 2 | PM-2.5 | Moderate | 752 | 556 | 0 - 63 µg/m³ | 12.4 µg/m³ | See SOG #: T106 |

**Location 6**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 3 | PM-2.5 | Moderate | 742 | 501 | 0 - 105 µg/m³ | 15.6 µg/m³ | See SOG #: T106 |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| HCN | Hydrogen Cyanide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compound |

8/15/19 DAY Data for DustTrak 1 ($PM_{2.5}$) - Peacock Collision




8/15/19 DAY Data for DustTrak 2 ($PM_{2.5}$) – Short Cut Road




8/15/19 DAY Data for DustTrak 3 ($PM_{2.5}$) – Grace Costal Church



## 8/15/19 DAY Data for EBAM 1 (ConcRT) – Sun City




## 8/15/19 DAY Data for EBAM 2 (ConcRT) – Brooke Mill Apartments




## 8/15/19 DAY Data for EBAM 3 (ConcRT) – EPA Mobile Command Post



## Threshold Values and Air Quality Index Categories for PM2.5

| Level of Health Concern | Particulate Matter ≤2.5 microns measured in µg/m3 | | Interpretation |
|---|---|---|---|
| | 1 hour average | 24 hour average | |
| Good | 0.0-40.0 | 0.0-12.0 | Air quality is considered satisfactory, and air pollution poses little or no risk |
| Moderate | 40.1-80.0 | 12.1-35.4 | Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution. |
| Unhealthy for Sensitive groups | 80.1-175.0 | 35.5-55.4 | Members of sensitive groups may experience health effects. The general public is not likely to be affected. |
| Unhealthy | 175.1-300.0 | 55.5-150.4 | Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects. |
| Very Unhealthy | 300.1-500.0 | 150.5-250.4 | Health warnings of emergency conditions. The entire population is more likely to be affected. |
| Hazardous | >500.0 | >250.5 | Health alert: everyone may experience more serious health effects |

- Threshold values taken from original EPA AQI online calculator found at http://airnow.gov/index.cfm?action=resources.aqi_conc_calc for PM2.5 (24 hour) and Idaho Department of Environmental Quality AQI for PM2.5 (1 hour) taken from http://app.airsis.com/usfs/aqi.asp.
- Recommendations are from the EPA Air Now web site.
- People who are unusually sensitive to air pollution are a subset of Sensitive Individuals. Unusually sensitive to air pollution can be defined as the very young, the elderly, pregnant women, and the immunocompromised.
- Sensitive individuals defined as people with lung disease, older adults and children who are at a greater risk from exposure to ozone; and persons with heart and lung disease, older adults and children who are at greater risk from the presence of particles in the air.

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** **Able Contracting Fire**

***From:*** **7/25/19 19:51** ***To:*** ***7/26/19 7:00***

**Station 155**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 7,362 | 5,396 | 0 - 30,618 ppb | 49.5 ppb | 1,000 ppb |
| | CO | No | 7,362 | 662 | 0 - 36 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,362 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,362 | 7,362 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,362 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Moderate | 11,564 | 11,564 | 2 - 652 µg/m³ | 13.8 µg/m³ | See SOG #: T106 |

**Station 156**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 6,209 | 315 | 0 - 1,349 ppb | 7.4 ppb | 1,000 ppb |
| | CO | No | 6,209 | 2,943 | 0 - 41 ppm | 5.1 ppm | 83 ppm |
| | $H_2S$ | No | 6,209 | 202 | 0 - 2.3 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,209 | 6,209 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,209 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Moderate | 14,670 | 14,670 | 9 - 438 µg/m³ | 33.8 µg/m³ | See SOG #: T106 |

**Station 157**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 6,741 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,741 | 6,741 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,741 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Moderate | 8,281 | 8,281 | 11 - 216 µg/m³ | 23.3 µg/m³ | See SOG #: T106 |

**Command Post**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 6,476 | 15 | 0 - 698 ppb | 0.4 ppb | 1,000 ppb |
| | CO | No | 6,476 | 26 | 0 - 10 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,476 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,476 | 6,476 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,476 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** ABLE CONTRACTING FIRE

***From:*** 8/3/19 0:00 ***To:*** *8/4/19 6:59*

| Location 1 (Southeast Corner; Residential Property Line) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 1 | Phosgene (COCl2) | 3 | 4337 | 3 | 0 - 6 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 2 (West Side of Pile) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 2 | Phosgene (COCl2) | 0 | 3267 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 3 (Upwind; North) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 3 | Phosgene (COCl2) | 5 | 4319 | 5 | 0 - 22 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

Notes:

AEGL Acute Exposure Guideline levels for airborne chemicals (8 hour exposure)
min Minute
PEL Permissible exposure limit
ppb Parts per billion
RML Removal Management Level
TLV Threshold limit value

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** 8/10/19 19:00 ***To:*** 8/11/19 7:00

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 753 | 209 | 0 - 585 ppb | 26.9 ppb | 1,000 ppb |
| | CO | No | 753 | 17 | 0 - 12 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 753 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 753 | 753 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 753 | 0 | 0 - 0% | 0% | 10% |

**Peacock Collision**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Unhealthy for Sensitive Populations | 2,235 | 2,235 | 18 - 247 µg/m³ | 37.7 µg/m³ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 750 | 10 | 0 - 656 ppb | 2.4 ppb | 1,000 ppb |
| | CO | No | 750 | 1 | 0 - 5 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 750 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 750 | 750 | 20.6 - 20.9% | 20.8% | <19.5 or >23% |
| | LEL | No | 750 | 0 | 0 - 0 % | 0% | 10% |

**EPA Mobile Command Post**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 2,014 | 2,011 | 0 - 186 µg/m³ | 24.4 µg/m³ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 757 | 81 | 0 - 526 ppb | 12.2 ppb | 1,000 ppb |
| | CO | No | 757 | 22 | 0 - 4 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 757 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 757 | 757 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 757 | 0 | 0 - 0% | 0% | 10% |

**Sun City**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 2,258 | 2,258 | 13 - 28 µg/m³ | 17.9 µg/m³ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 761 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 761 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 761 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 761 | 761 | 20.9 - 21.6% | 21% | <19.5 or >23% |
| | LEL | No | 761 | 0 | 0 - 0% | 0% | 10% |

Notes:

- % Percent
- < Less than
- > Greater than
- AEGL Acute Exposure Guideline levels for airborne chemicals
- CO Carbon monoxide
- $H_2S$ Hydrogen Sulfide
- LEL Lower Explosive Level
- min Minute
- $O_2$ Oxygen
- PEL Permissible exposure limit
- ppb Parts per billion
- ppm Parts per million
- PM Particulate matter
- SOG Standard Operating Guidelines
- TLV Threshold limit value
- µg/m³ Micrograms per cubic meter
- VOC Volatile organic compoud

## 8/10/19 NIGHT Data for DustTrak 1 ($PM_{2.5}$) - Peacock Collision




## 8/10/19 NIGHT Data for DustTrak 2 ($PM_{2.5}$) - MCP




## 8/10/19 NIGHT Data for DustTrak 3 ($PM_{2.5}$) - Sun City




## SCDHEC Particulate Data




8/10/19 NIGHT Data for DustTrak 1 ($PM_{10}$) - Peacock Collision
0.5
0.4
0.3
0.2
0.1
0
18:28
20:52
23:16
1:40
4:04
6:28


8/10/19 NIGHT Data for DustTrak 2 ($PM_{10}$) - MCP
0.5
0.4
0.3
0.2
0.1
0
18:28
20:52
23:16
1:40
4:04
6:28


8/10/19 NIGHT Data for DustTrak 3 ($PM_{10}$) - Sun City
0.5
0.4
0.3
0.2
0.1
0
18:28
20:52
23:16
1:40
4:04
6:28


SCDHEC Particulate Data
1
0.8
0.6
0.4
0.2
0
18:28
20:52
23:16
1:40
4:04
6:28
Schinger PM2.5 (mg/m3)
Palmetto PM2.5 (mg/m3)
Palmetto PM10 (mg/m3)

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** **8/11/19 19:00** ***To:*** **8/12/19 6:59**

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 752 | 35 | 0 - 297 ppb | 2.4 ppb | 1,000 ppb |
| | CO | No | 752 | 3 | 0 - 4 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 752 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 752 | 752 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 752 | 0 | 0 - 0% | 0% | 10% |

**Brooks Mill Apartments**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Moderate | 2,090 | 2,087 | 0 - 148 µg/m³ | 27.1 µg/m³ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 760 | 19 | 0 - 375 ppb | 4.2 ppb | 1,000 ppb |
| | CO | No | 760 | 9 | 0 - 5 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 760 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 760 | 760 | 20.6 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 760 | 0 | 0 - 0 % | 0% | 10% |

**EPA Mobile Command Post**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 2,014 | 2,011 | 0 - 186 µg/m³ | 24.4 µg/m³ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 754 | 2 | 0 - 37 ppb | 0.1 ppb | 1,000 ppb |
| | CO | No | 754 | 2 | 0 - 3 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 754 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 754 | 754 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 754 | 0 | 0 - 0% | 0% | 10% |

**Sun City**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 2,224 | 2,164 | 0 - 190 µg/m³ | 31.4 µg/m³ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 755 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 755 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 755 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 755 | 755 | 20.9 - 21.5% | 21% | <19.5 or >23% |
| | LEL | No | 755 | 0 | 0 - 0% | 0% | 10% |

Notes:

- % Percent
- < Less than
- > Greater than
- AEGL Acute Exposure Guideline levels for airborne chemicals
- CO Carbon monoxide
- $H_2S$ Hydrogen Sulfide
- LEL Lower Explosive Level
- min Minute
- $O_2$ Oxygen
- PEL Permissible exposure limit
- ppb Parts per billion
- ppm Parts per million
- PM Particulate matter
- SOG Standard Operating Guidelines
- TLV Threshold limit value
- µg/m³ Micrograms per cubic meter
- VOC Volatile organic compoud

## 8/11/19 NIGHT Data for DustTrak 1 ($PM_{2.5}$) - Brooke Mill Apartments


## 8/11/19 NIGHT Data for DustTrak 2 ($PM_{2.5}$) - MCP




## 8/11/19 NIGHT Data for DustTrak 3 ($PM_{2.5}$) - Sun City




## SCDHEC Particulate Data



# 8/11/19 NIGHT Data for DustTrak 1 ($PM_{10}$) - Brooke Mill Apartments




# 8/11/19 NIGHT Data for DustTrak 2 ($PM_{10}$) - MCP




# 8/11/19 NIGHT Data for DustTrak 3 ($PM_{10}$) - Sun City




# SCDHEC Particulate Data



# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** 8/12/19 7:00 ***To:*** 8/12/19 18:59

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 753 | 1 | 0 - 322 ppb | 3.9 ppb | 1,000 ppb |
| | CO | No | 753 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 753 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 753 | 753 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 753 | 0 | 0 - 0% | 0% | 10% |

**Traffic Circle North of Site**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Unhealthy | 2,036 | 2,036 | 16 - 66 µg/m³ | 137 µg/m³ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 752 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 752 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 752 | 134 | 0 - 631 ppm | 28.4 ppm | 0.5 ppm |
| | $O_2$ | No | 752 | 752 | 20.6 - 20.9% | 20.66% | <19.5 or >23% |
| | LEL | No | 752 | 0 | 0 - 0 % | 0% | 10% |

**EPA Mobile Command Post**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 2,139 | 2,139 | 3 - 32 µg/m³ | 20.6 µg/m³ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 752 | 3 | 0 - 256 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 752 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 752 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 752 | 752 | 20.9 - 20.9% | 20.90% | <19.5 or >23% |
| | LEL | No | 752 | 0 | 0 - 0% | 0% | 10% |

**Sun City**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 763 | 763 | 24 - 27 µg/m³ | 25.7 µg/m³ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 754 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 754 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 754 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 754 | 754 | 20.5 - 20.9% | 20.90% | <19.5 or >23% |
| | LEL | No | 754 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |


8/12/19 DAY Data for DustTrak1 (PM-2.5) Brooke Mill Apartments
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
7:00:33 AM
7:06:33 AM
7:11:34 AM
7:17:33 AM
7:23:33 AM
7:29:34 AM
7:35:34 AM
7:41:33 AM
8:01:34 AM
8:07:34 AM
8:13:34 AM
8:18:36 AM
8:24:38 AM
8:28:36 AM
8:34:34 AM
8:40:34 AM
8:46:33 AM
8:52:33 AM
8:57:35 AM
9:03:35 AM
9:08:36 AM
9:14:35 AM
9:20:35 AM
9:26:38 AM
9:31:33 AM
9:36:35 AM
9:42:33 AM
9:47:33 AM
9:52:40 AM
9:58:36 AM
10:04:33 AM
10:10:35 AM
10:15:37 AM
10:21:33 AM
10:26:34 AM
10:32:34 AM
10:38:34 AM
10:44:37 AM


8/12/19 DAY Data for DustTrak 2 (PM-2.5) MCP
0.035
0.03
0.025
0.02
0.015
0.01
0.005
0
7:00:32 AM
7:17:32 AM
7:35:33 AM
7:54:32 AM
8:12:36 AM
8:30:31 AM
8:48:35 AM
9:07:31 AM
9:24:33 AM
10:21:20 AM
10:39:18 AM
10:58:18 AM
11:17:18 AM
11:35:20 AM
11:53:19 AM
12:12:19 PM
12:31:18 PM
12:50:19 PM
1:06:24 PM
1:24:21 PM
1:43:20 PM
1:59:20 PM
2:16:20 PM
2:34:22 PM
2:53:19 PM
3:10:18 PM
3:29:23 PM
3:46:20 PM
4:04:20 PM
4:23:25 PM
4:41:40 PM
4:59:18 PM
5:16:19 PM
5:35:19 PM
5:50:26 PM
6:07:24 PM
6:26:19 PM
6:44:19 PM


8//19 DAY Data for DustTrak 3 (PM-2.5) Sun City
0.35
0.3
0.25
0.2
0.15
0.1
0.05
0
7:00:21 AM
7:05:19 AM
7:09:20 AM
7:13:18 AM
7:18:21 AM
7:23:29 AM
7:28:19 AM
7:33:22 AM
7:38:20 AM
7:43:20 AM
7:48:23 AM
7:53:31 AM
7:59:21 AM
8:03:46 AM
8:07:27 AM
8:11:52 AM
8:54:49 AM
9:49:18 AM
9:55:23 AM
10:00:21 AM
10:05:04 AM
10:09:18 AM
6:08:31 PM
6:13:31 PM
6:18:31 PM
6:23:32 PM
6:27:31 PM
6:32:36 PM
6:37:31 PM
6:41;32 PM
6:46:32 PM
6:51:33 PM
6:55:32 PM


8/12/19 DAY Data for DustTrak1 (PM-10) Brooke Mill Apartments
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
7:00:33 AM
7:06:33 AM
7:11:34 AM
7:17:33 AM
7:23:33 AM
7:29:34 AM
7:35:34 AM
7:41:33 AM
8:01:34 AM
8:07:34 AM
8:13:34 AM
8:18:36 AM
8:24:38 AM
8:28:36 AM
8:34:34 AM
8:40:34 AM
8:46:33 AM
8:52:33 AM
8:57:35 AM
9:03:35 AM
9:08:36 AM
9:14:35 AM
9:20:35 AM
9:26:38 AM
9:31:33 AM
9:36:35 AM
9:42:33 AM
9:47:33 AM
9:52:40 AM
9:58:36 AM
10:04:33 AM
10:10:35 AM
10:15:37 AM
10:21:33 AM
10:26:34 AM
10:32:34 AM
10:38:34 AM
10:44:37 AM


8/12/19 DAY Data for DustTrak 2 (PM-10) MCP
0.045
0.04
0.035
0.03
0.025
0.02
0.015
0.01
0.005
0
7:00:32 AM
7:17:32 AM
7:35:33 AM
7:54:32 AM
8:12:36 AM
8:30:31 AM
8:48:35 AM
9:07:31 AM
9:24:33 AM
10:21:20 AM
10:39:18 AM
10:58:18 AM
11:17:18 AM
11:35:20 AM
11:53:19 AM
12:12:19 PM
12:31:18 PM
12:50:19 PM
1:06:24 PM
1:24:21 PM
1:43:20 PM
1:59:20 PM
2:16:20 PM
2:34:22 PM
2:53:19 PM
3:10:18 PM
3:29:23 PM
3:46:20 PM
4:04:20 PM
4:23:25 PM
4:41:40 PM
4:59:18 PM
5:16:19 PM
5:35:19 PM
5:50:26 PM
6:07:24 PM
6:26:19 PM
6:44:19 PM


8//19 DAY Data for DustTrak 3 (PM-10) Sun City
0.35
0.3
0.25
0.2
0.15
0.1
0.05
0
-0.05
7:00:21 AM
7:05:19 AM
7:09:20 AM
7:13:18 AM
7:18:21 AM
7:23:29 AM
7:28:19 AM
7:33:22 AM
7:38:20 AM
7:43:20 AM
7:48:23 AM
7:53:31 AM
7:59:21 AM
8:03:46 AM
8:07:27 AM
8:11:52 AM
8:54:49 AM
9:49:18 AM
9:55:23 AM
10:00:21 AM
10:05:04 AM
10:09:18 AM
6:08:31 PM
6:13:31 PM
6:18:31 PM
6:23:32 PM
6:27:31 PM
6:32:36 PM
6:37:31 PM
6:41:32 PM
6:46:32 PM
6:51:33 PM
6:55:32 PM

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

*From:* 8/13/19 7:00 *To:* 8/13/19 *18:58*

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 750 | 38 | 0 - 310 ppb | 6.6 ppb | 1,000 ppb |
| | CO | No | 750 | 1 | 0 - 4 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 750 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 750 | 750 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 750 | 0 | 0 - 0% | 0% | 10% |

**Brooke Mill Apartments -Peacock Collision[1]**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Moderate | 2,326 | 1,789 | 0 - 1030 $\mu g/m^3$ | 31.8 $\mu g/m^3$ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 534 | 25 | 0 - 557 ppb | 10.1 ppb | 1,000 ppb |
| | CO | No | 534 | 32 | 0 - 7 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 534 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 534 | 534 | 20.5 - 20.7% | 20.6% | <19.5 or >23% |
| | LEL | No | 534 | 0 | 0 - 0 % | 0% | 10% |

**EPA Mobile Command Post[2]**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Good | 292 | 274 | -6 - 68 $\mu g/m^3$ | 9 $\mu g/m^3$ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 749 | 15 | 0 - 2304 ppb | 6.9 ppb | 1,000 ppb |
| | CO | No | 749 | 11 | 0 - 6 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 749 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 749 | 749 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 749 | 0 | 0 - 0% | 0% | 10% |

**Sun City[3]**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 1,236 | 1,236 | 12 - 163 $\mu g/m^3$ | 31 $\mu g/m^3$ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 751 | 3 | 0 - 58 ppb | 0.1 ppb | 1,000 ppb |
| | CO | No | 751 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 751 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 751 | 751 | 20.9 - 21.8% | 21.4% | <19.5 or >23% |
| | LEL | No | 751 | 0 | 0 - 0% | 0% | 10% |

Notes:

1. DustTrak 1 - Brooke Mill Apartments reported momentary elevated PM2.5 readings during the morning hours. Location was inspected and there was no visible smoke or other materials in the air at the apartments. This DustTrak was relocated to Peacock Collision at 12:35.
2. DustTrak 2 - EPA MCP was switched to different gateway and relocated to Grace Costal Church at 15:15.
3. DustTrak 3 - Sun City was switched to a different gateway and relocated to Short Cut Road at 13:40.

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| $\mu g/m^3$ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

## 8/13/19 DAY Data for DustTrak 1 ($PM_{2.5}$) - Brooke Mill Apartments and Peacock Colision




## 8/13/19 DAY Data for DustTrak 3 ($PM_{2.5}$) – Sun City




## 8/13/19 DAY Data for DustTrak 2 ($PM_{2.5}$) - MCP



# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** *8/14/19 7:00* ***To:*** *8/14/19 18:58*

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 723 | 14 | 0 - 272 ppb | 2 ppb | 1,000 ppb |
| | CO | No | 723 | 14 | 0 - 5 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 723 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 723 | 723 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 723 | 0 | 0 - 0% | 0% | 10% |

**Peacock Collision**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Moderate | 2,164 | 2,164 | 11 - 54 μg/m³ | 23.9 μg/m³ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 713 | 13 | 0 - 948 ppb | 4.3 ppb | 1,000 ppb |
| | CO | No | 713 | 60 | 0 - 23 ppm | 0.4 ppm | 83 ppm |
| | $H_2S$ | No | 713 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 713 | 713 | 20.4 - 20.9% | 20.6% | <19.5 or >23% |
| | LEL | No | 713 | 0 | 0 - 0 % | 0% | 10% |

**Short Cut Road**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 2,026 | 1,842 | 0 - 287 μg/m³ | 18.5 μg/m³ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 717 | 2 | 0 - 176 ppb | 0.3 ppb | 1,000 ppb |
| | CO | No | 717 | 4 | 0 - 16 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 717 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 717 | 717 | 20.5 - 20.9% | 20.8% | <19.5 or >23% |
| | LEL | No | 717 | 0 | 0 - 0% | 0% | 10% |

**Grace Coastal Church**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 545 | 545 | 10 - 83 μg/m³ | 23.3 μg/m³ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 681 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 681 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 681 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 681 | 681 | 19.4 - 21.4% | 20.5% | <19.5 or >23% |
| | LEL | No | 681 | 0 | 0 - 0% | 0% | 10% |

**Sun City**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 1 | PM-2.5 | Moderate | 591 | 414 | 0 - 192 μg/m³ | 19.1 μg/m³ | See SOG #: T106 |

**Brooks Mill Apartments**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 2 | PM-2.5 | Moderate | 737 | 538 | 0 - 146 μg/m³ | 20.6 μg/m³ | See SOG #: T106 |

**EPA Mobile Command Post**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 3 | PM-2.5 | Moderate | 521 | 373 | 0 - 200 μg/m³ | 27 μg/m³ | See SOG #: T106 |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| μg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compound |

## Threshold Values and Air Quality Index Categories for PM2.5

| Level of Health Concern | Particulate Matter ≤2.5 microns measured in µg/m3 | | Interpretation |
|---|---|---|---|
| | 1 hour average | 24 hour average | |
| Good | 0.0-40.0 | 0.0-12.0 | Air quality is considered satisfactory, and air pollution poses little or no risk |
| Moderate | 40.1-80.0 | 12.1-35.4 | Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution. |
| Unhealthy for Sensitive groups | 80.1-175.0 | 35.5-55.4 | Members of sensitive groups may experience health effects. The general public is not likely to be affected. |
| Unhealthy | 175.1-300.0 | 55.5-150.4 | Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects. |
| Very Unhealthy | 300.1-500.0 | 150.5-250.4 | Health warnings of emergency conditions. The entire population is more likely to be affected. |
| Hazardous | >500.0 | >250.5 | Health alert: everyone may experience more serious health effects |

- Threshold values taken from original EPA AQI online calculator found at http://airnow.gov/index.cfm?action=resources.aqi_conc_calc for PM2.5 (24 hour) and Idaho Department of Environmental Quality AQI for PM2.5 (1 hour) taken from http://app.airsis.com/usfs/aqi.asp.
- Recommendations are from the EPA Air Now web site.
- People who are unusually sensitive to air pollution are a subset of Sensitive Individuals. Unusually sensitive to air pollution can be defined as the very young, the elderly, pregnant women, and the immunocompromised.
- Sensitive individuals defined as people with lung disease, older adults and children who are at a greater risk from exposure to ozone; and persons with heart and lung disease, older adults and children who are at greater risk from the presence of particles in the air.

## 8/14/19 DAY Data for DustTrak 1 ($PM_{2.5}$) - Peacock Collision




## 8/14/19 DAY Data for DustTrak 2 ($PM_{2.5}$) – Short Cut Road




## 8/14/19 DAY Data for DustTrak 3 ($PM_{2.5}$) – Grace Costal Church



## 8/14/19 DAY Data for EBAM 1 (ConcRT) – Sun City




## 8/14/19 DAY Data for EBAM 2 (ConcRT) – Brooke Mill Apartments




## 8/14/19 DAY Data for EBAM 3 (ConcRT) – EPA Mobile Command Post



# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** 8/15/19 19:00 ***To:*** *8/16/19 6:58*

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 614 | 58 | 0 - 156 ppb | 8.4 ppb | 1,000 ppb |
| | CO | No | 614 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 614 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 614 | 614 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 614 | 0 | 0 - 0% | 0% | 10% |
| | HCN | No | 614 | 554 | 0 - 0.8 ppm | 0.2 ppm | 7.1 ppm% |

**Peacock Collision**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Good | 1,924 | 1,264 | 0 - 4 μg/m³ | 1 μg/m³ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 630 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 630 | 90 | 0 - 18 ppm | 0.9 ppm | 83 ppm |
| | $H_2S$ | No | 630 | 6 | 0 - 0.6 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 630 | 630 | 20.4 - 20.5% | 20.4% | <19.5 or >23% |
| | LEL | No | 630 | 0 | 0 - 0 % | 0% | 10% |
| | HCN | No | 630 | 152 | 0 - 4.4 ppm | 0.2 ppm | 7.1 ppm |

**Short Cut Road**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Good | 710 | 698 | 0 - 45 μg/m³ | 4 μg/m³ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 630 | 16 | 0 - 216 ppb | 2.1 ppb | 1,000 ppb |
| | CO | No | 630 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 630 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 630 | 630 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 630 | 0 | 0 - 0% | 0% | 10% |
| | HCN | No | 630 | 566 | 0 - 0.5 ppm | 0.2 ppm | 7.1 ppm |

**Grace Costal Church**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Good | 719 | 719 | 3 - 16 μg/m³ | 6.2 μg/m³ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 630 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 630 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 630 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 630 | 630 | 19.6 - 20.3% | 20.2% | <19.5 or >23% |
| | LEL | No | 630 | 0 | 0 - 0% | 0% | 10% |
| | HCN | No | 630 | 0 | 0 - 0 ppm | 0 ppm | 7.1 ppm |

**Sun City**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 1 | PM-2.5 | Moderate | 628 | 374 | 0 - 82 μg/m³ | 19.1 μg/m³ | See SOG #: T106 |

**Brooks Mill Apartments**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 2 | PM-2.5 | Good | 626 | 380 | 0 - 29 μg/m³ | 6.1 μg/m³ | See SOG #: T106 |

**EPA Mobile Command Center**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 3 | PM-2.5 | Good | 745 | 400 | 0 - 76 μg/m³ | 12 μg/m³ | See SOG #: T106 |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| HCN | Hydrogen Cyanide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| μg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

## 8/15/19 NIGHT Data for DustTrak 1 ($PM_{2.5}$) - Peacock Collision




## 8/15/19 NIGHT Data for DustTrak 2 ($PM_{2.5}$) – Short Cut Road t




## 8/15/19 NIGHT Data for DustTrak 3 ($PM_{2.5}$) – Grace Costal Church



## 8/15/19 NIGHT Data for EBAM 1 (ConcRT) – Sun City




## 8/15/19 NIGHT Data for EBAM 2 (ConcRT) – Brooke Mill Apartments




## 8/15/19 NIGHT Data for EBAM 3 (ConcRT) – EPA Mobile Command Post



## Threshold Values and Air Quality Index Categories for PM2.5

| Level of Health Concern | Particulate Matter ≤2.5 microns measured in µg/m3 | | Interpretation |
|---|---|---|---|
| | 1 hour average | 24 hour average | |
| Good | 0.0-40.0 | 0.0-12.0 | Air quality is considered satisfactory, and air pollution poses little or no risk |
| Moderate | 40.1-80.0 | 12.1-35.4 | Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution. |
| Unhealthy for Sensitive groups | 80.1-175.0 | 35.5-55.4 | Members of sensitive groups may experience health effects. The general public is not likely to be affected. |
| Unhealthy | 175.1-300.0 | 55.5-150.4 | Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects. |
| Very Unhealthy | 300.1-500.0 | 150.5-250.4 | Health warnings of emergency conditions. The entire population is more likely to be affected. |
| Hazardous | >500.0 | >250.5 | Health alert: everyone may experience more serious health effects |

- Threshold values taken from original EPA AQI online calculator found at http://airnow.gov/index.cfm?action=resources.aqi_conc_calc for PM2.5 (24 hour) and Idaho Department of Environmental Quality AQI for PM2.5 (1 hour) taken from http://app.airsis.com/usfs/aqi.asp.
- Recommendations are from the EPA Air Now web site.
- People who are unusually sensitive to air pollution are a subset of Sensitive Individuals. Unusually sensitive to air pollution can be defined as the very young, the elderly, pregnant women, and the immunocompromised.
- Sensitive individuals defined as people with lung disease, older adults and children who are at a greater risk from exposure to ozone; and persons with heart and lung disease, older adults and children who are at greater risk from the presence of particles in the air.

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** ABLE CONTRACTING FIRE

***From:*** 8/2/19 20:59 ***To:*** *8/3/19* *8:59*

| Location 1 (Southeast Corner; Residential Property Line) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 1 | Phosgene (COCl2) | 0 | 2192 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 2 (West Side of Pile) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 2 | Phosgene (COCl2) | 0 | 1337 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 3 (Upwind; North) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 3 | Phosgene (COCl2) | 0 | 1844 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

Notes:

| | |
|---|---|
| AEGL | Acute Exposure Guideline levels for airborne chemicals (8 hour exposure) |
| min | Minute |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| RML | Removal Management Level |
| TLV | Threshold limit value |

# Mobile Air Monitoring Summary Tables

***Project Name:***

***From:*** 8/3/19 12:10 ***To:*** *8/4/19* *7:12*

| Location 1 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

| Location 2 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

| Location 3 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 2 | 12 | 2 | 0 - 210 ppm | 20.8 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 4 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 1 | 12 | 1 | 0 - 10 ppm | 0.83 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 5 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 6 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 7 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

| Location 8 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

Notes:

| | | | |
|---|---|---|---|
| AEGL | Acute Exposure Guideline levels for airborne chemicals | PEL | Permissible exposure limit |
| CO | Carbon monoxide | ppm | Parter per million |
| min | Minute | VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** 8/11/19 7:00 ***To:*** 8/11/19 19:00

| SE Corner of Able Contracting | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 757 | 24 | 0 - 397 ppb | 3.3 ppb | 1,000 ppb |
| | CO | No | 757 | 22 | 0 - 8 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 757 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 757 | 757 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 757 | 0 | 0 - 0% | 0% | 10% |

| BGIE - 240 Short Cut Rd | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Moderate | 2,023 | 2,023 | 21 - 139 µg/m³ | 31.1 µg/m³ | See SOG #: T106 |

| On Site, Immediately West of Pile | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 753 | 41 | 0 - 541 ppb | 8.9 ppb | 1,000 ppb |
| | CO | No | 753 | 70 | 0 - 7 ppm | 0.4 ppm | 83 ppm |
| | $H_2S$ | No | 753 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 753 | 753 | 20.5 - 20.9% | 20.7% | <19.5 or >23% |
| | LEL | No | 753 | 0 | 0 - 0 % | 0% | 10% |

| EPA Mobile Command Post | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 1,951 | 1,723 | 0 - 76 µg/m³ | 13 µg/m³ | See SOG #: T106 |

| Able Contracting Workshop, Northeast of Pile | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 766 | 7 | 0 - 204 ppb | 0.6 ppb | 1,000 ppb |
| | CO | No | 766 | 21 | 0 - 4 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 766 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 766 | 766 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 766 | 0 | 0 - 0% | 0% | 10% |

| Sun City | | | | | | | |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 2,267 | 2,267 | 13 - 32 µg/m³ | 20.1 µg/m³ | See SOG #: T106 |

| Palmetto Exterminators | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 771 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 771 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 771 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 771 | 771 | 20.9 - 21.8% | 21.4% | <19.5 or >23% |
| | LEL | No | 771 | 0 | 0 - 0% | 0% | 10% |

Notes:

- % Percent
- < Less than
- > Greater than
- AEGL Acute Exposure Guideline levels for airborne chemicals
- CO Carbon monoxide
- $H_2S$ Hydrogen Sulfide
- LEL Lower Explosive Level
- min Minute
- $O_2$ Oxygen
- PEL Permissible exposure limit
- ppb Parts per billion
- ppm Parts per million
- PM Particulate matter
- SOG Standard Operating Guidelines
- TLV Threshold limit value
- µg/m³ Micrograms per cubic meter
- VOC Volatile organic compoud

## 8/11/19 DAY Data for DustTrak 1 ($PM_{2.5}$) - BGIE 240 Short Cut Rd




## 8/11/19 DAY Data for DustTrak 2 ($PM_{2.5}$) - MCP




## 8/11/19 DAY Data for DustTrak 3 ($PM_{2.5}$) - Sun City




## SCDHEC Particulate Data



## 8/11/19 DAY Data for DustTrak 1 ($PM_{10}$) - BGIE 240 Short Cut Rd




## 8/11/19 DAY Data for DustTrak 2 ($PM_{10}$) - MCP




## 8/11/19 DAY Data for DustTrak 3 ($PM_{10}$) - Sun City




## SCDHEC Particulate Data



# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** **8/12/19** **19:00** ***To:*** ***8/13/19*** ***6:58***

### SE Corner of Able Contracting

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 754 | 48 | 0 - 510 ppb | 5.5 ppb | 1,000 ppb |
| | CO | No | 754 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 754 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 754 | 754 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 754 | 0 | 0 - 0% | 0% | 10% |

### Brooks Mill Apartments

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Unhealthy for Sensitive Populations | 2,026 | 2,026 | 3 - 67 μg/m³ | 14.1 μg/m³ | See SOG #: T106 |

### On Site, Immediately West of Pile

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 751 | 151 | 0 - 640 ppb | 43.9 ppb | 1,000 ppb |
| | CO | No | 751 | 66 | 0 - 7 ppm | 0.3 ppm | 83 ppm |
| | $H_2S$ | No | 751 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 751 | 751 | 20.6 - 20.7% | 20.6% | <19.5 or >23% |
| | LEL | No | 751 | 0 | 0 - 0 % | 0% | 10% |

### EPA Mobile Command Post

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 961 | 961 | 2 - 9 μg/m³ | 3.6 μg/m³ | See SOG #: T106 |

### Able Contracting Workshop, Northeast of Pile

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 752 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 752 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 752 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 752 | 752 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 752 | 0 | 0 - 0% | 0% | 10% |

### Sun City

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Good | 2,267 | 2,267 | 9 - 162 μg/m³ | 32.3 μg/m³ | See SOG #: T106 |

### Palmetto Exterminators

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 747 | 1 | 0 - 2 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 747 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 747 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 747 | 747 | 20.9 - 21.4% | 21% | <19.5 or >23% |
| | LEL | No | 747 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| μg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

## 8/12/19 NIGHT Data for DustTrak 1 ($PM_{2.5}$) - Brooke Mill Apartments




## 8/12/19 NIGHT Data for DustTrak 2 ($PM_{2.5}$) - MCP




## 8/12/19 NIGHT Data for DustTrak 3 ($PM_{2.5}$) – Sun City



# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** **8/13/19 19:00** ***To:*** ***8/14/19 6:58***

E.P.A. UNITED STATES ENVIRONMENTAL PROTECTION AGENCY — OIL & HAZARDOUS SUBSTANCES — REGION 4 EMERGENCY RESPONSE

**SE Corner of Able Contracting**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 733 | 13 | 0 - 206 ppb | 1.1 ppb | 1,000 ppb |
| | CO | No | 733 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 733 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 733 | 733 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 733 | 0 | 0 - 0% | 0% | 10% |

**Peacock Collision**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 1 | PM-2.5 | Moderate | 1,966 | 1,966 | 8 - 43 µg/m³ | 12.3 µg/m³ | See SOG #: T106 |

**On Site, Immediately West of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 699 | 27 | 0 - 452 ppb | 5.6 ppb | 1,000 ppb |
| | CO | No | 699 | 23 | 0 - 21 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 699 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 699 | 699 | 20.6 - 20.7% | 20.6% | <19.5 or >23% |
| | LEL | No | 699 | 0 | 0 - 0 % | 0% | 10% |

**Short Cut Road**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 2 | PM-2.5 | Moderate | 1,609 | 1,540 | 0 - 310 µg/m³ | 31.3 µg/m³ | See SOG #: T106 |

**Able Contracting Workshop, Northeast of Pile**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 722 | 17 | 0 - 464 ppb | 4.8 ppb | 1,000 ppb |
| | CO | No | 722 | 15 | 0 - 5 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 722 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 722 | 722 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 722 | 0 | 0 - 0% | 0% | 10% |

**Grace Costal Church**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| DustTrak 3 | PM-2.5 | Moderate | 444 | 441 | 0 - 19 µg/m³ | 13.7 µg/m³ | See SOG #: T106 |

**Palmetto Exterminators**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 725 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 725 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 725 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 725 | 725 | 20.9 - 21.5% | 21% | <19.5 or >23% |
| | LEL | No | 725 | 0 | 0 - 0% | 0% | 10% |

**Sun City**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 1 | PM-2.5 | Good | 405 | 270 | 0 - 50 µg/m³ | 11.9 µg/m³ | See SOG #: T106 |

**Brooks Mill Apartments**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 2 | PM-2.5 | Moderate | 517 | 516 | 0 - 36 µg/m³ | 19.4 µg/m³ | See SOG #: T106 |

**EPA Mobile Command Post**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| EBAM 3 | PM-2.5 | Moderate | 502 | 364 | 0 - 59 µg/m³ | 14.6 µg/m³ | See SOG #: T106 |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compound |

## 8/13/19 NIGHT Data for DustTrak 1 ($PM_{2.5}$) - Peacock Collision




## 8/13/19 NIGHT Data for DustTrak 2 ($PM_{2.5}$) – Short Cut Road




## 8/13/19 NIGHT Data for DustTrak 3 ($PM_{2.5}$) – Grace Costal Church



## 8/13/19 NIGHT Data for EBAM 1 (ConcRT) – Sun City




## 8/13/19 NIGHT Data for EBAM 2 (ConcRT) – Brooke Mill Apartments




## 8/13/19 NIGHT Data for EBAM 3 (ConcRT) – EPA Mobile Command Post



**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Thursday, August 1, 2019 11:44:56 AM
**To:** Casteel, Sue A. (ATSDR/DCHI/CB) <aov2@cdc.gov>
**CC:** Bing, Kathryn L. (Leann) (ATSDR/DCHI/CB) <kgb0@cdc.gov>; jzw1@cdc.gov; Hanley, Jack (ATSDR/DCHI/CB) <jah8@cdc.gov>; ran2@cdc.gov
**Subject:** RE: Air summary tables for Able Contracting Fire

Sue,
Station 155 – Station 1
Station 156 – Station 2
Station 157 – Station 3
Station 4 is arearae to the northwest of station 3

**From:** Casteel, Sue A. (ATSDR/DCHI/CB) <aov2@cdc.gov>
**Sent:** Wednesday, July 31, 2019 5:31 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Cc:** Bing, Kathryn L. (Leann) (ATSDR/DCHI/CB) <kgb0@cdc.gov>; jzw1@cdc.gov; Hanley, Jack (ATSDR/DCHI/CB) <jah8@cdc.gov>; ran2@cdc.gov
**Subject:** Fwd: Air summary tables for Able Contracting Fire

Jordon,

Could you please confirm where the samples are being collected? Leann reviewed the data and it appears the sample locations In the tables don't match the information on the maps.

Thanks.

If I can assist with public health messaging please let me know.

Sue Casteel
ATSDR
404-562-0637

---

**From:** Casteel, Sue A. (ATSDR/DCHI/CB)
**Sent:** Tuesday, July 30, 2019 2:01:40 PM
**To:** Wheeler, John (ATSDR/DCHI/CB) <jzw1@cdc.gov>
**Cc:** Bing, Kathryn L. (Leann) (ATSDR/DCHI/CB) <kgb0@cdc.gov>
**Subject:** Fwd: Air summary tables for Able Contracting Fire

Sue Casteel

**From:** Casteel, Sue A. (ATSDR/DCHI/CB) <aov2@cdc.gov>
**Sent on:** Thursday, August 1, 2019 12:01:54 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Air summary tables for Able Contracting Fire

Thanks Jordan.

I am on standby to help with public health messaging if needed.

Sue

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Thursday, August 1, 2019 7:45 AM
**To:** Casteel, Sue A. (ATSDR/DCHI/CB) <aov2@cdc.gov>
**Cc:** Bing, Kathryn L. (Leann) (ATSDR/DCHI/CB) <kgb0@cdc.gov>; Wheeler, John (ATSDR/DCHI/CB) <jzw1@cdc.gov>; Hanley, Jack (ATSDR/DCHI/CB) <jah8@cdc.gov>; Nickle, Richard (ATSDR/DTHHS/OD) <ran2@cdc.gov>
**Subject:** RE: Air summary tables for Able Contracting Fire

Sue,
Station 155 – Station 1
Station 156 – Station 2
Station 157 – Station 3
Station 4 is arearae to the northwest of station 3

**From:** Casteel, Sue A. (ATSDR/DCHI/CB) <aov2@cdc.gov>
**Sent:** Wednesday, July 31, 2019 5:31 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Cc:** Bing, Kathryn L. (Leann) (ATSDR/DCHI/CB) <kgb0@cdc.gov>; jzw1@cdc.gov; Hanley, Jack (ATSDR/DCHI/CB) <jah8@cdc.gov>; ran2@cdc.gov
**Subject:** Fwd: Air summary tables for Able Contracting Fire

Jordon,

Could you please confirm where the samples are being collected? Leann reviewed the data and it appears the sample locations In the tables don't match the information on the maps.

Thanks.

If I can assist with public health messaging please let me know.

Sue Casteel
ATSDR
404-562-0637

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, August 2, 2019 12:23:57 PM
**To:** Frederick, Tim <Frederick.Tim@epa.gov>
**Subject:** RE: Bishop Road Summary Table

The wind shifted for a portion of the day while we were sampling, but the prevailing wind direction was to the southwest the whole day. The background sample was to the north

**From:** Frederick, Tim <Frederick.Tim@epa.gov>
**Sent:** Friday, August 2, 2019 8:19 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Bishop Road Summary Table

Why are these showing up in background?

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 2, 2019 8:13 AM
**To:** Moore, Tony <moore.tony@epa.gov>; Webster, James <Webster.James@epa.gov>; Frederick, Tim <Frederick.Tim@epa.gov>
**Subject:** FW: Bishop Road Summary Table

I spoke with Kevin and he sent me the Bishop Road Analytical Tables. They did see detections of acrolein and other VOCs that were detected at Able Contracting Site.

**From:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Sent:** Friday, August 2, 2019 7:51 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Bishop Road Summary Table

**Kevin Eichinger, CHMM - Federal On-Scene Coordinator and Industrial Hygienist**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Superfund and Emergency Management Division**
**Emergency Response, Removal, Prevention and Prepardness Branch (ERRPPB)**
office: **404-562-8268** | cell: **678-897-3759** | **response.epa.gov**

**From:** Frederick, Tim <Frederick.Tim@epa.gov> on behalf of Frederick, Tim
**Sent on:** Thursday, August 8, 2019 2:15:49 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Completed Report (0819-013) Able Contracting

I'm available.

-----Original Message-----
From: Garrard, Jordan <Garrard.Jordan@epa.gov>
Sent: Thursday, August 8, 2019 10:15 AM
To: Chan, Sydney <chan.sydney@epa.gov>; Frederick, Tim <Frederick.Tim@epa.gov>; Turner, Nardina <Turner.Nardina@epa.gov>; Adams, Glenn <Adams.Glenn@epa.gov>; Webster, James <Webster.James@epa.gov>; Moore, Tony <moore.tony@epa.gov>; John Snyder <john.snyder@tetratech.com>; Jessica Vickers <Jessica.Vickers@tetratech.com>
Subject: FW: Completed Report (0819-013) Able Contracting

All,

John is working on the summary tables right now. We should have a conference call today to discuss the results. Phosgene was detected in the lot blank and field blank again. The concentrations in the blanks are extremely similar. Maybe Jessica or Nardina might have some insight onto the residual phosgene in clean sample media. How about 1:30 this afternoon?

Jordan

-----Original Message-----
From: Snyder, John <John.Snyder@tetratech.com>
Sent: Thursday, August 8, 2019 10:04 AM
To: Garrard, Jordan <Garrard.Jordan@epa.gov>
Subject: FW: Completed Report (0819-013) Able Contracting

-----Original Message-----
From: Michael Schapira <mike.schapira@enthalpy.com>
Sent: Wednesday, August 7, 2019 6:12 PM
To: Vickers, Jessica <jessica.vickers@tetratech.com>; Snyder, John <John.Snyder@tetratech.com>
Cc: Enthalpy-Sales <EnthalpySales@enthalpy.com>
Subject: Completed Report (0819-013) Able Contracting

⚠? CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠?

Jessica and John,
Good evening. Your samples have been analyzed and two copies of the completed report are attached. One is signed and sealed against changes (the official report) and one is not signed or sealed (in case you need to insert our report into one of your own). An EDD for the TO-15 data is also attached. Please let us know if you have any questions, and have a great evening!
Mike

---

Michael Steven Schapira
mike.schapira@enthalpy.com
QA Associate II

**From:** Masterson, Chris <Masterson.Christopher@epa.gov> on behalf of Masterson, Chris
**Sent on:** Thursday, July 25, 2019 5:12:02 PM
**To:** Bates, Lloyd <Bates.Lloyd@epa.gov>
**CC:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Subject:** RE: ER Site Birth Request - C4A6 - Able Contracting Fire
**Attachments:** C4A6 - Able Contracting Fire.pdf (28.94 KB)

Oops, sorry, slightly corrected lat-long. Other info unchanged.

----------

Christopher Masterson
Field Technician III | Digital Infrastructure
US EPA - End User Services

Emergency Response, Removal, Prevention, and Preparedness Branch (ERRPPB)
61 Forsyth St SW, 11th Fl
Atlanta, GA 30303
Office: 404-562-8706
Cell: 678-644-6538
Fax: 404-562-8701
Email: masterson.christopher@epa.gov

saic.com | @SAICinc
*Team SAIC - Redefining Ingenuity* ™

**From:** Masterson, Chris
**Sent:** Thursday, July 25, 2019 1:11 PM
**To:** Bates, Lloyd <Bates.Lloyd@epa.gov>
**Cc:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Subject:** ER Site Birth Request - C4A6 - Able Contracting Fire

Please birth the attached site with ER accounts.

Please note, Jordan and Kevin are responding, and it is currently not known if it will remain a PRP lead so please add RV accounts.

Thanks!

----------

Christopher Masterson
Field Technician III | Digital Infrastructure
US EPA - End User Services

**SUPERFUND SITE SPILL ID REQUEST**
CERCLA EMERGENCY RESPONSE

ASSIGNED ID# C4A6

Date of Request: 7/25/19 OSC: J. Garrard Phone: 2-8642

Site Name (include known aliases): Able Contracting Fire

Physical Site Address (street and/or nearest intersection of mile marker, no PO Box):

472 Schinger Ave

County: Jasper

City: Ridgeland State: SC Zip Code: 29936

Latitude: 32.323710 Longitude: -80.941933

Response Lead (circle one): EPA Fund Lead, PRP Lead w/EPA, Enforcement Lead, USCG, Mixed Funding PRP and EPA, State Lead, PRP Lead w/ State, State Enforcement, Federal Facility

Site ID# (if already existing site): ______ EPA Generator ID# (if known): ______

Site History (Assessment, Emergency Response, Time-Critical Removal, Non Time-Critical Removal, PA/SI, and/or NPL with dates if known): RV accounting code needed in case RP is not leading after all. Kevin Eichinger also responding.

Date Submitted: 7/25/19

**MAD Data**

Collection Method: Address Matching - House Number
Reference Datum: Other
Reference Point: Solid Waste Storage Area
Map Scale: 1:25,000
Collection Date: 7/25/19
Verification Method: EPA Staff
Source: Contractor
Point/Line/Area: Area
Measurement Sequence: Unknown

**From:** Bates, Lloyd <Bates.Lloyd@epa.gov> on behalf of Bates, Lloyd
**Sent on:** Thursday, July 25, 2019 5:33:11 PM
**To:** Masterson, Chris <Masterson.Christopher@epa.gov>
**CC:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Subject:** RE: ER Site Birth Request - C4A6 - Able Contracting Fire

**Site ID: C4A9**

**EPA ID: SCN000407717**

**From:** Masterson, Chris
**Sent:** Thursday, July 25, 2019 1:12 PM
**To:** Bates, Lloyd <Bates.Lloyd@epa.gov>
**Cc:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Subject:** RE: ER Site Birth Request - C4A6 - Able Contracting Fire

Oops, sorry, slightly corrected lat-long. Other info unchanged.

----------

Christopher Masterson
Field Technician III | Digital Infrastructure
US EPA - End User Services

Emergency Response, Removal, Prevention, and Preparedness Branch (ERRPPB)
61 Forsyth St SW, 11th Fl
Atlanta, GA 30303
Office: 404-562-8706
Cell: 678-644-6538
Fax: 404-562-8701
Email: masterson.christopher@epa.gov

saic.com | @SAICinc
*Team SAIC - Redefining Ingenuity* ™

**From:** Masterson, Chris
**Sent:** Thursday, July 25, 2019 1:11 PM
**To:** Bates, Lloyd <Bates.Lloyd@epa.gov>
**Cc:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Subject:** ER Site Birth Request - C4A6 - Able Contracting Fire

Please birth the attached site with ER accounts.

**From:** Snyder, John <John.Snyder@tetratech.com>
**Sent on:** Friday, August 2, 2019 12:42:31 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Field blank

Surface water samples are in. What would you like the results compared to?

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 2, 2019 8:35 AM
**To:** Snyder, John <John.Snyder@tetratech.com>
**Subject:** Field blank



What was the detection for phosgene in the field blank.

Jordan

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Thursday, August 1, 2019 6:08:47 PM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Subject:** RE: Friday call with DHEC

I can email everyone in the am if I get the data earlier.

Jordan

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Thursday, August 1, 2019 2:07 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Friday call with DHEC
**Importance:** High

We're supposed to be on a call with Jasper Co folks at 10AM on Friday.

Assuming you get some preliminary results today, would it be possible to have a call earlier to get an idea of the findings?

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, August 2, 2019 3:09:05 PM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Subject:** RE: fyi-high numbers again last night

Scott,

Does SCDECH have surface water screening values?

Jordan Garrard

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 10:11 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Fw: fyi-high numbers again last night

---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 9:14 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>
**Cc:** Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>
**Subject:** Re: fyi-high numbers again last night

Last night -both monitors

Yesterday's24 hour averages (Aug 1 Midnight to midnight)

Palmetto Exterminators 31ug/M3 (Moderate)

Schinger 41ug/M3 (Unhealthy for Sensitive Groups)

Neighborhood monitors

850
800

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Friday, August 2, 2019 3:47:34 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: fyi-high numbers again last night

we have ambient standards - not screening values I'm aware of (but will check) As soon as we can get the data( or preliminary or not)we'll compare with what ever we have.

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Friday, August 2, 2019 11:09:05 AM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Subject:** RE: fyi-high numbers again last night

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Scott,

Does SCDECH have surface water screening values?

Jordan Garrard

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 10:11 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Fw: fyi-high numbers again last night

---

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Friday, August 2, 2019 9:14 AM
**To:** Thompson, Rhonda <thompsrb@dhec.sc.gov>; Frost, Keith <frostrk@dhec.sc.gov>; Shealy, Renee <shealyrg@dhec.sc.gov>; Marshall, Frances (Fran) <marshaf2@dhec.sc.gov>; Reece, Myra <reecemc@dhec.sc.gov>; Marcus, Mike <MARCUSJM@dhec.sc.gov>; Porter, Henry <porterhj@dhec.sc.gov>; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; Taylor, Monica N. <TAYLORMN@dhec.sc.gov>; Dickman, Jacquelyn S. <DICKMAJS@dhec.sc.gov>
**Cc:** Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Timmerman, Kelsey A. <timmerka@dhec.sc.gov>; Threatt, Richard <threatrl@dhec.sc.gov>; Boyce, Lawra <boycelc@dhec.sc.gov>
**Subject:** Re: fyi-high numbers again last night

Last night -both monitors
Yesterday's24 hour averages (Aug 1 Midnight to midnight)
Palmetto Exterminators 31ug/M3 (Moderate)
Schinger 41ug/M3 (Unhealthy for Sensitive Groups)

**From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Sent on:** Friday, August 2, 2019 12:00:00 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Map correction

Good morning Jordan! Did you have an opportunity to send Jasper County a letter that they could perform normal fire fighting activities? Because they still have not put any water on the smoke. And Lisa Wagner with the county told our neighbors at approximately 6pm last night that the county did not have the resources. Their truck has sat at our property all day, so we're scratching our heads. Henry Etheridge, county council, told us this morning that y'all told them not to put water on it. It just seems like the county is making excuses for letting the neighborhood get smoky. Our poor neighbors can't breath. One of them is pregnant, and had to go to the hospital last night. And the chief, Russell Wells, said that they still weren't putting water on the smoke! I may sound like I'm whining, but this is just not fair to our neighbors!!!

Angela Lloyd

On Thu, Aug 1, 2019 at 2:04 PM Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

Station 155 – Station 1

Station 156 – Station 2

Station 157 – Station 3

Station 4 is arearae to the northwest of station 3

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, August 2, 2019 12:15:59 PM
**To:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Subject:** RE: Map correction

Mrs. Lloyd, I did speak to SCDECH and Jasper County Emergency Services and confirmed that fire fighting activities did not need to be suspended until we received results from our sampling results. It is my understanding SCDECH and Japser County personnel are checking on the fire multiple times throughout the day and night. SCDECH does have particulate monitors onsite as well.

Jordan Garrard

**From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Sent:** Friday, August 2, 2019 8:00 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Map correction

Good morning Jordan! Did you have an opportunity to send Jasper County a letter that they could perform normal fire fighting activities? Because they still have not put any water on the smoke. And Lisa Wagner with the county told our neighbors at approximately 6pm last night that the county did not have the resources. Their truck has sat at our property all day, so we're scratching our heads. Henry Etheridge, county council, told us this morning that y'all told them not to put water on it. It just seems like the county is making excuses for letting the neighborhood get smoky. Our poor neighbors can't breath. One of them is pregnant, and had to go to the hospital last night. And the chief, Russell Wells, said that they still weren't putting water on the smoke! I may sound like I'm whining, but this is just not fair to our neighbors!!!

Angela Lloyd

On Thu, Aug 1, 2019 at 2:04 PM Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

Station 155 – Station 1
Station 156 – Station 2
Station 157 – Station 3
Station 4 is arearae to the northwest of station 3

**From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Sent on:** Friday, August 2, 2019 12:00:00 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Map correction

Good morning Jordan! Did you have an opportunity to send Jasper County a letter that they could perform normal fire fighting activities? Because they still have not put any water on the smoke. And Lisa Wagner with the county told our neighbors at approximately 6pm last night that the county did not have the resources. Their truck has sat at our property all day, so we're scratching our heads. Henry Etheridge, county council, told us this morning that y'all told them not to put water on it. It just seems like the county is making excuses for letting the neighborhood get smoky. Our poor neighbors can't breath. One of them is pregnant, and had to go to the hospital last night. And the chief, Russell Wells, said that they still weren't putting water on the smoke! I may sound like I'm whining, but this is just not fair to our neighbors!!!

Angela Lloyd

On Thu, Aug 1, 2019 at 2:04 PM Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

Station 155 – Station 1

Station 156 – Station 2

Station 157 – Station 3

Station 4 is arearae to the northwest of station 3

**From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
**Sent on:** Friday, August 2, 2019 12:25:33 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Map correction

Okay... we saw flames at 7am, I called 911, and they still haven't shown up. I was hoping you could help us since you are EPA. Our brother lives besides Able, and he has called the Governor's Office. It is not right that the people of Schinger Ave and Mackinlay Way are having to breath all this smoke. If Jasper County doesn't have the resources, I know Hardeeville Fire has the resources, because they serviced us until June 30th 2019. Hardeeville has a fire house that can see our property, and they were always happy to assist us.

Angela

On Fri, Aug 2, 2019 at 8:16 AM Garrard, Jordan <Garrard.Jordan@epa.gov> wrote:

> Mrs. Lloyd, I did speak to SCDECH and Jasper County Emergency Services and confirmed that fire fighting activities did not need to be suspended until we received results from our sampling results. It is my understanding SCDECH and Japser County personnel are checking on the fire multiple times throughout the day and night. SCDECH does have particulate monitors onsite as well.
>
> Jordan Garrard
>
> **From:** Chandler & Angela Lloyd <ablecontracting29936@gmail.com>
> **Sent:** Friday, August 2, 2019 8:00 AM
> **To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
> **Subject:** Re: Map correction
>
> Good morning Jordan! Did you have an opportunity to send Jasper County a letter that they could perform normal fire fighting activities? Because they still have not put any water on the smoke. And Lisa Wagner with the county told our neighbors at approximately 6pm last night that the county did not have the resources. Their truck has sat at our property all day, so we're scratching our heads. Henry Etheridge, county council, told us this morning that y'all told them not to put water on it. It just seems like the county is making excuses for letting the neighborhood get smoky. Our poor neighbors can't breath. One of them is pregnant, and had to go to the hospital last night. And the chief, Russell Wells, said that they still weren't putting water on the smoke! I may sound like I'm whining, but this is just not fair to our neighbors!!!
>
> Angela Lloyd

**From:** Reece, Myra <reecemc@dhec.sc.gov>
**Sent on:** Monday, July 29, 2019 3:22:26 PM
**To:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>
**CC:** chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; afulghum@jaspercountysc.gov; porterhi@dhec.sc.gov; Frost, Keith <frostrk@dhec.sc.gov>; thompsrb@dhec.sc.gov; Keisler, Van <keislecv@dhec.sc.gov>; Blalock, Juli <blalocje@dhec.sc.gov>; dickmaj@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; Threatt, Richard <threatrl@dhec.sc.gov>
**Subject:** Re: Notes From July 26, 2019 Able Construction Meeting

Thanks Tisha! Looking forward to the discussion.

DHEC staff: we will gather in the SARR conference room to take the Call!

Sent from my iPhone

On Jul 26, 2019, at 4:38 PM, Tisha L. Williams <tlwilliams@jaspercountysc.gov> wrote:

*** Caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

All:

Here's a follow-up to what we said we would do.

## IMMEDIATE ACTION ITEMS:

- **Housing Options**

  Haley Lawson of American Red Cross will contact Fred Lyda and coordinate with Andrew Fulghum if there are opportunities. Andrew will provide information to DHEC in the event there are opportunities, and DHEC will notify the residents.

- **EPA will be on site over the weekend and will continue monitoring in conjunction with DHEC. In the event flames flare up, or a particulate matter becomes extremely unhealthy, EPA and DHEC to coordinate notification to Jasper EMS Fire Rescue (Russell Wells) so fire suppression efforts can be undertaken.**

  Andrew Fulghum to contact BJWSA and provide direction on the water source to Fire Rescue.

**From:** Corey Brown <cbrown@bashaservices.com>
**Sent on:** Thursday, July 25, 2019 3:04:21 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Otis Halsey <ohalsey@bashaservices.com>; Harper, Greg <Harper.Greg@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** RE: Ridgeland Fire response

Jordan,

Did you need us to mobilize the ER trailer for you?

What is the Site Name and Location?

Corey L. Brown
Project Manager
Basha Services, LLC
Certified 8(a) Contractor
2999 Pacific Drive, Suite D
Norcross, GA 30071
Direct Office Line: 678-981-8776
Office: 678-344-1161
Fax: 678-344-1163
Mobile: 404-889-2810
Basha 24-Hour Hotline: 1-855-68-BASHA (1-855-682-2742)
E-mail: cbrown@bashaservices.com
Website: http://bashaservices.com
Twitter: http://twitter.com/#!/Bashaservices

-----Original Message-----
From: Garrard, Jordan <Garrard.Jordan@epa.gov>
Sent: Thursday, July 25, 2019 11:03 AM
To: Corey Brown <cbrown@bashaservices.com>; Otis Halsey <ohalsey@bashaservices.com>; harper.greg@epa.gov; eichinger.kevin@epa.gov; huyser.matthew@epa.gov
Subject: Ridgeland Fire response

Corey,

I'm going to need the Er trailer, an arearae pro rDk, 3 dustraks, links and gateways for the dustraks, air con samplers and horiba.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

**From:** Corey Brown <cbrown@bashaservices.com>
**Sent on:** Thursday, July 25, 2019 3:05:57 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Otis Halsey <ohalsey@bashaservices.com>; Harper, Greg <Harper.Greg@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** RE: Ridgeland Fire response

How many AirCon 2 Units?

Corey L. Brown
Project Manager
Basha Services, LLC
Certified 8(a) Contractor
2999 Pacific Drive, Suite D
Norcross, GA 30071
Direct Office Line: 678-981-8776
Office: 678-344-1161
Fax: 678-344-1163
Mobile: 404-889-2810
Basha 24-Hour Hotline: 1-855-68-BASHA (1-855-682-2742)
E-mail: cbrown@bashaservices.com
Website: http://bashaservices.com
Twitter: http://twitter.com/#!/Bashaservices

-----Original Message-----
From: Garrard, Jordan <Garrard.Jordan@epa.gov>
Sent: Thursday, July 25, 2019 11:05 AM
To: Corey Brown <cbrown@bashaservices.com>
Cc: Otis Halsey <ohalsey@bashaservices.com>; harper.greg@epa.gov; eichinger.kevin@epa.gov; huyser.matthew@epa.gov
Subject: Re: Ridgeland Fire response

Kevin will pull the trailer. Matt has the location address, I don't have it.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

> On Jul 25, 2019, at 11:04 AM, Corey Brown <cbrown@bashaservices.com> wrote:
>
> Jordan,
>
> Did you need us to mobilize the ER trailer for you?
>
> What is the Site Name and Location?
>
> Corey L. Brown
> Project Manager
> Basha Services, LLC
> Certified 8(a) Contractor
> 2999 Pacific Drive, Suite D

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Thursday, July 25, 2019 3:05:22 PM
**To:** Corey CB. Brown <cbrown@bashaservices.com>
**CC:** Otis Halsey <ohalsey@bashaservices.com>; Harper, Greg <Harper.Greg@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** Re: Ridgeland Fire response

Kevin will pull the trailer. Matt has the location address, I don't have it.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

> On Jul 25, 2019, at 11:04 AM, Corey Brown <cbrown@bashaservices.com> wrote:
>
> Jordan,
>
> Did you need us to mobilize the ER trailer for you?
>
> What is the Site Name and Location?
>
> Corey L. Brown
> Project Manager
> Basha Services, LLC
> Certified 8(a) Contractor
> 2999 Pacific Drive, Suite D
> Norcross, GA 30071
> Direct Office Line: 678-981-8776
> Office: 678-344-1161
> Fax: 678-344-1163
> Mobile: 404-889-2810
> Basha 24-Hour Hotline: 1-855-68-BASHA (1-855-682-2742)
> E-mail: cbrown@bashaservices.com
> Website: http://bashaservices.com
> Twitter: http://twitter.com/#!/Bashaservices
>
>
> -----Original Message-----
> From: Garrard, Jordan <Garrard.Jordan@epa.gov>
> Sent: Thursday, July 25, 2019 11:03 AM
> To: Corey Brown <cbrown@bashaservices.com>; Otis Halsey <ohalsey@bashaservices.com>; harper.greg@epa.gov; eichinger.kevin@epa.gov; huyser.matthew@epa.gov
> Subject: Ridgeland Fire response
>
>
> Corey,
>
> I'm going to need the Er trailer, an arearae pro rDk, 3 dustraks, links and gateways for the dustraks, air con samplers and horiba.
>
> Jordan Garrard
> On Scene Coordinator

**From:** Corey Brown <cbrown@bashaservices.com>
**Sent on:** Thursday, July 25, 2019 3:04:21 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Otis Halsey <ohalsey@bashaservices.com>; Harper, Greg <Harper.Greg@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** RE: Ridgeland Fire response

Jordan,

Did you need us to mobilize the ER trailer for you?

What is the Site Name and Location?

Corey L. Brown
Project Manager
Basha Services, LLC
Certified 8(a) Contractor
2999 Pacific Drive, Suite D
Norcross, GA 30071
Direct Office Line: 678-981-8776
Office: 678-344-1161
Fax: 678-344-1163
Mobile: 404-889-2810
Basha 24-Hour Hotline: 1-855-68-BASHA (1-855-682-2742)
E-mail: cbrown@bashaservices.com
Website: http://bashaservices.com
Twitter: http://twitter.com/#!/Bashaservices

-----Original Message-----
From: Garrard, Jordan <Garrard.Jordan@epa.gov>
Sent: Thursday, July 25, 2019 11:03 AM
To: Corey Brown <cbrown@bashaservices.com>; Otis Halsey <ohalsey@bashaservices.com>; harper.greg@epa.gov; eichinger.kevin@epa.gov; huyser.matthew@epa.gov
Subject: Ridgeland Fire response

Corey,

I'm going to need the Er trailer, an arearae pro rDk, 3 dustraks, links and gateways for the dustraks, air con samplers and horiba.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

**From:** Corey Brown <cbrown@bashaservices.com>
**Sent on:** Thursday, July 25, 2019 3:05:57 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Otis Halsey <ohalsey@bashaservices.com>; Harper, Greg <Harper.Greg@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** RE: Ridgeland Fire response

How many AirCon 2 Units?

Corey L. Brown
Project Manager
Basha Services, LLC
Certified 8(a) Contractor
2999 Pacific Drive, Suite D
Norcross, GA 30071
Direct Office Line: 678-981-8776
Office: 678-344-1161
Fax: 678-344-1163
Mobile: 404-889-2810
Basha 24-Hour Hotline: 1-855-68-BASHA (1-855-682-2742)
E-mail: cbrown@bashaservices.com
Website: http://bashaservices.com
Twitter: http://twitter.com/#!/Bashaservices

-----Original Message-----
From: Garrard, Jordan <Garrard.Jordan@epa.gov>
Sent: Thursday, July 25, 2019 11:05 AM
To: Corey Brown <cbrown@bashaservices.com>
Cc: Otis Halsey <ohalsey@bashaservices.com>; harper.greg@epa.gov; eichinger.kevin@epa.gov; huyser.matthew@epa.gov
Subject: Re: Ridgeland Fire response

Kevin will pull the trailer. Matt has the location address, I don't have it.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

> On Jul 25, 2019, at 11:04 AM, Corey Brown <cbrown@bashaservices.com> wrote:
>
> Jordan,
>
> Did you need us to mobilize the ER trailer for you?
>
> What is the Site Name and Location?
>
> Corey L. Brown
> Project Manager
> Basha Services, LLC
> Certified 8(a) Contractor
> 2999 Pacific Drive, Suite D

**From:** Russell Wells <rwells@jaspercountysc.gov>
**Sent on:** Saturday, August 3, 2019 9:00:01 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Surface Water Summary

Jordan,
Do these values mean it is a significant issue with water run off and water quality?

Rusty

Sent from my Verizon, Samsung Galaxy smartphone

-------- Original message --------
From: "Garrard, Jordan" <Garrard.Jordan@epa.gov>
Date: 8/3/19 15:23 (GMT-05:00)
To: Scott Reynolds <reynolds@dhec.sc.gov>, threatrl@dhec.sc.gov, Russell Wells <rwells@jaspercountysc.gov>
Subject: Fwd: Surface Water Summary

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

Begin forwarded message:

> **From:** "Snyder, John" <John.Snyder@tetratech.com>
> **Date:** August 3, 2019 at 12:00:25 PM EDT
> **To:** "Garrard, Jordan" <garrard.jordan@epa.gov>
> **Subject: Surface Water Summary**
>
> **John Snyder, PG, PE** | Environmental Engineer
> Mobile **+1 (770) 402-9013** | john.snyder@tetratech.com
>
> **Tetra Tech** | Complex World, Clear Solutions™ | **Tetra Tech** EMI
> Raleigh, NC (Cary) | tetratech.com

**From:** Russell Wells <rwells@jaspercountysc.gov>
**Sent on:** Saturday, August 3, 2019 9:00:01 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Surface Water Summary

Jordan,
Do these values mean it is a significant issue with water run off and water quality?

Rusty

Sent from my Verizon, Samsung Galaxy smartphone

-------- Original message --------
From: "Garrard, Jordan" <Garrard.Jordan@epa.gov>
Date: 8/3/19 15:23 (GMT-05:00)
To: Scott Reynolds <reynolds@dhec.sc.gov>, threatrl@dhec.sc.gov, Russell Wells <rwells@jaspercountysc.gov>
Subject: Fwd: Surface Water Summary

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

Begin forwarded message:

**From:** "Snyder, John" <John.Snyder@tetratech.com>
**Date:** August 3, 2019 at 12:00:25 PM EDT
**To:** "Garrard, Jordan" <garrard.jordan@epa.gov>
**Subject: Surface Water Summary**

**John Snyder, PG, PE** | Environmental Engineer
Mobile **+1 (770) 402-9013** | john.snyder@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | **Tetra Tech** EMI
Raleigh, NC (Cary) | tetratech.com

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Wednesday, July 31, 2019 3:31:48 PM
**To:** Pinkney, James <Pinkney.James@epa.gov>
**Subject:** RE: The Jasper County Sun Times and Bluffton Today (SC) Inquiry

Looks good there are photos on https://response.epa.gov/site/site_profile.aspx?site_id=14357

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Tuesday, July 30, 2019 12:14:34 PM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Subject:** RE: Two requests

Scott,

We are working on some data summary tables. I actual data files from the dustraks are quite large. If you would like the raw data, I should be able to get you the ftp site login and you can download them.

During the evening we were using a concentration of 250 ug/m3 of pm 2.5 for over 2 mins as a alarm to go check the flames. It would alarm several times a night. The fire department also told us if we see open flames and the flames continue to increase in size or rolling to new material that would be a trigger to call them to come out and hit the hot spot.

I would say some common sense approach like if it looks like a descent fog its time to call.

Jordan

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Tuesday, July 30, 2019 12:29 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Two requests

I hope the demob and trip back went smoothly. Thanks for the assistance.

I'm not sure if it will be part of any order or guidance for Able night staff, but since you had some quality night time observation opportunities, any qualitative guidance that you can suggest (can't see mailbox, street sign, nearest building, length of frontage due to smoke, etc. ) could be useful.

If there is any any continuous particulate data from the DusTracks that you can provide, that would be useful. We've never had the neighborhood monitors challenged by the concentration levels measured near the site and the additional time series data may be helpful in gauging their performance. We've coloed 'em with FRM at typical ambient concentrations, but we've been getting pretty far from that end of the scale early morning...

Thanks again.

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Tuesday, July 30, 2019 12:54:43 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Two requests

Thanks .
Yeah. I'll probably need the raw , but no rush.

---

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Sent:** Tuesday, July 30, 2019 8:14:34 AM
**To:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Subject:** RE: Two requests



Scott,

We are working on some data summary tables. I actual data files from the dustraks are quite large. If you would like the raw data, I should be able to get you the ftp site login and you can download them.

During the evening we were using a concentration of 250 ug/m3 of pm 2.5 for over 2 mins as a alarm to go check the flames. It would alarm several times a night. The fire department also told us if we see open flames and the flames continue to increase in size or rolling to new material that would be a trigger to call them to come out and hit the hot spot.

I would say some common sense approach like if it looks like a descent fog its time to call.

Jordan

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent:** Tuesday, July 30, 2019 12:29 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Two requests

I hope the demob and trip back went smoothly. Thanks for the assistance.

I'm not sure if it will be part of any order or guidance for Able night staff, but since you had some quality night time observation opportunities, any qualitative guidance that you can suggest (can't see mailbox, street sign, nearest building, length of frontage due to smoke, etc. ) could be useful.

If there is any any continuous particulate data from the DusTracks that you can provide, that would be useful. We've never had the neighborhood monitors challenged by the concentration levels measured near the site and the additional time series data may be helpful in gauging their performance. We've coloed 'em with FRM at typical ambient concentrations, but we've been getting pretty far from that end of the scale early morning...

Thanks again.

**From:** Huss, Eric <Eric.Huss@tetratech.com>
**Sent on:** Tuesday, July 30, 2019 3:27:01 PM
**To:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Viper Data
**Attachments:** Viper Summary report_AR and DustTrack-07-29-19-23hr.pdf (117.33 KB), Viper Summary report_AR and DustTrack-07-29-19.pdf (144.97 KB)

Hello Kevin and Jordan,

The files on the sharepoint site are the same as the ones I worked with yesterday. The latest file data ends at 01:59 local time (5:59 GTC) yesterday. Attached is the PDF of that data from 07:00 7/28 to 01:59 7/29. I also put together a 23-hr pdf 03:00 7/28 to 01:59 07/29 (07:00 UTC to 05:58 UTC) that is labeled -23hr. If the additional data (1:59-07:00) gets posted I can finish the 24-hr time block.

Thank you,
Eric

**Eric Huss** | Environmental Engineer
28 Hasty Point Rd.
Port Wentworth, GA 31407
Cell 610-348-6959
eric.huss@tetratech.com
**Tetra Tech** | Complex World, Clear Solutions™
www.tetratech.com



---

**From:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Sent:** Monday, July 29, 2019 16:31
**To:** Huss, Eric <Eric.Huss@tetratech.com>
**Cc:** Garrard, Jordan <garrard.jordan@epa.gov>
**Subject:** Viper Data



Files are too large to email. Go to the following website to downloads:

https://viper.ert.org/R04AbleFire

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** 7/28/19 3:00 ***To:*** 7/29/19 *1:58*

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 3,924 | 2,878 | 0 - 3302 ppm | 128.3 ppm | 1,000 ppb |
| | CO | No | 3,924 | 27 | 0 - 6 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 3,924 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 3,924 | 3,924 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 3,924 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Moderate | 10,726 | 10,717 | 0 - 351 µg/m³ | 13.5 µg/m³ | See SOG #: T106 |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 3,910 | 1 | 0 - 119 ppm | 0 ppm | 1,000 ppb |
| | CO | No | 3,910 | 4 | 0 - 4 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 3,910 | 1 | 0 - 0.4 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 3,910 | 3,910 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 3,910 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Moderate | 11,648 | 11,648 | 11 - 363 µg/m³ | 31.2 µg/m³ | See SOG #: T106 |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 3,920 | 2,567 | 0 - 3200 ppm | 65.5 ppm | 1,000 ppb |
| | CO | No | 3,920 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 3,920 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 3,920 | 3,920 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 3,920 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy | 8,310 | 8,310 | 19 - 1060 µg/m³ | 67.5 µg/m³ | See SOG #: T106 |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 3,911 | 420 | 0 - 88947 ppm | 48 ppm | 1,000 ppb |
| | CO | No | 3,911 | 95 | 0 - 19 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 3,911 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 3,911 | 3,911 | 20.9 - 21.3% | 20.9% | <19.5 or >23% |
| | LEL | No | 3,911 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppm | Parts per million |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compound |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:***

***From:*** 7/28/19 7:00 ***To:*** 7/29/19 1:58

| Location 1 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
| AreaRAE 1 | VOC | No | 2,452 | 1,406 | 0 - 3,302 ppb | 77.7 ppb | 1,000 ppb |
| | CO | No | 2,452 | 26 | 0 - 6 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,452 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,452 | 2,452 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,452 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 6,341 | 6,332 | 0 - 351 µg/m³ | 8.6 µg/m³ | See SOG #: T106 |

| Location 2 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
| AreaRAE 2 | VOC | No | 2,432 | 1 | 0 - 119 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 2,432 | 3 | 0 - 4 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,432 | 1 | 0 - 0.4 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,432 | 2,432 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,432 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Unhealthy for Sensitive Groups | 7,267 | 7,267 | 11 - 363 µg/m³ | 40.6 µg/m³ | See SOG #: T106 |

| Location 3 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
| AreaRAE 3 | VOC | No | 2,449 | 1,096 | 0 - 3,200 ppb | 36 ppb | 1,000 ppb |
| | CO | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,449 | 2,449 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,449 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy | 4,708 | 4,708 | 19 - 1060 µg/m³ | 101.6 µg/m³ | See SOG #: T106 |

| Location 4 | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
| AreaRAE 4 | VOC | No | 2,434 | 404 | 0 - 36,051 ppb | 27.5 ppb | 1,000 ppb |
| | CO | No | 2,434 | 95 | 0 - 19 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 2,434 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,434 | 2,434 | 20.9 - 21.3% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,434 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppm | Parts per million |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compound |

**From:** Huss, Eric <Eric.Huss@tetratech.com>
**Sent on:** Tuesday, July 30, 2019 3:27:01 PM
**To:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Viper Data
**Attachments:** Viper Summary report_AR and DustTrack-07-29-19-23hr.pdf (117.33 KB), Viper Summary report_AR and DustTrack-07-29-19.pdf (144.97 KB)

Hello Kevin and Jordan,

The files on the sharepoint site are the same as the ones I worked with yesterday. The latest file data ends at 01:59 local time (5:59 GTC) yesterday. Attached is the PDF of that data from 07:00 7/28 to 01:59 7/29. I also put together a 23-hr pdf 03:00 7/28 to 01:59 07/29 (07:00 UTC to 05:58 UTC) that is labeled -23hr. If the additional data (1:59-07:00) gets posted I can finish the 24-hr time block.

Thank you,
Eric

**Eric Huss** | Environmental Engineer
28 Hasty Point Rd.
Port Wentworth, GA 31407
Cell 610-348-6959
eric.huss@tetratech.com
**Tetra Tech** | Complex World, Clear Solutions™
www.tetratech.com



---

**From:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Sent:** Monday, July 29, 2019 16:31
**To:** Huss, Eric <Eric.Huss@tetratech.com>
**Cc:** Garrard, Jordan <garrard.jordan@epa.gov>
**Subject:** Viper Data



Files are too large to email. Go to the following website to downloads:

https://viper.ert.org/R04AbleFire

**From:** Eichinger, Kevin <Eichinger.Kevin@epa.gov> on behalf of Eichinger, Kevin
**Sent on:** Tuesday, July 30, 2019 3:30:44 PM
**To:** Huss, Eric <Eric.Huss@tetratech.com>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** RE: Viper Data

I contacted ERT this morning about the data missing from the data download site. They are actively working to recover it. I'll let you know what they figure out. I'll get the Warehouse to download the data from the DustTracks just in case.

Kevin

**From:** Huss, Eric <Eric.Huss@tetratech.com>
**Sent:** Tuesday, July 30, 2019 11:27 AM
**To:** Eichinger, Kevin <Eichinger.Kevin@epa.gov>
**Cc:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Re: Viper Data

Hello Kevin and Jordan,

The files on the sharepoint site are the same as the ones I worked with yesterday. The latest file data ends at 01:59 local time (5:59 GTC) yesterday. Attached is the PDF of that data from 07:00 7/28 to 01:59 7/29. I also put together a 23-hr pdf 03:00 7/28 to 01:59 07/29 (07:00 UTC to 05:58 UTC) that is labeled -23hr. If the additional data (1:59-07:00) gets posted I can finish the 24-hr time block.

Thank you,

Eric

**Eric Huss** | Environmental Engineer
28 Hasty Point Rd.
Port Wentworth, GA 31407
Cell 610-348-6959
eric.huss@tetratech.com
**Tetra Tech** | Complex World, Clear Solutions™
www.tetratech.com

**From:** David Tedder <dtedder@jaspercountysc.gov>
**Sent on:** Friday, August 2, 2019 8:24:25 PM
**To:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** RE: ZN Able Construction/Able Recycling/Enforcement

The State Emergency Order was accidentally omitted as the attachment.

David L. Tedder
Jasper County Attorney
POB 420
Ridgeland, SC 29936
(843) 717-3688
(843)726-3240 (fax)
dtedder@jaspercountysc.gov



**From:** Tisha L. Williams
**Sent:** Friday, August 02, 2019 3:55 PM
**To:** Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; garrard.jordan@epa.gov; john.snyder@tetratech.com; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** ZN Able Construction/Able Recycling/Enforcement

**From:** David Tedder <dtedder@jaspercountysc.gov>
**Sent on:** Friday, August 2, 2019 8:24:25 PM
**To:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** RE: ZN Able Construction/Able Recycling/Enforcement

The State Emergency Order was accidentally omitted as the attachment.

David L. Tedder
Jasper County Attorney
POB 420
Ridgeland, SC 29936
(843) 717-3688
(843)726-3240 (fax)
dtedder@jaspercountysc.gov



**From:** Tisha L. Williams
**Sent:** Friday, August 02, 2019 3:55 PM
**To:** Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; garrard.jordan@epa.gov; john.snyder@tetratech.com; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** ZN Able Construction/Able Recycling/Enforcement

**From:** David Tedder <dtedder@jaspercountysc.gov>
**Sent on:** Friday, August 2, 2019 8:24:25 PM
**To:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** RE: ZN Able Construction/Able Recycling/Enforcement

The State Emergency Order was accidentally omitted as the attachment.

David L. Tedder
Jasper County Attorney
POB 420
Ridgeland, SC 29936
(843) 717-3688
(843)726-3240 (fax)
dtedder@jaspercountysc.gov



**From:** Tisha L. Williams
**Sent:** Friday, August 02, 2019 3:55 PM
**To:** Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; garrard.jordan@epa.gov; john.snyder@tetratech.com; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** ZN Able Construction/Able Recycling/Enforcement

**From:** David Tedder <dtedder@jaspercountysc.gov>
**Sent on:** Friday, August 2, 2019 8:25:38 PM
**To:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>; Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** RE: ZN Able Construction/Able Recycling/Enforcement
**Attachments:** Able EO.PDF (163.36 KB)

Try this again with the attachment

David L. Tedder
Jasper County Attorney
POB 420
Ridgeland, SC 29936
(843) 717-3688
(843)726-3240 (fax)
dtedder@jaspercountysc.gov



**From:** Tisha L. Williams
**Sent:** Friday, August 02, 2019 3:55 PM
**To:** Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; garrard.jordan@epa.gov; john.snyder@tetratech.com; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** ZN Able Construction/Able Recycling/Enforcement

**THE STATE OF SOUTH CAROLINA**
**BEFORE THE DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL**

---

**IN RE: CHANDLER LLOYD; ABLE CONTRACTING, INC.; EARLBEE, LLC**

**JASPER COUNTY**

---

**NOTICE AND EMERGENCY ORDER**

---

Chandler Lloyd, Able Contracting, Inc., and EARLBEE, LLC., (collectively, "Able") are responsible for a registered Construction and Demolition ("C&D") Processing Facility known as the Able Contracting Facility ("Able Facility") located at 472 Schinger Ave., Ridgeland, SC 29936 in Jasper County. A fire at the Able Facility has created an imminent and substantial danger to human health and the environment requiring the issuance of this Emergency Order.

**TAKE NOTICE:**

1. On or about June 3, 2019, the Department received complaints concerning outbreaks of flame and smoke at the Able Facility; and

2. The Able Facility is located in close proximity to numerous commercial and residential structures housing a number of residents and employees, including members of vulnerable populations such as pregnant women and children; and

3. Between June 3, 2019 and July 3, 2019, the Department conducted an investigation and received numerous complaints from nearby residents and employees of businesses located near the Able Facility regarding smoke and odors, and observed that the Able Facility was actively pumping water onto the material pile; and

4. On July 3, 2019, the Department issued a letter requiring Able to cease accepting new material, and requiring a plan be submitted to the Department detailing efforts to extinguish the fire and procedures to ensure fire is extinguished both internally and externally ("Cease and Desist"); and

5. The Department deployed a portable air sensor near the Able Facility to detect fine particulate matter on July 3, 2019; and

6. Able filed a Request for Review of the Cease and Desist on July 8, 2019; which was denied by the South Carolina Board of Health and Environmental Control on July 30, 2019, and

7. A representative of Able informed the Department on July 24, 2019 that Able was unable to continue pumping water onto the material pile due to a lack of resources; and

8. On July 24th, 25th, 27th, and 29th, 2019, concentration data from air sensors indicated levels above EPA health-based standards for fine particulate matter (35 micrograms per cubic meter, for a 24- hour average); and

9. Since their installation, the Department air sensor has detected instantaneous levels as high as 565 micrograms per cubic meter; and

10. These elevated levels constitute an emergency requiring immediate action to protect the public health or property pursuant to S.C. Code Ann. Sections 48-1-290 and 44-1-140; and

11. Whereas, S.C. Code Ann. Section 48-1-290 provides that the Department may issue an order requiring immediate action be taken as the Department deems necessary to meet an emergency and protect public health; and

12. Whereas, S.C. Code Ann. Section 44-1-140 provides that the Department may make orders to meet any emergency not provided for by general rules and regulations, for purposes of suppressing nuisances dangerous to the public health.

**NOW, THEREFORE, THE DEPARTMENT FINDS**, that the continued operations and current conditions at the Able Facility, a solid waste facility located at 472 Schinger Road, Ridgeland, South Carolina, present an imminent and substantial danger to human health and the environment.

**IT IS THEREFORE ORDERED that Able shall:**

1. Upon the execution date of the Order, immediately cease all operations at the Able Facility not related to completely extinguishing the fire, including the acceptance of new material. Continued operation of the Able Facility, without express written consent of the Department, is considered a violation of this Order. Each day of continued violation will be considered a separate offense.

2. Monitor conditions at the Able Facility 24 hours per day until the fire is completely extinguished. If visibility is impaired on a public roadway or any open flame is visible, notify the County Fire Department.

3. Due to the imminent and substantial danger to human health and the environment from the smoke being produced by material on fire at the Able Facility, the Able Facility must secure the services of a contracting company with experience in extinguishing fires of this nature to develop a plan for smoke abatement and complete extinguishment of the fire at the Able Facility, and provide a copy of the plan to the Department within 48 hours of this Order.

4. Contract with the consulting company to implement the plan for smoke abatement and complete extinguishment of the fire. Due to the imminent nature of the health concerns associated with this event, the plan must be initiated within 72 hours of the Order, and fully-implemented as soon as reasonably possible.

5. Allow unrestricted access to Department personnel or contractors for oversight of these measures.

6. Submit a written certification to the Department when all work has been completed.

7. The Department's point of contact for all matters related to this Order will be:

   Marty Lindler
   2600 Bull Street
   Columbia, SC 29201
   803-898-0456
   lindlema@dhec.sc.gov

**IT IS FURTHER ORDERED that the Department reserves the right to take further enforcement action for the above-observed conditions and any violations of this Emergency Order, or the Solid Waste Policy and Management Act and associated Regulations, including but not limited to the assessment of civil penalties.**

**IT IS FURTHER ORDERED that the execution date of this Order is the date this Order is signed by the Director of Environmental Affairs.**

Failure to comply with this Order **MAY SUBJECT YOU TO PENALTIES OR CRIMINAL PROSECUTION** pursuant to S.C. Code Ann. Sections 44-1-150, 48-1-320, and 48-1-330. The Department reserves the right to take any actions necessary to address this emergency and seek cost recovery as authorized by applicable law.

**AND IT IS SO ORDERED.**

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

By: Myra Reece

Myra Reece, Director of Environmental Affairs

DATE: 7/31/19

TIME: 5:12 pm

**From:** <ablecontractingfire@response.epa.gov>
**Sent on:** Thursday, July 25, 2019 7:03:55 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Region IV response.epa.gov/ablecontractingfire website

A EPA OSC Response website has been created!

Region IV
NRC# 1253131
Able Contracting Fire
Ridgeland, SC

To visit this site click on the link below.
https://response.epa.gov/ablecontractingfire

For EPA OSC Response website support contact:
ERTSupport@epa.gov
(800) 999-6990

**From:** Moore, Tony <moore.tony@epa.gov> on behalf of Moore, Tony
**Sent on:** Friday, August 16, 2019 3:44:53 PM
**To:** R4 ERRB <R4_ERRB@epa.gov>
**Subject:** Response status of Able Contracting Fire

Currently, Matt and Jose continue manage the response to the fire. Chris Russell is mobilizing today for support. Cortney and Tanner are mobilizing Monday.
With that planned, an IMT is being formed for the response. Later today the REOC will have a response structure drafted and start project resource needs for the next 30 days. I'll work with your section chiefs on scheduling. We need OSC to fill the various KLPs, let management know your availability.

| IC | Support OSC |
|---|---|
| Huyser through 8/21 | Russell starting 8/16 |
| Tanner 8/19 – to 8/26 | Swanson starting 8/19 |
| Huyser 8/25 – 9/3 (proposed) | |
| Tanner 9/3/ – to 9/11 (proposed) | |
| | |

**Tony Moore, Chief**
Emergency Response Section
Emergency Response, Removal and Prevention Branch
Region 4 Superfund Division
O: 404-562-8756

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Thursday, July 25, 2019 3:02:47 PM
**To:** Corey CB. Brown <cbrown@bashaservices.com>; ohalsey@bashaservices.com; Harper, Greg <Harper.Greg@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Huyser, Matthew <Huyser.Matthew@epa.gov>
**Subject:** Ridgeland Fire response

Corey,

I'm going to need the Er trailer, an arearae pro rDk, 3 dustraks, links and gateways for the dustraks, air con samplers and horiba.

Jordan Garrard
On Scene Coordinator
EPA Region 4
Garrard.jordan@epa.gov
678-644-8648

**From:** Eichinger, Kevin <Eichinger.Kevin@epa.gov> on behalf of Eichinger, Kevin
**Sent on:** Saturday, August 3, 2019 1:07:02 PM
**To:** Prys, Paul <Paul.Prys@tetratech.com>
**CC:** John Snyder <john.snyder@tetratech.com>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** SPM Data 08/02/2019 2038 hours - 2251 hours
**Attachments:** VIPER_Export_SPM_161_08022019.csv (1.3 MB), VIPER_Export_SPM_160_08022019.csv (590.84 KB), VIPER_Export_SPM_159_08022019.csv (778.09 KB)

**From:** Eichinger, Kevin
**Sent:** Saturday, August 3, 2019 9:06 AM
**To:** Prys, Paul <Paul.Prys@tetratech.com>
**Cc:** John Snyder <john.snyder@tetratech.com>; Garrard, Jordan (Garrard.Jordan@epa.gov) <Garrard.Jordan@epa.gov>
**Subject:** SPM Data 08/03/2019 2400 hours - 0900 hours

**From:** Eichinger, Kevin
**Sent:** Saturday, August 3, 2019 8:55 AM
**To:** Prys, Paul <Paul.Prys@tetratech.com>
**Cc:** John Snyder <john.snyder@tetratech.com>; Garrard, Jordan (Garrard.Jordan@epa.gov) <Garrard.Jordan@epa.gov>
**Subject:** Download Site

https://viper.ert.org/R04AbleFire/

Username: R04AbleFire
Password: R04AbleF!re2019

---

**Kevin Eichinger, CHMM - Federal On-Scene Coordinator and Industrial Hygienist**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Superfund and Emergency Management Division**
**Emergency Response, Removal, Prevention and Prepardness Branch (ERRPPB)**
office: **404-562-8268** | cell: **678-897-3759** | **response.epa.gov**

| ReducedR | RUNID | InitialReac | MessageIc | MessageS | Instrumen | MeterApp | Received_ | Received_ | SensorNar | SensorRea | SensorUni | MeterApp | Latitude | Longitude | GPSDOP | DataSourc | IsFixedLoc | LINCLatitu | LINCLongi | FLAGS | SCID | RUN_NAM | RUN_DESC | MeterAppConfig_COMMENT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 2 | 145 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:34.0 | 59:34.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 3 | 2 | 145 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:34.0 | 59:34.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 4 | 2 | 145 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:34.0 | 59:34.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5 | 2 | 145 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:34.0 | 59:34.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 6 | 2 | 145 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:34.0 | 59:34.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 7 | 2 | 145 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:34.0 | 59:34.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 8 | 2 | 151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:37.0 | 59:37.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 9 | 2 | 151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:37.0 | 59:37.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 10 | 2 | 151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:37.0 | 59:37.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 11 | 2 | 151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:37.0 | 59:37.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 12 | 2 | 151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:37.0 | 59:37.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 13 | 2 | 151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:37.0 | 59:37.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 14 | 2 | 157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:40.0 | 59:40.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 15 | 2 | 157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:40.0 | 59:40.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 16 | 2 | 157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:40.0 | 59:40.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 17 | 2 | 157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:40.0 | 59:40.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 18 | 2 | 157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:40.0 | 59:40.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 19 | 2 | 157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:40.0 | 59:40.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 20 | 2 | 163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:43.0 | 59:43.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 21 | 2 | 163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:43.0 | 59:43.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 22 | 2 | 163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:43.0 | 59:43.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 23 | 2 | 163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:43.0 | 59:43.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 24 | 2 | 163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:43.0 | 59:43.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 25 | 2 | 163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:43.0 | 59:43.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 26 | 2 | 169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:46.0 | 59:46.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 27 | 2 | 169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:46.0 | 59:46.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 28 | 2 | 169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:46.0 | 59:46.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 29 | 2 | 169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:46.0 | 59:46.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 30 | 2 | 169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:46.0 | 59:46.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 31 | 2 | 169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:46.0 | 59:46.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 32 | 2 | 175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:49.0 | 59:49.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 33 | 2 | 175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:49.0 | 59:49.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 34 | 2 | 175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:49.0 | 59:49.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 35 | 2 | 175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:49.0 | 59:49.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 36 | 2 | 175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:49.0 | 59:49.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 37 | 2 | 175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:49.0 | 59:49.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 38 | 2 | 181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:52.0 | 59:52.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 39 | 2 | 181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:52.0 | 59:52.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 40 | 2 | 181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:52.0 | 59:52.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 41 | 2 | 181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:52.0 | 59:52.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 42 | 2 | 181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:52.0 | 59:52.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 43 | 2 | 181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:52.0 | 59:52.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 44 | 2 | 187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:55.0 | 59:55.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 45 | 2 | 187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:55.0 | 59:55.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 46 | 2 | 187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:55.0 | 59:55.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 47 | 2 | 187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:55.0 | 59:55.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 48 | 2 | 187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:55.0 | 59:55.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 49 | 2 | 187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:55.0 | 59:55.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 50 | 2 | 193 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:58.0 | 59:58.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 51 | 2 | 193 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:58.0 | 59:58.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 52 | 2 | 193 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:58.0 | 59:58.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 53 | 2 | 193 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:58.0 | 59:58.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 54 | 2 | 193 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:58.0 | 59:58.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 55 | 2 | 193 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 59:58.0 | 59:58.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 56 | 2 | 199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:01.0 | 00:01.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 57 | 2 | 199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:01.0 | 00:01.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 58 | 2 | 199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:01.0 | 00:01.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 59 | 2 | 199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:01.0 | 00:01.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 60 | 2 | 199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:01.0 | 00:01.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 61 | 2 | 199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:01.0 | 00:01.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 62 | 2 | 211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:05.0 | 00:05.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 63 | 2 | 211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:05.0 | 00:05.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 64 | 2 | 211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:05.0 | 00:05.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 65 | 2 | 211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:05.0 | 00:05.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 66 | 2 | 211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:05.0 | 00:05.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 67 | 2 | 211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:05.0 | 00:05.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 68 | 2 | 223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:08.0 | 00:08.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 69 | 2 | 223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:08.0 | 00:08.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 70 | 2 | 223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:08.0 | 00:08.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 71 | 2 | 223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:08.0 | 00:08.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 72 | 2 | 223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:08.0 | 00:08.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 73 | 2 | 223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:08.0 | 00:08.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 74 | 2 | 235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:11.0 | 00:11.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 75 | 2 | 235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:11.0 | 00:11.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 76 | 2 | 235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:11.0 | 00:11.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 77 | 2 | 235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:11.0 | 00:11.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 78 | 2 | 235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:11.0 | 00:11.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 79 | 2 | 235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:11.0 | 00:11.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 80 | 2 | 247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:14.0 | 00:14.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 81 | 2 | 247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:14.0 | 00:14.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 82 | 2 | 247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:14.0 | 00:14.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 83 | 2 | 247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:14.0 | 00:14.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 84 | 2 | 247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:14.0 | 00:14.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 85 | 2 | 247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:14.0 | 00:14.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 86 | 2 | 259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:17.0 | 00:17.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 87 | 2 | 259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:17.0 | 00:17.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 88 | 2 | 259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:17.0 | 00:17.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 89 | 2 | 259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:17.0 | 00:17.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 90 | 2 | 259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:17.0 | 00:17.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 91 | 2 | 259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:17.0 | 00:17.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 92 | 2 | 271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:20.0 | 00:20.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 93 | 2 | 271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:20.0 | 00:20.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 94 | 2 | 271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:20.0 | 00:20.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 95 | 2 | 271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:20.0 | 00:20.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 96 | 2 | 271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:20.0 | 00:20.0 | battery | 91 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 97 | 2 | 271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:20.0 | 00:20.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 98 | 2 | 283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:23.0 | 00:23.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 99 | 2 | 283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:23.0 | 00:23.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 100 | 2 | 283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:23.0 | 00:23.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 101 | 2 | 283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:23.0 | 00:23.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 102 | 2 | 283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:23.0 | 00:23.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 103 | 2 | 283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:23.0 | 00:23.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 104 | 2 | 295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:26.0 | 00:26.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 105 | 2 | 295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:26.0 | 00:26.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 106 | 2 | 295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:26.0 | 00:26.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 107 | 2 | 295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:26.0 | 00:26.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 108 | 2 | 295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:26.0 | 00:26.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 109 | 2 | 295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:26.0 | 00:26.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 110 | 2 | 307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:29.0 | 00:29.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 111 | 2 | 307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:29.0 | 00:29.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 112 | 2 | 307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:29.0 | 00:29.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 113 | 2 | 307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:29.0 | 00:29.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 114 | 2 | 307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:29.0 | 00:29.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 115 | 2 | 307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:29.0 | 00:29.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 116 | 2 | 313 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:34.0 | 00:34.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 117 | 2 | 313 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:34.0 | 00:34.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 118 | 2 | 313 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:34.0 | 00:34.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 119 | 2 | 313 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:34.0 | 00:34.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 120 | 2 | 313 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:34.0 | 00:34.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 121 | 2 | 313 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:34.0 | 00:34.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 122 | 2 | 331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:37.0 | 00:37.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 123 | 2 | 331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:37.0 | 00:37.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 124 | 2 | 331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:37.0 | 00:37.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 125 | 2 | 331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:37.0 | 00:37.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 126 | 2 | 331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:37.0 | 00:37.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 127 | 2 | 331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:37.0 | 00:37.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 128 | 2 | 343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:40.0 | 00:40.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 129 | 2 | 343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:40.0 | 00:40.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 130 | 2 | 343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:40.0 | 00:40.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 131 | 2 | 343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:40.0 | 00:40.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 132 | 2 | 343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:40.0 | 00:40.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 133 | 2 | 343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:40.0 | 00:40.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 134 | 2 | 355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:43.0 | 00:43.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 135 | 2 | 355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:43.0 | 00:43.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 136 | 2 | 355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:43.0 | 00:43.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 137 | 2 | 355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:43.0 | 00:43.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 138 | 2 | 355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:43.0 | 00:43.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 139 | 2 | 355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:43.0 | 00:43.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 140 | 2 | 367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:46.0 | 00:46.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 141 | 2 | 367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:46.0 | 00:46.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 142 | 2 | 367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:46.0 | 00:46.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 143 | 2 | 367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:46.0 | 00:46.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 144 | 2 | 367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:46.0 | 00:46.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 145 | 2 | 367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:46.0 | 00:46.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 146 | 2 | 379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:49.0 | 00:49.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 147 | 2 | 379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:49.0 | 00:49.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 148 | 2 | 379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:49.0 | 00:49.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 149 | 2 | 379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:49.0 | 00:49.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 150 | 2 | 379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:49.0 | 00:49.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 151 | 2 | 379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:49.0 | 00:49.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 152 | 2 | 391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:52.0 | 00:52.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 153 | 2 | 391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:52.0 | 00:52.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 154 | 2 | 391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:52.0 | 00:52.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 155 | 2 | 391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:52.0 | 00:52.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 156 | 2 | 391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:52.0 | 00:52.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 157 | 2 | 391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:52.0 | 00:52.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 158 | 2 | 403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:55.0 | 00:55.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 159 | 2 | 403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:55.0 | 00:55.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 160 | 2 | 403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:55.0 | 00:55.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 161 | 2 | 403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:55.0 | 00:55.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 162 | 2 | 403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:55.0 | 00:55.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 163 | 2 | 403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:55.0 | 00:55.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 164 | 2 | 415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:58.0 | 00:58.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 165 | 2 | 415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:58.0 | 00:58.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 166 | 2 | 415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:58.0 | 00:58.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 167 | 2 | 415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:58.0 | 00:58.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 168 | 2 | 415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:58.0 | 00:58.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 169 | 2 | 415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 00:58.0 | 00:58.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 170 | 2 | 427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:01.0 | 01:01.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 171 | 2 | 427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:01.0 | 01:01.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 172 | 2 | 427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:01.0 | 01:01.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 173 | 2 | 427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:01.0 | 01:01.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 174 | 2 | 427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:01.0 | 01:01.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 175 | 2 | 427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:01.0 | 01:01.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 176 | 2 | 439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:04.0 | 01:04.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 177 | 2 | 439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:04.0 | 01:04.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 178 | 2 | 439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:04.0 | 01:04.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 179 | 2 | 439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:04.0 | 01:04.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 180 | 2 | 439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:04.0 | 01:04.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 181 | 2 | 439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:04.0 | 01:04.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 182 | 2 | 451 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:07.0 | 01:07.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 183 | 2 | 451 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:07.0 | 01:07.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 184 | 2 | 451 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:07.0 | 01:07.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 185 | 2 | 451 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:07.0 | 01:07.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 186 | 2 | 451 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:07.0 | 01:07.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 187 | 2 | 451 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:07.0 | 01:07.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 188 | 2 | 463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:10.0 | 01:10.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 189 | 2 | 463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:10.0 | 01:10.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 190 | 2 | 463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:10.0 | 01:10.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 191 | 2 | 463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:10.0 | 01:10.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 192 | 2 | 463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:10.0 | 01:10.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 193 | 2 | 463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:10.0 | 01:10.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 194 | 2 | 475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:13.0 | 01:13.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 195 | 2 | 475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:13.0 | 01:13.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 196 | 2 | 475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:13.0 | 01:13.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 197 | 2 | 475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:13.0 | 01:13.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 198 | 2 | 475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:13.0 | 01:13.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 199 | 2 | 475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:13.0 | 01:13.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 200 | 2 | 487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:16.0 | 01:16.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 201 | 2 | 487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:16.0 | 01:16.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 202 | 2 | 487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:16.0 | 01:16.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 203 | 2 | 487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:16.0 | 01:16.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 204 | 2 | 487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:16.0 | 01:16.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 205 | 2 | 487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:16.0 | 01:16.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 206 | 2 | 499 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:19.0 | 01:19.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 207 | 2 | 499 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:19.0 | 01:19.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 208 | 2 | 499 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:19.0 | 01:19.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 209 | 2 | 499 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:19.0 | 01:19.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 210 | 2 | 499 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:19.0 | 01:19.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 211 | 2 | 499 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:19.0 | 01:19.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 212 | 2 | 511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:22.0 | 01:22.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 213 | 2 | 511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:22.0 | 01:22.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 214 | 2 | 511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:22.0 | 01:22.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 215 | 2 | 511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:22.0 | 01:22.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 216 | 2 | 511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:22.0 | 01:22.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 217 | 2 | 511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:22.0 | 01:22.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 218 | 2 | 523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:25.0 | 01:25.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 219 | 2 | 523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:25.0 | 01:25.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 220 | 2 | 523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:25.0 | 01:25.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 221 | 2 | 523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:25.0 | 01:25.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 222 | 2 | 523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:25.0 | 01:25.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 223 | 2 | 523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:25.0 | 01:25.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 224 | 2 | 535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:29.0 | 01:29.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 225 | 2 | 535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:29.0 | 01:29.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 226 | 2 | 535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:29.0 | 01:29.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 227 | 2 | 535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:29.0 | 01:29.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 228 | 2 | 535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:29.0 | 01:29.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 229 | 2 | 535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:29.0 | 01:29.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 230 | 2 | 547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:32.0 | 01:32.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 231 | 2 | 547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:32.0 | 01:32.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 232 | 2 | 547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:32.0 | 01:32.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 233 | 2 | 547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:32.0 | 01:32.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 234 | 2 | 547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:32.0 | 01:32.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 235 | 2 | 547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:32.0 | 01:32.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 236 | 2 | 559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:35.0 | 01:35.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 237 | 2 | 559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:35.0 | 01:35.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 238 | 2 | 559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:35.0 | 01:35.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 239 | 2 | 559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:35.0 | 01:35.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 240 | 2 | 559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:35.0 | 01:35.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 241 | 2 | 559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:35.0 | 01:35.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 242 | 2 | 571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:38.0 | 01:38.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 243 | 2 | 571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:38.0 | 01:38.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 244 | 2 | 571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:38.0 | 01:38.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 245 | 2 | 571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:38.0 | 01:38.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 246 | 2 | 571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:38.0 | 01:38.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 247 | 2 | 571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:38.0 | 01:38.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 248 | 2 | 583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:41.0 | 01:41.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 249 | 2 | 583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:41.0 | 01:41.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 250 | 2 | 583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:41.0 | 01:41.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 251 | 2 | 583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:41.0 | 01:41.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 252 | 2 | 583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:41.0 | 01:41.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 253 | 2 | 583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:41.0 | 01:41.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 254 | 2 | 595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:44.0 | 01:44.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 255 | 2 | 595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:44.0 | 01:44.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 256 | 2 | 595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:44.0 | 01:44.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 257 | 2 | 595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:44.0 | 01:44.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 258 | 2 | 595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:44.0 | 01:44.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 259 | 2 | 595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:44.0 | 01:44.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 260 | 2 | 607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:47.0 | 01:47.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 261 | 2 | 607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:47.0 | 01:47.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 262 | 2 | 607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:47.0 | 01:47.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 263 | 2 | 607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:47.0 | 01:47.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 264 | 2 | 607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:47.0 | 01:47.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 265 | 2 | 607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:47.0 | 01:47.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 266 | 2 | 619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:50.0 | 01:50.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 267 | 2 | 619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:50.0 | 01:50.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 268 | 2 | 619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:50.0 | 01:50.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 269 | 2 | 619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:50.0 | 01:50.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 270 | 2 | 619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:50.0 | 01:50.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 271 | 2 | 619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:50.0 | 01:50.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 272 | 2 | 631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:53.0 | 01:53.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 273 | 2 | 631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:53.0 | 01:53.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 274 | 2 | 631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:53.0 | 01:53.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 275 | 2 | 631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:53.0 | 01:53.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 276 | 2 | 631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:53.0 | 01:53.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 277 | 2 | 631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:53.0 | 01:53.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 278 | 2 | 643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:56.0 | 01:56.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 279 | 2 | 643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:56.0 | 01:56.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 280 | 2 | 643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:56.0 | 01:56.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 281 | 2 | 643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:56.0 | 01:56.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 282 | 2 | 643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:56.0 | 01:56.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 283 | 2 | 643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:56.0 | 01:56.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 284 | 2 | 655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:59.0 | 01:59.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 285 | 2 | 655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:59.0 | 01:59.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 286 | 2 | 655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:59.0 | 01:59.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 287 | 2 | 655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:59.0 | 01:59.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 288 | 2 | 655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:59.0 | 01:59.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 289 | 2 | 655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 01:59.0 | 01:59.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 290 | 2 | 667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:02.0 | 02:02.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 291 | 2 | 667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:02.0 | 02:02.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 292 | 2 | 667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:02.0 | 02:02.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 293 | 2 | 667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:02.0 | 02:02.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 294 | 2 | 667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:02.0 | 02:02.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 295 | 2 | 667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:02.0 | 02:02.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 296 | 2 | 679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:05.0 | 02:05.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 297 | 2 | 679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:05.0 | 02:05.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 298 | 2 | 679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:05.0 | 02:05.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 299 | 2 | 679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:05.0 | 02:05.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 300 | 2 | 679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:05.0 | 02:05.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 301 | 2 | 679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:05.0 | 02:05.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 302 | 2 | 691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:08.0 | 02:08.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 303 | 2 | 691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:08.0 | 02:08.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 304 | 2 | 691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:08.0 | 02:08.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 305 | 2 | 691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:08.0 | 02:08.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 306 | 2 | 691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:08.0 | 02:08.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 307 | 2 | 691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:08.0 | 02:08.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 308 | 2 | 703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:11.0 | 02:11.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 309 | 2 | 703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:11.0 | 02:11.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 310 | 2 | 703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:11.0 | 02:11.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 311 | 2 | 703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:11.0 | 02:11.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 312 | 2 | 703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:11.0 | 02:11.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 313 | 2 | 703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:11.0 | 02:11.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 314 | 2 | 715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:14.0 | 02:14.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 315 | 2 | 715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:14.0 | 02:14.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 316 | 2 | 715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:14.0 | 02:14.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 317 | 2 | 715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:14.0 | 02:14.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 318 | 2 | 715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:14.0 | 02:14.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 319 | 2 | 715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:14.0 | 02:14.0 | flow | 524 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 320 | 2 | 727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:17.0 | 02:17.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 321 | 2 | 727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:17.0 | 02:17.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 322 | 2 | 727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:17.0 | 02:17.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 323 | 2 | 727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:17.0 | 02:17.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 324 | 2 | 727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:17.0 | 02:17.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 325 | 2 | 727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:17.0 | 02:17.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 326 | 2 | 739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:20.0 | 02:20.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 327 | 2 | 739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:20.0 | 02:20.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 328 | 2 | 739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:20.0 | 02:20.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 329 | 2 | 739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:20.0 | 02:20.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 330 | 2 | 739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:20.0 | 02:20.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 331 | 2 | 739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:20.0 | 02:20.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 332 | 2 | 751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:23.0 | 02:23.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 333 | 2 | 751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:23.0 | 02:23.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 334 | 2 | 751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:23.0 | 02:23.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 335 | 2 | 751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:23.0 | 02:23.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 336 | 2 | 751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:23.0 | 02:23.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 337 | 2 | 751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:23.0 | 02:23.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 338 | 2 | 763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:26.0 | 02:26.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 339 | 2 | 763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:26.0 | 02:26.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 340 | 2 | 763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:26.0 | 02:26.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 341 | 2 | 763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:26.0 | 02:26.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 342 | 2 | 763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:26.0 | 02:26.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 343 | 2 | 763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:26.0 | 02:26.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 344 | 2 | 775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:29.0 | 02:29.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 345 | 2 | 775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:29.0 | 02:29.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 346 | 2 | 775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:29.0 | 02:29.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 347 | 2 | 775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:29.0 | 02:29.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 348 | 2 | 775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:29.0 | 02:29.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 349 | 2 | 775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:29.0 | 02:29.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 350 | 2 | 787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:32.0 | 02:32.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 351 | 2 | 787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:32.0 | 02:32.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 352 | 2 | 787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:32.0 | 02:32.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 353 | 2 | 787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:32.0 | 02:32.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 354 | 2 | 787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:32.0 | 02:32.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 355 | 2 | 787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:32.0 | 02:32.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 356 | 2 | 799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:35.0 | 02:35.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 357 | 2 | 799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:35.0 | 02:35.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 358 | 2 | 799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:35.0 | 02:35.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 359 | 2 | 799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:35.0 | 02:35.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 360 | 2 | 799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:35.0 | 02:35.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 361 | 2 | 799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:35.0 | 02:35.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 362 | 2 | 811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:38.0 | 02:38.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 363 | 2 | 811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:38.0 | 02:38.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 364 | 2 | 811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:38.0 | 02:38.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 365 | 2 | 811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:38.0 | 02:38.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 366 | 2 | 811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:38.0 | 02:38.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 367 | 2 | 811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:38.0 | 02:38.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 368 | 2 | 823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:41.0 | 02:41.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 369 | 2 | 823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:41.0 | 02:41.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 370 | 2 | 823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:41.0 | 02:41.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 371 | 2 | 823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:41.0 | 02:41.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 372 | 2 | 823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:41.0 | 02:41.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 373 | 2 | 823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:41.0 | 02:41.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 374 | 2 | 835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:44.0 | 02:44.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 375 | 2 | 835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:44.0 | 02:44.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 376 | 2 | 835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:44.0 | 02:44.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 377 | 2 | 835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:44.0 | 02:44.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 378 | 2 | 835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:44.0 | 02:44.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 379 | 2 | 835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:44.0 | 02:44.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 380 | 2 | 847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:47.0 | 02:47.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 381 | 2 | 847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:47.0 | 02:47.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 382 | 2 | 847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:47.0 | 02:47.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 383 | 2 | 847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:47.0 | 02:47.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 384 | 2 | 847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:47.0 | 02:47.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 385 | 2 | 847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:47.0 | 02:47.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 386 | 2 | 859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:53.0 | 02:53.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 387 | 2 | 859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:53.0 | 02:53.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 388 | 2 | 859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:53.0 | 02:53.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 389 | 2 | 859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:53.0 | 02:53.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 390 | 2 | 859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:53.0 | 02:53.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 391 | 2 | 859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:53.0 | 02:53.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 392 | 2 | 871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:56.0 | 02:56.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 393 | 2 | 871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:56.0 | 02:56.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 394 | 2 | 871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:56.0 | 02:56.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 395 | 2 | 871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:56.0 | 02:56.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 396 | 2 | 871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:56.0 | 02:56.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 397 | 2 | 871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:56.0 | 02:56.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 398 | 2 | 883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:59.0 | 02:59.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 399 | 2 | 883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:59.0 | 02:59.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 400 | 2 | 883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:59.0 | 02:59.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 401 | 2 | 883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:59.0 | 02:59.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 402 | 2 | 883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:59.0 | 02:59.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 403 | 2 | 883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 02:59.0 | 02:59.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 404 | 2 | 895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:02.0 | 03:02.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 405 | 2 | 895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:02.0 | 03:02.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 406 | 2 | 895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:02.0 | 03:02.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 407 | 2 | 895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:02.0 | 03:02.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 408 | 2 | 895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:02.0 | 03:02.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 409 | 2 | 895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:02.0 | 03:02.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 410 | 2 | 907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:05.0 | 03:05.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 411 | 2 | 907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:05.0 | 03:05.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 412 | 2 | 907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:05.0 | 03:05.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 413 | 2 | 907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:05.0 | 03:05.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 414 | 2 | 907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:05.0 | 03:05.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 415 | 2 | 907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:05.0 | 03:05.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 416 | 2 | 919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:08.0 | 03:08.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 417 | 2 | 919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:08.0 | 03:08.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 418 | 2 | 919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:08.0 | 03:08.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 419 | 2 | 919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:08.0 | 03:08.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 420 | 2 | 919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:08.0 | 03:08.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 421 | 2 | 919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:08.0 | 03:08.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 422 | 2 | 931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:11.0 | 03:11.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 423 | 2 | 931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:11.0 | 03:11.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 424 | 2 | 931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:11.0 | 03:11.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 425 | 2 | 931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:11.0 | 03:11.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 426 | 2 | 931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:11.0 | 03:11.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 427 | 2 | 931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:11.0 | 03:11.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 428 | 2 | 943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:14.0 | 03:14.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 429 | 2 | 943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:14.0 | 03:14.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 430 | 2 | 943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:14.0 | 03:14.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 431 | 2 | 943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:14.0 | 03:14.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |
| 432 | 2 | 943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:14.0 | 03:14.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Cont | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 433 | 2 | 943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:14.0 | 03:14.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 434 | 2 | 955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:17.0 | 03:17.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 435 | 2 | 955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:17.0 | 03:17.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 436 | 2 | 955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:17.0 | 03:17.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 437 | 2 | 955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:17.0 | 03:17.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 438 | 2 | 955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:17.0 | 03:17.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 439 | 2 | 955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:17.0 | 03:17.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 440 | 2 | 967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:20.0 | 03:20.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 441 | 2 | 967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:20.0 | 03:20.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 442 | 2 | 967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:20.0 | 03:20.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 443 | 2 | 967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:20.0 | 03:20.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 444 | 2 | 967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:20.0 | 03:20.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 445 | 2 | 967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:20.0 | 03:20.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 446 | 2 | 979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:23.0 | 03:23.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 447 | 2 | 979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:23.0 | 03:23.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 448 | 2 | 979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:23.0 | 03:23.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 449 | 2 | 979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:23.0 | 03:23.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 450 | 2 | 979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:23.0 | 03:23.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 451 | 2 | 979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:23.0 | 03:23.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 452 | 2 | 991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:26.0 | 03:26.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 453 | 2 | 991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:26.0 | 03:26.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 454 | 2 | 991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:26.0 | 03:26.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 455 | 2 | 991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:26.0 | 03:26.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 456 | 2 | 991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:26.0 | 03:26.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 457 | 2 | 991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:26.0 | 03:26.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 458 | 2 | 1003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:29.0 | 03:29.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 459 | 2 | 1003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:29.0 | 03:29.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 460 | 2 | 1003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:29.0 | 03:29.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 461 | 2 | 1003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:29.0 | 03:29.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 462 | 2 | 1003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:29.0 | 03:29.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 463 | 2 | 1003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:29.0 | 03:29.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 464 | 2 | 1015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:32.0 | 03:32.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 465 | 2 | 1015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:32.0 | 03:32.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 466 | 2 | 1015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:32.0 | 03:32.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 467 | 2 | 1015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:32.0 | 03:32.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 468 | 2 | 1015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:32.0 | 03:32.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 469 | 2 | 1015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:32.0 | 03:32.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 470 | 2 | 1027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:35.0 | 03:35.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 471 | 2 | 1027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:35.0 | 03:35.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 472 | 2 | 1027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:35.0 | 03:35.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 473 | 2 | 1027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:35.0 | 03:35.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 474 | 2 | 1027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:35.0 | 03:35.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 475 | 2 | 1027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:35.0 | 03:35.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 476 | 2 | 1039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:38.0 | 03:38.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 477 | 2 | 1039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:38.0 | 03:38.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 478 | 2 | 1039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:38.0 | 03:38.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 479 | 2 | 1039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:38.0 | 03:38.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 480 | 2 | 1039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:38.0 | 03:38.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 481 | 2 | 1039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:38.0 | 03:38.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 482 | 2 | 1051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:41.0 | 03:41.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 483 | 2 | 1051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:41.0 | 03:41.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 484 | 2 | 1051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:41.0 | 03:41.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 485 | 2 | 1051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:41.0 | 03:41.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 486 | 2 | 1051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:41.0 | 03:41.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 487 | 2 | 1051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:41.0 | 03:41.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 488 | 2 | 1063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:44.0 | 03:44.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 489 | 2 | 1063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:44.0 | 03:44.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 490 | 2 | 1063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:44.0 | 03:44.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 491 | 2 | 1063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:44.0 | 03:44.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 492 | 2 | 1063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:44.0 | 03:44.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 493 | 2 | 1063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:44.0 | 03:44.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 494 | 2 | 1075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 495 | 2 | 1075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 496 | 2 | 1075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 497 | 2 | 1075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 498 | 2 | 1075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 499 | 2 | 1075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 500 | 2 | 1087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:50.0 | 03:50.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 501 | 2 | 1087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:50.0 | 03:50.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 502 | 2 | 1087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:50.0 | 03:50.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 503 | 2 | 1087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:50.0 | 03:50.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 504 | 2 | 1087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:50.0 | 03:50.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 505 | 2 | 1087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:50.0 | 03:50.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 506 | 2 | 1099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:53.0 | 03:53.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 507 | 2 | 1099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:53.0 | 03:53.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 508 | 2 | 1099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:53.0 | 03:53.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 509 | 2 | 1099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:53.0 | 03:53.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 510 | 2 | 1099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:53.0 | 03:53.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 511 | 2 | 1099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:53.0 | 03:53.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 512 | 2 | 1111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:56.0 | 03:56.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 513 | 2 | 1111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:56.0 | 03:56.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 514 | 2 | 1111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:56.0 | 03:56.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 515 | 2 | 1111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:56.0 | 03:56.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 516 | 2 | 1111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:56.0 | 03:56.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 517 | 2 | 1111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:56.0 | 03:56.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 518 | 2 | 1123 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:59.0 | 03:59.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 519 | 2 | 1123 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:59.0 | 03:59.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 520 | 2 | 1123 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:59.0 | 03:59.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 521 | 2 | 1123 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:59.0 | 03:59.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 522 | 2 | 1123 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:59.0 | 03:59.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 523 | 2 | 1123 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 03:59.0 | 03:59.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 524 | 2 | 1135 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:02.0 | 04:02.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 525 | 2 | 1135 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:02.0 | 04:02.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 526 | 2 | 1135 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:02.0 | 04:02.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 527 | 2 | 1135 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:02.0 | 04:02.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 528 | 2 | 1135 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:02.0 | 04:02.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 529 | 2 | 1135 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:02.0 | 04:02.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 530 | 2 | 1147 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:05.0 | 04:05.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 531 | 2 | 1147 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:05.0 | 04:05.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 532 | 2 | 1147 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:05.0 | 04:05.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 533 | 2 | 1147 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:05.0 | 04:05.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 534 | 2 | 1147 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:05.0 | 04:05.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 535 | 2 | 1147 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:05.0 | 04:05.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 536 | 2 | 1159 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:08.0 | 04:08.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 537 | 2 | 1159 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:08.0 | 04:08.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 538 | 2 | 1159 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:08.0 | 04:08.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 539 | 2 | 1159 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:08.0 | 04:08.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 540 | 2 | 1159 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:08.0 | 04:08.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 541 | 2 | 1159 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:08.0 | 04:08.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 542 | 2 | 1171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:11.0 | 04:11.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 543 | 2 | 1171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:11.0 | 04:11.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 544 | 2 | 1171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:11.0 | 04:11.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 545 | 2 | 1171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:11.0 | 04:11.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 546 | 2 | 1171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:11.0 | 04:11.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 547 | 2 | 1171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:11.0 | 04:11.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 548 | 2 | 1183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:14.0 | 04:14.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 549 | 2 | 1183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:14.0 | 04:14.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 550 | 2 | 1183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:14.0 | 04:14.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 551 | 2 | 1183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:14.0 | 04:14.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 552 | 2 | 1183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:14.0 | 04:14.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 553 | 2 | 1183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:14.0 | 04:14.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 554 | 2 | 1195 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:17.0 | 04:17.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 555 | 2 | 1195 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:17.0 | 04:17.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 556 | 2 | 1195 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:17.0 | 04:17.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 557 | 2 | 1195 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:17.0 | 04:17.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 558 | 2 | 1195 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:17.0 | 04:17.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 559 | 2 | 1195 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:17.0 | 04:17.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 560 | 2 | 1207 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:20.0 | 04:20.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 561 | 2 | 1207 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:20.0 | 04:20.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 562 | 2 | 1207 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:20.0 | 04:20.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 563 | 2 | 1207 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:20.0 | 04:20.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 564 | 2 | 1207 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:20.0 | 04:20.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 565 | 2 | 1207 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:20.0 | 04:20.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 566 | 2 | 1219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:23.0 | 04:23.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 567 | 2 | 1219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:23.0 | 04:23.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 568 | 2 | 1219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:23.0 | 04:23.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 569 | 2 | 1219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:23.0 | 04:23.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 570 | 2 | 1219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:23.0 | 04:23.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 571 | 2 | 1219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:23.0 | 04:23.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 572 | 2 | 1273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:50.0 | 04:50.0 | Phosgene | 0 | ppb | Gray | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 573 | 2 | 1273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:50.0 | 04:50.0 | alarms | 50-100 | hilo | Gray | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 574 | 2 | 1273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:50.0 | 04:50.0 | state | In monitor | state | Gray | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 575 | 2 | 1273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:50.0 | 04:50.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 576 | 2 | 1273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:50.0 | 04:50.0 | battery | 90 | % | Gray | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 577 | 2 | 1273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 04:50.0 | 04:50.0 | flow | 523 | cc/min | Gray | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 578 | 2 | 1309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:04.0 | 05:04.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 579 | 2 | 1309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:04.0 | 05:04.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 580 | 2 | 1309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:04.0 | 05:04.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 581 | 2 | 1309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:04.0 | 05:04.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 582 | 2 | 1309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:04.0 | 05:04.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 583 | 2 | 1309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:04.0 | 05:04.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 584 | 2 | 1321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:07.0 | 05:07.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 585 | 2 | 1321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:07.0 | 05:07.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 586 | 2 | 1321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:07.0 | 05:07.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 587 | 2 | 1321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:07.0 | 05:07.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 588 | 2 | 1321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:07.0 | 05:07.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 589 | 2 | 1321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:07.0 | 05:07.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 590 | 2 | 1333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:10.0 | 05:10.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 591 | 2 | 1333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:10.0 | 05:10.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 592 | 2 | 1333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:10.0 | 05:10.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 593 | 2 | 1333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:10.0 | 05:10.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 594 | 2 | 1333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:10.0 | 05:10.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 595 | 2 | 1333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:10.0 | 05:10.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 596 | 2 | 1345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:13.0 | 05:13.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 597 | 2 | 1345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:13.0 | 05:13.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 598 | 2 | 1345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:13.0 | 05:13.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 599 | 2 | 1345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:13.0 | 05:13.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 600 | 2 | 1345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:13.0 | 05:13.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 601 | 2 | 1345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:13.0 | 05:13.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 602 | 2 | 1357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:16.0 | 05:16.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 603 | 2 | 1357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:16.0 | 05:16.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 604 | 2 | 1357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:16.0 | 05:16.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 605 | 2 | 1357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:16.0 | 05:16.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 606 | 2 | 1357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:16.0 | 05:16.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 607 | 2 | 1357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:16.0 | 05:16.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 608 | 2 | 1369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:19.0 | 05:19.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 609 | 2 | 1369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:19.0 | 05:19.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 610 | 2 | 1369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:19.0 | 05:19.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 611 | 2 | 1369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:19.0 | 05:19.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 612 | 2 | 1369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:19.0 | 05:19.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 613 | 2 | 1369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:19.0 | 05:19.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 614 | 2 | 1381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:22.0 | 05:22.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 615 | 2 | 1381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:22.0 | 05:22.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 616 | 2 | 1381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:22.0 | 05:22.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 617 | 2 | 1381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:22.0 | 05:22.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 618 | 2 | 1381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:22.0 | 05:22.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 619 | 2 | 1381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:22.0 | 05:22.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 620 | 2 | 1393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:25.0 | 05:25.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 621 | 2 | 1393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:25.0 | 05:25.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 622 | 2 | 1393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:25.0 | 05:25.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 623 | 2 | 1393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:25.0 | 05:25.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 624 | 2 | 1393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:25.0 | 05:25.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 625 | 2 | 1393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:25.0 | 05:25.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 626 | 2 | 1405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:28.0 | 05:28.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 627 | 2 | 1405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:28.0 | 05:28.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 628 | 2 | 1405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:28.0 | 05:28.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 629 | 2 | 1405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:28.0 | 05:28.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 630 | 2 | 1405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:28.0 | 05:28.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 631 | 2 | 1405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:28.0 | 05:28.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 632 | 2 | 1417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:31.0 | 05:31.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 633 | 2 | 1417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:31.0 | 05:31.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 634 | 2 | 1417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:31.0 | 05:31.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 635 | 2 | 1417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:31.0 | 05:31.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 636 | 2 | 1417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:31.0 | 05:31.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 637 | 2 | 1417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:31.0 | 05:31.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 638 | 2 | 1429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:34.0 | 05:34.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 639 | 2 | 1429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:34.0 | 05:34.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 640 | 2 | 1429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:34.0 | 05:34.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 641 | 2 | 1429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:34.0 | 05:34.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 642 | 2 | 1429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:34.0 | 05:34.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 643 | 2 | 1429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:34.0 | 05:34.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 644 | 2 | 1441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:37.0 | 05:37.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 645 | 2 | 1441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:37.0 | 05:37.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 646 | 2 | 1441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:37.0 | 05:37.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 647 | 2 | 1441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:37.0 | 05:37.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 648 | 2 | 1441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:37.0 | 05:37.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 649 | 2 | 1441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:37.0 | 05:37.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 650 | 2 | 1453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:40.0 | 05:40.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 651 | 2 | 1453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:40.0 | 05:40.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 652 | 2 | 1453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:40.0 | 05:40.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 653 | 2 | 1453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:40.0 | 05:40.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 654 | 2 | 1453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:40.0 | 05:40.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 655 | 2 | 1453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:40.0 | 05:40.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 656 | 2 | 1465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:43.0 | 05:43.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 657 | 2 | 1465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:43.0 | 05:43.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 658 | 2 | 1465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:43.0 | 05:43.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 659 | 2 | 1465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:43.0 | 05:43.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 660 | 2 | 1465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:43.0 | 05:43.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 661 | 2 | 1465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:43.0 | 05:43.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 662 | 2 | 1477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:46.0 | 05:46.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 663 | 2 | 1477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:46.0 | 05:46.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 664 | 2 | 1477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:46.0 | 05:46.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 665 | 2 | 1477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:46.0 | 05:46.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 666 | 2 | 1477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:46.0 | 05:46.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 667 | 2 | 1477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:46.0 | 05:46.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 668 | 2 | 1489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:50.0 | 05:50.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 669 | 2 | 1489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:50.0 | 05:50.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 670 | 2 | 1489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:50.0 | 05:50.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 671 | 2 | 1489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:50.0 | 05:50.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 672 | 2 | 1489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:50.0 | 05:50.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 673 | 2 | 1489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:50.0 | 05:50.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 674 | 2 | 1501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:53.0 | 05:53.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 675 | 2 | 1501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:53.0 | 05:53.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 676 | 2 | 1501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:53.0 | 05:53.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 677 | 2 | 1501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:53.0 | 05:53.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 678 | 2 | 1501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:53.0 | 05:53.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 679 | 2 | 1501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:53.0 | 05:53.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 680 | 2 | 1513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:56.0 | 05:56.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 681 | 2 | 1513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:56.0 | 05:56.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 682 | 2 | 1513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:56.0 | 05:56.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 683 | 2 | 1513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:56.0 | 05:56.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 684 | 2 | 1513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:56.0 | 05:56.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 685 | 2 | 1513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:56.0 | 05:56.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 686 | 2 | 1519 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:59.0 | 05:59.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 687 | 2 | 1519 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:59.0 | 05:59.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 688 | 2 | 1519 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:59.0 | 05:59.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 689 | 2 | 1519 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:59.0 | 05:59.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 690 | 2 | 1519 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:59.0 | 05:59.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 691 | 2 | 1519 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 05:59.0 | 05:59.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 2 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 692 | 2 | 1531 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:02.0 | 06:02.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 693 | 2 | 1531 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:02.0 | 06:02.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 694 | 2 | 1531 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:02.0 | 06:02.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 695 | 2 | 1531 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:02.0 | 06:02.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 696 | 2 | 1531 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:02.0 | 06:02.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 697 | 2 | 1531 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:02.0 | 06:02.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 698 | 2 | 1543 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:05.0 | 06:05.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 699 | 2 | 1543 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:05.0 | 06:05.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 700 | 2 | 1543 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:05.0 | 06:05.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 701 | 2 | 1543 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:05.0 | 06:05.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 702 | 2 | 1543 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:05.0 | 06:05.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 703 | 2 | 1543 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:05.0 | 06:05.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 704 | 2 | 1555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:08.0 | 06:08.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 705 | 2 | 1555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:08.0 | 06:08.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 706 | 2 | 1555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:08.0 | 06:08.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 707 | 2 | 1555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:08.0 | 06:08.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 708 | 2 | 1555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:08.0 | 06:08.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 709 | 2 | 1555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:08.0 | 06:08.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 710 | 2 | 1567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:11.0 | 06:11.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 711 | 2 | 1567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:11.0 | 06:11.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 712 | 2 | 1567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:11.0 | 06:11.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 713 | 2 | 1567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:11.0 | 06:11.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 714 | 2 | 1567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:11.0 | 06:11.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 715 | 2 | 1567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:11.0 | 06:11.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 716 | 2 | 1579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:14.0 | 06:14.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 717 | 2 | 1579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:14.0 | 06:14.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 718 | 2 | 1579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:14.0 | 06:14.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 719 | 2 | 1579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:14.0 | 06:14.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 720 | 2 | 1579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:14.0 | 06:14.0 | battery | 90 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 721 | 2 | 1579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:14.0 | 06:14.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 722 | 2 | 1633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:38.0 | 06:38.0 | Phosgene | | 0 | ppb | Gray | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 723 | 2 | 1633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:38.0 | 06:38.0 | alarms | 50-100 | | hilo | Gray | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 724 | 2 | 1633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:38.0 | 06:38.0 | state | In monitor | | state | Gray | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 725 | 2 | 1633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:38.0 | 06:38.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 726 | 2 | 1633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:38.0 | 06:38.0 | battery | | 90 | % | Gray | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 727 | 2 | 1633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 06:38.0 | 06:38.0 | flow | | 523 | cc/min | Gray | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 728 | 2 | 1675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:14.0 | 07:14.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 729 | 2 | 1675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:14.0 | 07:14.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 730 | 2 | 1675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:14.0 | 07:14.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 731 | 2 | 1675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:14.0 | 07:14.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 732 | 2 | 1675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:14.0 | 07:14.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 733 | 2 | 1675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:14.0 | 07:14.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 734 | 2 | 1681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:17.0 | 07:17.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 735 | 2 | 1681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:17.0 | 07:17.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 736 | 2 | 1681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:17.0 | 07:17.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 737 | 2 | 1681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:17.0 | 07:17.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 738 | 2 | 1681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:17.0 | 07:17.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 739 | 2 | 1681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:17.0 | 07:17.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 740 | 2 | 1687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:20.0 | 07:20.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 741 | 2 | 1687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:20.0 | 07:20.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 742 | 2 | 1687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:20.0 | 07:20.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 743 | 2 | 1687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:20.0 | 07:20.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 744 | 2 | 1687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:20.0 | 07:20.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 745 | 2 | 1687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:20.0 | 07:20.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 746 | 2 | 1693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:23.0 | 07:23.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 747 | 2 | 1693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:23.0 | 07:23.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 748 | 2 | 1693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:23.0 | 07:23.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 749 | 2 | 1693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:23.0 | 07:23.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 750 | 2 | 1693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:23.0 | 07:23.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 751 | 2 | 1693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:23.0 | 07:23.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 752 | 2 | 1705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:26.0 | 07:26.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 753 | 2 | 1705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:26.0 | 07:26.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 754 | 2 | 1705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:26.0 | 07:26.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 755 | 2 | 1705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:26.0 | 07:26.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 756 | 2 | 1705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:26.0 | 07:26.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 757 | 2 | 1705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:26.0 | 07:26.0 | flow | | 522 | cc/min | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 758 | 2 | 1717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:29.0 | 07:29.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 759 | 2 | 1717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:29.0 | 07:29.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 760 | 2 | 1717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:29.0 | 07:29.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 761 | 2 | 1717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:29.0 | 07:29.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 762 | 2 | 1717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:29.0 | 07:29.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 763 | 2 | 1717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:29.0 | 07:29.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 25 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 764 | 2 | 1729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:32.0 | 07:32.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 765 | 2 | 1729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:32.0 | 07:32.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 766 | 2 | 1729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:32.0 | 07:32.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 767 | 2 | 1729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:32.0 | 07:32.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 768 | 2 | 1729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:32.0 | 07:32.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 769 | 2 | 1729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:32.0 | 07:32.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 770 | 2 | 1741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:35.0 | 07:35.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 771 | 2 | 1741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:35.0 | 07:35.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 772 | 2 | 1741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:35.0 | 07:35.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 773 | 2 | 1741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:35.0 | 07:35.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 774 | 2 | 1741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:35.0 | 07:35.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 775 | 2 | 1741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:35.0 | 07:35.0 | flow | | 523 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 776 | 2 | 1753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:39.0 | 07:39.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 777 | 2 | 1753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:39.0 | 07:39.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 778 | 2 | 1753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:39.0 | 07:39.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 779 | 2 | 1753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:39.0 | 07:39.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 780 | 2 | 1753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:39.0 | 07:39.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 781 | 2 | 1753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:39.0 | 07:39.0 | flow | | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 782 | 2 | 1765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:42.0 | 07:42.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 783 | 2 | 1765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:42.0 | 07:42.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 784 | 2 | 1765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:42.0 | 07:42.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 785 | 2 | 1765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:42.0 | 07:42.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 786 | 2 | 1765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:42.0 | 07:42.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 787 | 2 | 1765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:42.0 | 07:42.0 | flow | | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 788 | 2 | 1777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:45.0 | 07:45.0 | Phosgene | | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 789 | 2 | 1777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:45.0 | 07:45.0 | alarms | 50-100 | | hilo | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 790 | 2 | 1777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:45.0 | 07:45.0 | state | In monitor | | state | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 791 | 2 | 1777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:45.0 | 07:45.0 | status | Fault:Non | | status | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 792 | 2 | 1777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:45.0 | 07:45.0 | battery | | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC | .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 793 | 2 | 1777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:45.0 | 07:45.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 794 | 2 | 1801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:56.0 | 07:56.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 795 | 2 | 1801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:56.0 | 07:56.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 796 | 2 | 1801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:56.0 | 07:56.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 797 | 2 | 1801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:56.0 | 07:56.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 798 | 2 | 1801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:56.0 | 07:56.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 799 | 2 | 1801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:56.0 | 07:56.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 800 | 2 | 1813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:59.0 | 07:59.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 801 | 2 | 1813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:59.0 | 07:59.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 802 | 2 | 1813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:59.0 | 07:59.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 803 | 2 | 1813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:59.0 | 07:59.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 804 | 2 | 1813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:59.0 | 07:59.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 805 | 2 | 1813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 07:59.0 | 07:59.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 806 | 2 | 1825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:02.0 | 08:02.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 807 | 2 | 1825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:02.0 | 08:02.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 808 | 2 | 1825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:02.0 | 08:02.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 809 | 2 | 1825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:02.0 | 08:02.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 810 | 2 | 1825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:02.0 | 08:02.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 811 | 2 | 1825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:02.0 | 08:02.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 812 | 2 | 1837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:05.0 | 08:05.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 813 | 2 | 1837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:05.0 | 08:05.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 814 | 2 | 1837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:05.0 | 08:05.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 815 | 2 | 1837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:05.0 | 08:05.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 816 | 2 | 1837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:05.0 | 08:05.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 817 | 2 | 1837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:05.0 | 08:05.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 818 | 2 | 1849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:08.0 | 08:08.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 819 | 2 | 1849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:08.0 | 08:08.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 820 | 2 | 1849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:08.0 | 08:08.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 821 | 2 | 1849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:08.0 | 08:08.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 822 | 2 | 1849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:08.0 | 08:08.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 823 | 2 | 1849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:08.0 | 08:08.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 824 | 2 | 1861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:11.0 | 08:11.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 825 | 2 | 1861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:11.0 | 08:11.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 826 | 2 | 1861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:11.0 | 08:11.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 827 | 2 | 1861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:11.0 | 08:11.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 828 | 2 | 1861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:11.0 | 08:11.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 829 | 2 | 1861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:11.0 | 08:11.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 830 | 2 | 1873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 831 | 2 | 1873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 832 | 2 | 1873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 833 | 2 | 1873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 834 | 2 | 1873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 835 | 2 | 1873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 836 | 2 | 1885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:17.0 | 08:17.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 837 | 2 | 1885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:17.0 | 08:17.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 838 | 2 | 1885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:17.0 | 08:17.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 839 | 2 | 1885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:17.0 | 08:17.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 840 | 2 | 1885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:17.0 | 08:17.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 841 | 2 | 1885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:17.0 | 08:17.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 842 | 2 | 1897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:20.0 | 08:20.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 843 | 2 | 1897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:20.0 | 08:20.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 844 | 2 | 1897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:20.0 | 08:20.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 845 | 2 | 1897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:20.0 | 08:20.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 846 | 2 | 1897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:20.0 | 08:20.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 847 | 2 | 1897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:20.0 | 08:20.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 848 | 2 | 1909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:23.0 | 08:23.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 849 | 2 | 1909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:23.0 | 08:23.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 850 | 2 | 1909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:23.0 | 08:23.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 851 | 2 | 1909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:23.0 | 08:23.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 852 | 2 | 1909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:23.0 | 08:23.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 853 | 2 | 1909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:23.0 | 08:23.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 854 | 2 | 1921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:26.0 | 08:26.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 855 | 2 | 1921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:26.0 | 08:26.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 856 | 2 | 1921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:26.0 | 08:26.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 857 | 2 | 1921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:26.0 | 08:26.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 858 | 2 | 1921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:26.0 | 08:26.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 859 | 2 | 1921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:26.0 | 08:26.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 860 | 2 | 1933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:29.0 | 08:29.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 861 | 2 | 1933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:29.0 | 08:29.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 862 | 2 | 1933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:29.0 | 08:29.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 863 | 2 | 1933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:29.0 | 08:29.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 864 | 2 | 1933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:29.0 | 08:29.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC .161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 865 | 2 | 1933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:29.0 | 08:29.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 866 | 2 | 1945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:33.0 | 08:33.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 867 | 2 | 1945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:33.0 | 08:33.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 868 | 2 | 1945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:33.0 | 08:33.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 869 | 2 | 1945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:33.0 | 08:33.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 870 | 2 | 1945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:33.0 | 08:33.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 871 | 2 | 1945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:33.0 | 08:33.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 872 | 2 | 1957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:36.0 | 08:36.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 873 | 2 | 1957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:36.0 | 08:36.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 874 | 2 | 1957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:36.0 | 08:36.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 875 | 2 | 1957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:36.0 | 08:36.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 876 | 2 | 1957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:36.0 | 08:36.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 877 | 2 | 1957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:36.0 | 08:36.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 878 | 2 | 1969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:39.0 | 08:39.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 879 | 2 | 1969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:39.0 | 08:39.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 880 | 2 | 1969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:39.0 | 08:39.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 881 | 2 | 1969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:39.0 | 08:39.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 882 | 2 | 1969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:39.0 | 08:39.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 883 | 2 | 1969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:39.0 | 08:39.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 884 | 2 | 1981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:42.0 | 08:42.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 885 | 2 | 1981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:42.0 | 08:42.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 886 | 2 | 1981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:42.0 | 08:42.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 887 | 2 | 1981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:42.0 | 08:42.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 888 | 2 | 1981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:42.0 | 08:42.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 889 | 2 | 1981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:42.0 | 08:42.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 890 | 2 | 1993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:45.0 | 08:45.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 891 | 2 | 1993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:45.0 | 08:45.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 892 | 2 | 1993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:45.0 | 08:45.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 893 | 2 | 1993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:45.0 | 08:45.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 894 | 2 | 1993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:45.0 | 08:45.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 895 | 2 | 1993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:45.0 | 08:45.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 896 | 2 | 2005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:48.0 | 08:48.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 897 | 2 | 2005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:48.0 | 08:48.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 898 | 2 | 2005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:48.0 | 08:48.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 899 | 2 | 2005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:48.0 | 08:48.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 900 | 2 | 2005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:48.0 | 08:48.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 901 | 2 | 2005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:48.0 | 08:48.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 902 | 2 | 2023 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:51.0 | 08:51.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 903 | 2 | 2023 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:51.0 | 08:51.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 904 | 2 | 2023 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:51.0 | 08:51.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 905 | 2 | 2023 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:51.0 | 08:51.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 906 | 2 | 2023 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:51.0 | 08:51.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 907 | 2 | 2023 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:51.0 | 08:51.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 908 | 2 | 2035 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:54.0 | 08:54.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 909 | 2 | 2035 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:54.0 | 08:54.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 910 | 2 | 2035 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:54.0 | 08:54.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 911 | 2 | 2035 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:54.0 | 08:54.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 912 | 2 | 2035 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:54.0 | 08:54.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 913 | 2 | 2035 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:54.0 | 08:54.0 | flow | 523 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 914 | 2 | 2047 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:57.0 | 08:57.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 915 | 2 | 2047 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:57.0 | 08:57.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 916 | 2 | 2047 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:57.0 | 08:57.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 917 | 2 | 2047 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:57.0 | 08:57.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 918 | 2 | 2047 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:57.0 | 08:57.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 919 | 2 | 2047 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 08:57.0 | 08:57.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 920 | 2 | 2059 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:00.0 | 09:00.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 921 | 2 | 2059 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:00.0 | 09:00.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 922 | 2 | 2059 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:00.0 | 09:00.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 923 | 2 | 2059 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:00.0 | 09:00.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 924 | 2 | 2059 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:00.0 | 09:00.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 925 | 2 | 2059 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:00.0 | 09:00.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 926 | 2 | 2071 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:03.0 | 09:03.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 927 | 2 | 2071 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:03.0 | 09:03.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 928 | 2 | 2071 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:03.0 | 09:03.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 929 | 2 | 2071 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:03.0 | 09:03.0 | status | Fault:Non | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 930 | 2 | 2071 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:03.0 | 09:03.0 | battery | 89 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 931 | 2 | 2071 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:03.0 | 09:03.0 | flow | 522 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 932 | 2 | 2083 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:06.0 | 09:06.0 | Phosgene | 0 | ppb | Green | 32.32385 | -80.9412 | 2 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 933 | 2 | 2083 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:06.0 | 09:06.0 | alarms | 50-100 | hilo | Green | 32.32385 | -80.9412 | 2 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 934 | 2 | 2083 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:06.0 | 09:06.0 | state | In monitor | state | Green | 32.32385 | -80.9412 | 2 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 935 | 2 | 2083 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:06.0 | 09:06.0 | status | Fault:Non | status | Green | 32.32385 | -80.9412 | 2 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 936 | 2 | 2083 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:06.0 | 09:06.0 | battery | 89 | % | Green | 32.32385 | -80.9412 | 2 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 937 | 2 | 2083 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:06.0 | 09:06.0 | flow | 522 | cc/min | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 938 | 2 | 2095 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:09.0 | 09:09.0 | Phosgene | 0 | ppb | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 939 | 2 | 2095 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:09.0 | 09:09.0 | alarms | 50-100 | hilo | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 940 | 2 | 2095 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:09.0 | 09:09.0 | state | In monitor | state | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 941 | 2 | 2095 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:09.0 | 09:09.0 | status | Fault:Non | status | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 942 | 2 | 2095 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:09.0 | 09:09.0 | battery | 89 | % | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 943 | 2 | 2095 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:09.0 | 09:09.0 | flow | 522 | cc/min | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 944 | 2 | 2107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:12.0 | 09:12.0 | Phosgene | 0 | ppb | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 945 | 2 | 2107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:12.0 | 09:12.0 | alarms | 50-100 | hilo | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 946 | 2 | 2107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:12.0 | 09:12.0 | state | In monitor | state | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 947 | 2 | 2107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:12.0 | 09:12.0 | status | Fault:Non | status | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 948 | 2 | 2107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:12.0 | 09:12.0 | battery | 89 | % | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 949 | 2 | 2107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:12.0 | 09:12.0 | flow | 522 | cc/min | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 950 | 2 | 2119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:15.0 | 09:15.0 | Phosgene | 0 | ppb | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 951 | 2 | 2119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:15.0 | 09:15.0 | alarms | 50-100 | hilo | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 952 | 2 | 2119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:15.0 | 09:15.0 | state | In monitor | state | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 953 | 2 | 2119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:15.0 | 09:15.0 | status | Fault:Non | status | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 954 | 2 | 2119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:15.0 | 09:15.0 | battery | 89 | % | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 955 | 2 | 2119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:15.0 | 09:15.0 | flow | 522 | cc/min | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 956 | 2 | 2131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:18.0 | 09:18.0 | Phosgene | 0 | ppb | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 957 | 2 | 2131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:18.0 | 09:18.0 | alarms | 50-100 | hilo | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 958 | 2 | 2131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:18.0 | 09:18.0 | state | In monitor | state | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 959 | 2 | 2131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:18.0 | 09:18.0 | status | Fault:Non | status | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 960 | 2 | 2131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:18.0 | 09:18.0 | battery | 89 | % | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 961 | 2 | 2131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:18.0 | 09:18.0 | flow | 522 | cc/min | Green | 32.32385 | -80.9412 | 1 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 962 | 2 | 2143 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | Phosgene | 0 | ppb | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 963 | 2 | 2143 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | alarms | 50-100 | hilo | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 964 | 2 | 2143 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | state | In monitor | state | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 965 | 2 | 2143 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | status | Fault:Non | status | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 966 | 2 | 2143 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | battery | 89 | % | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 967 | 2 | 2143 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | flow | 522 | cc/min | Green | 32.32385 | -80.9412 | 2 | LINC .161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 968 | 2 | 2155 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:24.0 | 09:24.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 969 | 2 | 2155 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:24.0 | 09:24.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 970 | 2 | 2155 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:24.0 | 09:24.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 971 | 2 | 2155 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:24.0 | 09:24.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 972 | 2 | 2155 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:24.0 | 09:24.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 973 | 2 | 2155 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:24.0 | 09:24.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 974 | 2 | 2167 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:27.0 | 09:27.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 975 | 2 | 2167 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:27.0 | 09:27.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 976 | 2 | 2167 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:27.0 | 09:27.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 977 | 2 | 2167 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:27.0 | 09:27.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 978 | 2 | 2167 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:27.0 | 09:27.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 979 | 2 | 2167 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:27.0 | 09:27.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 980 | 2 | 2179 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:30.0 | 09:30.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 981 | 2 | 2179 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:30.0 | 09:30.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 982 | 2 | 2179 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:30.0 | 09:30.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 983 | 2 | 2179 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:30.0 | 09:30.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 984 | 2 | 2179 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:30.0 | 09:30.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 985 | 2 | 2179 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:30.0 | 09:30.0 | flow | 523 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 986 | 2 | 2191 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 987 | 2 | 2191 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 988 | 2 | 2191 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 989 | 2 | 2191 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 990 | 2 | 2191 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 991 | 2 | 2191 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 992 | 2 | 2203 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 993 | 2 | 2203 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 994 | 2 | 2203 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 995 | 2 | 2203 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 996 | 2 | 2203 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 997 | 2 | 2203 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 998 | 2 | 2215 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:39.0 | 09:39.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 999 | 2 | 2215 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:39.0 | 09:39.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1000 | 2 | 2215 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:39.0 | 09:39.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1001 | 2 | 2215 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:39.0 | 09:39.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1002 | 2 | 2215 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:39.0 | 09:39.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1003 | 2 | 2215 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:39.0 | 09:39.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1004 | 2 | 2227 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:42.0 | 09:42.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1005 | 2 | 2227 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:42.0 | 09:42.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1006 | 2 | 2227 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:42.0 | 09:42.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1007 | 2 | 2227 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:42.0 | 09:42.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1008 | 2 | 2227 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:42.0 | 09:42.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1009 | 2 | 2227 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:42.0 | 09:42.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1010 | 2 | 2239 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:45.0 | 09:45.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1011 | 2 | 2239 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:45.0 | 09:45.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1012 | 2 | 2239 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:45.0 | 09:45.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1013 | 2 | 2239 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:45.0 | 09:45.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1014 | 2 | 2239 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:45.0 | 09:45.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1015 | 2 | 2239 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:45.0 | 09:45.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1016 | 2 | 2251 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:49.0 | 09:49.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1017 | 2 | 2251 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:49.0 | 09:49.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1018 | 2 | 2251 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:49.0 | 09:49.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1019 | 2 | 2251 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:49.0 | 09:49.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1020 | 2 | 2251 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:49.0 | 09:49.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1021 | 2 | 2251 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:49.0 | 09:49.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1022 | 2 | 2263 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:52.0 | 09:52.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1023 | 2 | 2263 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:52.0 | 09:52.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1024 | 2 | 2263 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:52.0 | 09:52.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1025 | 2 | 2263 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:52.0 | 09:52.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1026 | 2 | 2263 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:52.0 | 09:52.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1027 | 2 | 2263 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:52.0 | 09:52.0 | flow | 523 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1028 | 2 | 2275 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:55.0 | 09:55.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1029 | 2 | 2275 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:55.0 | 09:55.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1030 | 2 | 2275 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:55.0 | 09:55.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1031 | 2 | 2275 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:55.0 | 09:55.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1032 | 2 | 2275 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:55.0 | 09:55.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1033 | 2 | 2275 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:55.0 | 09:55.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1034 | 2 | 2287 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:58.0 | 09:58.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1035 | 2 | 2287 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:58.0 | 09:58.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1036 | 2 | 2287 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:58.0 | 09:58.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1037 | 2 | 2287 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:58.0 | 09:58.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1038 | 2 | 2287 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:58.0 | 09:58.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1039 | 2 | 2287 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 09:58.0 | 09:58.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1040 | 2 | 2299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:01.0 | 10:01.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1041 | 2 | 2299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:01.0 | 10:01.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1042 | 2 | 2299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:01.0 | 10:01.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1043 | 2 | 2299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:01.0 | 10:01.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1044 | 2 | 2299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:01.0 | 10:01.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1045 | 2 | 2299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:01.0 | 10:01.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1046 | 2 | 2311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:07.0 | 10:07.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1047 | 2 | 2311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:07.0 | 10:07.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1048 | 2 | 2311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:07.0 | 10:07.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1049 | 2 | 2311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:07.0 | 10:07.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1050 | 2 | 2311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:07.0 | 10:07.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1051 | 2 | 2311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:07.0 | 10:07.0 | flow | 523 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1052 | 2 | 2317 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1053 | 2 | 2317 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1054 | 2 | 2317 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1055 | 2 | 2317 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1056 | 2 | 2317 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1057 | 2 | 2317 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1058 | 2 | 2335 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:13.0 | 10:13.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1059 | 2 | 2335 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:13.0 | 10:13.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1060 | 2 | 2335 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:13.0 | 10:13.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1061 | 2 | 2335 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:13.0 | 10:13.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1062 | 2 | 2335 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:13.0 | 10:13.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1063 | 2 | 2335 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:13.0 | 10:13.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1064 | 2 | 2347 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:16.0 | 10:16.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1065 | 2 | 2347 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:16.0 | 10:16.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1066 | 2 | 2347 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:16.0 | 10:16.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1067 | 2 | 2347 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:16.0 | 10:16.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1068 | 2 | 2347 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:16.0 | 10:16.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1069 | 2 | 2347 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:16.0 | 10:16.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1070 | 2 | 2359 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:20.0 | 10:20.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1071 | 2 | 2359 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:20.0 | 10:20.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1072 | 2 | 2359 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:20.0 | 10:20.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1073 | 2 | 2359 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:20.0 | 10:20.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1074 | 2 | 2359 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:20.0 | 10:20.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1075 | 2 | 2359 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:20.0 | 10:20.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1076 | 2 | 2371 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:23.0 | 10:23.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1077 | 2 | 2371 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:23.0 | 10:23.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1078 | 2 | 2371 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:23.0 | 10:23.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1079 | 2 | 2371 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:23.0 | 10:23.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1080 | 2 | 2371 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:23.0 | 10:23.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1081 | 2 | 2371 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:23.0 | 10:23.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1082 | 2 | 2383 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:26.0 | 10:26.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1083 | 2 | 2383 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:26.0 | 10:26.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1084 | 2 | 2383 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:26.0 | 10:26.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1085 | 2 | 2383 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:26.0 | 10:26.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1086 | 2 | 2383 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:26.0 | 10:26.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1087 | 2 | 2383 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:26.0 | 10:26.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1088 | 2 | 2395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:29.0 | 10:29.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1089 | 2 | 2395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:29.0 | 10:29.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1090 | 2 | 2395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:29.0 | 10:29.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1091 | 2 | 2395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:29.0 | 10:29.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1092 | 2 | 2395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:29.0 | 10:29.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1093 | 2 | 2395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:29.0 | 10:29.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1094 | 2 | 2407 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:32.0 | 10:32.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1095 | 2 | 2407 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:32.0 | 10:32.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1096 | 2 | 2407 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:32.0 | 10:32.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1097 | 2 | 2407 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:32.0 | 10:32.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1098 | 2 | 2407 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:32.0 | 10:32.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1099 | 2 | 2407 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:32.0 | 10:32.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1100 | 2 | 2419 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:35.0 | 10:35.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1101 | 2 | 2419 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:35.0 | 10:35.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1102 | 2 | 2419 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:35.0 | 10:35.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1103 | 2 | 2419 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:35.0 | 10:35.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1104 | 2 | 2419 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:35.0 | 10:35.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1105 | 2 | 2419 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:35.0 | 10:35.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1106 | 2 | 2431 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:38.0 | 10:38.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1107 | 2 | 2431 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:38.0 | 10:38.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1108 | 2 | 2431 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:38.0 | 10:38.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1109 | 2 | 2431 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:38.0 | 10:38.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1110 | 2 | 2431 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:38.0 | 10:38.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1111 | 2 | 2431 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:38.0 | 10:38.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1112 | 2 | 2443 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:41.0 | 10:41.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1113 | 2 | 2443 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:41.0 | 10:41.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1114 | 2 | 2443 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:41.0 | 10:41.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1115 | 2 | 2443 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:41.0 | 10:41.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1116 | 2 | 2443 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:41.0 | 10:41.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1117 | 2 | 2443 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:41.0 | 10:41.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1118 | 2 | 2455 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:44.0 | 10:44.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1119 | 2 | 2455 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:44.0 | 10:44.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1120 | 2 | 2455 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:44.0 | 10:44.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1121 | 2 | 2455 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:44.0 | 10:44.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1122 | 2 | 2455 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:44.0 | 10:44.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1123 | 2 | 2455 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:44.0 | 10:44.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1124 | 2 | 2467 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:47.0 | 10:47.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1125 | 2 | 2467 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:47.0 | 10:47.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1126 | 2 | 2467 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:47.0 | 10:47.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1127 | 2 | 2467 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:47.0 | 10:47.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1128 | 2 | 2467 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:47.0 | 10:47.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1129 | 2 | 2467 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:47.0 | 10:47.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1130 | 2 | 2479 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:50.0 | 10:50.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1131 | 2 | 2479 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:50.0 | 10:50.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1132 | 2 | 2479 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:50.0 | 10:50.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1133 | 2 | 2479 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:50.0 | 10:50.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1134 | 2 | 2479 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:50.0 | 10:50.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1135 | 2 | 2479 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:50.0 | 10:50.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1136 | 2 | 2491 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:53.0 | 10:53.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1137 | 2 | 2491 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:53.0 | 10:53.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1138 | 2 | 2491 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:53.0 | 10:53.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1139 | 2 | 2491 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:53.0 | 10:53.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1140 | 2 | 2491 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:53.0 | 10:53.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1141 | 2 | 2491 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:53.0 | 10:53.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1142 | 2 | 2503 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:56.0 | 10:56.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1143 | 2 | 2503 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:56.0 | 10:56.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1144 | 2 | 2503 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:56.0 | 10:56.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1145 | 2 | 2503 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:56.0 | 10:56.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1146 | 2 | 2503 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:56.0 | 10:56.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1147 | 2 | 2503 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:56.0 | 10:56.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1148 | 2 | 2515 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:59.0 | 10:59.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1149 | 2 | 2515 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:59.0 | 10:59.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1150 | 2 | 2515 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:59.0 | 10:59.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1151 | 2 | 2515 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:59.0 | 10:59.0 | status | Fault:Nonı | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1152 | 2 | 2515 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:59.0 | 10:59.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1153 | 2 | 2515 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 10:59.0 | 10:59.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1154 | 2 | 2527 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:02.0 | 11:02.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1155 | 2 | 2527 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:02.0 | 11:02.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1156 | 2 | 2527 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:02.0 | 11:02.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1157 | 2 | 2527 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:02.0 | 11:02.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1158 | 2 | 2527 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:02.0 | 11:02.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1159 | 2 | 2527 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:02.0 | 11:02.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1160 | 2 | 2539 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:05.0 | 11:05.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1161 | 2 | 2539 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:05.0 | 11:05.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1162 | 2 | 2539 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:05.0 | 11:05.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1163 | 2 | 2539 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:05.0 | 11:05.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1164 | 2 | 2539 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:05.0 | 11:05.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1165 | 2 | 2539 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:05.0 | 11:05.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1166 | 2 | 2551 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:08.0 | 11:08.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1167 | 2 | 2551 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:08.0 | 11:08.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1168 | 2 | 2551 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:08.0 | 11:08.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1169 | 2 | 2551 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:08.0 | 11:08.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1170 | 2 | 2551 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:08.0 | 11:08.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1171 | 2 | 2551 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:08.0 | 11:08.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1172 | 2 | 2563 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:11.0 | 11:11.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1173 | 2 | 2563 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:11.0 | 11:11.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1174 | 2 | 2563 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:11.0 | 11:11.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1175 | 2 | 2563 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:11.0 | 11:11.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1176 | 2 | 2563 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:11.0 | 11:11.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1177 | 2 | 2563 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:11.0 | 11:11.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1178 | 2 | 2575 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:14.0 | 11:14.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1179 | 2 | 2575 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:14.0 | 11:14.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1180 | 2 | 2575 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:14.0 | 11:14.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1181 | 2 | 2575 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:14.0 | 11:14.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1182 | 2 | 2575 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:14.0 | 11:14.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1183 | 2 | 2575 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:14.0 | 11:14.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1184 | 2 | 2587 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:17.0 | 11:17.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1185 | 2 | 2587 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:17.0 | 11:17.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1186 | 2 | 2587 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:17.0 | 11:17.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1187 | 2 | 2587 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:17.0 | 11:17.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1188 | 2 | 2587 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:17.0 | 11:17.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1189 | 2 | 2587 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:17.0 | 11:17.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1190 | 2 | 2599 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:20.0 | 11:20.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1191 | 2 | 2599 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:20.0 | 11:20.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1192 | 2 | 2599 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:20.0 | 11:20.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1193 | 2 | 2599 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:20.0 | 11:20.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1194 | 2 | 2599 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:20.0 | 11:20.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1195 | 2 | 2599 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:20.0 | 11:20.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1196 | 2 | 2611 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:23.0 | 11:23.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1197 | 2 | 2611 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:23.0 | 11:23.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1198 | 2 | 2611 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:23.0 | 11:23.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1199 | 2 | 2611 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:23.0 | 11:23.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1200 | 2 | 2611 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:23.0 | 11:23.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1201 | 2 | 2611 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:23.0 | 11:23.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1202 | 2 | 2623 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:26.0 | 11:26.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1203 | 2 | 2623 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:26.0 | 11:26.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1204 | 2 | 2623 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:26.0 | 11:26.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1205 | 2 | 2623 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:26.0 | 11:26.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1206 | 2 | 2623 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:26.0 | 11:26.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1207 | 2 | 2623 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:26.0 | 11:26.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1208 | 2 | 2635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:29.0 | 11:29.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1209 | 2 | 2635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:29.0 | 11:29.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1210 | 2 | 2635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:29.0 | 11:29.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1211 | 2 | 2635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:29.0 | 11:29.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1212 | 2 | 2635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:29.0 | 11:29.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1213 | 2 | 2635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:29.0 | 11:29.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1214 | 2 | 2647 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:32.0 | 11:32.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1215 | 2 | 2647 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:32.0 | 11:32.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1216 | 2 | 2647 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:32.0 | 11:32.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1217 | 2 | 2647 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:32.0 | 11:32.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1218 | 2 | 2647 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:32.0 | 11:32.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1219 | 2 | 2647 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:32.0 | 11:32.0 | flow | | 522 | cc/min | Green | 32.32384 | -80.9412 | 2 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1220 | 2 | 2659 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:35.0 | 11:35.0 | Phosgene | | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1221 | 2 | 2659 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:35.0 | 11:35.0 | alarms | 50-100 | | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1222 | 2 | 2659 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:35.0 | 11:35.0 | state | In monitor | | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1223 | 2 | 2659 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:35.0 | 11:35.0 | status | Fault:Non | | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1224 | 2 | 2659 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:35.0 | 11:35.0 | battery | | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1225 | 2 | 2659 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:35.0 | 11:35.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1226 | 2 | 2671 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:38.0 | 11:38.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1227 | 2 | 2671 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:38.0 | 11:38.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1228 | 2 | 2671 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:38.0 | 11:38.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1229 | 2 | 2671 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:38.0 | 11:38.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1230 | 2 | 2671 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:38.0 | 11:38.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1231 | 2 | 2671 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:38.0 | 11:38.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1232 | 2 | 2683 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:41.0 | 11:41.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1233 | 2 | 2683 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:41.0 | 11:41.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1234 | 2 | 2683 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:41.0 | 11:41.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1235 | 2 | 2683 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:41.0 | 11:41.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1236 | 2 | 2683 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:41.0 | 11:41.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1237 | 2 | 2683 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:41.0 | 11:41.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1238 | 2 | 2695 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:44.0 | 11:44.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1239 | 2 | 2695 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:44.0 | 11:44.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1240 | 2 | 2695 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:44.0 | 11:44.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1241 | 2 | 2695 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:44.0 | 11:44.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1242 | 2 | 2695 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:44.0 | 11:44.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1243 | 2 | 2695 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:44.0 | 11:44.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1244 | 2 | 2707 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:47.0 | 11:47.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1245 | 2 | 2707 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:47.0 | 11:47.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1246 | 2 | 2707 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:47.0 | 11:47.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1247 | 2 | 2707 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:47.0 | 11:47.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1248 | 2 | 2707 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:47.0 | 11:47.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1249 | 2 | 2707 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:47.0 | 11:47.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1250 | 2 | 2719 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:50.0 | 11:50.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1251 | 2 | 2719 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:50.0 | 11:50.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1252 | 2 | 2719 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:50.0 | 11:50.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1253 | 2 | 2719 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:50.0 | 11:50.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1254 | 2 | 2719 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:50.0 | 11:50.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1255 | 2 | 2719 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:50.0 | 11:50.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1256 | 2 | 2731 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:53.0 | 11:53.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1257 | 2 | 2731 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:53.0 | 11:53.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1258 | 2 | 2731 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:53.0 | 11:53.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1259 | 2 | 2731 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:53.0 | 11:53.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1260 | 2 | 2731 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:53.0 | 11:53.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1261 | 2 | 2731 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:53.0 | 11:53.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1262 | 2 | 2743 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:56.0 | 11:56.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1263 | 2 | 2743 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:56.0 | 11:56.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1264 | 2 | 2743 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:56.0 | 11:56.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1265 | 2 | 2743 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:56.0 | 11:56.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1266 | 2 | 2743 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:56.0 | 11:56.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1267 | 2 | 2743 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 11:56.0 | 11:56.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1268 | 2 | 2755 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:00.0 | 12:00.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1269 | 2 | 2755 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:00.0 | 12:00.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1270 | 2 | 2755 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:00.0 | 12:00.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1271 | 2 | 2755 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:00.0 | 12:00.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1272 | 2 | 2755 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:00.0 | 12:00.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1273 | 2 | 2755 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:00.0 | 12:00.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1274 | 2 | 2767 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:03.0 | 12:03.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1275 | 2 | 2767 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:03.0 | 12:03.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1276 | 2 | 2767 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:03.0 | 12:03.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1277 | 2 | 2767 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:03.0 | 12:03.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1278 | 2 | 2767 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:03.0 | 12:03.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1279 | 2 | 2767 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:03.0 | 12:03.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1280 | 2 | 2785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:15.0 | 12:15.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1281 | 2 | 2785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:15.0 | 12:15.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1282 | 2 | 2785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:15.0 | 12:15.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1283 | 2 | 2785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:15.0 | 12:15.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1284 | 2 | 2785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:15.0 | 12:15.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1285 | 2 | 2785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:15.0 | 12:15.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1286 | 2 | 2821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:33.0 | 12:33.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1287 | 2 | 2821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:33.0 | 12:33.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1288 | 2 | 2821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:33.0 | 12:33.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1289 | 2 | 2821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:33.0 | 12:33.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1290 | 2 | 2821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:33.0 | 12:33.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1291 | 2 | 2821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:33.0 | 12:33.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1292 | 2 | 2833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:36.0 | 12:36.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1293 | 2 | 2833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:36.0 | 12:36.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1294 | 2 | 2833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:36.0 | 12:36.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1295 | 2 | 2833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:36.0 | 12:36.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1296 | 2 | 2833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:36.0 | 12:36.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1297 | 2 | 2833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:36.0 | 12:36.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1298 | 2 | 2845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:39.0 | 12:39.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1299 | 2 | 2845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:39.0 | 12:39.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1300 | 2 | 2845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:39.0 | 12:39.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1301 | 2 | 2845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:39.0 | 12:39.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1302 | 2 | 2845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:39.0 | 12:39.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1303 | 2 | 2845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:39.0 | 12:39.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1304 | 2 | 2857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:42.0 | 12:42.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1305 | 2 | 2857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:42.0 | 12:42.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1306 | 2 | 2857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:42.0 | 12:42.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1307 | 2 | 2857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:42.0 | 12:42.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1308 | 2 | 2857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:42.0 | 12:42.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1309 | 2 | 2857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:42.0 | 12:42.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1310 | 2 | 2869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:45.0 | 12:45.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1311 | 2 | 2869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:45.0 | 12:45.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1312 | 2 | 2869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:45.0 | 12:45.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1313 | 2 | 2869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:45.0 | 12:45.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1314 | 2 | 2869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:45.0 | 12:45.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1315 | 2 | 2869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:45.0 | 12:45.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1316 | 2 | 2881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:48.0 | 12:48.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1317 | 2 | 2881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:48.0 | 12:48.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1318 | 2 | 2881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:48.0 | 12:48.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1319 | 2 | 2881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:48.0 | 12:48.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1320 | 2 | 2881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:48.0 | 12:48.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1321 | 2 | 2881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:48.0 | 12:48.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1322 | 2 | 2893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:51.0 | 12:51.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1323 | 2 | 2893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:51.0 | 12:51.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1324 | 2 | 2893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:51.0 | 12:51.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1325 | 2 | 2893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:51.0 | 12:51.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1326 | 2 | 2893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:51.0 | 12:51.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1327 | 2 | 2893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:51.0 | 12:51.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1328 | 2 | 2905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:54.0 | 12:54.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1329 | 2 | 2905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:54.0 | 12:54.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1330 | 2 | 2905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:54.0 | 12:54.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1331 | 2 | 2905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:54.0 | 12:54.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1332 | 2 | 2905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:54.0 | 12:54.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1333 | 2 | 2905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:54.0 | 12:54.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1334 | 2 | 2917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:57.0 | 12:57.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1335 | 2 | 2917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:57.0 | 12:57.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1336 | 2 | 2917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:57.0 | 12:57.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1337 | 2 | 2917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:57.0 | 12:57.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1338 | 2 | 2917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:57.0 | 12:57.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1339 | 2 | 2917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 12:57.0 | 12:57.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1340 | 2 | 2929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:00.0 | 13:00.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1341 | 2 | 2929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:00.0 | 13:00.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1342 | 2 | 2929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:00.0 | 13:00.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1343 | 2 | 2929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:00.0 | 13:00.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1344 | 2 | 2929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:00.0 | 13:00.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1345 | 2 | 2929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:00.0 | 13:00.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1346 | 2 | 2941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:03.0 | 13:03.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1347 | 2 | 2941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:03.0 | 13:03.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1348 | 2 | 2941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:03.0 | 13:03.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1349 | 2 | 2941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:03.0 | 13:03.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1350 | 2 | 2941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:03.0 | 13:03.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1351 | 2 | 2941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:03.0 | 13:03.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1352 | 2 | 2953 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:06.0 | 13:06.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1353 | 2 | 2953 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:06.0 | 13:06.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1354 | 2 | 2953 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:06.0 | 13:06.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1355 | 2 | 2953 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:06.0 | 13:06.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1356 | 2 | 2953 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:06.0 | 13:06.0 | battery | 89 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1357 | 2 | 2953 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:06.0 | 13:06.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1358 | 2 | 3001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | Phosgene | 0 | ppb | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1359 | 2 | 3001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | alarms | 50-100 | hilo | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1360 | 2 | 3001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | state | In monitor | state | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1361 | 2 | 3001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1362 | 2 | 3001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | battery | 89 | % | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1363 | 2 | 3001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | flow | 522 | cc/min | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1364 | 2 | 3019 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:50.0 | 13:50.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1365 | 2 | 3019 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:50.0 | 13:50.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1366 | 2 | 3019 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:50.0 | 13:50.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1367 | 2 | 3019 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:50.0 | 13:50.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1368 | 2 | 3019 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:50.0 | 13:50.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1369 | 2 | 3019 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:50.0 | 13:50.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1370 | 2 | 3031 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:53.0 | 13:53.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1371 | 2 | 3031 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:53.0 | 13:53.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1372 | 2 | 3031 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:53.0 | 13:53.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1373 | 2 | 3031 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:53.0 | 13:53.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1374 | 2 | 3031 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:53.0 | 13:53.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1375 | 2 | 3031 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:53.0 | 13:53.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1376 | 2 | 3043 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:56.0 | 13:56.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1377 | 2 | 3043 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:56.0 | 13:56.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1378 | 2 | 3043 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:56.0 | 13:56.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1379 | 2 | 3043 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:56.0 | 13:56.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1380 | 2 | 3043 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:56.0 | 13:56.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1381 | 2 | 3043 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:56.0 | 13:56.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1382 | 2 | 3055 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:59.0 | 13:59.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1383 | 2 | 3055 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:59.0 | 13:59.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1384 | 2 | 3055 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:59.0 | 13:59.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1385 | 2 | 3055 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:59.0 | 13:59.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1386 | 2 | 3055 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:59.0 | 13:59.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1387 | 2 | 3055 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 13:59.0 | 13:59.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1388 | 2 | 3067 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:02.0 | 14:02.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1389 | 2 | 3067 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:02.0 | 14:02.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1390 | 2 | 3067 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:02.0 | 14:02.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1391 | 2 | 3067 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:02.0 | 14:02.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1392 | 2 | 3067 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:02.0 | 14:02.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1393 | 2 | 3067 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:02.0 | 14:02.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1394 | 2 | 3079 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:05.0 | 14:05.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1395 | 2 | 3079 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:05.0 | 14:05.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1396 | 2 | 3079 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:05.0 | 14:05.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1397 | 2 | 3079 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:05.0 | 14:05.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1398 | 2 | 3079 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:05.0 | 14:05.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1399 | 2 | 3079 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:05.0 | 14:05.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1400 | 2 | 3091 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:08.0 | 14:08.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1401 | 2 | 3091 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:08.0 | 14:08.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1402 | 2 | 3091 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:08.0 | 14:08.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1403 | 2 | 3091 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:08.0 | 14:08.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1404 | 2 | 3091 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:08.0 | 14:08.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1405 | 2 | 3091 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:08.0 | 14:08.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 25 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1406 | 2 | 3103 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:11.0 | 14:11.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1407 | 2 | 3103 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:11.0 | 14:11.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1408 | 2 | 3103 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:11.0 | 14:11.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1409 | 2 | 3103 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:11.0 | 14:11.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1410 | 2 | 3103 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:11.0 | 14:11.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1411 | 2 | 3103 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:11.0 | 14:11.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1412 | 2 | 3115 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:14.0 | 14:14.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1413 | 2 | 3115 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:14.0 | 14:14.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1414 | 2 | 3115 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:14.0 | 14:14.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1415 | 2 | 3115 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:14.0 | 14:14.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1416 | 2 | 3115 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:14.0 | 14:14.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1417 | 2 | 3115 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:14.0 | 14:14.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1418 | 2 | 3127 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:17.0 | 14:17.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1419 | 2 | 3127 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:17.0 | 14:17.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1420 | 2 | 3127 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:17.0 | 14:17.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1421 | 2 | 3127 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:17.0 | 14:17.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1422 | 2 | 3127 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:17.0 | 14:17.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1423 | 2 | 3127 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:17.0 | 14:17.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1424 | 2 | 3139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:20.0 | 14:20.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1425 | 2 | 3139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:20.0 | 14:20.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1426 | 2 | 3139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:20.0 | 14:20.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1427 | 2 | 3139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:20.0 | 14:20.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1428 | 2 | 3139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:20.0 | 14:20.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1429 | 2 | 3139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:20.0 | 14:20.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1430 | 2 | 3151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:23.0 | 14:23.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1431 | 2 | 3151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:23.0 | 14:23.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1432 | 2 | 3151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:23.0 | 14:23.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1433 | 2 | 3151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:23.0 | 14:23.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1434 | 2 | 3151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:23.0 | 14:23.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1435 | 2 | 3151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:23.0 | 14:23.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1436 | 2 | 3163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:26.0 | 14:26.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1437 | 2 | 3163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:26.0 | 14:26.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1438 | 2 | 3163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:26.0 | 14:26.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1439 | 2 | 3163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:26.0 | 14:26.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1440 | 2 | 3163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:26.0 | 14:26.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1441 | 2 | 3163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:26.0 | 14:26.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1442 | 2 | 3175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:29.0 | 14:29.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1443 | 2 | 3175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:29.0 | 14:29.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1444 | 2 | 3175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:29.0 | 14:29.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1445 | 2 | 3175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:29.0 | 14:29.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1446 | 2 | 3175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:29.0 | 14:29.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1447 | 2 | 3175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:29.0 | 14:29.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1448 | 2 | 3187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:32.0 | 14:32.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1449 | 2 | 3187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:32.0 | 14:32.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1450 | 2 | 3187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:32.0 | 14:32.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1451 | 2 | 3187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:32.0 | 14:32.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1452 | 2 | 3187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:32.0 | 14:32.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1453 | 2 | 3187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:32.0 | 14:32.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1454 | 2 | 3199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:35.0 | 14:35.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1455 | 2 | 3199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:35.0 | 14:35.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1456 | 2 | 3199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:35.0 | 14:35.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1457 | 2 | 3199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:35.0 | 14:35.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1458 | 2 | 3199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:35.0 | 14:35.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1459 | 2 | 3199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:35.0 | 14:35.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1460 | 2 | 3211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:38.0 | 14:38.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1461 | 2 | 3211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:38.0 | 14:38.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1462 | 2 | 3211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:38.0 | 14:38.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1463 | 2 | 3211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:38.0 | 14:38.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1464 | 2 | 3211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:38.0 | 14:38.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1465 | 2 | 3211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:38.0 | 14:38.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1466 | 2 | 3223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:41.0 | 14:41.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1467 | 2 | 3223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:41.0 | 14:41.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1468 | 2 | 3223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:41.0 | 14:41.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1469 | 2 | 3223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:41.0 | 14:41.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1470 | 2 | 3223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:41.0 | 14:41.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1471 | 2 | 3223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:41.0 | 14:41.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1472 | 2 | 3235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:44.0 | 14:44.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1473 | 2 | 3235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:44.0 | 14:44.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1474 | 2 | 3235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:44.0 | 14:44.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1475 | 2 | 3235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:44.0 | 14:44.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1476 | 2 | 3235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:44.0 | 14:44.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1477 | 2 | 3235 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:44.0 | 14:44.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1478 | 2 | 3247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:47.0 | 14:47.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1479 | 2 | 3247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:47.0 | 14:47.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1480 | 2 | 3247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:47.0 | 14:47.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1481 | 2 | 3247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:47.0 | 14:47.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1482 | 2 | 3247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:47.0 | 14:47.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1483 | 2 | 3247 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:47.0 | 14:47.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1484 | 2 | 3259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:51.0 | 14:51.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1485 | 2 | 3259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:51.0 | 14:51.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1486 | 2 | 3259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:51.0 | 14:51.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1487 | 2 | 3259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:51.0 | 14:51.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1488 | 2 | 3259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:51.0 | 14:51.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1489 | 2 | 3259 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:51.0 | 14:51.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1490 | 2 | 3271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:54.0 | 14:54.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1491 | 2 | 3271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:54.0 | 14:54.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1492 | 2 | 3271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:54.0 | 14:54.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1493 | 2 | 3271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:54.0 | 14:54.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1494 | 2 | 3271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:54.0 | 14:54.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1495 | 2 | 3271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:54.0 | 14:54.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1496 | 2 | 3283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:57.0 | 14:57.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1497 | 2 | 3283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:57.0 | 14:57.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1498 | 2 | 3283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:57.0 | 14:57.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1499 | 2 | 3283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:57.0 | 14:57.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1500 | 2 | 3283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:57.0 | 14:57.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1501 | 2 | 3283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 14:57.0 | 14:57.0 | flow | 522 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1502 | 2 | 3295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:00.0 | 15:00.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1503 | 2 | 3295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:00.0 | 15:00.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1504 | 2 | 3295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:00.0 | 15:00.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1505 | 2 | 3295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:00.0 | 15:00.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1506 | 2 | 3295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:00.0 | 15:00.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1507 | 2 | 3295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:00.0 | 15:00.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1508 | 2 | 3307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:03.0 | 15:03.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1509 | 2 | 3307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:03.0 | 15:03.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1510 | 2 | 3307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:03.0 | 15:03.0 | state | In monitoı | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1511 | 2 | 3307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:03.0 | 15:03.0 | status | Fault:Non‹ | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1512 | 2 | 3307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:03.0 | 15:03.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1513 | 2 | 3307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:03.0 | 15:03.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1514 | 2 | 3361 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:27.0 | 15:27.0 | Phosgene | 0 | ppb | Gray | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1515 | 2 | 3361 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:27.0 | 15:27.0 | alarms | 50-100 | hilo | Gray | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1516 | 2 | 3361 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:27.0 | 15:27.0 | state | In monitor | state | Gray | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1517 | 2 | 3361 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:27.0 | 15:27.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1518 | 2 | 3361 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:27.0 | 15:27.0 | battery | 88 | % | Gray | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1519 | 2 | 3361 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:27.0 | 15:27.0 | flow | 521 | cc/min | Gray | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1520 | 2 | 3391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:44.0 | 15:44.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1521 | 2 | 3391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:44.0 | 15:44.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1522 | 2 | 3391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:44.0 | 15:44.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1523 | 2 | 3391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:44.0 | 15:44.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1524 | 2 | 3391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:44.0 | 15:44.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1525 | 2 | 3391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:44.0 | 15:44.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1526 | 2 | 3397 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:47.0 | 15:47.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1527 | 2 | 3397 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:47.0 | 15:47.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1528 | 2 | 3397 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:47.0 | 15:47.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1529 | 2 | 3397 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:47.0 | 15:47.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1530 | 2 | 3397 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:47.0 | 15:47.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1531 | 2 | 3397 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:47.0 | 15:47.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1532 | 2 | 3403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:50.0 | 15:50.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1533 | 2 | 3403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:50.0 | 15:50.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1534 | 2 | 3403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:50.0 | 15:50.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1535 | 2 | 3403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:50.0 | 15:50.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1536 | 2 | 3403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:50.0 | 15:50.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1537 | 2 | 3403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:50.0 | 15:50.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1538 | 2 | 3409 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:53.0 | 15:53.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1539 | 2 | 3409 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:53.0 | 15:53.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1540 | 2 | 3409 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:53.0 | 15:53.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1541 | 2 | 3409 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:53.0 | 15:53.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1542 | 2 | 3409 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:53.0 | 15:53.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1543 | 2 | 3409 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:53.0 | 15:53.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1544 | 2 | 3415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:56.0 | 15:56.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1545 | 2 | 3415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:56.0 | 15:56.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1546 | 2 | 3415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:56.0 | 15:56.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1547 | 2 | 3415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:56.0 | 15:56.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1548 | 2 | 3415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:56.0 | 15:56.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1549 | 2 | 3415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:56.0 | 15:56.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1550 | 2 | 3421 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:59.0 | 15:59.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1551 | 2 | 3421 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:59.0 | 15:59.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1552 | 2 | 3421 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:59.0 | 15:59.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1553 | 2 | 3421 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:59.0 | 15:59.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1554 | 2 | 3421 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:59.0 | 15:59.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1555 | 2 | 3421 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 15:59.0 | 15:59.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1556 | 2 | 3427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:02.0 | 16:02.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1557 | 2 | 3427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:02.0 | 16:02.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1558 | 2 | 3427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:02.0 | 16:02.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1559 | 2 | 3427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:02.0 | 16:02.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1560 | 2 | 3427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:02.0 | 16:02.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1561 | 2 | 3427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:02.0 | 16:02.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1562 | 2 | 3439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:05.0 | 16:05.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1563 | 2 | 3439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:05.0 | 16:05.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1564 | 2 | 3439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:05.0 | 16:05.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1565 | 2 | 3439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:05.0 | 16:05.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1566 | 2 | 3439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:05.0 | 16:05.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1567 | 2 | 3439 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:05.0 | 16:05.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1568 | 2 | 3445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:08.0 | 16:08.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1569 | 2 | 3445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:08.0 | 16:08.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1570 | 2 | 3445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:08.0 | 16:08.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1571 | 2 | 3445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:08.0 | 16:08.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1572 | 2 | 3445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:08.0 | 16:08.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1573 | 2 | 3445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:08.0 | 16:08.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1580 | 2 | 3457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:11.0 | 16:11.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1581 | 2 | 3457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:11.0 | 16:11.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1582 | 2 | 3457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:11.0 | 16:11.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1583 | 2 | 3457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:11.0 | 16:11.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1584 | 2 | 3457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:11.0 | 16:11.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1585 | 2 | 3457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:11.0 | 16:11.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1592 | 2 | 3469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:14.0 | 16:14.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1593 | 2 | 3469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:14.0 | 16:14.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1594 | 2 | 3469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:14.0 | 16:14.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1595 | 2 | 3469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:14.0 | 16:14.0 | status | Fault:Non | status | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1596 | 2 | 3469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:14.0 | 16:14.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC .161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1597 | 2 | 3469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:14.0 | 16:14.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1604 | 2 | 3481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:17.0 | 16:17.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1605 | 2 | 3481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:17.0 | 16:17.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1606 | 2 | 3481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:17.0 | 16:17.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1607 | 2 | 3481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:17.0 | 16:17.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1608 | 2 | 3481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:17.0 | 16:17.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1609 | 2 | 3481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:17.0 | 16:17.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1616 | 2 | 3493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:20.0 | 16:20.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1617 | 2 | 3493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:20.0 | 16:20.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1618 | 2 | 3493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:20.0 | 16:20.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1619 | 2 | 3493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:20.0 | 16:20.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1620 | 2 | 3493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:20.0 | 16:20.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1621 | 2 | 3493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:20.0 | 16:20.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1628 | 2 | 3505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:23.0 | 16:23.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1629 | 2 | 3505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:23.0 | 16:23.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1630 | 2 | 3505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:23.0 | 16:23.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1631 | 2 | 3505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:23.0 | 16:23.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1632 | 2 | 3505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:23.0 | 16:23.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1633 | 2 | 3505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:23.0 | 16:23.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1640 | 2 | 3517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:26.0 | 16:26.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1641 | 2 | 3517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:26.0 | 16:26.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1642 | 2 | 3517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:26.0 | 16:26.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1643 | 2 | 3517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:26.0 | 16:26.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1644 | 2 | 3517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:26.0 | 16:26.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1645 | 2 | 3517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:26.0 | 16:26.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1694 | 2 | 3529 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:29.0 | 16:29.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1695 | 2 | 3529 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:29.0 | 16:29.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1696 | 2 | 3529 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:29.0 | 16:29.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1697 | 2 | 3529 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:29.0 | 16:29.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1698 | 2 | 3529 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:29.0 | 16:29.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1699 | 2 | 3529 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:29.0 | 16:29.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1730 | 2 | 3583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | Phosgene | 0 | ppb | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1731 | 2 | 3583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | alarms | 50-100 | hilo | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1732 | 2 | 3583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | state | In monitor | state | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1733 | 2 | 3583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1734 | 2 | 3583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | battery | 88 | % | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1735 | 2 | 3583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | flow | 521 | cc/min | Gray | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1742 | 2 | 3619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:09.0 | 17:09.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1743 | 2 | 3619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:09.0 | 17:09.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1744 | 2 | 3619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:09.0 | 17:09.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1745 | 2 | 3619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:09.0 | 17:09.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1746 | 2 | 3619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:09.0 | 17:09.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1747 | 2 | 3619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:09.0 | 17:09.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1754 | 2 | 3631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:12.0 | 17:12.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1755 | 2 | 3631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:12.0 | 17:12.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1756 | 2 | 3631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:12.0 | 17:12.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1757 | 2 | 3631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:12.0 | 17:12.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1758 | 2 | 3631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:12.0 | 17:12.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1759 | 2 | 3631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:12.0 | 17:12.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1766 | 2 | 3643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:15.0 | 17:15.0 | Phosgene | 0 | ppb | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1767 | 2 | 3643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:15.0 | 17:15.0 | alarms | 50-100 | hilo | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1768 | 2 | 3643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:15.0 | 17:15.0 | state | In monitor | state | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1769 | 2 | 3643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:15.0 | 17:15.0 | status | Fault:None | status | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1770 | 2 | 3643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:15.0 | 17:15.0 | battery | 88 | % | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1771 | 2 | 3643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:15.0 | 17:15.0 | flow | 521 | cc/min | Green | 32.32386 | -80.9412 | 1 | LINC.161 | FALSE | 32.32386 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1778 | 2 | 3655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | Phosgene | 0 | ppb | Green | 32.32385 | -80.9412 | 1 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1779 | 2 | 3655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | alarms | 50-100 | hilo | Green | 32.32385 | -80.9412 | 1 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1780 | 2 | 3655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | state | In monitor | state | Green | 32.32385 | -80.9412 | 1 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1781 | 2 | 3655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | status | Fault:None | status | Green | 32.32385 | -80.9412 | 1 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1782 | 2 | 3655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | battery | 88 | % | Green | 32.32385 | -80.9412 | 1 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1783 | 2 | 3655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | flow | 521 | cc/min | Green | 32.32385 | -80.9412 | 1 | LINC.161 | FALSE | 32.32385 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1790 | 2 | 3667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:21.0 | 17:21.0 | Phosgene | 0 | ppb | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1791 | 2 | 3667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:21.0 | 17:21.0 | alarms | 50-100 | hilo | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1792 | 2 | 3667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:21.0 | 17:21.0 | state | In monitor | state | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1793 | 2 | 3667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:21.0 | 17:21.0 | status | Fault:None | status | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1794 | 2 | 3667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:21.0 | 17:21.0 | battery | 88 | % | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1795 | 2 | 3667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:21.0 | 17:21.0 | flow | 521 | cc/min | Green | 32.32384 | -80.9412 | 1 | LINC.161 | FALSE | 32.32384 | -80.9412 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1802 | 2 | 3679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:24.0 | 17:24.0 | Phosgene | 0 | ppb | Green | 32.32383 | -80.9411 | 1 | LINC.161 | FALSE | 32.32383 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1803 | 2 | 3679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:24.0 | 17:24.0 | alarms | 50-100 | hilo | Green | 32.32383 | -80.9411 | 1 | LINC.161 | FALSE | 32.32383 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1804 | 2 | 3679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:24.0 | 17:24.0 | state | In monitor | state | Green | 32.32383 | -80.9411 | 1 | LINC.161 | FALSE | 32.32383 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1805 | 2 | 3679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:24.0 | 17:24.0 | status | Fault:None | status | Green | 32.32383 | -80.9411 | 1 | LINC.161 | FALSE | 32.32383 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1806 | 2 | 3679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:24.0 | 17:24.0 | battery | 88 | % | Green | 32.32383 | -80.9411 | 1 | LINC.161 | FALSE | 32.32383 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1807 | 2 | 3679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:24.0 | 17:24.0 | flow | 521 | cc/min | Green | 32.32383 | -80.9411 | 1 | LINC .161 | FALSE | 32.32383 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1814 | 2 | 3691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:27.0 | 17:27.0 | Phosgene | 0 | ppb | Green | 32.32381 | -80.9411 | 1 | LINC .161 | FALSE | 32.32381 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1815 | 2 | 3691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:27.0 | 17:27.0 | alarms | 50-100 | hilo | Green | 32.32381 | -80.9411 | 1 | LINC .161 | FALSE | 32.32381 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1816 | 2 | 3691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:27.0 | 17:27.0 | state | In monitor | state | Green | 32.32381 | -80.9411 | 1 | LINC .161 | FALSE | 32.32381 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1817 | 2 | 3691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:27.0 | 17:27.0 | status | Fault:Non | status | Green | 32.32381 | -80.9411 | 1 | LINC .161 | FALSE | 32.32381 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1818 | 2 | 3691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:27.0 | 17:27.0 | battery | 88 | % | Green | 32.32381 | -80.9411 | 1 | LINC .161 | FALSE | 32.32381 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1819 | 2 | 3691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:27.0 | 17:27.0 | flow | 521 | cc/min | Green | 32.32381 | -80.9411 | 1 | LINC .161 | FALSE | 32.32381 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1826 | 2 | 3703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:30.0 | 17:30.0 | Phosgene | 0 | ppb | Green | 32.32378 | -80.9411 | 1 | LINC .161 | FALSE | 32.32378 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1827 | 2 | 3703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:30.0 | 17:30.0 | alarms | 50-100 | hilo | Green | 32.32378 | -80.9411 | 1 | LINC .161 | FALSE | 32.32378 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1828 | 2 | 3703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:30.0 | 17:30.0 | state | In monitor | state | Green | 32.32378 | -80.9411 | 1 | LINC .161 | FALSE | 32.32378 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1829 | 2 | 3703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:30.0 | 17:30.0 | status | Fault:Non | status | Green | 32.32378 | -80.9411 | 1 | LINC .161 | FALSE | 32.32378 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1830 | 2 | 3703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:30.0 | 17:30.0 | battery | 88 | % | Green | 32.32378 | -80.9411 | 1 | LINC .161 | FALSE | 32.32378 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1831 | 2 | 3703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:30.0 | 17:30.0 | flow | 521 | cc/min | Green | 32.32378 | -80.9411 | 1 | LINC .161 | FALSE | 32.32378 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1838 | 2 | 3715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | Phosgene | 0 | ppb | Green | 32.32375 | -80.9411 | 1 | LINC .161 | FALSE | 32.32375 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1839 | 2 | 3715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | alarms | 50-100 | hilo | Green | 32.32375 | -80.9411 | 1 | LINC .161 | FALSE | 32.32375 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1840 | 2 | 3715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | state | In monitor | state | Green | 32.32375 | -80.9411 | 1 | LINC .161 | FALSE | 32.32375 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1841 | 2 | 3715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | status | Fault:Non | status | Green | 32.32375 | -80.9411 | 1 | LINC .161 | FALSE | 32.32375 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1842 | 2 | 3715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | battery | 88 | % | Green | 32.32375 | -80.9411 | 1 | LINC .161 | FALSE | 32.32375 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1843 | 2 | 3715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | flow | 521 | cc/min | Green | 32.32375 | -80.9411 | 1 | LINC .161 | FALSE | 32.32375 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1850 | 2 | 3727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | Phosgene | 0 | ppb | Green | 32.32371 | -80.9411 | 1 | LINC .161 | FALSE | 32.32371 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1851 | 2 | 3727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | alarms | 50-100 | hilo | Green | 32.32371 | -80.9411 | 1 | LINC .161 | FALSE | 32.32371 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1852 | 2 | 3727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | state | In monitor | state | Green | 32.32371 | -80.9411 | 1 | LINC .161 | FALSE | 32.32371 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1853 | 2 | 3727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | status | Fault:Non | status | Green | 32.32371 | -80.9411 | 1 | LINC .161 | FALSE | 32.32371 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1854 | 2 | 3727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | battery | 88 | % | Green | 32.32371 | -80.9411 | 1 | LINC .161 | FALSE | 32.32371 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1855 | 2 | 3727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | flow | 520 | cc/min | Green | 32.32371 | -80.9411 | 1 | LINC .161 | FALSE | 32.32371 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1862 | 2 | 3739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | Phosgene | 0 | ppb | Green | 32.32366 | -80.9411 | 1 | LINC .161 | FALSE | 32.32366 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1863 | 2 | 3739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | alarms | 50-100 | hilo | Green | 32.32366 | -80.9411 | 1 | LINC .161 | FALSE | 32.32366 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1864 | 2 | 3739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | state | In monitor | state | Green | 32.32366 | -80.9411 | 1 | LINC .161 | FALSE | 32.32366 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1865 | 2 | 3739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | status | Fault:Non | status | Green | 32.32366 | -80.9411 | 1 | LINC .161 | FALSE | 32.32366 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1866 | 2 | 3739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | battery | 88 | % | Green | 32.32366 | -80.9411 | 1 | LINC .161 | FALSE | 32.32366 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1867 | 2 | 3739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | flow | 520 | cc/min | Green | 32.32366 | -80.9411 | 1 | LINC .161 | FALSE | 32.32366 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1874 | 2 | 3751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | Phosgene | 0 | ppb | Green | 32.32364 | -80.9411 | 2 | LINC .161 | FALSE | 32.32364 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1875 | 2 | 3751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | alarms | 50-100 | hilo | Green | 32.32364 | -80.9411 | 2 | LINC .161 | FALSE | 32.32364 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1876 | 2 | 3751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | state | In monitor | state | Green | 32.32364 | -80.9411 | 2 | LINC .161 | FALSE | 32.32364 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1877 | 2 | 3751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | status | Fault:Non | status | Green | 32.32364 | -80.9411 | 2 | LINC .161 | FALSE | 32.32364 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1878 | 2 | 3751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | battery | 88 | % | Green | 32.32364 | -80.9411 | 2 | LINC .161 | FALSE | 32.32364 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1879 | 2 | 3751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | flow | 521 | cc/min | Green | 32.32364 | -80.9411 | 2 | LINC .161 | FALSE | 32.32364 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1886 | 2 | 3763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | Phosgene | 0 | ppb | Green | 32.3236 | -80.9411 | 1 | LINC .161 | FALSE | 32.3236 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1887 | 2 | 3763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | alarms | 50-100 | hilo | Green | 32.3236 | -80.9411 | 1 | LINC .161 | FALSE | 32.3236 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1888 | 2 | 3763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | state | In monitor | state | Green | 32.3236 | -80.9411 | 1 | LINC .161 | FALSE | 32.3236 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1889 | 2 | 3763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | status | Fault:Non | status | Green | 32.3236 | -80.9411 | 1 | LINC .161 | FALSE | 32.3236 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1890 | 2 | 3763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | battery | 88 | % | Green | 32.3236 | -80.9411 | 1 | LINC .161 | FALSE | 32.3236 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1891 | 2 | 3763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | flow | 521 | cc/min | Green | 32.3236 | -80.9411 | 1 | LINC .161 | FALSE | 32.3236 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1898 | 2 | 3775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | Phosgene | 0 | ppb | Green | 32.32357 | -80.9411 | 1 | LINC .161 | FALSE | 32.32357 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1899 | 2 | 3775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | alarms | 50-100 | hilo | Green | 32.32357 | -80.9411 | 1 | LINC .161 | FALSE | 32.32357 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1900 | 2 | 3775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | state | In monitor | state | Green | 32.32357 | -80.9411 | 1 | LINC .161 | FALSE | 32.32357 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1901 | 2 | 3775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | status | Fault:Non | status | Green | 32.32357 | -80.9411 | 1 | LINC .161 | FALSE | 32.32357 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1902 | 2 | 3775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | battery | 88 | % | Green | 32.32357 | -80.9411 | 1 | LINC .161 | FALSE | 32.32357 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1903 | 2 | 3775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | flow | 520 | cc/min | Green | 32.32357 | -80.9411 | 1 | LINC .161 | FALSE | 32.32357 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1910 | 2 | 3787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | Phosgene | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1911 | 2 | 3787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | alarms | 50-100 | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1912 | 2 | 3787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | state | In monitor | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1913 | 2 | 3787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | status | Fault:Non | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1914 | 2 | 3787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | battery | 88 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1915 | 2 | 3787 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | flow | 521 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1922 | 2 | 3799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:55.0 | 17:55.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1923 | 2 | 3799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:55.0 | 17:55.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1924 | 2 | 3799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:55.0 | 17:55.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1925 | 2 | 3799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:55.0 | 17:55.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1926 | 2 | 3799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:55.0 | 17:55.0 | battery | 88 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1927 | 2 | 3799 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:55.0 | 17:55.0 | flow | 521 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1934 | 2 | 3811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:58.0 | 17:58.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1935 | 2 | 3811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:58.0 | 17:58.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1936 | 2 | 3811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:58.0 | 17:58.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1937 | 2 | 3811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:58.0 | 17:58.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1938 | 2 | 3811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:58.0 | 17:58.0 | battery | 88 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1939 | 2 | 3811 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:58.0 | 17:58.0 | flow | 521 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1946 | 2 | 3823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:01.0 | 18:01.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1947 | 2 | 3823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:01.0 | 18:01.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1948 | 2 | 3823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:01.0 | 18:01.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1949 | 2 | 3823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:01.0 | 18:01.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1950 | 2 | 3823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:01.0 | 18:01.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1951 | 2 | 3823 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:01.0 | 18:01.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1958 | 2 | 3835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:04.0 | 18:04.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1959 | 2 | 3835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:04.0 | 18:04.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1960 | 2 | 3835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:04.0 | 18:04.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1961 | 2 | 3835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:04.0 | 18:04.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1962 | 2 | 3835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:04.0 | 18:04.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1963 | 2 | 3835 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:04.0 | 18:04.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1970 | 2 | 3847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:07.0 | 18:07.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1971 | 2 | 3847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:07.0 | 18:07.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1972 | 2 | 3847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:07.0 | 18:07.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1973 | 2 | 3847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:07.0 | 18:07.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1974 | 2 | 3847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:07.0 | 18:07.0 | battery | 88 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1975 | 2 | 3847 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:07.0 | 18:07.0 | flow | 521 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1982 | 2 | 3859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:10.0 | 18:10.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 3 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1983 | 2 | 3859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:10.0 | 18:10.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 3 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1984 | 2 | 3859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:10.0 | 18:10.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 3 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1985 | 2 | 3859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:10.0 | 18:10.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 3 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1986 | 2 | 3859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:10.0 | 18:10.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 3 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1987 | 2 | 3859 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:10.0 | 18:10.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 3 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1994 | 2 | 3871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:13.0 | 18:13.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1995 | 2 | 3871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:13.0 | 18:13.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1996 | 2 | 3871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:13.0 | 18:13.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1997 | 2 | 3871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:13.0 | 18:13.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1998 | 2 | 3871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:13.0 | 18:13.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1999 | 2 | 3871 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:13.0 | 18:13.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2006 | 2 | 3883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:16.0 | 18:16.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2007 | 2 | 3883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:16.0 | 18:16.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2008 | 2 | 3883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:16.0 | 18:16.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2009 | 2 | 3883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:16.0 | 18:16.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2010 | 2 | 3883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:16.0 | 18:16.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2011 | 2 | 3883 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:16.0 | 18:16.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2018 | 2 | 3895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:19.0 | 18:19.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2019 | 2 | 3895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:19.0 | 18:19.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2020 | 2 | 3895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:19.0 | 18:19.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2021 | 2 | 3895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:19.0 | 18:19.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2022 | 2 | 3895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:19.0 | 18:19.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2023 | 2 | 3895 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:19.0 | 18:19.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2030 | 2 | 3907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:22.0 | 18:22.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2031 | 2 | 3907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:22.0 | 18:22.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2032 | 2 | 3907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:22.0 | 18:22.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2033 | 2 | 3907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:22.0 | 18:22.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2034 | 2 | 3907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:22.0 | 18:22.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2035 | 2 | 3907 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:22.0 | 18:22.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2042 | 2 | 3919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:25.0 | 18:25.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2043 | 2 | 3919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:25.0 | 18:25.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2044 | 2 | 3919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:25.0 | 18:25.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2045 | 2 | 3919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:25.0 | 18:25.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2046 | 2 | 3919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:25.0 | 18:25.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2047 | 2 | 3919 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:25.0 | 18:25.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2054 | 2 | 3931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:28.0 | 18:28.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2055 | 2 | 3931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:28.0 | 18:28.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2056 | 2 | 3931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:28.0 | 18:28.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2057 | 2 | 3931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:28.0 | 18:28.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2058 | 2 | 3931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:28.0 | 18:28.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2059 | 2 | 3931 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:28.0 | 18:28.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2066 | 2 | 3943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:31.0 | 18:31.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2067 | 2 | 3943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:31.0 | 18:31.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2068 | 2 | 3943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:31.0 | 18:31.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2069 | 2 | 3943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:31.0 | 18:31.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2070 | 2 | 3943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:31.0 | 18:31.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2071 | 2 | 3943 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:31.0 | 18:31.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2078 | 2 | 3955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2079 | 2 | 3955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2080 | 2 | 3955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2081 | 2 | 3955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2082 | 2 | 3955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2083 | 2 | 3955 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2090 | 2 | 3967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2091 | 2 | 3967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2092 | 2 | 3967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2093 | 2 | 3967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2094 | 2 | 3967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2095 | 2 | 3967 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2102 | 2 | 3979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2103 | 2 | 3979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2104 | 2 | 3979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2105 | 2 | 3979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2106 | 2 | 3979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2107 | 2 | 3979 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2114 | 2 | 3991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2115 | 2 | 3991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2116 | 2 | 3991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2117 | 2 | 3991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2118 | 2 | 3991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2119 | 2 | 3991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2126 | 2 | 4003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2127 | 2 | 4003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2128 | 2 | 4003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2129 | 2 | 4003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2130 | 2 | 4003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2131 | 2 | 4003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2138 | 2 | 4015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2139 | 2 | 4015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2140 | 2 | 4015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2141 | 2 | 4015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2142 | 2 | 4015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2143 | 2 | 4015 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2150 | 2 | 4027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2151 | 2 | 4027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2152 | 2 | 4027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2153 | 2 | 4027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2154 | 2 | 4027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1. | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2155 | 2 | 4027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2162 | 2 | 4039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2163 | 2 | 4039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2164 | 2 | 4039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2165 | 2 | 4039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2166 | 2 | 4039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2167 | 2 | 4039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2174 | 2 | 4051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2175 | 2 | 4051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2176 | 2 | 4051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2177 | 2 | 4051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2178 | 2 | 4051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2179 | 2 | 4051 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2186 | 2 | 4063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2187 | 2 | 4063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2188 | 2 | 4063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2189 | 2 | 4063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2190 | 2 | 4063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2191 | 2 | 4063 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2198 | 2 | 4075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2199 | 2 | 4075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2200 | 2 | 4075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2201 | 2 | 4075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2202 | 2 | 4075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2203 | 2 | 4075 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2210 | 2 | 4087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2211 | 2 | 4087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2212 | 2 | 4087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2213 | 2 | 4087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2214 | 2 | 4087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2215 | 2 | 4087 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2222 | 2 | 4099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2223 | 2 | 4099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2224 | 2 | 4099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2225 | 2 | 4099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2226 | 2 | 4099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2227 | 2 | 4099 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2288 | 2 | 4111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:14.0 | 19:14.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2289 | 2 | 4111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:14.0 | 19:14.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2290 | 2 | 4111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:14.0 | 19:14.0 | state | In monitoı | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2291 | 2 | 4111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:14.0 | 19:14.0 | status | Fault:Nonı | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2292 | 2 | 4111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:14.0 | 19:14.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2293 | 2 | 4111 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:14.0 | 19:14.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2324 | 2 | 4177 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:44.0 | 19:44.0 | Phosgene | 0 | ppb | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2325 | 2 | 4177 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:44.0 | 19:44.0 | alarms | 50-100 | hilo | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2326 | 2 | 4177 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:44.0 | 19:44.0 | state | In monitor | state | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2327 | 2 | 4177 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:44.0 | 19:44.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2328 | 2 | 4177 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:44.0 | 19:44.0 | battery | 88 | % | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2329 | 2 | 4177 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:44.0 | 19:44.0 | flow | 520 | cc/min | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2336 | 2 | 4213 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:58.0 | 19:58.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2337 | 2 | 4213 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:58.0 | 19:58.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2338 | 2 | 4213 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:58.0 | 19:58.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2339 | 2 | 4213 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:58.0 | 19:58.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2340 | 2 | 4213 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:58.0 | 19:58.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2341 | 2 | 4213 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:58.0 | 19:58.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2348 | 2 | 4225 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:01.0 | 20:01.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2349 | 2 | 4225 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:01.0 | 20:01.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2350 | 2 | 4225 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:01.0 | 20:01.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2351 | 2 | 4225 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:01.0 | 20:01.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2352 | 2 | 4225 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:01.0 | 20:01.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2353 | 2 | 4225 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:01.0 | 20:01.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2360 | 2 | 4237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:04.0 | 20:04.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2361 | 2 | 4237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:04.0 | 20:04.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2362 | 2 | 4237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:04.0 | 20:04.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2363 | 2 | 4237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:04.0 | 20:04.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2364 | 2 | 4237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:04.0 | 20:04.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2365 | 2 | 4237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:04.0 | 20:04.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2372 | 2 | 4249 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:07.0 | 20:07.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2373 | 2 | 4249 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:07.0 | 20:07.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2374 | 2 | 4249 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:07.0 | 20:07.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2375 | 2 | 4249 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:07.0 | 20:07.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2376 | 2 | 4249 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:07.0 | 20:07.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2377 | 2 | 4249 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:07.0 | 20:07.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2384 | 2 | 4261 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:10.0 | 20:10.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2385 | 2 | 4261 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:10.0 | 20:10.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2386 | 2 | 4261 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:10.0 | 20:10.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2387 | 2 | 4261 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:10.0 | 20:10.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2388 | 2 | 4261 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:10.0 | 20:10.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2389 | 2 | 4261 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:10.0 | 20:10.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2396 | 2 | 4273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:13.0 | 20:13.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2397 | 2 | 4273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:13.0 | 20:13.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2398 | 2 | 4273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:13.0 | 20:13.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2399 | 2 | 4273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:13.0 | 20:13.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2400 | 2 | 4273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:13.0 | 20:13.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2401 | 2 | 4273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:13.0 | 20:13.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2408 | 2 | 4285 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:16.0 | 20:16.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2409 | 2 | 4285 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:16.0 | 20:16.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2410 | 2 | 4285 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:16.0 | 20:16.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2411 | 2 | 4285 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:16.0 | 20:16.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2412 | 2 | 4285 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:16.0 | 20:16.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2413 | 2 | 4285 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:16.0 | 20:16.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2420 | 2 | 4297 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:19.0 | 20:19.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2421 | 2 | 4297 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:19.0 | 20:19.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2422 | 2 | 4297 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:19.0 | 20:19.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2423 | 2 | 4297 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:19.0 | 20:19.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2424 | 2 | 4297 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:19.0 | 20:19.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2425 | 2 | 4297 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:19.0 | 20:19.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2432 | 2 | 4309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:22.0 | 20:22.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2433 | 2 | 4309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:22.0 | 20:22.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2434 | 2 | 4309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:22.0 | 20:22.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2435 | 2 | 4309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:22.0 | 20:22.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2436 | 2 | 4309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:22.0 | 20:22.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2437 | 2 | 4309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:22.0 | 20:22.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2444 | 2 | 4321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:25.0 | 20:25.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2445 | 2 | 4321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:25.0 | 20:25.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2446 | 2 | 4321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:25.0 | 20:25.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2447 | 2 | 4321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:25.0 | 20:25.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2448 | 2 | 4321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:25.0 | 20:25.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2449 | 2 | 4321 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:25.0 | 20:25.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2456 | 2 | 4333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:29.0 | 20:29.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2457 | 2 | 4333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:29.0 | 20:29.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2458 | 2 | 4333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:29.0 | 20:29.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2459 | 2 | 4333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:29.0 | 20:29.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2460 | 2 | 4333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:29.0 | 20:29.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2461 | 2 | 4333 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:29.0 | 20:29.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2468 | 2 | 4345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:32.0 | 20:32.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2469 | 2 | 4345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:32.0 | 20:32.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2470 | 2 | 4345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:32.0 | 20:32.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2471 | 2 | 4345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:32.0 | 20:32.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2472 | 2 | 4345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:32.0 | 20:32.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2473 | 2 | 4345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:32.0 | 20:32.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2480 | 2 | 4357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:35.0 | 20:35.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2481 | 2 | 4357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:35.0 | 20:35.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2482 | 2 | 4357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:35.0 | 20:35.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2483 | 2 | 4357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:35.0 | 20:35.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2484 | 2 | 4357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:35.0 | 20:35.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2485 | 2 | 4357 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:35.0 | 20:35.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2492 | 2 | 4369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:38.0 | 20:38.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2493 | 2 | 4369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:38.0 | 20:38.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2494 | 2 | 4369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:38.0 | 20:38.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2495 | 2 | 4369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:38.0 | 20:38.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2496 | 2 | 4369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:38.0 | 20:38.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2497 | 2 | 4369 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:38.0 | 20:38.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2504 | 2 | 4381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:41.0 | 20:41.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2505 | 2 | 4381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:41.0 | 20:41.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2506 | 2 | 4381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:41.0 | 20:41.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2507 | 2 | 4381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:41.0 | 20:41.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2508 | 2 | 4381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:41.0 | 20:41.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2509 | 2 | 4381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:41.0 | 20:41.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2516 | 2 | 4393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:44.0 | 20:44.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2517 | 2 | 4393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:44.0 | 20:44.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2518 | 2 | 4393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:44.0 | 20:44.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2519 | 2 | 4393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:44.0 | 20:44.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2520 | 2 | 4393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:44.0 | 20:44.0 | battery | 88 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2521 | 2 | 4393 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:44.0 | 20:44.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2528 | 2 | 4405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:47.0 | 20:47.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2529 | 2 | 4405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:47.0 | 20:47.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2530 | 2 | 4405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:47.0 | 20:47.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2531 | 2 | 4405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:47.0 | 20:47.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2532 | 2 | 4405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:47.0 | 20:47.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2533 | 2 | 4405 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:47.0 | 20:47.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2540 | 2 | 4417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:50.0 | 20:50.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2541 | 2 | 4417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:50.0 | 20:50.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2542 | 2 | 4417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:50.0 | 20:50.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2543 | 2 | 4417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:50.0 | 20:50.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2544 | 2 | 4417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:50.0 | 20:50.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2545 | 2 | 4417 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:50.0 | 20:50.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2552 | 2 | 4429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:53.0 | 20:53.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2553 | 2 | 4429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:53.0 | 20:53.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2554 | 2 | 4429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:53.0 | 20:53.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2555 | 2 | 4429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:53.0 | 20:53.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2556 | 2 | 4429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:53.0 | 20:53.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2557 | 2 | 4429 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:53.0 | 20:53.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2564 | 2 | 4441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:56.0 | 20:56.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2565 | 2 | 4441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:56.0 | 20:56.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2566 | 2 | 4441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:56.0 | 20:56.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2567 | 2 | 4441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:56.0 | 20:56.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2568 | 2 | 4441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:56.0 | 20:56.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2569 | 2 | 4441 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:56.0 | 20:56.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2576 | 2 | 4453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:59.0 | 20:59.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2577 | 2 | 4453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:59.0 | 20:59.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2578 | 2 | 4453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:59.0 | 20:59.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2579 | 2 | 4453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:59.0 | 20:59.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2580 | 2 | 4453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:59.0 | 20:59.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2581 | 2 | 4453 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 20:59.0 | 20:59.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2588 | 2 | 4465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:02.0 | 21:02.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2589 | 2 | 4465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:02.0 | 21:02.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2590 | 2 | 4465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:02.0 | 21:02.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2591 | 2 | 4465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:02.0 | 21:02.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2592 | 2 | 4465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:02.0 | 21:02.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2593 | 2 | 4465 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:02.0 | 21:02.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2600 | 2 | 4477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:05.0 | 21:05.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2601 | 2 | 4477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:05.0 | 21:05.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2602 | 2 | 4477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:05.0 | 21:05.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2603 | 2 | 4477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:05.0 | 21:05.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2604 | 2 | 4477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:05.0 | 21:05.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2605 | 2 | 4477 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:05.0 | 21:05.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2612 | 2 | 4489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:08.0 | 21:08.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2613 | 2 | 4489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:08.0 | 21:08.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2614 | 2 | 4489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:08.0 | 21:08.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2615 | 2 | 4489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:08.0 | 21:08.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2616 | 2 | 4489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:08.0 | 21:08.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2617 | 2 | 4489 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:08.0 | 21:08.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2624 | 2 | 4501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:11.0 | 21:11.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2625 | 2 | 4501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:11.0 | 21:11.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2626 | 2 | 4501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:11.0 | 21:11.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2627 | 2 | 4501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:11.0 | 21:11.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2628 | 2 | 4501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:11.0 | 21:11.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2629 | 2 | 4501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:11.0 | 21:11.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2636 | 2 | 4513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:14.0 | 21:14.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2637 | 2 | 4513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:14.0 | 21:14.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2638 | 2 | 4513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:14.0 | 21:14.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2639 | 2 | 4513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:14.0 | 21:14.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2640 | 2 | 4513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:14.0 | 21:14.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2641 | 2 | 4513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:14.0 | 21:14.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2648 | 2 | 4525 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:17.0 | 21:17.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2649 | 2 | 4525 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:17.0 | 21:17.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2650 | 2 | 4525 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:17.0 | 21:17.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2651 | 2 | 4525 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:17.0 | 21:17.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2652 | 2 | 4525 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:17.0 | 21:17.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2653 | 2 | 4525 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:17.0 | 21:17.0 | flow | 521 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2660 | 2 | 4537 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2661 | 2 | 4537 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2662 | 2 | 4537 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2663 | 2 | 4537 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2664 | 2 | 4537 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2665 | 2 | 4537 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | flow | 521 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2666 | 2 | 4549 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:24.0 | 21:24.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2667 | 2 | 4549 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:24.0 | 21:24.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2668 | 2 | 4549 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:24.0 | 21:24.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2669 | 2 | 4549 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:24.0 | 21:24.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2670 | 2 | 4549 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:24.0 | 21:24.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2671 | 2 | 4549 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:24.0 | 21:24.0 | flow | 521 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2672 | 2 | 4555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:27.0 | 21:27.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2673 | 2 | 4555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:27.0 | 21:27.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2674 | 2 | 4555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:27.0 | 21:27.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2675 | 2 | 4555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:27.0 | 21:27.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2676 | 2 | 4555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:27.0 | 21:27.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2677 | 2 | 4555 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:27.0 | 21:27.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2678 | 2 | 4561 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:30.0 | 21:30.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2679 | 2 | 4561 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:30.0 | 21:30.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2680 | 2 | 4561 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:30.0 | 21:30.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2681 | 2 | 4561 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:30.0 | 21:30.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2682 | 2 | 4561 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:30.0 | 21:30.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2683 | 2 | 4561 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:30.0 | 21:30.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2684 | 2 | 4567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:33.0 | 21:33.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2685 | 2 | 4567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:33.0 | 21:33.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2686 | 2 | 4567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:33.0 | 21:33.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2687 | 2 | 4567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:33.0 | 21:33.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2688 | 2 | 4567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:33.0 | 21:33.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2689 | 2 | 4567 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:33.0 | 21:33.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2690 | 2 | 4573 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:36.0 | 21:36.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2691 | 2 | 4573 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:36.0 | 21:36.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2692 | 2 | 4573 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:36.0 | 21:36.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2693 | 2 | 4573 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:36.0 | 21:36.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2694 | 2 | 4573 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:36.0 | 21:36.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2695 | 2 | 4573 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:36.0 | 21:36.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2696 | 2 | 4579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:39.0 | 21:39.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2697 | 2 | 4579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:39.0 | 21:39.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2698 | 2 | 4579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:39.0 | 21:39.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2699 | 2 | 4579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:39.0 | 21:39.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2700 | 2 | 4579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:39.0 | 21:39.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2701 | 2 | 4579 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:39.0 | 21:39.0 | flow | 521 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2708 | 2 | 4585 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:42.0 | 21:42.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2709 | 2 | 4585 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:42.0 | 21:42.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2710 | 2 | 4585 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:42.0 | 21:42.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2711 | 2 | 4585 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:42.0 | 21:42.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2712 | 2 | 4585 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:42.0 | 21:42.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2713 | 2 | 4585 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:42.0 | 21:42.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2714 | 2 | 4597 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:45.0 | 21:45.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2715 | 2 | 4597 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:45.0 | 21:45.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2716 | 2 | 4597 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:45.0 | 21:45.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2717 | 2 | 4597 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:45.0 | 21:45.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2718 | 2 | 4597 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:45.0 | 21:45.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2719 | 2 | 4597 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 21:45.0 | 21:45.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2720 | 2 | 4603 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:10.0 | 22:10.0 | Phosgene | 0 | ppb | Gray | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2721 | 2 | 4603 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:10.0 | 22:10.0 | alarms | 50-100 | hilo | Gray | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2722 | 2 | 4603 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:10.0 | 22:10.0 | state | In monitor | state | Gray | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2723 | 2 | 4603 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:10.0 | 22:10.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2724 | 2 | 4603 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:10.0 | 22:10.0 | battery | 87 | % | Gray | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2725 | 2 | 4603 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:10.0 | 22:10.0 | flow | 520 | cc/min | Gray | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2726 | 2 | 4609 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2727 | 2 | 4609 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2728 | 2 | 4609 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2729 | 2 | 4609 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2730 | 2 | 4609 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2731 | 2 | 4609 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2732 | 2 | 4615 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:18.0 | 22:18.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2733 | 2 | 4615 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:18.0 | 22:18.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2734 | 2 | 4615 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:18.0 | 22:18.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2735 | 2 | 4615 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:18.0 | 22:18.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2736 | 2 | 4615 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:18.0 | 22:18.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2737 | 2 | 4615 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:18.0 | 22:18.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2738 | 2 | 4621 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:21.0 | 22:21.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2739 | 2 | 4621 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:21.0 | 22:21.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2740 | 2 | 4621 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:21.0 | 22:21.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2741 | 2 | 4621 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:21.0 | 22:21.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2742 | 2 | 4621 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:21.0 | 22:21.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2743 | 2 | 4621 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:21.0 | 22:21.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2750 | 2 | 4627 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:24.0 | 22:24.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2751 | 2 | 4627 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:24.0 | 22:24.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2752 | 2 | 4627 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:24.0 | 22:24.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2753 | 2 | 4627 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:24.0 | 22:24.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2754 | 2 | 4627 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:24.0 | 22:24.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2755 | 2 | 4627 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:24.0 | 22:24.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2756 | 2 | 4633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:27.0 | 22:27.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2757 | 2 | 4633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:27.0 | 22:27.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2758 | 2 | 4633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:27.0 | 22:27.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2759 | 2 | 4633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:27.0 | 22:27.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2760 | 2 | 4633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:27.0 | 22:27.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2761 | 2 | 4633 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:27.0 | 22:27.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2762 | 2 | 4639 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:30.0 | 22:30.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2763 | 2 | 4639 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:30.0 | 22:30.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2764 | 2 | 4639 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:30.0 | 22:30.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2765 | 2 | 4639 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:30.0 | 22:30.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2766 | 2 | 4639 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:30.0 | 22:30.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2767 | 2 | 4639 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:30.0 | 22:30.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2768 | 2 | 4645 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:33.0 | 22:33.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2769 | 2 | 4645 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:33.0 | 22:33.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2770 | 2 | 4645 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:33.0 | 22:33.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2771 | 2 | 4645 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:33.0 | 22:33.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2772 | 2 | 4645 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:33.0 | 22:33.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2773 | 2 | 4645 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:33.0 | 22:33.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2774 | 2 | 4651 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:36.0 | 22:36.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2775 | 2 | 4651 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:36.0 | 22:36.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2776 | 2 | 4651 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:36.0 | 22:36.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2777 | 2 | 4651 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:36.0 | 22:36.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2778 | 2 | 4651 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:36.0 | 22:36.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2779 | 2 | 4651 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:36.0 | 22:36.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2780 | 2 | 4657 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:39.0 | 22:39.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2781 | 2 | 4657 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:39.0 | 22:39.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2782 | 2 | 4657 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:39.0 | 22:39.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2783 | 2 | 4657 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:39.0 | 22:39.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2784 | 2 | 4657 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:39.0 | 22:39.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2785 | 2 | 4657 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:39.0 | 22:39.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2786 | 2 | 4663 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:43.0 | 22:43.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2787 | 2 | 4663 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:43.0 | 22:43.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2788 | 2 | 4663 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:43.0 | 22:43.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2789 | 2 | 4663 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:43.0 | 22:43.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2790 | 2 | 4663 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:43.0 | 22:43.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC.161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2791 | 2 | 4663 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:43.0 | 22:43.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2792 | 2 | 4669 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:46.0 | 22:46.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2793 | 2 | 4669 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:46.0 | 22:46.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 1 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2794 | 2 | 4669 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:46.0 | 22:46.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 1 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2795 | 2 | 4669 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:46.0 | 22:46.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 1 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2796 | 2 | 4669 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:46.0 | 22:46.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2797 | 2 | 4669 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:46.0 | 22:46.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2798 | 2 | 4675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2799 | 2 | 4675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2800 | 2 | 4675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2801 | 2 | 4675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2802 | 2 | 4675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2803 | 2 | 4675 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2804 | 2 | 4681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:52.0 | 22:52.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2805 | 2 | 4681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:52.0 | 22:52.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2806 | 2 | 4681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:52.0 | 22:52.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2807 | 2 | 4681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:52.0 | 22:52.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2808 | 2 | 4681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:52.0 | 22:52.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2809 | 2 | 4681 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:52.0 | 22:52.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2810 | 2 | 4687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:55.0 | 22:55.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2811 | 2 | 4687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:55.0 | 22:55.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2812 | 2 | 4687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:55.0 | 22:55.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2813 | 2 | 4687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:55.0 | 22:55.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2814 | 2 | 4687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:55.0 | 22:55.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2815 | 2 | 4687 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:55.0 | 22:55.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2816 | 2 | 4693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:58.0 | 22:58.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2817 | 2 | 4693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:58.0 | 22:58.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2818 | 2 | 4693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:58.0 | 22:58.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2819 | 2 | 4693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:58.0 | 22:58.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2820 | 2 | 4693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:58.0 | 22:58.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2821 | 2 | 4693 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:58.0 | 22:58.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2822 | 2 | 4699 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:01.0 | 23:01.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2823 | 2 | 4699 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:01.0 | 23:01.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2824 | 2 | 4699 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:01.0 | 23:01.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2825 | 2 | 4699 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:01.0 | 23:01.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2826 | 2 | 4699 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:01.0 | 23:01.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2827 | 2 | 4699 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:01.0 | 23:01.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2828 | 2 | 4705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2829 | 2 | 4705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2830 | 2 | 4705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2831 | 2 | 4705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2832 | 2 | 4705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2833 | 2 | 4705 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2840 | 2 | 4717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2841 | 2 | 4717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2842 | 2 | 4717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2843 | 2 | 4717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2844 | 2 | 4717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2845 | 2 | 4717 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2852 | 2 | 4729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2853 | 2 | 4729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2854 | 2 | 4729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2855 | 2 | 4729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2856 | 2 | 4729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2857 | 2 | 4729 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2864 | 2 | 4741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2865 | 2 | 4741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2866 | 2 | 4741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2867 | 2 | 4741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2868 | 2 | 4741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2869 | 2 | 4741 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2876 | 2 | 4753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2877 | 2 | 4753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2878 | 2 | 4753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2879 | 2 | 4753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2880 | 2 | 4753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2881 | 2 | 4753 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2888 | 2 | 4765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:19.0 | 23:19.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2889 | 2 | 4765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:19.0 | 23:19.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2890 | 2 | 4765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:19.0 | 23:19.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2891 | 2 | 4765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:19.0 | 23:19.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2892 | 2 | 4765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:19.0 | 23:19.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC | .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2893 | 2 | 4765 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:19.0 | 23:19.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2900 | 2 | 4777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:22.0 | 23:22.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2901 | 2 | 4777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:22.0 | 23:22.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2902 | 2 | 4777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:22.0 | 23:22.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2903 | 2 | 4777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:22.0 | 23:22.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2904 | 2 | 4777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:22.0 | 23:22.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2905 | 2 | 4777 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:22.0 | 23:22.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2912 | 2 | 4789 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:25.0 | 23:25.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2913 | 2 | 4789 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:25.0 | 23:25.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2914 | 2 | 4789 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:25.0 | 23:25.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2915 | 2 | 4789 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:25.0 | 23:25.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2916 | 2 | 4789 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:25.0 | 23:25.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2917 | 2 | 4789 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:25.0 | 23:25.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2924 | 2 | 4801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:28.0 | 23:28.0 | Phosgene | 0 | ppb | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2925 | 2 | 4801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:28.0 | 23:28.0 | alarms | 50-100 | hilo | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2926 | 2 | 4801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:28.0 | 23:28.0 | state | In monitor | state | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2927 | 2 | 4801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:28.0 | 23:28.0 | status | Fault:Non | status | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2928 | 2 | 4801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:28.0 | 23:28.0 | battery | 87 | % | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2929 | 2 | 4801 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:28.0 | 23:28.0 | flow | 520 | cc/min | Green | 32.3235 | -80.9411 | 25 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2936 | 2 | 4813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:31.0 | 23:31.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2937 | 2 | 4813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:31.0 | 23:31.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2938 | 2 | 4813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:31.0 | 23:31.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2939 | 2 | 4813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:31.0 | 23:31.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2940 | 2 | 4813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:31.0 | 23:31.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2941 | 2 | 4813 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:31.0 | 23:31.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2948 | 2 | 4825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:34.0 | 23:34.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2949 | 2 | 4825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:34.0 | 23:34.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2950 | 2 | 4825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:34.0 | 23:34.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2951 | 2 | 4825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:34.0 | 23:34.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2952 | 2 | 4825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:34.0 | 23:34.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2953 | 2 | 4825 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:34.0 | 23:34.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2960 | 2 | 4837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:37.0 | 23:37.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2961 | 2 | 4837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:37.0 | 23:37.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2962 | 2 | 4837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:37.0 | 23:37.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2963 | 2 | 4837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:37.0 | 23:37.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2964 | 2 | 4837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:37.0 | 23:37.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2965 | 2 | 4837 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:37.0 | 23:37.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2972 | 2 | 4849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:40.0 | 23:40.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2973 | 2 | 4849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:40.0 | 23:40.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2974 | 2 | 4849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:40.0 | 23:40.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2975 | 2 | 4849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:40.0 | 23:40.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2976 | 2 | 4849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:40.0 | 23:40.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2977 | 2 | 4849 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:40.0 | 23:40.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2984 | 2 | 4861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:43.0 | 23:43.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2985 | 2 | 4861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:43.0 | 23:43.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2986 | 2 | 4861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:43.0 | 23:43.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2987 | 2 | 4861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:43.0 | 23:43.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2988 | 2 | 4861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:43.0 | 23:43.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2989 | 2 | 4861 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:43.0 | 23:43.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2996 | 2 | 4873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:46.0 | 23:46.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2997 | 2 | 4873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:46.0 | 23:46.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2998 | 2 | 4873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:46.0 | 23:46.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2999 | 2 | 4873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:46.0 | 23:46.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3000 | 2 | 4873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:46.0 | 23:46.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3001 | 2 | 4873 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:46.0 | 23:46.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3008 | 2 | 4885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:49.0 | 23:49.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3009 | 2 | 4885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:49.0 | 23:49.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3010 | 2 | 4885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:49.0 | 23:49.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3011 | 2 | 4885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:49.0 | 23:49.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3012 | 2 | 4885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:49.0 | 23:49.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3013 | 2 | 4885 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:49.0 | 23:49.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3020 | 2 | 4897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:52.0 | 23:52.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3021 | 2 | 4897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:52.0 | 23:52.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3022 | 2 | 4897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:52.0 | 23:52.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3023 | 2 | 4897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:52.0 | 23:52.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3024 | 2 | 4897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:52.0 | 23:52.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3025 | 2 | 4897 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:52.0 | 23:52.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3032 | 2 | 4909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:55.0 | 23:55.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3033 | 2 | 4909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:55.0 | 23:55.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3034 | 2 | 4909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:55.0 | 23:55.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3035 | 2 | 4909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:55.0 | 23:55.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3036 | 2 | 4909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:55.0 | 23:55.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3037 | 2 | 4909 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:55.0 | 23:55.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3044 | 2 | 4921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:58.0 | 23:58.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3045 | 2 | 4921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:58.0 | 23:58.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3046 | 2 | 4921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:58.0 | 23:58.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3047 | 2 | 4921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:58.0 | 23:58.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3048 | 2 | 4921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:58.0 | 23:58.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3049 | 2 | 4921 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 23:58.0 | 23:58.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3056 | 2 | 4933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:01.0 | 24:01.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3057 | 2 | 4933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:01.0 | 24:01.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3058 | 2 | 4933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:01.0 | 24:01.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3059 | 2 | 4933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:01.0 | 24:01.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3060 | 2 | 4933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:01.0 | 24:01.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3061 | 2 | 4933 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:01.0 | 24:01.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3068 | 2 | 4945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:04.0 | 24:04.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3069 | 2 | 4945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:04.0 | 24:04.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3070 | 2 | 4945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:04.0 | 24:04.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3071 | 2 | 4945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:04.0 | 24:04.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3072 | 2 | 4945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:04.0 | 24:04.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3073 | 2 | 4945 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:04.0 | 24:04.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3080 | 2 | 4957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:07.0 | 24:07.0 | Phosgene | | 0 | ppb | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3081 | 2 | 4957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:07.0 | 24:07.0 | alarms | 50-100 | | hilo | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3082 | 2 | 4957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:07.0 | 24:07.0 | state | In monitor | | state | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3083 | 2 | 4957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:07.0 | 24:07.0 | status | Fault:Non | | status | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3084 | 2 | 4957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:07.0 | 24:07.0 | battery | | 87 | % | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3085 | 2 | 4957 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:07.0 | 24:07.0 | flow | | 520 | cc/min | Green | 32.3235 | -80.9411 | 1 | LINC .161 | FALSE | 32.3235 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3092 | 2 | 4969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:10.0 | 24:10.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3093 | 2 | 4969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:10.0 | 24:10.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3094 | 2 | 4969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:10.0 | 24:10.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3095 | 2 | 4969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:10.0 | 24:10.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3096 | 2 | 4969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:10.0 | 24:10.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3097 | 2 | 4969 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:10.0 | 24:10.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3104 | 2 | 4981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:13.0 | 24:13.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3105 | 2 | 4981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:13.0 | 24:13.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3106 | 2 | 4981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:13.0 | 24:13.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3107 | 2 | 4981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:13.0 | 24:13.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3108 | 2 | 4981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:13.0 | 24:13.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3109 | 2 | 4981 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:13.0 | 24:13.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3116 | 2 | 4993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:17.0 | 24:17.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3117 | 2 | 4993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:17.0 | 24:17.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3118 | 2 | 4993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:17.0 | 24:17.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3119 | 2 | 4993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:17.0 | 24:17.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3120 | 2 | 4993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:17.0 | 24:17.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3121 | 2 | 4993 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:17.0 | 24:17.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3128 | 2 | 5005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:20.0 | 24:20.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3129 | 2 | 5005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:20.0 | 24:20.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3130 | 2 | 5005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:20.0 | 24:20.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3131 | 2 | 5005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:20.0 | 24:20.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3132 | 2 | 5005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:20.0 | 24:20.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3133 | 2 | 5005 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:20.0 | 24:20.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3140 | 2 | 5017 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:23.0 | 24:23.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3141 | 2 | 5017 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:23.0 | 24:23.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3142 | 2 | 5017 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:23.0 | 24:23.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3143 | 2 | 5017 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:23.0 | 24:23.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3144 | 2 | 5017 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:23.0 | 24:23.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3145 | 2 | 5017 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:23.0 | 24:23.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3152 | 2 | 5029 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:26.0 | 24:26.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3153 | 2 | 5029 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:26.0 | 24:26.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3154 | 2 | 5029 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:26.0 | 24:26.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3155 | 2 | 5029 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:26.0 | 24:26.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3156 | 2 | 5029 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:26.0 | 24:26.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3157 | 2 | 5029 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:26.0 | 24:26.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3164 | 2 | 5041 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:29.0 | 24:29.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3165 | 2 | 5041 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:29.0 | 24:29.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3166 | 2 | 5041 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:29.0 | 24:29.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3167 | 2 | 5041 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:29.0 | 24:29.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3168 | 2 | 5041 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:29.0 | 24:29.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3169 | 2 | 5041 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:29.0 | 24:29.0 | flow | | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3176 | 2 | 5053 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:32.0 | 24:32.0 | Phosgene | | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3177 | 2 | 5053 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:32.0 | 24:32.0 | alarms | 50-100 | | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3178 | 2 | 5053 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:32.0 | 24:32.0 | state | In monitor | | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3179 | 2 | 5053 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:32.0 | 24:32.0 | status | Fault:Non | | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3180 | 2 | 5053 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:32.0 | 24:32.0 | battery | | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3181 | 2 | 5053 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:32.0 | 24:32.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3188 | 2 | 5065 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:35.0 | 24:35.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3189 | 2 | 5065 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:35.0 | 24:35.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3190 | 2 | 5065 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:35.0 | 24:35.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3191 | 2 | 5065 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:35.0 | 24:35.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3192 | 2 | 5065 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:35.0 | 24:35.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3193 | 2 | 5065 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:35.0 | 24:35.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3200 | 2 | 5077 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:38.0 | 24:38.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3201 | 2 | 5077 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:38.0 | 24:38.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3202 | 2 | 5077 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:38.0 | 24:38.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3203 | 2 | 5077 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:38.0 | 24:38.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3204 | 2 | 5077 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:38.0 | 24:38.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3205 | 2 | 5077 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:38.0 | 24:38.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3212 | 2 | 5089 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:41.0 | 24:41.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3213 | 2 | 5089 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:41.0 | 24:41.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3214 | 2 | 5089 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:41.0 | 24:41.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3215 | 2 | 5089 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:41.0 | 24:41.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3216 | 2 | 5089 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:41.0 | 24:41.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3217 | 2 | 5089 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:41.0 | 24:41.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3224 | 2 | 5101 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:44.0 | 24:44.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3225 | 2 | 5101 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:44.0 | 24:44.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3226 | 2 | 5101 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:44.0 | 24:44.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3227 | 2 | 5101 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:44.0 | 24:44.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3228 | 2 | 5101 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:44.0 | 24:44.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3229 | 2 | 5101 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:44.0 | 24:44.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3230 | 2 | 5113 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:47.0 | 24:47.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3231 | 2 | 5113 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:47.0 | 24:47.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3232 | 2 | 5113 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:47.0 | 24:47.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3233 | 2 | 5113 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:47.0 | 24:47.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3234 | 2 | 5113 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:47.0 | 24:47.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3235 | 2 | 5113 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:47.0 | 24:47.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3236 | 2 | 5119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:50.0 | 24:50.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3237 | 2 | 5119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:50.0 | 24:50.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3238 | 2 | 5119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:50.0 | 24:50.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3239 | 2 | 5119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:50.0 | 24:50.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3240 | 2 | 5119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:50.0 | 24:50.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3241 | 2 | 5119 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:50.0 | 24:50.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3242 | 2 | 5125 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:53.0 | 24:53.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3243 | 2 | 5125 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:53.0 | 24:53.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3244 | 2 | 5125 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:53.0 | 24:53.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3245 | 2 | 5125 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:53.0 | 24:53.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3246 | 2 | 5125 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:53.0 | 24:53.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3247 | 2 | 5125 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:53.0 | 24:53.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3248 | 2 | 5131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:56.0 | 24:56.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3249 | 2 | 5131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:56.0 | 24:56.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3250 | 2 | 5131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:56.0 | 24:56.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3251 | 2 | 5131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:56.0 | 24:56.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3252 | 2 | 5131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:56.0 | 24:56.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3253 | 2 | 5131 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:56.0 | 24:56.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3260 | 2 | 5137 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3261 | 2 | 5137 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3262 | 2 | 5137 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3263 | 2 | 5137 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3264 | 2 | 5137 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3265 | 2 | 5137 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3272 | 2 | 5149 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3273 | 2 | 5149 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3274 | 2 | 5149 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3275 | 2 | 5149 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3276 | 2 | 5149 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3277 | 2 | 5149 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3284 | 2 | 5161 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3285 | 2 | 5161 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3286 | 2 | 5161 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3287 | 2 | 5161 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3288 | 2 | 5161 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3289 | 2 | 5161 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3332 | 2 | 5173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3333 | 2 | 5173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3334 | 2 | 5173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3335 | 2 | 5173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3336 | 2 | 5173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC.161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3337 | 2 | 5173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3374 | 2 | 5221 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:29.0 | 25:29.0 | Phosgene | 0 | ppb | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3375 | 2 | 5221 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:29.0 | 25:29.0 | alarms | 50-100 | hilo | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3376 | 2 | 5221 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:29.0 | 25:29.0 | state | In monitor | state | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3377 | 2 | 5221 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:29.0 | 25:29.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3378 | 2 | 5221 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:29.0 | 25:29.0 | battery | 87 | % | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3379 | 2 | 5221 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 25:29.0 | 25:29.0 | flow | 520 | cc/min | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3416 | 2 | 5299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:06.0 | 26:06.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3417 | 2 | 5299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:06.0 | 26:06.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3418 | 2 | 5299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:06.0 | 26:06.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3419 | 2 | 5299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:06.0 | 26:06.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3420 | 2 | 5299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:06.0 | 26:06.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3421 | 2 | 5299 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:06.0 | 26:06.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3422 | 2 | 5305 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:09.0 | 26:09.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 25 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3423 | 2 | 5305 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:09.0 | 26:09.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 25 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3424 | 2 | 5305 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:09.0 | 26:09.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 25 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3425 | 2 | 5305 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:09.0 | 26:09.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 25 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3426 | 2 | 5305 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:09.0 | 26:09.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 25 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3427 | 2 | 5305 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:09.0 | 26:09.0 | flow | 520 | cc/min | Green | 32.32351 | -80.9411 | 25 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3476 | 2 | 5311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3477 | 2 | 5311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3478 | 2 | 5311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3479 | 2 | 5311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3480 | 2 | 5311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3481 | 2 | 5311 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | flow | 0 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3506 | 2 | 5365 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | Phosgene | 0 | ppb | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3507 | 2 | 5365 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | alarms | 50-100 | hilo | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3508 | 2 | 5365 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | state | In monitor | state | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3509 | 2 | 5365 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3510 | 2 | 5365 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | battery | 87 | % | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3511 | 2 | 5365 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | flow | 0 | cc/min | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3512 | 2 | 5395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:49.0 | 26:49.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3513 | 2 | 5395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:49.0 | 26:49.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3514 | 2 | 5395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:49.0 | 26:49.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3515 | 2 | 5395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:49.0 | 26:49.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3516 | 2 | 5395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:49.0 | 26:49.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3517 | 2 | 5395 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:49.0 | 26:49.0 | flow | 510 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3524 | 2 | 5401 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:52.0 | 26:52.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3525 | 2 | 5401 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:52.0 | 26:52.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3526 | 2 | 5401 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:52.0 | 26:52.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3527 | 2 | 5401 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:52.0 | 26:52.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3528 | 2 | 5401 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:52.0 | 26:52.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3529 | 2 | 5401 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:52.0 | 26:52.0 | flow | 509 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3536 | 2 | 5413 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3537 | 2 | 5413 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3538 | 2 | 5413 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3539 | 2 | 5413 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3540 | 2 | 5413 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3541 | 2 | 5413 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | flow | 509 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3548 | 2 | 5425 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3549 | 2 | 5425 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3550 | 2 | 5425 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3551 | 2 | 5425 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3552 | 2 | 5425 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3553 | 2 | 5425 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | flow | 509 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3560 | 2 | 5437 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3561 | 2 | 5437 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3562 | 2 | 5437 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3563 | 2 | 5437 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3564 | 2 | 5437 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3565 | 2 | 5437 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | flow | 509 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3572 | 2 | 5449 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3573 | 2 | 5449 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3574 | 2 | 5449 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3575 | 2 | 5449 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3576 | 2 | 5449 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3577 | 2 | 5449 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | flow | 508 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3584 | 2 | 5461 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3585 | 2 | 5461 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3586 | 2 | 5461 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3587 | 2 | 5461 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3588 | 2 | 5461 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3589 | 2 | 5461 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | flow | 508 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3596 | 2 | 5473 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3597 | 2 | 5473 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3598 | 2 | 5473 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3599 | 2 | 5473 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3600 | 2 | 5473 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3601 | 2 | 5473 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | flow | 507 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3608 | 2 | 5485 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3609 | 2 | 5485 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3610 | 2 | 5485 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3611 | 2 | 5485 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3612 | 2 | 5485 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3613 | 2 | 5485 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | flow | 508 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3620 | 2 | 5497 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3621 | 2 | 5497 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3622 | 2 | 5497 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3623 | 2 | 5497 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3624 | 2 | 5497 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3625 | 2 | 5497 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | flow | 507 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3632 | 2 | 5509 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3633 | 2 | 5509 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3634 | 2 | 5509 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3635 | 2 | 5509 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3636 | 2 | 5509 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3637 | 2 | 5509 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | flow | 507 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3644 | 2 | 5521 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3645 | 2 | 5521 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3646 | 2 | 5521 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3647 | 2 | 5521 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3648 | 2 | 5521 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3649 | 2 | 5521 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | flow | 507 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3656 | 2 | 5533 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3657 | 2 | 5533 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3658 | 2 | 5533 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3659 | 2 | 5533 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3660 | 2 | 5533 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3661 | 2 | 5533 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | flow | 507 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3668 | 2 | 5545 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3669 | 2 | 5545 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3670 | 2 | 5545 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3671 | 2 | 5545 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3672 | 2 | 5545 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3673 | 2 | 5545 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | flow | 506 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3680 | 2 | 5557 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3681 | 2 | 5557 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3682 | 2 | 5557 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3683 | 2 | 5557 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3684 | 2 | 5557 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3685 | 2 | 5557 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | flow | 506 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3692 | 2 | 5569 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:35.0 | 27:35.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3693 | 2 | 5569 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:35.0 | 27:35.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3694 | 2 | 5569 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:35.0 | 27:35.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3695 | 2 | 5569 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:35.0 | 27:35.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3696 | 2 | 5569 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:35.0 | 27:35.0 | battery | 87 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3697 | 2 | 5569 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:35.0 | 27:35.0 | flow | 506 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3704 | 2 | 5581 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:38.0 | 27:38.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3705 | 2 | 5581 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:38.0 | 27:38.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3706 | 2 | 5581 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:38.0 | 27:38.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3707 | 2 | 5581 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:38.0 | 27:38.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3708 | 2 | 5581 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:38.0 | 27:38.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3709 | 2 | 5581 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:38.0 | 27:38.0 | flow | 506 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3716 | 2 | 5593 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:41.0 | 27:41.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3717 | 2 | 5593 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:41.0 | 27:41.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3718 | 2 | 5593 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:41.0 | 27:41.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3719 | 2 | 5593 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:41.0 | 27:41.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3720 | 2 | 5593 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:41.0 | 27:41.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3721 | 2 | 5593 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:41.0 | 27:41.0 | flow | 506 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3740 | 2 | 5605 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:44.0 | 27:44.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3741 | 2 | 5605 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:44.0 | 27:44.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3742 | 2 | 5605 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:44.0 | 27:44.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3743 | 2 | 5605 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:44.0 | 27:44.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3744 | 2 | 5605 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:44.0 | 27:44.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3745 | 2 | 5605 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 27:44.0 | 27:44.0 | flow | 506 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3764 | 2 | 5635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:05.0 | 28:05.0 | Phosgene | 0 | ppb | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3765 | 2 | 5635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:05.0 | 28:05.0 | alarms | 50-100 | hilo | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3766 | 2 | 5635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:05.0 | 28:05.0 | state | In monitor | state | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3767 | 2 | 5635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:05.0 | 28:05.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3768 | 2 | 5635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:05.0 | 28:05.0 | battery | 86 | % | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3769 | 2 | 5635 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:05.0 | 28:05.0 | flow | 506 | cc/min | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3776 | 2 | 5653 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:19.0 | 28:19.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3777 | 2 | 5653 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:19.0 | 28:19.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3778 | 2 | 5653 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:19.0 | 28:19.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3779 | 2 | 5653 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:19.0 | 28:19.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3780 | 2 | 5653 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:19.0 | 28:19.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3781 | 2 | 5653 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:19.0 | 28:19.0 | flow | 505 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3788 | 2 | 5665 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:22.0 | 28:22.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3789 | 2 | 5665 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:22.0 | 28:22.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3790 | 2 | 5665 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:22.0 | 28:22.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3791 | 2 | 5665 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:22.0 | 28:22.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3792 | 2 | 5665 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:22.0 | 28:22.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3793 | 2 | 5665 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:22.0 | 28:22.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3800 | 2 | 5677 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:25.0 | 28:25.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3801 | 2 | 5677 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:25.0 | 28:25.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3802 | 2 | 5677 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:25.0 | 28:25.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3803 | 2 | 5677 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:25.0 | 28:25.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3804 | 2 | 5677 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:25.0 | 28:25.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3805 | 2 | 5677 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:25.0 | 28:25.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3812 | 2 | 5689 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:28.0 | 28:28.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3813 | 2 | 5689 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:28.0 | 28:28.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3814 | 2 | 5689 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:28.0 | 28:28.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3815 | 2 | 5689 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:28.0 | 28:28.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3816 | 2 | 5689 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:28.0 | 28:28.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3817 | 2 | 5689 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:28.0 | 28:28.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3824 | 2 | 5701 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:31.0 | 28:31.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3825 | 2 | 5701 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:31.0 | 28:31.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3826 | 2 | 5701 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:31.0 | 28:31.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3827 | 2 | 5701 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:31.0 | 28:31.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3828 | 2 | 5701 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:31.0 | 28:31.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3829 | 2 | 5701 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:31.0 | 28:31.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3836 | 2 | 5713 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:34.0 | 28:34.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3837 | 2 | 5713 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:34.0 | 28:34.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3838 | 2 | 5713 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:34.0 | 28:34.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3839 | 2 | 5713 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:34.0 | 28:34.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3840 | 2 | 5713 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:34.0 | 28:34.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3841 | 2 | 5713 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:34.0 | 28:34.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3848 | 2 | 5725 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:37.0 | 28:37.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3849 | 2 | 5725 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:37.0 | 28:37.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3850 | 2 | 5725 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:37.0 | 28:37.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3851 | 2 | 5725 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:37.0 | 28:37.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3852 | 2 | 5725 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:37.0 | 28:37.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3853 | 2 | 5725 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:37.0 | 28:37.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3860 | 2 | 5737 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:40.0 | 28:40.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3861 | 2 | 5737 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:40.0 | 28:40.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3862 | 2 | 5737 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:40.0 | 28:40.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3863 | 2 | 5737 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:40.0 | 28:40.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3864 | 2 | 5737 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:40.0 | 28:40.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3865 | 2 | 5737 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:40.0 | 28:40.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3872 | 2 | 5749 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3873 | 2 | 5749 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3874 | 2 | 5749 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3875 | 2 | 5749 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3876 | 2 | 5749 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3877 | 2 | 5749 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3890 | 2 | 5761 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3891 | 2 | 5761 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3892 | 2 | 5761 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3893 | 2 | 5761 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3894 | 2 | 5761 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3895 | 2 | 5761 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3896 | 2 | 5779 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3897 | 2 | 5779 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3898 | 2 | 5779 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3899 | 2 | 5779 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3900 | 2 | 5779 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3901 | 2 | 5779 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3908 | 2 | 5785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3909 | 2 | 5785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3910 | 2 | 5785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3911 | 2 | 5785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3912 | 2 | 5785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3913 | 2 | 5785 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | flow | 504 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3920 | 2 | 5797 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3921 | 2 | 5797 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3922 | 2 | 5797 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3923 | 2 | 5797 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3924 | 2 | 5797 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3925 | 2 | 5797 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3932 | 2 | 5809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3933 | 2 | 5809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3934 | 2 | 5809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3935 | 2 | 5809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3936 | 2 | 5809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3937 | 2 | 5809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3944 | 2 | 5821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3945 | 2 | 5821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3946 | 2 | 5821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3947 | 2 | 5821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3948 | 2 | 5821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3949 | 2 | 5821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3956 | 2 | 5833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3957 | 2 | 5833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3958 | 2 | 5833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3959 | 2 | 5833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3960 | 2 | 5833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3961 | 2 | 5833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3968 | 2 | 5845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3969 | 2 | 5845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3970 | 2 | 5845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3971 | 2 | 5845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3972 | 2 | 5845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3973 | 2 | 5845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3980 | 2 | 5857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3981 | 2 | 5857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3982 | 2 | 5857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3983 | 2 | 5857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3984 | 2 | 5857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3985 | 2 | 5857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3992 | 2 | 5869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3993 | 2 | 5869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3994 | 2 | 5869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3995 | 2 | 5869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3996 | 2 | 5869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3997 | 2 | 5869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4004 | 2 | 5881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4005 | 2 | 5881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4006 | 2 | 5881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4007 | 2 | 5881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4008 | 2 | 5881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4009 | 2 | 5881 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4016 | 2 | 5893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4017 | 2 | 5893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4018 | 2 | 5893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4019 | 2 | 5893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4020 | 2 | 5893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4021 | 2 | 5893 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4028 | 2 | 5905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4029 | 2 | 5905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4030 | 2 | 5905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4031 | 2 | 5905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4032 | 2 | 5905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4033 | 2 | 5905 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4040 | 2 | 5917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4041 | 2 | 5917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4042 | 2 | 5917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4043 | 2 | 5917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4044 | 2 | 5917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4045 | 2 | 5917 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4052 | 2 | 5929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4053 | 2 | 5929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4054 | 2 | 5929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4055 | 2 | 5929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4056 | 2 | 5929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4057 | 2 | 5929 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4070 | 2 | 5941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4071 | 2 | 5941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4072 | 2 | 5941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4073 | 2 | 5941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4074 | 2 | 5941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4075 | 2 | 5941 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4076 | 2 | 5959 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4077 | 2 | 5959 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4078 | 2 | 5959 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4079 | 2 | 5959 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4080 | 2 | 5959 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4081 | 2 | 5959 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4088 | 2 | 5965 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4089 | 2 | 5965 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4090 | 2 | 5965 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4091 | 2 | 5965 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4092 | 2 | 5965 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4093 | 2 | 5965 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4100 | 2 | 5977 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4101 | 2 | 5977 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4102 | 2 | 5977 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4103 | 2 | 5977 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4104 | 2 | 5977 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4105 | 2 | 5977 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4112 | 2 | 5989 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4113 | 2 | 5989 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4114 | 2 | 5989 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4115 | 2 | 5989 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4116 | 2 | 5989 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4117 | 2 | 5989 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4124 | 2 | 6001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4125 | 2 | 6001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4126 | 2 | 6001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4127 | 2 | 6001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4128 | 2 | 6001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4129 | 2 | 6001 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4136 | 2 | 6013 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4137 | 2 | 6013 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4138 | 2 | 6013 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4139 | 2 | 6013 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4140 | 2 | 6013 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4141 | 2 | 6013 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4148 | 2 | 6025 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4149 | 2 | 6025 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4150 | 2 | 6025 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4151 | 2 | 6025 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4152 | 2 | 6025 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4153 | 2 | 6025 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4160 | 2 | 6037 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4161 | 2 | 6037 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4162 | 2 | 6037 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4163 | 2 | 6037 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4164 | 2 | 6037 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4165 | 2 | 6037 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4172 | 2 | 6049 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4173 | 2 | 6049 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4174 | 2 | 6049 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4175 | 2 | 6049 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4176 | 2 | 6049 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4177 | 2 | 6049 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4184 | 2 | 6061 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4185 | 2 | 6061 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4186 | 2 | 6061 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4187 | 2 | 6061 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4188 | 2 | 6061 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4189 | 2 | 6061 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4196 | 2 | 6073 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4197 | 2 | 6073 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4198 | 2 | 6073 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4199 | 2 | 6073 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4200 | 2 | 6073 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4201 | 2 | 6073 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4208 | 2 | 6085 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4209 | 2 | 6085 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4210 | 2 | 6085 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4211 | 2 | 6085 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4212 | 2 | 6085 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4213 | 2 | 6085 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | flow | 503 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4220 | 2 | 6097 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4221 | 2 | 6097 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4222 | 2 | 6097 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4223 | 2 | 6097 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4224 | 2 | 6097 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4225 | 2 | 6097 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4232 | 2 | 6109 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4233 | 2 | 6109 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4234 | 2 | 6109 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4235 | 2 | 6109 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4236 | 2 | 6109 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4237 | 2 | 6109 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4250 | 2 | 6121 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4251 | 2 | 6121 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4252 | 2 | 6121 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4253 | 2 | 6121 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4254 | 2 | 6121 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4255 | 2 | 6121 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4262 | 2 | 6139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:54.0 | 30:54.0 | Phosgene | 0 | ppb | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4263 | 2 | 6139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:54.0 | 30:54.0 | alarms | 50-100 | hilo | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4264 | 2 | 6139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:54.0 | 30:54.0 | state | In monitor | state | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4265 | 2 | 6139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:54.0 | 30:54.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4266 | 2 | 6139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:54.0 | 30:54.0 | battery | 86 | % | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4267 | 2 | 6139 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 30:54.0 | 30:54.0 | flow | 502 | cc/min | Gray | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4274 | 2 | 6151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:22.0 | 31:22.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4275 | 2 | 6151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:22.0 | 31:22.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4276 | 2 | 6151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:22.0 | 31:22.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4277 | 2 | 6151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:22.0 | 31:22.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4278 | 2 | 6151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:22.0 | 31:22.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4279 | 2 | 6151 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:22.0 | 31:22.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4280 | 2 | 6157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:25.0 | 31:25.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4281 | 2 | 6157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:25.0 | 31:25.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4282 | 2 | 6157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:25.0 | 31:25.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4283 | 2 | 6157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:25.0 | 31:25.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4284 | 2 | 6157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:25.0 | 31:25.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4285 | 2 | 6157 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:25.0 | 31:25.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4286 | 2 | 6163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:28.0 | 31:28.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4287 | 2 | 6163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:28.0 | 31:28.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4288 | 2 | 6163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:28.0 | 31:28.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4289 | 2 | 6163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:28.0 | 31:28.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4290 | 2 | 6163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:28.0 | 31:28.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4291 | 2 | 6163 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:28.0 | 31:28.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4292 | 2 | 6169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:47.0 | 31:47.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4293 | 2 | 6169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:47.0 | 31:47.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4294 | 2 | 6169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:47.0 | 31:47.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4295 | 2 | 6169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:47.0 | 31:47.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4296 | 2 | 6169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:47.0 | 31:47.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4297 | 2 | 6169 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:47.0 | 31:47.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4298 | 2 | 6175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:50.0 | 31:50.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4299 | 2 | 6175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:50.0 | 31:50.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4300 | 2 | 6175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:50.0 | 31:50.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4301 | 2 | 6175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:50.0 | 31:50.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4302 | 2 | 6175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:50.0 | 31:50.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4303 | 2 | 6175 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:50.0 | 31:50.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4304 | 2 | 6181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:54.0 | 31:54.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4305 | 2 | 6181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:54.0 | 31:54.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4306 | 2 | 6181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:54.0 | 31:54.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4307 | 2 | 6181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:54.0 | 31:54.0 | status | Fault:None | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4308 | 2 | 6181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:54.0 | 31:54.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4309 | 2 | 6181 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:54.0 | 31:54.0 | flow | 502 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4310 | 2 | 6187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4311 | 2 | 6187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4312 | 2 | 6187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4313 | 2 | 6187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4314 | 2 | 6187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4315 | 2 | 6187 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | flow | 501 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4322 | 2 | 6199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | Phosgene | 0 | ppb | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4323 | 2 | 6199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | alarms | 50-100 | hilo | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4324 | 2 | 6199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | state | In monitor | state | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4325 | 2 | 6199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | status | Fault:Non | status | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4326 | 2 | 6199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | battery | 86 | % | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4327 | 2 | 6199 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | flow | 501 | cc/min | Green | 32.32351 | -80.9411 | 1 | LINC .161 | FALSE | 32.32351 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4334 | 2 | 6211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4335 | 2 | 6211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4336 | 2 | 6211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4337 | 2 | 6211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4338 | 2 | 6211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4339 | 2 | 6211 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | flow | 502 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4346 | 2 | 6223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4347 | 2 | 6223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4348 | 2 | 6223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4349 | 2 | 6223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4350 | 2 | 6223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4351 | 2 | 6223 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4382 | 2 | 6241 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:29.0 | 32:29.0 | Phosgene | 0 | ppb | Gray | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4383 | 2 | 6241 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:29.0 | 32:29.0 | alarms | 50-100 | hilo | Gray | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4384 | 2 | 6241 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:29.0 | 32:29.0 | state | In monitor | state | Gray | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4385 | 2 | 6241 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:29.0 | 32:29.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4386 | 2 | 6241 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:29.0 | 32:29.0 | battery | 86 | % | Gray | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4387 | 2 | 6241 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:29.0 | 32:29.0 | flow | 501 | cc/min | Gray | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4394 | 2 | 6271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:43.0 | 32:43.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4395 | 2 | 6271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:43.0 | 32:43.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4396 | 2 | 6271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:43.0 | 32:43.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4397 | 2 | 6271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:43.0 | 32:43.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4398 | 2 | 6271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:43.0 | 32:43.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4399 | 2 | 6271 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:43.0 | 32:43.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4406 | 2 | 6283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:46.0 | 32:46.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4407 | 2 | 6283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:46.0 | 32:46.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4408 | 2 | 6283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:46.0 | 32:46.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4409 | 2 | 6283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:46.0 | 32:46.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4410 | 2 | 6283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:46.0 | 32:46.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4411 | 2 | 6283 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:46.0 | 32:46.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4418 | 2 | 6295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:49.0 | 32:49.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4419 | 2 | 6295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:49.0 | 32:49.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4420 | 2 | 6295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:49.0 | 32:49.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4421 | 2 | 6295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:49.0 | 32:49.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4422 | 2 | 6295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:49.0 | 32:49.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4423 | 2 | 6295 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:49.0 | 32:49.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4430 | 2 | 6307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:52.0 | 32:52.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4431 | 2 | 6307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:52.0 | 32:52.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4432 | 2 | 6307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:52.0 | 32:52.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4433 | 2 | 6307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:52.0 | 32:52.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4434 | 2 | 6307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:52.0 | 32:52.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4435 | 2 | 6307 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:52.0 | 32:52.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4442 | 2 | 6319 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:55.0 | 32:55.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4443 | 2 | 6319 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:55.0 | 32:55.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4444 | 2 | 6319 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:55.0 | 32:55.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4445 | 2 | 6319 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:55.0 | 32:55.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4446 | 2 | 6319 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:55.0 | 32:55.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4447 | 2 | 6319 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:55.0 | 32:55.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4454 | 2 | 6331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:58.0 | 32:58.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4455 | 2 | 6331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:58.0 | 32:58.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4456 | 2 | 6331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:58.0 | 32:58.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4457 | 2 | 6331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:58.0 | 32:58.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4458 | 2 | 6331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:58.0 | 32:58.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4459 | 2 | 6331 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 32:58.0 | 32:58.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4466 | 2 | 6343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:02.0 | 33:02.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4467 | 2 | 6343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:02.0 | 33:02.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4468 | 2 | 6343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:02.0 | 33:02.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4469 | 2 | 6343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:02.0 | 33:02.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4470 | 2 | 6343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:02.0 | 33:02.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4471 | 2 | 6343 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:02.0 | 33:02.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4478 | 2 | 6355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:05.0 | 33:05.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4479 | 2 | 6355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:05.0 | 33:05.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4480 | 2 | 6355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:05.0 | 33:05.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4481 | 2 | 6355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:05.0 | 33:05.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4482 | 2 | 6355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:05.0 | 33:05.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4483 | 2 | 6355 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:05.0 | 33:05.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4490 | 2 | 6367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4491 | 2 | 6367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4492 | 2 | 6367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4493 | 2 | 6367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4494 | 2 | 6367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4495 | 2 | 6367 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4502 | 2 | 6379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4503 | 2 | 6379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4504 | 2 | 6379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4505 | 2 | 6379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4506 | 2 | 6379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4507 | 2 | 6379 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4514 | 2 | 6391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4515 | 2 | 6391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4516 | 2 | 6391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4517 | 2 | 6391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4518 | 2 | 6391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4519 | 2 | 6391 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4526 | 2 | 6403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4527 | 2 | 6403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4528 | 2 | 6403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4529 | 2 | 6403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4530 | 2 | 6403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4531 | 2 | 6403 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4538 | 2 | 6415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4539 | 2 | 6415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4540 | 2 | 6415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4541 | 2 | 6415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4542 | 2 | 6415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4543 | 2 | 6415 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4550 | 2 | 6427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4551 | 2 | 6427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4552 | 2 | 6427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4553 | 2 | 6427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4554 | 2 | 6427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4555 | 2 | 6427 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4556 | 2 | 6433 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4557 | 2 | 6433 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4558 | 2 | 6433 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4559 | 2 | 6433 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4560 | 2 | 6433 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4561 | 2 | 6433 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4568 | 2 | 6445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4569 | 2 | 6445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4570 | 2 | 6445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4571 | 2 | 6445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4572 | 2 | 6445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4573 | 2 | 6445 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4574 | 2 | 6457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:41.0 | 33:41.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4575 | 2 | 6457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:41.0 | 33:41.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4576 | 2 | 6457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:41.0 | 33:41.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4577 | 2 | 6457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:41.0 | 33:41.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4578 | 2 | 6457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:41.0 | 33:41.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4579 | 2 | 6457 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:41.0 | 33:41.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4580 | 2 | 6463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:44.0 | 33:44.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4581 | 2 | 6463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:44.0 | 33:44.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4582 | 2 | 6463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:44.0 | 33:44.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4583 | 2 | 6463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:44.0 | 33:44.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4584 | 2 | 6463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:44.0 | 33:44.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4585 | 2 | 6463 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:44.0 | 33:44.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4586 | 2 | 6469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:47.0 | 33:47.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4587 | 2 | 6469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:47.0 | 33:47.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4588 | 2 | 6469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:47.0 | 33:47.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4589 | 2 | 6469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:47.0 | 33:47.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4590 | 2 | 6469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:47.0 | 33:47.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4591 | 2 | 6469 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:47.0 | 33:47.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4592 | 2 | 6475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:50.0 | 33:50.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4593 | 2 | 6475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:50.0 | 33:50.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4594 | 2 | 6475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:50.0 | 33:50.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4595 | 2 | 6475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:50.0 | 33:50.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4596 | 2 | 6475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:50.0 | 33:50.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4597 | 2 | 6475 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:50.0 | 33:50.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4598 | 2 | 6481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:53.0 | 33:53.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4599 | 2 | 6481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:53.0 | 33:53.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4600 | 2 | 6481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:53.0 | 33:53.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4601 | 2 | 6481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:53.0 | 33:53.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4602 | 2 | 6481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:53.0 | 33:53.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4603 | 2 | 6481 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:53.0 | 33:53.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4604 | 2 | 6487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:56.0 | 33:56.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4605 | 2 | 6487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:56.0 | 33:56.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4606 | 2 | 6487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:56.0 | 33:56.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4607 | 2 | 6487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:56.0 | 33:56.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4608 | 2 | 6487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:56.0 | 33:56.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4609 | 2 | 6487 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:56.0 | 33:56.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4616 | 2 | 6493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4617 | 2 | 6493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4618 | 2 | 6493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4619 | 2 | 6493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4620 | 2 | 6493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4621 | 2 | 6493 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4622 | 2 | 6505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4623 | 2 | 6505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4624 | 2 | 6505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4625 | 2 | 6505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4626 | 2 | 6505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4627 | 2 | 6505 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4628 | 2 | 6511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:05.0 | 34:05.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4629 | 2 | 6511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:05.0 | 34:05.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4630 | 2 | 6511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:05.0 | 34:05.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4631 | 2 | 6511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:05.0 | 34:05.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4632 | 2 | 6511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:05.0 | 34:05.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4633 | 2 | 6511 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:05.0 | 34:05.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4634 | 2 | 6517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:08.0 | 34:08.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4635 | 2 | 6517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:08.0 | 34:08.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4636 | 2 | 6517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:08.0 | 34:08.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4637 | 2 | 6517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:08.0 | 34:08.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4638 | 2 | 6517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:08.0 | 34:08.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4639 | 2 | 6517 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:08.0 | 34:08.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4646 | 2 | 6523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:11.0 | 34:11.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4647 | 2 | 6523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:11.0 | 34:11.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4648 | 2 | 6523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:11.0 | 34:11.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4649 | 2 | 6523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:11.0 | 34:11.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4650 | 2 | 6523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:11.0 | 34:11.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4651 | 2 | 6523 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:11.0 | 34:11.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4658 | 2 | 6535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4659 | 2 | 6535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4660 | 2 | 6535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4661 | 2 | 6535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4662 | 2 | 6535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | battery | 86 | % | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4663 | 2 | 6535 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | flow | 501 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC .161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4670 | 2 | 6547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4671 | 2 | 6547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4672 | 2 | 6547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4673 | 2 | 6547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4674 | 2 | 6547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | battery | 86 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4675 | 2 | 6547 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4682 | 2 | 6559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4683 | 2 | 6559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4684 | 2 | 6559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4685 | 2 | 6559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4686 | 2 | 6559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | battery | 86 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4687 | 2 | 6559 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4694 | 2 | 6571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4695 | 2 | 6571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4696 | 2 | 6571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4697 | 2 | 6571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4698 | 2 | 6571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | battery | 86 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4699 | 2 | 6571 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4706 | 2 | 6583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4707 | 2 | 6583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4708 | 2 | 6583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4709 | 2 | 6583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4710 | 2 | 6583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4711 | 2 | 6583 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4718 | 2 | 6595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4719 | 2 | 6595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4720 | 2 | 6595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4721 | 2 | 6595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4722 | 2 | 6595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4723 | 2 | 6595 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4730 | 2 | 6607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4731 | 2 | 6607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4732 | 2 | 6607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4733 | 2 | 6607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4734 | 2 | 6607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4735 | 2 | 6607 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4742 | 2 | 6619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:36.0 | 34:36.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4743 | 2 | 6619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:36.0 | 34:36.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4744 | 2 | 6619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:36.0 | 34:36.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4745 | 2 | 6619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:36.0 | 34:36.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4746 | 2 | 6619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:36.0 | 34:36.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4747 | 2 | 6619 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:36.0 | 34:36.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4754 | 2 | 6631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:39.0 | 34:39.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4755 | 2 | 6631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:39.0 | 34:39.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4756 | 2 | 6631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:39.0 | 34:39.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4757 | 2 | 6631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:39.0 | 34:39.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4758 | 2 | 6631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:39.0 | 34:39.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4759 | 2 | 6631 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:39.0 | 34:39.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4766 | 2 | 6643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:42.0 | 34:42.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4767 | 2 | 6643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:42.0 | 34:42.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4768 | 2 | 6643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:42.0 | 34:42.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4769 | 2 | 6643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:42.0 | 34:42.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4770 | 2 | 6643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:42.0 | 34:42.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4771 | 2 | 6643 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:42.0 | 34:42.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4778 | 2 | 6655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:45.0 | 34:45.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4779 | 2 | 6655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:45.0 | 34:45.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4780 | 2 | 6655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:45.0 | 34:45.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4781 | 2 | 6655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:45.0 | 34:45.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4782 | 2 | 6655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:45.0 | 34:45.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4783 | 2 | 6655 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:45.0 | 34:45.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4790 | 2 | 6667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:48.0 | 34:48.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4791 | 2 | 6667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:48.0 | 34:48.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4792 | 2 | 6667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:48.0 | 34:48.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4793 | 2 | 6667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:48.0 | 34:48.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4794 | 2 | 6667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:48.0 | 34:48.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4795 | 2 | 6667 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:48.0 | 34:48.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4802 | 2 | 6679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:51.0 | 34:51.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4803 | 2 | 6679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:51.0 | 34:51.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4804 | 2 | 6679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:51.0 | 34:51.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4805 | 2 | 6679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:51.0 | 34:51.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4806 | 2 | 6679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:51.0 | 34:51.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4807 | 2 | 6679 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:51.0 | 34:51.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4814 | 2 | 6691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4815 | 2 | 6691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4816 | 2 | 6691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4817 | 2 | 6691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4818 | 2 | 6691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4819 | 2 | 6691 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4826 | 2 | 6703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4827 | 2 | 6703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4828 | 2 | 6703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4829 | 2 | 6703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4830 | 2 | 6703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4831 | 2 | 6703 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4838 | 2 | 6715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4839 | 2 | 6715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4840 | 2 | 6715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4841 | 2 | 6715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4842 | 2 | 6715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4843 | 2 | 6715 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4850 | 2 | 6727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4851 | 2 | 6727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4852 | 2 | 6727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4853 | 2 | 6727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4854 | 2 | 6727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4855 | 2 | 6727 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4862 | 2 | 6739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4863 | 2 | 6739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4864 | 2 | 6739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4865 | 2 | 6739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4866 | 2 | 6739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4867 | 2 | 6739 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4874 | 2 | 6751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4875 | 2 | 6751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4876 | 2 | 6751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4877 | 2 | 6751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4878 | 2 | 6751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4879 | 2 | 6751 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4886 | 2 | 6763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4887 | 2 | 6763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4888 | 2 | 6763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4889 | 2 | 6763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4890 | 2 | 6763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4891 | 2 | 6763 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4892 | 2 | 6775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4893 | 2 | 6775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4894 | 2 | 6775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4895 | 2 | 6775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4896 | 2 | 6775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4897 | 2 | 6775 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | flow | 501 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4904 | 2 | 6781 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4905 | 2 | 6781 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4906 | 2 | 6781 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4907 | 2 | 6781 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4908 | 2 | 6781 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4909 | 2 | 6781 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4916 | 2 | 6793 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4917 | 2 | 6793 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4918 | 2 | 6793 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4919 | 2 | 6793 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4920 | 2 | 6793 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4921 | 2 | 6793 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4928 | 2 | 6805 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4929 | 2 | 6805 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4930 | 2 | 6805 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4931 | 2 | 6805 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4932 | 2 | 6805 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4933 | 2 | 6805 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4940 | 2 | 6817 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4941 | 2 | 6817 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4942 | 2 | 6817 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4943 | 2 | 6817 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4944 | 2 | 6817 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4945 | 2 | 6817 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4952 | 2 | 6829 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4953 | 2 | 6829 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4954 | 2 | 6829 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4955 | 2 | 6829 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4956 | 2 | 6829 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4957 | 2 | 6829 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4964 | 2 | 6841 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4965 | 2 | 6841 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4966 | 2 | 6841 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4967 | 2 | 6841 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4968 | 2 | 6841 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4969 | 2 | 6841 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4976 | 2 | 6853 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4977 | 2 | 6853 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4978 | 2 | 6853 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4979 | 2 | 6853 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4980 | 2 | 6853 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4981 | 2 | 6853 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4988 | 2 | 6865 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:39.0 | 35:39.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4989 | 2 | 6865 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:39.0 | 35:39.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4990 | 2 | 6865 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:39.0 | 35:39.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4991 | 2 | 6865 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:39.0 | 35:39.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4992 | 2 | 6865 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:39.0 | 35:39.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4993 | 2 | 6865 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:39.0 | 35:39.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5000 | 2 | 6877 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:42.0 | 35:42.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5001 | 2 | 6877 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:42.0 | 35:42.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5002 | 2 | 6877 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:42.0 | 35:42.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5003 | 2 | 6877 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:42.0 | 35:42.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5004 | 2 | 6877 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:42.0 | 35:42.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5005 | 2 | 6877 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:42.0 | 35:42.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5012 | 2 | 6889 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:45.0 | 35:45.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5013 | 2 | 6889 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:45.0 | 35:45.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5014 | 2 | 6889 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:45.0 | 35:45.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5015 | 2 | 6889 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:45.0 | 35:45.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5016 | 2 | 6889 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:45.0 | 35:45.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5017 | 2 | 6889 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:45.0 | 35:45.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5024 | 2 | 6901 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5025 | 2 | 6901 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5026 | 2 | 6901 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5027 | 2 | 6901 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5028 | 2 | 6901 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5029 | 2 | 6901 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5036 | 2 | 6913 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5037 | 2 | 6913 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5038 | 2 | 6913 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5039 | 2 | 6913 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5040 | 2 | 6913 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5041 | 2 | 6913 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5048 | 2 | 6925 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5049 | 2 | 6925 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5050 | 2 | 6925 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5051 | 2 | 6925 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5052 | 2 | 6925 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5053 | 2 | 6925 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5060 | 2 | 6937 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5061 | 2 | 6937 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5062 | 2 | 6937 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5063 | 2 | 6937 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5064 | 2 | 6937 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5065 | 2 | 6937 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5072 | 2 | 6949 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5073 | 2 | 6949 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5074 | 2 | 6949 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5075 | 2 | 6949 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5076 | 2 | 6949 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5077 | 2 | 6949 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5084 | 2 | 6961 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5085 | 2 | 6961 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5086 | 2 | 6961 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5087 | 2 | 6961 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5088 | 2 | 6961 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5089 | 2 | 6961 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5102 | 2 | 6973 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5103 | 2 | 6973 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5104 | 2 | 6973 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5105 | 2 | 6973 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5106 | 2 | 6973 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5107 | 2 | 6973 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5114 | 2 | 6991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5115 | 2 | 6991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5116 | 2 | 6991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5117 | 2 | 6991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5118 | 2 | 6991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5119 | 2 | 6991 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5120 | 2 | 7003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5121 | 2 | 7003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5122 | 2 | 7003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5123 | 2 | 7003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5124 | 2 | 7003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5125 | 2 | 7003 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5138 | 2 | 7009 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:16.0 | 36:16.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5139 | 2 | 7009 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:16.0 | 36:16.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5140 | 2 | 7009 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:16.0 | 36:16.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5141 | 2 | 7009 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:16.0 | 36:16.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5142 | 2 | 7009 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:16.0 | 36:16.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5143 | 2 | 7009 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:16.0 | 36:16.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5150 | 2 | 7027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:47.0 | 36:47.0 | Phosgene | 0 | ppb | Gray | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5151 | 2 | 7027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:47.0 | 36:47.0 | alarms | 50-100 | hilo | Gray | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5152 | 2 | 7027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:47.0 | 36:47.0 | state | In monitor | state | Gray | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5153 | 2 | 7027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:47.0 | 36:47.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5154 | 2 | 7027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:47.0 | 36:47.0 | battery | 85 | % | Gray | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5155 | 2 | 7027 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 36:47.0 | 36:47.0 | flow | 500 | cc/min | Gray | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5156 | 2 | 7033 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:15.0 | 37:15.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5157 | 2 | 7033 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:15.0 | 37:15.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5158 | 2 | 7033 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:15.0 | 37:15.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5159 | 2 | 7033 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:15.0 | 37:15.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5160 | 2 | 7033 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:15.0 | 37:15.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5161 | 2 | 7033 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:15.0 | 37:15.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5162 | 2 | 7039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:18.0 | 37:18.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5163 | 2 | 7039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:18.0 | 37:18.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5164 | 2 | 7039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:18.0 | 37:18.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5165 | 2 | 7039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:18.0 | 37:18.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5166 | 2 | 7039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:18.0 | 37:18.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5167 | 2 | 7039 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:18.0 | 37:18.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5168 | 2 | 7045 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5169 | 2 | 7045 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5170 | 2 | 7045 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5171 | 2 | 7045 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5172 | 2 | 7045 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5173 | 2 | 7045 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5180 | 2 | 7057 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5181 | 2 | 7057 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5182 | 2 | 7057 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5183 | 2 | 7057 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5184 | 2 | 7057 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5185 | 2 | 7057 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5192 | 2 | 7069 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5193 | 2 | 7069 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5194 | 2 | 7069 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5195 | 2 | 7069 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5196 | 2 | 7069 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5197 | 2 | 7069 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5204 | 2 | 7081 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5205 | 2 | 7081 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5206 | 2 | 7081 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5207 | 2 | 7081 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5208 | 2 | 7081 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5209 | 2 | 7081 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5216 | 2 | 7093 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5217 | 2 | 7093 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5218 | 2 | 7093 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5219 | 2 | 7093 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5220 | 2 | 7093 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5221 | 2 | 7093 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5228 | 2 | 7105 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5229 | 2 | 7105 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5230 | 2 | 7105 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5231 | 2 | 7105 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5232 | 2 | 7105 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5233 | 2 | 7105 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5240 | 2 | 7117 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5241 | 2 | 7117 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5242 | 2 | 7117 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5243 | 2 | 7117 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5244 | 2 | 7117 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5245 | 2 | 7117 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5252 | 2 | 7129 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5253 | 2 | 7129 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5254 | 2 | 7129 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5255 | 2 | 7129 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | status | Fault:Non | status | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5256 | 2 | 7129 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC.161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5257 | 2 | 7129 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5264 | 2 | 7141 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5265 | 2 | 7141 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5266 | 2 | 7141 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5267 | 2 | 7141 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5268 | 2 | 7141 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5269 | 2 | 7141 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5276 | 2 | 7153 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5277 | 2 | 7153 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5278 | 2 | 7153 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5279 | 2 | 7153 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5280 | 2 | 7153 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5281 | 2 | 7153 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5282 | 2 | 7165 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5283 | 2 | 7165 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5284 | 2 | 7165 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5285 | 2 | 7165 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5286 | 2 | 7165 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5287 | 2 | 7165 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5294 | 2 | 7171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5295 | 2 | 7171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5296 | 2 | 7171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5297 | 2 | 7171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5298 | 2 | 7171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5299 | 2 | 7171 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5306 | 2 | 7183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5307 | 2 | 7183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5308 | 2 | 7183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5309 | 2 | 7183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5310 | 2 | 7183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5311 | 2 | 7183 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5318 | 2 | 7201 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5319 | 2 | 7201 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5320 | 2 | 7201 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5321 | 2 | 7201 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5322 | 2 | 7201 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5323 | 2 | 7201 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5330 | 2 | 7219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5331 | 2 | 7219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5332 | 2 | 7219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5333 | 2 | 7219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5334 | 2 | 7219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5335 | 2 | 7219 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5342 | 2 | 7237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5343 | 2 | 7237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5344 | 2 | 7237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5345 | 2 | 7237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5346 | 2 | 7237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5347 | 2 | 7237 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5354 | 2 | 7255 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5355 | 2 | 7255 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5356 | 2 | 7255 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5357 | 2 | 7255 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5358 | 2 | 7255 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5359 | 2 | 7255 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5366 | 2 | 7273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5367 | 2 | 7273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5368 | 2 | 7273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5369 | 2 | 7273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5370 | 2 | 7273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5371 | 2 | 7273 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | flow | 499 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5378 | 2 | 7291 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5379 | 2 | 7291 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5380 | 2 | 7291 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5381 | 2 | 7291 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5382 | 2 | 7291 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5383 | 2 | 7291 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 | flow | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5390 | 2 | 7309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 | Phosgene | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5391 | 2 | 7309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 | alarms | 50-100 | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5392 | 2 | 7309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 | state | In monitor | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5393 | 2 | 7309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 | status | Fault:None | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5394 | 2 | 7309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 | battery | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5395 | 2 | 7309 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 | flow | | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5402 | 2 | 7327 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | Phosgene | | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5403 | 2 | 7327 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | alarms | 50-100 | | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5404 | 2 | 7327 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | state | In monitor | | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5405 | 2 | 7327 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | status | Fault:Non | | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5406 | 2 | 7327 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | battery | | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5407 | 2 | 7327 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | flow | | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5414 | 2 | 7345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | Phosgene | | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5415 | 2 | 7345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | alarms | 50-100 | | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5416 | 2 | 7345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | state | In monitor | | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5417 | 2 | 7345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | status | Fault:Non | | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5418 | 2 | 7345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | battery | | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5419 | 2 | 7345 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | flow | | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5426 | 2 | 7363 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | Phosgene | | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5427 | 2 | 7363 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | alarms | 50-100 | | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5428 | 2 | 7363 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | state | In monitor | | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5429 | 2 | 7363 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | status | Fault:Non | | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5430 | 2 | 7363 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | battery | | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5431 | 2 | 7363 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | flow | | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5438 | 2 | 7381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | Phosgene | | 0 | ppb | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5439 | 2 | 7381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | alarms | 50-100 | | hilo | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5440 | 2 | 7381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | state | In monitor | | state | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5441 | 2 | 7381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | status | Fault:Non | | status | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5442 | 2 | 7381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | battery | | 85 | % | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5443 | 2 | 7381 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | flow | | 500 | cc/min | Green | 32.32353 | -80.9411 | 1 | LINC .161 | FALSE | 32.32353 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5444 | 2 | 7399 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:39.0 | 38:39.0 | Phosgene | | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5445 | 2 | 7399 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:39.0 | 38:39.0 | alarms | 50-100 | | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5446 | 2 | 7399 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:39.0 | 38:39.0 | state | In monitor | | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5447 | 2 | 7399 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:39.0 | 38:39.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5448 | 2 | 7399 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:39.0 | 38:39.0 | battery | | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5449 | 2 | 7399 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:39.0 | 38:39.0 | flow | | 499 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5450 | 2 | 7411 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:42.0 | 38:42.0 | Phosgene | | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5451 | 2 | 7411 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:42.0 | 38:42.0 | alarms | 50-100 | | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5452 | 2 | 7411 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:42.0 | 38:42.0 | state | In monitor | | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5453 | 2 | 7411 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:42.0 | 38:42.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5454 | 2 | 7411 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:42.0 | 38:42.0 | battery | | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5455 | 2 | 7411 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:42.0 | 38:42.0 | flow | | 499 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5456 | 2 | 7423 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:45.0 | 38:45.0 | Phosgene | | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5457 | 2 | 7423 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:45.0 | 38:45.0 | alarms | 50-100 | | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5458 | 2 | 7423 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:45.0 | 38:45.0 | state | In monitor | | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5459 | 2 | 7423 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:45.0 | 38:45.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5460 | 2 | 7423 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:45.0 | 38:45.0 | battery | | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5461 | 2 | 7423 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:45.0 | 38:45.0 | flow | | 499 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5462 | 2 | 7435 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:48.0 | 38:48.0 | Phosgene | | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5463 | 2 | 7435 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:48.0 | 38:48.0 | alarms | 50-100 | | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5464 | 2 | 7435 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:48.0 | 38:48.0 | state | In monitor | | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5465 | 2 | 7435 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:48.0 | 38:48.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5466 | 2 | 7435 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:48.0 | 38:48.0 | battery | | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5467 | 2 | 7435 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:48.0 | 38:48.0 | flow | | 500 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5468 | 2 | 7447 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:51.0 | 38:51.0 | Phosgene | | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5469 | 2 | 7447 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:51.0 | 38:51.0 | alarms | 50-100 | | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5470 | 2 | 7447 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:51.0 | 38:51.0 | state | In monitor | | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5471 | 2 | 7447 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:51.0 | 38:51.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5472 | 2 | 7447 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:51.0 | 38:51.0 | battery | | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5473 | 2 | 7447 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:51.0 | 38:51.0 | flow | | 499 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5474 | 2 | 7459 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:54.0 | 38:54.0 | Phosgene | | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5475 | 2 | 7459 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:54.0 | 38:54.0 | alarms | 50-100 | | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5476 | 2 | 7459 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:54.0 | 38:54.0 | state | In monitor | | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5477 | 2 | 7459 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:54.0 | 38:54.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5478 | 2 | 7459 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:54.0 | 38:54.0 | battery | | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5479 | 2 | 7459 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:54.0 | 38:54.0 | flow | | 499 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5486 | 2 | 7471 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | Phosgene | | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5487 | 2 | 7471 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | alarms | 50-100 | | hilo | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5488 | 2 | 7471 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | state | In monitor | | state | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5489 | 2 | 7471 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5490 | 2 | 7471 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | battery | | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5491 | 2 | 7471 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | flow | | 499 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5498 | 2 | 7501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:29.0 | 39:29.0 | Phosgene | | 0 | ppb | Gray | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5499 | 2 | 7501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:29.0 | 39:29.0 | alarms | 50-100 | | hilo | Gray | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5500 | 2 | 7501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:29.0 | 39:29.0 | state | In monitor | | state | Gray | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5501 | 2 | 7501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:29.0 | 39:29.0 | status | Fault:Non | | status | Green | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5502 | 2 | 7501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:29.0 | 39:29.0 | battery | | 85 | % | Gray | 32.32354 | -80.9411 | 1 | LINC .161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5503 | 2 | 7501 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:29.0 | 39:29.0 | flow | 499 | cc/min | Gray | 32.32354 | -80.9411 | 1 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5504 | 2 | 7507 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:44.0 | 39:44.0 | Phosgene | 0 | ppb | Green | 32.32354 | -80.9411 | 1 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5505 | 2 | 7507 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:44.0 | 39:44.0 | alarms | 50-100 | hilo | Green | 32.32354 | -80.9411 | 1 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5506 | 2 | 7507 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:44.0 | 39:44.0 | state | In monitor | state | Green | 32.32354 | -80.9411 | 1 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5507 | 2 | 7507 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:44.0 | 39:44.0 | status | Fault:Non | status | Green | 32.32354 | -80.9411 | 1 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5508 | 2 | 7507 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:44.0 | 39:44.0 | battery | 85 | % | Green | 32.32354 | -80.9411 | 1 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5509 | 2 | 7507 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 39:44.0 | 39:44.0 | flow | 499 | cc/min | Green | 32.32354 | -80.9411 | 1 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5510 | 2 | 7513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 40:11.0 | 40:11.0 | Phosgene | 0 | ppb | Gray | 32.32354 | -80.9411 | 25 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5511 | 2 | 7513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 40:11.0 | 40:11.0 | alarms | 50-100 | hilo | Gray | 32.32354 | -80.9411 | 25 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5512 | 2 | 7513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 40:11.0 | 40:11.0 | state | In monitor | state | Gray | 32.32354 | -80.9411 | 25 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5513 | 2 | 7513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 40:11.0 | 40:11.0 | status | Fault:Non | status | Green | 32.32354 | -80.9411 | 25 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5514 | 2 | 7513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 40:11.0 | 40:11.0 | battery | 85 | % | Gray | 32.32354 | -80.9411 | 25 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5515 | 2 | 7513 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 40:11.0 | 40:11.0 | flow | 499 | cc/min | Gray | 32.32354 | -80.9411 | 25 | LINC.161 | FALSE | 32.32354 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6158 | 2 | 8107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | Phosgene | 0 | ppb | Green | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6159 | 2 | 8107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | alarms | 50-100 | hilo | Green | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6160 | 2 | 8107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | state | In monitor | state | Green | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6161 | 2 | 8107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6162 | 2 | 8107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | battery | 83 | % | Green | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6163 | 2 | 8107 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | flow | 498 | cc/min | Green | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6170 | 2 | 8173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:44.0 | 53:44.0 | Phosgene | 0 | ppb | Gray | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6171 | 2 | 8173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:44.0 | 53:44.0 | alarms | 50-100 | hilo | Gray | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6172 | 2 | 8173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:44.0 | 53:44.0 | state | In monitor | state | Gray | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6173 | 2 | 8173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:44.0 | 53:44.0 | status | Fault:Non | status | Green | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6174 | 2 | 8173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:44.0 | 53:44.0 | battery | 83 | % | Gray | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6175 | 2 | 8173 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 53:44.0 | 53:44.0 | flow | 498 | cc/min | Gray | 32.32352 | -80.9411 | 1 | LINC.161 | FALSE | 32.32352 | -80.9411 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6806 | 2 | 8809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:33.0 | 16:33.0 | Phosgene | 0 | ppb | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6807 | 2 | 8809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:33.0 | 16:33.0 | alarms | 50-100 | hilo | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6808 | 2 | 8809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:33.0 | 16:33.0 | state | In monitor | state | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6809 | 2 | 8809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:33.0 | 16:33.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6810 | 2 | 8809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:33.0 | 16:33.0 | battery | 79 | % | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6811 | 2 | 8809 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:33.0 | 16:33.0 | flow | 530 | cc/min | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6812 | 2 | 8815 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:54.0 | 16:54.0 | Phosgene | 0 | ppb | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6813 | 2 | 8815 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:54.0 | 16:54.0 | alarms | 50-100 | hilo | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6814 | 2 | 8815 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:54.0 | 16:54.0 | state | In monitor | state | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6815 | 2 | 8815 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:54.0 | 16:54.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6816 | 2 | 8815 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:54.0 | 16:54.0 | battery | 79 | % | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6817 | 2 | 8815 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 16:54.0 | 16:54.0 | flow | 531 | cc/min | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6818 | 2 | 8821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | Phosgene | 0 | ppb | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6819 | 2 | 8821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | alarms | 50-100 | hilo | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6820 | 2 | 8821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | state | In monitor | state | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6821 | 2 | 8821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6822 | 2 | 8821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | battery | 79 | % | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6823 | 2 | 8821 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:18.0 | 17:18.0 | flow | 531 | cc/min | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6824 | 2 | 8827 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:54.0 | 17:54.0 | Phosgene | 0 | ppb | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6825 | 2 | 8827 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:54.0 | 17:54.0 | alarms | 50-100 | hilo | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6826 | 2 | 8827 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:54.0 | 17:54.0 | state | In monitor | state | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6827 | 2 | 8827 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:54.0 | 17:54.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6828 | 2 | 8827 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:54.0 | 17:54.0 | battery | 79 | % | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6829 | 2 | 8827 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 17:54.0 | 17:54.0 | flow | 530 | cc/min | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6830 | 2 | 8833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:15.0 | 18:15.0 | Phosgene | 0 | ppb | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6831 | 2 | 8833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:15.0 | 18:15.0 | alarms | 50-100 | hilo | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6832 | 2 | 8833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:15.0 | 18:15.0 | state | In monitor | state | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6833 | 2 | 8833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:15.0 | 18:15.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6834 | 2 | 8833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:15.0 | 18:15.0 | battery | 79 | % | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6835 | 2 | 8833 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:15.0 | 18:15.0 | flow | 530 | cc/min | Green | 32.32361 | -80.941 | 25 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6836 | 2 | 8839 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:42.0 | 18:42.0 | Phosgene | 0 | ppb | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6837 | 2 | 8839 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:42.0 | 18:42.0 | alarms | 50-100 | hilo | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6838 | 2 | 8839 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:42.0 | 18:42.0 | state | In monitor | state | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6839 | 2 | 8839 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:42.0 | 18:42.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6840 | 2 | 8839 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:42.0 | 18:42.0 | battery | 79 | % | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6841 | 2 | 8839 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 18:42.0 | 18:42.0 | flow | 530 | cc/min | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6842 | 2 | 8845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:17.0 | 19:17.0 | Phosgene | 0 | ppb | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6843 | 2 | 8845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:17.0 | 19:17.0 | alarms | 50-100 | hilo | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6844 | 2 | 8845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:17.0 | 19:17.0 | state | In monitor | state | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6845 | 2 | 8845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:17.0 | 19:17.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6846 | 2 | 8845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:17.0 | 19:17.0 | battery | 79 | % | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6847 | 2 | 8845 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:17.0 | 19:17.0 | flow | 530 | cc/min | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6848 | 2 | 8851 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:50.0 | 19:50.0 | Phosgene | 0 | ppb | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6849 | 2 | 8851 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:50.0 | 19:50.0 | alarms | 50-100 | hilo | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6850 | 2 | 8851 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:50.0 | 19:50.0 | state | In monitor | state | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6851 | 2 | 8851 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:50.0 | 19:50.0 | status | Fault:Non | status | Green | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6852 | 2 | 8851 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:50.0 | 19:50.0 | battery | 79 | % | Gray | 32.32361 | -80.941 | 1 | LINC.161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6853 | 2 | 8851 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 19:50.0 | 19:50.0 | flow | 530 | cc/min | Gray | 32.32361 | -80.941 | 1 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6854 | 2 | 8857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | Phosgene | 0 | ppb | Green | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6855 | 2 | 8857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | alarms | 50-100 | hilo | Green | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6856 | 2 | 8857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | state | In monitor | state | Green | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6857 | 2 | 8857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | status | Fault:None | status | Green | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6858 | 2 | 8857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | battery | 78 | % | Green | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6859 | 2 | 8857 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:15.0 | 22:15.0 | flow | 529 | cc/min | Green | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6860 | 2 | 8863 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | Phosgene | 0 | ppb | Gray | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6861 | 2 | 8863 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | alarms | 50-100 | hilo | Gray | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6862 | 2 | 8863 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | state | In monitor | state | Gray | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6863 | 2 | 8863 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | status | Fault:None | status | Green | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6864 | 2 | 8863 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | battery | 78 | % | Gray | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6865 | 2 | 8863 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:49.0 | 22:49.0 | flow | 529 | cc/min | Gray | 32.32361 | -80.941 | 25 | LINC .161 | FALSE | 32.32361 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6866 | 2 | 8869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:54.0 | 22:54.0 | Phosgene | 0 | ppb | Green | 32.3236 | -80.941 | 1 | LINC .161 | FALSE | 32.3236 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6867 | 2 | 8869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:54.0 | 22:54.0 | alarms | 50-100 | hilo | Green | 32.3236 | -80.941 | 1 | LINC .161 | FALSE | 32.3236 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6868 | 2 | 8869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:54.0 | 22:54.0 | state | In monitor | state | Green | 32.3236 | -80.941 | 1 | LINC .161 | FALSE | 32.3236 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6869 | 2 | 8869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:54.0 | 22:54.0 | status | Fault:None | status | Green | 32.3236 | -80.941 | 1 | LINC .161 | FALSE | 32.3236 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6870 | 2 | 8869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:54.0 | 22:54.0 | battery | 78 | % | Green | 32.3236 | -80.941 | 1 | LINC .161 | FALSE | 32.3236 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 6871 | 2 | 8869 | SPMFlex L | EPAERT87 | SPMFlex | SPMFlex L | 22:54.0 | 22:54.0 | flow | 529 | cc/min | Green | 32.3236 | -80.941 | 1 | LINC .161 | FALSE | 32.3236 | -80.941 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |

| ReducedR | RUNID | InitialReac | MessageIc | MessageS | Instrumen | MeterApp | Received_ | Received_ | SensorNar | SensorRea | SensorUni | MeterApp | Latitude | Longitude | GPSDOP | DataSourc | IsFixedLoc | LINCLatitu | LINCLongi | FLAGS | SCID | RUN_NAM | RUN_DESC | MeterAppConfig_COMMENT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5516 | 2 | 7519 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:48.0 | 47:48.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5517 | 2 | 7519 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:48.0 | 47:48.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5518 | 2 | 7519 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:48.0 | 47:48.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5519 | 2 | 7519 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:48.0 | 47:48.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5520 | 2 | 7519 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:48.0 | 47:48.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5521 | 2 | 7519 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:48.0 | 47:48.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5522 | 2 | 7525 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:51.0 | 47:51.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5523 | 2 | 7525 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:51.0 | 47:51.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5524 | 2 | 7525 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:51.0 | 47:51.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5525 | 2 | 7525 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:51.0 | 47:51.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5526 | 2 | 7525 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:51.0 | 47:51.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5527 | 2 | 7525 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:51.0 | 47:51.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5528 | 2 | 7531 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:54.0 | 47:54.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5529 | 2 | 7531 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:54.0 | 47:54.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5530 | 2 | 7531 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:54.0 | 47:54.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5531 | 2 | 7531 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:54.0 | 47:54.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5532 | 2 | 7531 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:54.0 | 47:54.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5533 | 2 | 7531 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:54.0 | 47:54.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5534 | 2 | 7537 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:57.0 | 47:57.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5535 | 2 | 7537 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:57.0 | 47:57.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5536 | 2 | 7537 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:57.0 | 47:57.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5537 | 2 | 7537 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:57.0 | 47:57.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5538 | 2 | 7537 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:57.0 | 47:57.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5539 | 2 | 7537 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:57.0 | 47:57.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5540 | 2 | 7543 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:00.0 | 48:00.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5541 | 2 | 7543 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:00.0 | 48:00.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5542 | 2 | 7543 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:00.0 | 48:00.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5543 | 2 | 7543 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:00.0 | 48:00.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5544 | 2 | 7543 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:00.0 | 48:00.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5545 | 2 | 7543 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:00.0 | 48:00.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5546 | 2 | 7549 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:03.0 | 48:03.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5547 | 2 | 7549 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:03.0 | 48:03.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5548 | 2 | 7549 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:03.0 | 48:03.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5549 | 2 | 7549 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:03.0 | 48:03.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5550 | 2 | 7549 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:03.0 | 48:03.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5551 | 2 | 7549 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:03.0 | 48:03.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5552 | 2 | 7555 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:06.0 | 48:06.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5553 | 2 | 7555 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:06.0 | 48:06.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5554 | 2 | 7555 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:06.0 | 48:06.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5555 | 2 | 7555 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:06.0 | 48:06.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5556 | 2 | 7555 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:06.0 | 48:06.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5557 | 2 | 7555 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:06.0 | 48:06.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5558 | 2 | 7561 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:09.0 | 48:09.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5559 | 2 | 7561 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:09.0 | 48:09.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5560 | 2 | 7561 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:09.0 | 48:09.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5561 | 2 | 7561 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:09.0 | 48:09.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5562 | 2 | 7561 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:09.0 | 48:09.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5563 | 2 | 7561 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:09.0 | 48:09.0 | flow | 548 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5564 | 2 | 7567 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:12.0 | 48:12.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5565 | 2 | 7567 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:12.0 | 48:12.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5566 | 2 | 7567 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:12.0 | 48:12.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5567 | 2 | 7567 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:12.0 | 48:12.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5568 | 2 | 7567 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:12.0 | 48:12.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5569 | 2 | 7567 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:12.0 | 48:12.0 | flow | 547 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5570 | 2 | 7573 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:15.0 | 48:15.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5571 | 2 | 7573 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:15.0 | 48:15.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5572 | 2 | 7573 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:15.0 | 48:15.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5573 | 2 | 7573 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:15.0 | 48:15.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5574 | 2 | 7573 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:15.0 | 48:15.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5575 | 2 | 7573 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:15.0 | 48:15.0 | flow | 547 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5576 | 2 | 7579 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:18.0 | 48:18.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5577 | 2 | 7579 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:18.0 | 48:18.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5578 | 2 | 7579 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:18.0 | 48:18.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5579 | 2 | 7579 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:18.0 | 48:18.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5580 | 2 | 7579 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:18.0 | 48:18.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5581 | 2 | 7579 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:18.0 | 48:18.0 | flow | 546 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5582 | 2 | 7585 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:22.0 | 48:22.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5583 | 2 | 7585 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:22.0 | 48:22.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5584 | 2 | 7585 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:22.0 | 48:22.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5585 | 2 | 7585 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:22.0 | 48:22.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 5586 | 2 | 7585 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:22.0 | 48:22.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5587 | 2 | 7585 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:22.0 | 48:22.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5588 | 2 | 7591 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:25.0 | 48:25.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5589 | 2 | 7591 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:25.0 | 48:25.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5590 | 2 | 7591 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:25.0 | 48:25.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5591 | 2 | 7591 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:25.0 | 48:25.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5592 | 2 | 7591 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:25.0 | 48:25.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5593 | 2 | 7591 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:25.0 | 48:25.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5594 | 2 | 7597 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:28.0 | 48:28.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5595 | 2 | 7597 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:28.0 | 48:28.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5596 | 2 | 7597 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:28.0 | 48:28.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5597 | 2 | 7597 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:28.0 | 48:28.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5598 | 2 | 7597 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:28.0 | 48:28.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5599 | 2 | 7597 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:28.0 | 48:28.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5600 | 2 | 7603 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:31.0 | 48:31.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5601 | 2 | 7603 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:31.0 | 48:31.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5602 | 2 | 7603 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:31.0 | 48:31.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5603 | 2 | 7603 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:31.0 | 48:31.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5604 | 2 | 7603 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:31.0 | 48:31.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5605 | 2 | 7603 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:31.0 | 48:31.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5606 | 2 | 7609 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:34.0 | 48:34.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5607 | 2 | 7609 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:34.0 | 48:34.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5608 | 2 | 7609 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:34.0 | 48:34.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5609 | 2 | 7609 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:34.0 | 48:34.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5610 | 2 | 7609 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:34.0 | 48:34.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5611 | 2 | 7609 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:34.0 | 48:34.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5612 | 2 | 7615 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:37.0 | 48:37.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5613 | 2 | 7615 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:37.0 | 48:37.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5614 | 2 | 7615 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:37.0 | 48:37.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5615 | 2 | 7615 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:37.0 | 48:37.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5616 | 2 | 7615 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:37.0 | 48:37.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5617 | 2 | 7615 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:37.0 | 48:37.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5618 | 2 | 7621 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:40.0 | 48:40.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5619 | 2 | 7621 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:40.0 | 48:40.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5620 | 2 | 7621 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:40.0 | 48:40.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5621 | 2 | 7621 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:40.0 | 48:40.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5622 | 2 | 7621 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:40.0 | 48:40.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5623 | 2 | 7621 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:40.0 | 48:40.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5624 | 2 | 7627 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:43.0 | 48:43.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5625 | 2 | 7627 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:43.0 | 48:43.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5626 | 2 | 7627 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:43.0 | 48:43.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5627 | 2 | 7627 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:43.0 | 48:43.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5628 | 2 | 7627 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:43.0 | 48:43.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5629 | 2 | 7627 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:43.0 | 48:43.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5630 | 2 | 7633 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:46.0 | 48:46.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5631 | 2 | 7633 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:46.0 | 48:46.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5632 | 2 | 7633 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:46.0 | 48:46.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5633 | 2 | 7633 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:46.0 | 48:46.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5634 | 2 | 7633 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:46.0 | 48:46.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5635 | 2 | 7633 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:46.0 | 48:46.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5636 | 2 | 7639 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:49.0 | 48:49.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5637 | 2 | 7639 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:49.0 | 48:49.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5638 | 2 | 7639 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:49.0 | 48:49.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5639 | 2 | 7639 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:49.0 | 48:49.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5640 | 2 | 7639 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:49.0 | 48:49.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5641 | 2 | 7639 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:49.0 | 48:49.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5642 | 2 | 7645 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:52.0 | 48:52.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5643 | 2 | 7645 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:52.0 | 48:52.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5644 | 2 | 7645 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:52.0 | 48:52.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5645 | 2 | 7645 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:52.0 | 48:52.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5646 | 2 | 7645 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:52.0 | 48:52.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5647 | 2 | 7645 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:52.0 | 48:52.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5648 | 2 | 7651 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:55.0 | 48:55.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5649 | 2 | 7651 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:55.0 | 48:55.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5650 | 2 | 7651 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:55.0 | 48:55.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5651 | 2 | 7651 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:55.0 | 48:55.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5652 | 2 | 7651 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:55.0 | 48:55.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5653 | 2 | 7651 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:55.0 | 48:55.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5654 | 2 | 7657 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:58.0 | 48:58.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5655 | 2 | 7657 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:58.0 | 48:58.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5656 | 2 | 7657 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:58.0 | 48:58.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5657 | 2 | 7657 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:58.0 | 48:58.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5658 | 2 | 7657 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:58.0 | 48:58.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC | .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5659 | 2 | 7657 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 48:58.0 | 48:58.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5660 | 2 | 7663 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:01.0 | 49:01.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5661 | 2 | 7663 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:01.0 | 49:01.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5662 | 2 | 7663 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:01.0 | 49:01.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5663 | 2 | 7663 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:01.0 | 49:01.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5664 | 2 | 7663 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:01.0 | 49:01.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5665 | 2 | 7663 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:01.0 | 49:01.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5666 | 2 | 7669 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:04.0 | 49:04.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5667 | 2 | 7669 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:04.0 | 49:04.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5668 | 2 | 7669 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:04.0 | 49:04.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5669 | 2 | 7669 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:04.0 | 49:04.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5670 | 2 | 7669 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:04.0 | 49:04.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5671 | 2 | 7669 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:04.0 | 49:04.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5672 | 2 | 7675 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:07.0 | 49:07.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5673 | 2 | 7675 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:07.0 | 49:07.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5674 | 2 | 7675 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:07.0 | 49:07.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5675 | 2 | 7675 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:07.0 | 49:07.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5676 | 2 | 7675 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:07.0 | 49:07.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5677 | 2 | 7675 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:07.0 | 49:07.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5678 | 2 | 7681 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:10.0 | 49:10.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5679 | 2 | 7681 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:10.0 | 49:10.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5680 | 2 | 7681 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:10.0 | 49:10.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5681 | 2 | 7681 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:10.0 | 49:10.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5682 | 2 | 7681 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:10.0 | 49:10.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5683 | 2 | 7681 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:10.0 | 49:10.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5684 | 2 | 7687 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:13.0 | 49:13.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5685 | 2 | 7687 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:13.0 | 49:13.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5686 | 2 | 7687 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:13.0 | 49:13.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5687 | 2 | 7687 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:13.0 | 49:13.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5688 | 2 | 7687 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:13.0 | 49:13.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5689 | 2 | 7687 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:13.0 | 49:13.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5690 | 2 | 7693 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:16.0 | 49:16.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5691 | 2 | 7693 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:16.0 | 49:16.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5692 | 2 | 7693 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:16.0 | 49:16.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5693 | 2 | 7693 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:16.0 | 49:16.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5694 | 2 | 7693 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:16.0 | 49:16.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5695 | 2 | 7693 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:16.0 | 49:16.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5696 | 2 | 7699 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:19.0 | 49:19.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5697 | 2 | 7699 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:19.0 | 49:19.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5698 | 2 | 7699 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:19.0 | 49:19.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5699 | 2 | 7699 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:19.0 | 49:19.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5700 | 2 | 7699 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:19.0 | 49:19.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5701 | 2 | 7699 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:19.0 | 49:19.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5702 | 2 | 7705 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:22.0 | 49:22.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5703 | 2 | 7705 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:22.0 | 49:22.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5704 | 2 | 7705 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:22.0 | 49:22.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5705 | 2 | 7705 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:22.0 | 49:22.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5706 | 2 | 7705 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:22.0 | 49:22.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5707 | 2 | 7705 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:22.0 | 49:22.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5708 | 2 | 7711 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:25.0 | 49:25.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5709 | 2 | 7711 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:25.0 | 49:25.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5710 | 2 | 7711 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:25.0 | 49:25.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5711 | 2 | 7711 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:25.0 | 49:25.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5712 | 2 | 7711 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:25.0 | 49:25.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5713 | 2 | 7711 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:25.0 | 49:25.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5714 | 2 | 7717 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:28.0 | 49:28.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5715 | 2 | 7717 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:28.0 | 49:28.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5716 | 2 | 7717 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:28.0 | 49:28.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5717 | 2 | 7717 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:28.0 | 49:28.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5718 | 2 | 7717 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:28.0 | 49:28.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5719 | 2 | 7717 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:28.0 | 49:28.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5720 | 2 | 7723 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:31.0 | 49:31.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5721 | 2 | 7723 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:31.0 | 49:31.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5722 | 2 | 7723 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:31.0 | 49:31.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5723 | 2 | 7723 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:31.0 | 49:31.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5724 | 2 | 7723 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:31.0 | 49:31.0 | battery | 80 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5725 | 2 | 7723 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:31.0 | 49:31.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5726 | 2 | 7729 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:59.0 | 49:59.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5727 | 2 | 7729 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:59.0 | 49:59.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5728 | 2 | 7729 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:59.0 | 49:59.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5729 | 2 | 7729 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:59.0 | 49:59.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5730 | 2 | 7729 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:59.0 | 49:59.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5731 | 2 | 7729 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:59.0 | 49:59.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5732 | 2 | 7735 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:02.0 | 50:02.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5733 | 2 | 7735 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:02.0 | 50:02.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5734 | 2 | 7735 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:02.0 | 50:02.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5735 | 2 | 7735 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:02.0 | 50:02.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5736 | 2 | 7735 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:02.0 | 50:02.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5737 | 2 | 7735 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:02.0 | 50:02.0 | flow | 537 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5738 | 2 | 7741 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:06.0 | 50:06.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5739 | 2 | 7741 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:06.0 | 50:06.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5740 | 2 | 7741 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:06.0 | 50:06.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5741 | 2 | 7741 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:06.0 | 50:06.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5742 | 2 | 7741 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:06.0 | 50:06.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5743 | 2 | 7741 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:06.0 | 50:06.0 | flow | 537 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5744 | 2 | 7747 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:09.0 | 50:09.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5745 | 2 | 7747 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:09.0 | 50:09.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5746 | 2 | 7747 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:09.0 | 50:09.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5747 | 2 | 7747 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:09.0 | 50:09.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5748 | 2 | 7747 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:09.0 | 50:09.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5749 | 2 | 7747 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:09.0 | 50:09.0 | flow | 537 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5750 | 2 | 7753 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:12.0 | 50:12.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5751 | 2 | 7753 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:12.0 | 50:12.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5752 | 2 | 7753 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:12.0 | 50:12.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5753 | 2 | 7753 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:12.0 | 50:12.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5754 | 2 | 7753 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:12.0 | 50:12.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5755 | 2 | 7753 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:12.0 | 50:12.0 | flow | 537 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5756 | 2 | 7759 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:15.0 | 50:15.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5757 | 2 | 7759 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:15.0 | 50:15.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5758 | 2 | 7759 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:15.0 | 50:15.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5759 | 2 | 7759 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:15.0 | 50:15.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5760 | 2 | 7759 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:15.0 | 50:15.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5761 | 2 | 7759 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:15.0 | 50:15.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5762 | 2 | 7765 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:18.0 | 50:18.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5763 | 2 | 7765 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:18.0 | 50:18.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5764 | 2 | 7765 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:18.0 | 50:18.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5765 | 2 | 7765 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:18.0 | 50:18.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5766 | 2 | 7765 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:18.0 | 50:18.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5767 | 2 | 7765 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:18.0 | 50:18.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5768 | 2 | 7771 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:21.0 | 50:21.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5769 | 2 | 7771 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:21.0 | 50:21.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5770 | 2 | 7771 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:21.0 | 50:21.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5771 | 2 | 7771 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:21.0 | 50:21.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5772 | 2 | 7771 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:21.0 | 50:21.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5773 | 2 | 7771 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:21.0 | 50:21.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5774 | 2 | 7777 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:24.0 | 50:24.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5775 | 2 | 7777 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:24.0 | 50:24.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5776 | 2 | 7777 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:24.0 | 50:24.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5777 | 2 | 7777 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:24.0 | 50:24.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5778 | 2 | 7777 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:24.0 | 50:24.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5779 | 2 | 7777 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:24.0 | 50:24.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5780 | 2 | 7783 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:27.0 | 50:27.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5781 | 2 | 7783 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:27.0 | 50:27.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5782 | 2 | 7783 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:27.0 | 50:27.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5783 | 2 | 7783 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:27.0 | 50:27.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5784 | 2 | 7783 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:27.0 | 50:27.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5785 | 2 | 7783 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:27.0 | 50:27.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5786 | 2 | 7789 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:32.0 | 50:32.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5787 | 2 | 7789 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:32.0 | 50:32.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5788 | 2 | 7789 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:32.0 | 50:32.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5789 | 2 | 7789 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:32.0 | 50:32.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5790 | 2 | 7789 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:32.0 | 50:32.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5791 | 2 | 7789 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:32.0 | 50:32.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5792 | 2 | 7795 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:35.0 | 50:35.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5793 | 2 | 7795 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:35.0 | 50:35.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5794 | 2 | 7795 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:35.0 | 50:35.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5795 | 2 | 7795 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:35.0 | 50:35.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5796 | 2 | 7795 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:35.0 | 50:35.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5797 | 2 | 7795 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:35.0 | 50:35.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5798 | 2 | 7801 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:38.0 | 50:38.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5799 | 2 | 7801 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:38.0 | 50:38.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5800 | 2 | 7801 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:38.0 | 50:38.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5801 | 2 | 7801 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:38.0 | 50:38.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5802 | 2 | 7801 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:38.0 | 50:38.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5803 | 2 | 7801 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:38.0 | 50:38.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5804 | 2 | 7807 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:41.0 | 50:41.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5805 | 2 | 7807 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:41.0 | 50:41.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5806 | 2 | 7807 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:41.0 | 50:41.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5807 | 2 | 7807 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:41.0 | 50:41.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5808 | 2 | 7807 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:41.0 | 50:41.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5809 | 2 | 7807 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:41.0 | 50:41.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5810 | 2 | 7813 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:44.0 | 50:44.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5811 | 2 | 7813 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:44.0 | 50:44.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5812 | 2 | 7813 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:44.0 | 50:44.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5813 | 2 | 7813 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:44.0 | 50:44.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5814 | 2 | 7813 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:44.0 | 50:44.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5815 | 2 | 7813 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:44.0 | 50:44.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5816 | 2 | 7819 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:47.0 | 50:47.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5817 | 2 | 7819 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:47.0 | 50:47.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5818 | 2 | 7819 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:47.0 | 50:47.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5819 | 2 | 7819 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:47.0 | 50:47.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5820 | 2 | 7819 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:47.0 | 50:47.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5821 | 2 | 7819 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:47.0 | 50:47.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5822 | 2 | 7825 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:50.0 | 50:50.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5823 | 2 | 7825 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:50.0 | 50:50.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5824 | 2 | 7825 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:50.0 | 50:50.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5825 | 2 | 7825 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:50.0 | 50:50.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5826 | 2 | 7825 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:50.0 | 50:50.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5827 | 2 | 7825 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:50.0 | 50:50.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5828 | 2 | 7831 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:53.0 | 50:53.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5829 | 2 | 7831 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:53.0 | 50:53.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5830 | 2 | 7831 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:53.0 | 50:53.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5831 | 2 | 7831 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:53.0 | 50:53.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5832 | 2 | 7831 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:53.0 | 50:53.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5833 | 2 | 7831 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:53.0 | 50:53.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5834 | 2 | 7837 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:56.0 | 50:56.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5835 | 2 | 7837 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:56.0 | 50:56.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5836 | 2 | 7837 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:56.0 | 50:56.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5837 | 2 | 7837 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:56.0 | 50:56.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5838 | 2 | 7837 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:56.0 | 50:56.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5839 | 2 | 7837 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:56.0 | 50:56.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5840 | 2 | 7843 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:59.0 | 50:59.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5841 | 2 | 7843 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:59.0 | 50:59.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5842 | 2 | 7843 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:59.0 | 50:59.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5843 | 2 | 7843 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:59.0 | 50:59.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5844 | 2 | 7843 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:59.0 | 50:59.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5845 | 2 | 7843 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 50:59.0 | 50:59.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5846 | 2 | 7849 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:02.0 | 51:02.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5847 | 2 | 7849 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:02.0 | 51:02.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5848 | 2 | 7849 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:02.0 | 51:02.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5849 | 2 | 7849 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:02.0 | 51:02.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5850 | 2 | 7849 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:02.0 | 51:02.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5851 | 2 | 7849 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:02.0 | 51:02.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5852 | 2 | 7855 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:05.0 | 51:05.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5853 | 2 | 7855 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:05.0 | 51:05.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5854 | 2 | 7855 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:05.0 | 51:05.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5855 | 2 | 7855 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:05.0 | 51:05.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5856 | 2 | 7855 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:05.0 | 51:05.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5857 | 2 | 7855 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:05.0 | 51:05.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5858 | 2 | 7861 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:08.0 | 51:08.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5859 | 2 | 7861 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:08.0 | 51:08.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5860 | 2 | 7861 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:08.0 | 51:08.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5861 | 2 | 7861 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:08.0 | 51:08.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5862 | 2 | 7861 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:08.0 | 51:08.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5863 | 2 | 7861 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:08.0 | 51:08.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5864 | 2 | 7867 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:11.0 | 51:11.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5865 | 2 | 7867 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:11.0 | 51:11.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5866 | 2 | 7867 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:11.0 | 51:11.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5867 | 2 | 7867 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:11.0 | 51:11.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5868 | 2 | 7867 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:11.0 | 51:11.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5869 | 2 | 7867 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:11.0 | 51:11.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5870 | 2 | 7873 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:14.0 | 51:14.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5871 | 2 | 7873 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:14.0 | 51:14.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5872 | 2 | 7873 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:14.0 | 51:14.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5873 | 2 | 7873 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:14.0 | 51:14.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5874 | 2 | 7873 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:14.0 | 51:14.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5875 | 2 | 7873 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:14.0 | 51:14.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5876 | 2 | 7879 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:17.0 | 51:17.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5877 | 2 | 7879 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:17.0 | 51:17.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5878 | 2 | 7879 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:17.0 | 51:17.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5879 | 2 | 7879 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:17.0 | 51:17.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5880 | 2 | 7879 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:17.0 | 51:17.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5881 | 2 | 7879 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:17.0 | 51:17.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5882 | 2 | 7885 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:20.0 | 51:20.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5883 | 2 | 7885 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:20.0 | 51:20.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5884 | 2 | 7885 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:20.0 | 51:20.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5885 | 2 | 7885 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:20.0 | 51:20.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5886 | 2 | 7885 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:20.0 | 51:20.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5887 | 2 | 7885 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:20.0 | 51:20.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5888 | 2 | 7891 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:24.0 | 51:24.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5889 | 2 | 7891 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:24.0 | 51:24.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5890 | 2 | 7891 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:24.0 | 51:24.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5891 | 2 | 7891 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:24.0 | 51:24.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5892 | 2 | 7891 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:24.0 | 51:24.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5893 | 2 | 7891 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:24.0 | 51:24.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5894 | 2 | 7897 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:27.0 | 51:27.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5895 | 2 | 7897 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:27.0 | 51:27.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5896 | 2 | 7897 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:27.0 | 51:27.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5897 | 2 | 7897 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:27.0 | 51:27.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5898 | 2 | 7897 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:27.0 | 51:27.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5899 | 2 | 7897 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:27.0 | 51:27.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5900 | 2 | 7903 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:30.0 | 51:30.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5901 | 2 | 7903 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:30.0 | 51:30.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5902 | 2 | 7903 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:30.0 | 51:30.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5903 | 2 | 7903 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:30.0 | 51:30.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5904 | 2 | 7903 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:30.0 | 51:30.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5905 | 2 | 7903 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:30.0 | 51:30.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5906 | 2 | 7909 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:33.0 | 51:33.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5907 | 2 | 7909 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:33.0 | 51:33.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5908 | 2 | 7909 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:33.0 | 51:33.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5909 | 2 | 7909 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:33.0 | 51:33.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5910 | 2 | 7909 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:33.0 | 51:33.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5911 | 2 | 7909 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:33.0 | 51:33.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5912 | 2 | 7915 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:36.0 | 51:36.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5913 | 2 | 7915 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:36.0 | 51:36.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5914 | 2 | 7915 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:36.0 | 51:36.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5915 | 2 | 7915 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:36.0 | 51:36.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5916 | 2 | 7915 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:36.0 | 51:36.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5917 | 2 | 7915 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:36.0 | 51:36.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5918 | 2 | 7921 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:39.0 | 51:39.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5919 | 2 | 7921 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:39.0 | 51:39.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5920 | 2 | 7921 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:39.0 | 51:39.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5921 | 2 | 7921 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:39.0 | 51:39.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5922 | 2 | 7921 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:39.0 | 51:39.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5923 | 2 | 7921 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:39.0 | 51:39.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5924 | 2 | 7927 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:42.0 | 51:42.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5925 | 2 | 7927 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:42.0 | 51:42.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5926 | 2 | 7927 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:42.0 | 51:42.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5927 | 2 | 7927 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:42.0 | 51:42.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5928 | 2 | 7927 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:42.0 | 51:42.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5929 | 2 | 7927 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:42.0 | 51:42.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5930 | 2 | 7933 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:45.0 | 51:45.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5931 | 2 | 7933 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:45.0 | 51:45.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5932 | 2 | 7933 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:45.0 | 51:45.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5933 | 2 | 7933 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:45.0 | 51:45.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5934 | 2 | 7933 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:45.0 | 51:45.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5935 | 2 | 7933 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:45.0 | 51:45.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5936 | 2 | 7939 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:48.0 | 51:48.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5937 | 2 | 7939 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:48.0 | 51:48.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5938 | 2 | 7939 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:48.0 | 51:48.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5939 | 2 | 7939 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:48.0 | 51:48.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5940 | 2 | 7939 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:48.0 | 51:48.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5941 | 2 | 7939 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:48.0 | 51:48.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5942 | 2 | 7945 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:51.0 | 51:51.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5943 | 2 | 7945 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:51.0 | 51:51.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5944 | 2 | 7945 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:51.0 | 51:51.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5945 | 2 | 7945 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:51.0 | 51:51.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5946 | 2 | 7945 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:51.0 | 51:51.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5947 | 2 | 7945 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:51.0 | 51:51.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5948 | 2 | 7951 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:54.0 | 51:54.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5949 | 2 | 7951 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:54.0 | 51:54.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5950 | 2 | 7951 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:54.0 | 51:54.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5951 | 2 | 7951 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:54.0 | 51:54.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5952 | 2 | 7951 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:54.0 | 51:54.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5953 | 2 | 7951 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:54.0 | 51:54.0 | flow | | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5954 | 2 | 7957 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:57.0 | 51:57.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5955 | 2 | 7957 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:57.0 | 51:57.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5956 | 2 | 7957 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:57.0 | 51:57.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5957 | 2 | 7957 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:57.0 | 51:57.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5958 | 2 | 7957 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:57.0 | 51:57.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5959 | 2 | 7957 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 51:57.0 | 51:57.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5960 | 2 | 7963 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:00.0 | 52:00.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5961 | 2 | 7963 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:00.0 | 52:00.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5962 | 2 | 7963 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:00.0 | 52:00.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5963 | 2 | 7963 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:00.0 | 52:00.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5964 | 2 | 7963 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:00.0 | 52:00.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5965 | 2 | 7963 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:00.0 | 52:00.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5966 | 2 | 7969 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:03.0 | 52:03.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5967 | 2 | 7969 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:03.0 | 52:03.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5968 | 2 | 7969 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:03.0 | 52:03.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5969 | 2 | 7969 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:03.0 | 52:03.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5970 | 2 | 7969 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:03.0 | 52:03.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5971 | 2 | 7969 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:03.0 | 52:03.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5972 | 2 | 7975 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:06.0 | 52:06.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5973 | 2 | 7975 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:06.0 | 52:06.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5974 | 2 | 7975 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:06.0 | 52:06.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5975 | 2 | 7975 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:06.0 | 52:06.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5976 | 2 | 7975 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:06.0 | 52:06.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5977 | 2 | 7975 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:06.0 | 52:06.0 | flow | | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5978 | 2 | 7981 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:12.0 | 52:12.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5979 | 2 | 7981 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:12.0 | 52:12.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5980 | 2 | 7981 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:12.0 | 52:12.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5981 | 2 | 7981 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:12.0 | 52:12.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5982 | 2 | 7981 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:12.0 | 52:12.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5983 | 2 | 7981 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:12.0 | 52:12.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5984 | 2 | 7987 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:15.0 | 52:15.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5985 | 2 | 7987 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:15.0 | 52:15.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5986 | 2 | 7987 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:15.0 | 52:15.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5987 | 2 | 7987 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:15.0 | 52:15.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5988 | 2 | 7987 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:15.0 | 52:15.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5989 | 2 | 7987 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:15.0 | 52:15.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5990 | 2 | 7993 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:18.0 | 52:18.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5991 | 2 | 7993 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:18.0 | 52:18.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5992 | 2 | 7993 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:18.0 | 52:18.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5993 | 2 | 7993 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:18.0 | 52:18.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5994 | 2 | 7993 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:18.0 | 52:18.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5995 | 2 | 7993 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:18.0 | 52:18.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5996 | 2 | 7999 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:21.0 | 52:21.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5997 | 2 | 7999 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:21.0 | 52:21.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5998 | 2 | 7999 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:21.0 | 52:21.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5999 | 2 | 7999 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:21.0 | 52:21.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6000 | 2 | 7999 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:21.0 | 52:21.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6001 | 2 | 7999 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:21.0 | 52:21.0 | flow | | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6002 | 2 | 8005 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:24.0 | 52:24.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6003 | 2 | 8005 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:24.0 | 52:24.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6004 | 2 | 8005 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:24.0 | 52:24.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6005 | 2 | 8005 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:24.0 | 52:24.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6006 | 2 | 8005 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:24.0 | 52:24.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6007 | 2 | 8005 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:24.0 | 52:24.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6008 | 2 | 8011 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:27.0 | 52:27.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6009 | 2 | 8011 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:27.0 | 52:27.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6010 | 2 | 8011 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:27.0 | 52:27.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6011 | 2 | 8011 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:27.0 | 52:27.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6012 | 2 | 8011 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:27.0 | 52:27.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6013 | 2 | 8011 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:27.0 | 52:27.0 | flow | | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6014 | 2 | 8017 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:30.0 | 52:30.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6015 | 2 | 8017 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:30.0 | 52:30.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6016 | 2 | 8017 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:30.0 | 52:30.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6017 | 2 | 8017 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:30.0 | 52:30.0 | status | Fault:None | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6018 | 2 | 8017 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:30.0 | 52:30.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6019 | 2 | 8017 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:30.0 | 52:30.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6020 | 2 | 8023 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:33.0 | 52:33.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6021 | 2 | 8023 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:33.0 | 52:33.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6022 | 2 | 8023 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:33.0 | 52:33.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6023 | 2 | 8023 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:33.0 | 52:33.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6024 | 2 | 8023 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:33.0 | 52:33.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6025 | 2 | 8023 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:33.0 | 52:33.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6026 | 2 | 8029 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:36.0 | 52:36.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6027 | 2 | 8029 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:36.0 | 52:36.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6028 | 2 | 8029 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:36.0 | 52:36.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6029 | 2 | 8029 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:36.0 | 52:36.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6030 | 2 | 8029 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:36.0 | 52:36.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6031 | 2 | 8029 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:36.0 | 52:36.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6032 | 2 | 8035 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:39.0 | 52:39.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6033 | 2 | 8035 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:39.0 | 52:39.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6034 | 2 | 8035 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:39.0 | 52:39.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6035 | 2 | 8035 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:39.0 | 52:39.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6036 | 2 | 8035 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:39.0 | 52:39.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6037 | 2 | 8035 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:39.0 | 52:39.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6038 | 2 | 8041 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:42.0 | 52:42.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6039 | 2 | 8041 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:42.0 | 52:42.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6040 | 2 | 8041 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:42.0 | 52:42.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6041 | 2 | 8041 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:42.0 | 52:42.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6042 | 2 | 8041 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:42.0 | 52:42.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6043 | 2 | 8041 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:42.0 | 52:42.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6044 | 2 | 8047 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:45.0 | 52:45.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6045 | 2 | 8047 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:45.0 | 52:45.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6046 | 2 | 8047 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:45.0 | 52:45.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6047 | 2 | 8047 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:45.0 | 52:45.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6048 | 2 | 8047 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:45.0 | 52:45.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6049 | 2 | 8047 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:45.0 | 52:45.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6050 | 2 | 8053 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:48.0 | 52:48.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6051 | 2 | 8053 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:48.0 | 52:48.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6052 | 2 | 8053 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:48.0 | 52:48.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6053 | 2 | 8053 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:48.0 | 52:48.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6054 | 2 | 8053 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:48.0 | 52:48.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6055 | 2 | 8053 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:48.0 | 52:48.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6056 | 2 | 8059 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:51.0 | 52:51.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6057 | 2 | 8059 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:51.0 | 52:51.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6058 | 2 | 8059 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:51.0 | 52:51.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6059 | 2 | 8059 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:51.0 | 52:51.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6060 | 2 | 8059 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:51.0 | 52:51.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6061 | 2 | 8059 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:51.0 | 52:51.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6062 | 2 | 8065 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:54.0 | 52:54.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6063 | 2 | 8065 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:54.0 | 52:54.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6064 | 2 | 8065 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:54.0 | 52:54.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6065 | 2 | 8065 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:54.0 | 52:54.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6066 | 2 | 8065 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:54.0 | 52:54.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6067 | 2 | 8065 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:54.0 | 52:54.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6068 | 2 | 8071 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:57.0 | 52:57.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6069 | 2 | 8071 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:57.0 | 52:57.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6070 | 2 | 8071 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:57.0 | 52:57.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6071 | 2 | 8071 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:57.0 | 52:57.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6072 | 2 | 8071 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:57.0 | 52:57.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6073 | 2 | 8071 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 52:57.0 | 52:57.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6074 | 2 | 8077 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:00.0 | 53:00.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6075 | 2 | 8077 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:00.0 | 53:00.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6076 | 2 | 8077 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:00.0 | 53:00.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6077 | 2 | 8077 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:00.0 | 53:00.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6078 | 2 | 8077 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:00.0 | 53:00.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6079 | 2 | 8077 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:00.0 | 53:00.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6080 | 2 | 8083 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:03.0 | 53:03.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6081 | 2 | 8083 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:03.0 | 53:03.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6082 | 2 | 8083 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:03.0 | 53:03.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6083 | 2 | 8083 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:03.0 | 53:03.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6084 | 2 | 8083 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:03.0 | 53:03.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6085 | 2 | 8083 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:03.0 | 53:03.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6086 | 2 | 8089 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:06.0 | 53:06.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6087 | 2 | 8089 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:06.0 | 53:06.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6088 | 2 | 8089 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:06.0 | 53:06.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6089 | 2 | 8089 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:06.0 | 53:06.0 | status | Fault:Nonı | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6090 | 2 | 8089 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:06.0 | 53:06.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6091 | 2 | 8089 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:06.0 | 53:06.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6092 | 2 | 8095 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:09.0 | 53:09.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6093 | 2 | 8095 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:09.0 | 53:09.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6094 | 2 | 8095 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:09.0 | 53:09.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6095 | 2 | 8095 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:09.0 | 53:09.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6096 | 2 | 8095 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:09.0 | 53:09.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6097 | 2 | 8095 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:09.0 | 53:09.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6098 | 2 | 8101 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:12.0 | 53:12.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6099 | 2 | 8101 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:12.0 | 53:12.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6100 | 2 | 8101 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:12.0 | 53:12.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6101 | 2 | 8101 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:12.0 | 53:12.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6102 | 2 | 8101 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:12.0 | 53:12.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6103 | 2 | 8101 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:12.0 | 53:12.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6104 | 2 | 8113 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6105 | 2 | 8113 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6106 | 2 | 8113 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6107 | 2 | 8113 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6108 | 2 | 8113 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6109 | 2 | 8113 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:15.0 | 53:15.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6110 | 2 | 8119 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:18.0 | 53:18.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6111 | 2 | 8119 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:18.0 | 53:18.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6112 | 2 | 8119 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:18.0 | 53:18.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6113 | 2 | 8119 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:18.0 | 53:18.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6114 | 2 | 8119 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:18.0 | 53:18.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6115 | 2 | 8119 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:18.0 | 53:18.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6116 | 2 | 8125 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:21.0 | 53:21.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6117 | 2 | 8125 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:21.0 | 53:21.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6118 | 2 | 8125 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:21.0 | 53:21.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6119 | 2 | 8125 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:21.0 | 53:21.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6120 | 2 | 8125 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:21.0 | 53:21.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6121 | 2 | 8125 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:21.0 | 53:21.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6122 | 2 | 8131 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:24.0 | 53:24.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6123 | 2 | 8131 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:24.0 | 53:24.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6124 | 2 | 8131 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:24.0 | 53:24.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6125 | 2 | 8131 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:24.0 | 53:24.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6126 | 2 | 8131 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:24.0 | 53:24.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6127 | 2 | 8131 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:24.0 | 53:24.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6128 | 2 | 8137 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:27.0 | 53:27.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6129 | 2 | 8137 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:27.0 | 53:27.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6130 | 2 | 8137 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:27.0 | 53:27.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6131 | 2 | 8137 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:27.0 | 53:27.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6132 | 2 | 8137 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:27.0 | 53:27.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6133 | 2 | 8137 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:27.0 | 53:27.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6134 | 2 | 8143 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:30.0 | 53:30.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6135 | 2 | 8143 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:30.0 | 53:30.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6136 | 2 | 8143 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:30.0 | 53:30.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6137 | 2 | 8143 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:30.0 | 53:30.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6138 | 2 | 8143 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:30.0 | 53:30.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6139 | 2 | 8143 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:30.0 | 53:30.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6140 | 2 | 8149 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:33.0 | 53:33.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6141 | 2 | 8149 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:33.0 | 53:33.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6142 | 2 | 8149 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:33.0 | 53:33.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6143 | 2 | 8149 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:33.0 | 53:33.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6144 | 2 | 8149 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:33.0 | 53:33.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6145 | 2 | 8149 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:33.0 | 53:33.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6146 | 2 | 8155 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:36.0 | 53:36.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6147 | 2 | 8155 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:36.0 | 53:36.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6148 | 2 | 8155 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:36.0 | 53:36.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6149 | 2 | 8155 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:36.0 | 53:36.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6150 | 2 | 8155 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:36.0 | 53:36.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6151 | 2 | 8155 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:36.0 | 53:36.0 | flow | 538 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6152 | 2 | 8161 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:39.0 | 53:39.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6153 | 2 | 8161 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:39.0 | 53:39.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6154 | 2 | 8161 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:39.0 | 53:39.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6155 | 2 | 8161 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:39.0 | 53:39.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6156 | 2 | 8161 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:39.0 | 53:39.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6157 | 2 | 8161 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:39.0 | 53:39.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6164 | 2 | 8167 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:42.0 | 53:42.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6165 | 2 | 8167 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:42.0 | 53:42.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6166 | 2 | 8167 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:42.0 | 53:42.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6167 | 2 | 8167 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:42.0 | 53:42.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6168 | 2 | 8167 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:42.0 | 53:42.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6169 | 2 | 8167 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:42.0 | 53:42.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6176 | 2 | 8179 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:45.0 | 53:45.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6177 | 2 | 8179 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:45.0 | 53:45.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6178 | 2 | 8179 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:45.0 | 53:45.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6179 | 2 | 8179 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:45.0 | 53:45.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6180 | 2 | 8179 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:45.0 | 53:45.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6181 | 2 | 8179 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:45.0 | 53:45.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6182 | 2 | 8185 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:49.0 | 53:49.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6183 | 2 | 8185 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:49.0 | 53:49.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6184 | 2 | 8185 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:49.0 | 53:49.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6185 | 2 | 8185 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:49.0 | 53:49.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6186 | 2 | 8185 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:49.0 | 53:49.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6187 | 2 | 8185 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:49.0 | 53:49.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6188 | 2 | 8191 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:52.0 | 53:52.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6189 | 2 | 8191 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:52.0 | 53:52.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6190 | 2 | 8191 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:52.0 | 53:52.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6191 | 2 | 8191 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:52.0 | 53:52.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6192 | 2 | 8191 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:52.0 | 53:52.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6193 | 2 | 8191 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:52.0 | 53:52.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6194 | 2 | 8197 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:55.0 | 53:55.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6195 | 2 | 8197 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:55.0 | 53:55.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6196 | 2 | 8197 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:55.0 | 53:55.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6197 | 2 | 8197 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:55.0 | 53:55.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6198 | 2 | 8197 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:55.0 | 53:55.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6199 | 2 | 8197 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:55.0 | 53:55.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6200 | 2 | 8203 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:58.0 | 53:58.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6201 | 2 | 8203 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:58.0 | 53:58.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6202 | 2 | 8203 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:58.0 | 53:58.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6203 | 2 | 8203 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:58.0 | 53:58.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6204 | 2 | 8203 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:58.0 | 53:58.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6205 | 2 | 8203 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 53:58.0 | 53:58.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6206 | 2 | 8209 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:01.0 | 54:01.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6207 | 2 | 8209 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:01.0 | 54:01.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6208 | 2 | 8209 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:01.0 | 54:01.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6209 | 2 | 8209 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:01.0 | 54:01.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6210 | 2 | 8209 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:01.0 | 54:01.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6211 | 2 | 8209 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:01.0 | 54:01.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6212 | 2 | 8215 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:04.0 | 54:04.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6213 | 2 | 8215 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:04.0 | 54:04.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6214 | 2 | 8215 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:04.0 | 54:04.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6215 | 2 | 8215 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:04.0 | 54:04.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6216 | 2 | 8215 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:04.0 | 54:04.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6217 | 2 | 8215 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:04.0 | 54:04.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6218 | 2 | 8221 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:07.0 | 54:07.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6219 | 2 | 8221 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:07.0 | 54:07.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6220 | 2 | 8221 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:07.0 | 54:07.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6221 | 2 | 8221 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:07.0 | 54:07.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6222 | 2 | 8221 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:07.0 | 54:07.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6223 | 2 | 8221 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:07.0 | 54:07.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6224 | 2 | 8227 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:10.0 | 54:10.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6225 | 2 | 8227 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:10.0 | 54:10.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6226 | 2 | 8227 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:10.0 | 54:10.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6227 | 2 | 8227 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:10.0 | 54:10.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6228 | 2 | 8227 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:10.0 | 54:10.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6229 | 2 | 8227 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:10.0 | 54:10.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6230 | 2 | 8233 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:13.0 | 54:13.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6231 | 2 | 8233 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:13.0 | 54:13.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6232 | 2 | 8233 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:13.0 | 54:13.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6233 | 2 | 8233 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:13.0 | 54:13.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6234 | 2 | 8233 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:13.0 | 54:13.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6235 | 2 | 8233 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:13.0 | 54:13.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6236 | 2 | 8239 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:16.0 | 54:16.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6237 | 2 | 8239 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:16.0 | 54:16.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6238 | 2 | 8239 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:16.0 | 54:16.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6239 | 2 | 8239 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:16.0 | 54:16.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6240 | 2 | 8239 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:16.0 | 54:16.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6241 | 2 | 8239 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:16.0 | 54:16.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6242 | 2 | 8245 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:19.0 | 54:19.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6243 | 2 | 8245 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:19.0 | 54:19.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6244 | 2 | 8245 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:19.0 | 54:19.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6245 | 2 | 8245 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:19.0 | 54:19.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6246 | 2 | 8245 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:19.0 | 54:19.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6247 | 2 | 8245 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:19.0 | 54:19.0 | flow | 540 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6248 | 2 | 8251 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:22.0 | 54:22.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6249 | 2 | 8251 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:22.0 | 54:22.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6250 | 2 | 8251 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:22.0 | 54:22.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6251 | 2 | 8251 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:22.0 | 54:22.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6252 | 2 | 8251 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:22.0 | 54:22.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6253 | 2 | 8251 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:22.0 | 54:22.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6254 | 2 | 8257 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:25.0 | 54:25.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6255 | 2 | 8257 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:25.0 | 54:25.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6256 | 2 | 8257 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:25.0 | 54:25.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6257 | 2 | 8257 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:25.0 | 54:25.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6258 | 2 | 8257 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:25.0 | 54:25.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6259 | 2 | 8257 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:25.0 | 54:25.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6260 | 2 | 8263 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:28.0 | 54:28.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6261 | 2 | 8263 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:28.0 | 54:28.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6262 | 2 | 8263 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:28.0 | 54:28.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6263 | 2 | 8263 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:28.0 | 54:28.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6264 | 2 | 8263 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:28.0 | 54:28.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6265 | 2 | 8263 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:28.0 | 54:28.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6266 | 2 | 8269 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:31.0 | 54:31.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6267 | 2 | 8269 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:31.0 | 54:31.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6268 | 2 | 8269 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:31.0 | 54:31.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6269 | 2 | 8269 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:31.0 | 54:31.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6270 | 2 | 8269 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:31.0 | 54:31.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6271 | 2 | 8269 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:31.0 | 54:31.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6272 | 2 | 8275 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:34.0 | 54:34.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6273 | 2 | 8275 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:34.0 | 54:34.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6274 | 2 | 8275 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:34.0 | 54:34.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6275 | 2 | 8275 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:34.0 | 54:34.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6276 | 2 | 8275 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:34.0 | 54:34.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6277 | 2 | 8275 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:34.0 | 54:34.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6278 | 2 | 8281 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:37.0 | 54:37.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6279 | 2 | 8281 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:37.0 | 54:37.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6280 | 2 | 8281 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:37.0 | 54:37.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6281 | 2 | 8281 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:37.0 | 54:37.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6282 | 2 | 8281 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:37.0 | 54:37.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6283 | 2 | 8281 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:37.0 | 54:37.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6284 | 2 | 8287 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:40.0 | 54:40.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6285 | 2 | 8287 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:40.0 | 54:40.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6286 | 2 | 8287 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:40.0 | 54:40.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6287 | 2 | 8287 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:40.0 | 54:40.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6288 | 2 | 8287 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:40.0 | 54:40.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6289 | 2 | 8287 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:40.0 | 54:40.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6290 | 2 | 8293 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:43.0 | 54:43.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6291 | 2 | 8293 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:43.0 | 54:43.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6292 | 2 | 8293 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:43.0 | 54:43.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6293 | 2 | 8293 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:43.0 | 54:43.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6294 | 2 | 8293 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:43.0 | 54:43.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6295 | 2 | 8293 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:43.0 | 54:43.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6296 | 2 | 8299 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:46.0 | 54:46.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6297 | 2 | 8299 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:46.0 | 54:46.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6298 | 2 | 8299 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:46.0 | 54:46.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6299 | 2 | 8299 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:46.0 | 54:46.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6300 | 2 | 8299 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:46.0 | 54:46.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6301 | 2 | 8299 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:46.0 | 54:46.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6302 | 2 | 8305 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:49.0 | 54:49.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6303 | 2 | 8305 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:49.0 | 54:49.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6304 | 2 | 8305 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:49.0 | 54:49.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6305 | 2 | 8305 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:49.0 | 54:49.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6306 | 2 | 8305 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:49.0 | 54:49.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6307 | 2 | 8305 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:49.0 | 54:49.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6308 | 2 | 8311 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:52.0 | 54:52.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6309 | 2 | 8311 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:52.0 | 54:52.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6310 | 2 | 8311 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:52.0 | 54:52.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6311 | 2 | 8311 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:52.0 | 54:52.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6312 | 2 | 8311 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:52.0 | 54:52.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6313 | 2 | 8311 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:52.0 | 54:52.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6314 | 2 | 8317 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:55.0 | 54:55.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6315 | 2 | 8317 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:55.0 | 54:55.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6316 | 2 | 8317 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:55.0 | 54:55.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6317 | 2 | 8317 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:55.0 | 54:55.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6318 | 2 | 8317 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:55.0 | 54:55.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6319 | 2 | 8317 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:55.0 | 54:55.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6320 | 2 | 8323 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:58.0 | 54:58.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6321 | 2 | 8323 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:58.0 | 54:58.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6322 | 2 | 8323 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:58.0 | 54:58.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6323 | 2 | 8323 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:58.0 | 54:58.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6324 | 2 | 8323 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:58.0 | 54:58.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6325 | 2 | 8323 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 54:58.0 | 54:58.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6326 | 2 | 8329 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:01.0 | 55:01.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6327 | 2 | 8329 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:01.0 | 55:01.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6328 | 2 | 8329 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:01.0 | 55:01.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6329 | 2 | 8329 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:01.0 | 55:01.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6330 | 2 | 8329 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:01.0 | 55:01.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6331 | 2 | 8329 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:01.0 | 55:01.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6332 | 2 | 8335 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:04.0 | 55:04.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6333 | 2 | 8335 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:04.0 | 55:04.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6334 | 2 | 8335 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:04.0 | 55:04.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6335 | 2 | 8335 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:04.0 | 55:04.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6336 | 2 | 8335 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:04.0 | 55:04.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6337 | 2 | 8335 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:04.0 | 55:04.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6338 | 2 | 8341 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:07.0 | 55:07.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6339 | 2 | 8341 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:07.0 | 55:07.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6340 | 2 | 8341 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:07.0 | 55:07.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6341 | 2 | 8341 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:07.0 | 55:07.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6342 | 2 | 8341 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:07.0 | 55:07.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6343 | 2 | 8341 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:07.0 | 55:07.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6344 | 2 | 8347 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:10.0 | 55:10.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6345 | 2 | 8347 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:10.0 | 55:10.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6346 | 2 | 8347 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:10.0 | 55:10.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6347 | 2 | 8347 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:10.0 | 55:10.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6348 | 2 | 8347 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:10.0 | 55:10.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6349 | 2 | 8347 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:10.0 | 55:10.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6350 | 2 | 8353 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:16.0 | 55:16.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6351 | 2 | 8353 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:16.0 | 55:16.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6352 | 2 | 8353 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:16.0 | 55:16.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6353 | 2 | 8353 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:16.0 | 55:16.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6354 | 2 | 8353 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:16.0 | 55:16.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6355 | 2 | 8353 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:16.0 | 55:16.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6356 | 2 | 8359 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:19.0 | 55:19.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6357 | 2 | 8359 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:19.0 | 55:19.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6358 | 2 | 8359 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:19.0 | 55:19.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6359 | 2 | 8359 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:19.0 | 55:19.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6360 | 2 | 8359 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:19.0 | 55:19.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6361 | 2 | 8359 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:19.0 | 55:19.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6362 | 2 | 8365 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:22.0 | 55:22.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6363 | 2 | 8365 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:22.0 | 55:22.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6364 | 2 | 8365 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:22.0 | 55:22.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6365 | 2 | 8365 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:22.0 | 55:22.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6366 | 2 | 8365 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:22.0 | 55:22.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6367 | 2 | 8365 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:22.0 | 55:22.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6368 | 2 | 8371 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:25.0 | 55:25.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6369 | 2 | 8371 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:25.0 | 55:25.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6370 | 2 | 8371 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:25.0 | 55:25.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6371 | 2 | 8371 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:25.0 | 55:25.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6372 | 2 | 8371 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:25.0 | 55:25.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6373 | 2 | 8371 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:25.0 | 55:25.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6374 | 2 | 8377 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:28.0 | 55:28.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6375 | 2 | 8377 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:28.0 | 55:28.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6376 | 2 | 8377 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:28.0 | 55:28.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6377 | 2 | 8377 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:28.0 | 55:28.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6378 | 2 | 8377 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:28.0 | 55:28.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6379 | 2 | 8377 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:28.0 | 55:28.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6380 | 2 | 8383 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:31.0 | 55:31.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6381 | 2 | 8383 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:31.0 | 55:31.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6382 | 2 | 8383 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:31.0 | 55:31.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6383 | 2 | 8383 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:31.0 | 55:31.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6384 | 2 | 8383 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:31.0 | 55:31.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6385 | 2 | 8383 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:31.0 | 55:31.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6386 | 2 | 8389 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:34.0 | 55:34.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6387 | 2 | 8389 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:34.0 | 55:34.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6388 | 2 | 8389 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:34.0 | 55:34.0 | state | In monitoı | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6389 | 2 | 8389 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:34.0 | 55:34.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6390 | 2 | 8389 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:34.0 | 55:34.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6391 | 2 | 8389 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:34.0 | 55:34.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6392 | 2 | 8395 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:37.0 | 55:37.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6393 | 2 | 8395 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:37.0 | 55:37.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6394 | 2 | 8395 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:37.0 | 55:37.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6395 | 2 | 8395 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:37.0 | 55:37.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6396 | 2 | 8395 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:37.0 | 55:37.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6397 | 2 | 8395 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:37.0 | 55:37.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6398 | 2 | 8401 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:40.0 | 55:40.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6399 | 2 | 8401 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:40.0 | 55:40.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6400 | 2 | 8401 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:40.0 | 55:40.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6401 | 2 | 8401 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:40.0 | 55:40.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6402 | 2 | 8401 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:40.0 | 55:40.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6403 | 2 | 8401 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:40.0 | 55:40.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6404 | 2 | 8407 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:43.0 | 55:43.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6405 | 2 | 8407 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:43.0 | 55:43.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6406 | 2 | 8407 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:43.0 | 55:43.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6407 | 2 | 8407 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:43.0 | 55:43.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6408 | 2 | 8407 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:43.0 | 55:43.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6409 | 2 | 8407 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:43.0 | 55:43.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6410 | 2 | 8413 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:46.0 | 55:46.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6411 | 2 | 8413 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:46.0 | 55:46.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6412 | 2 | 8413 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:46.0 | 55:46.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6413 | 2 | 8413 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:46.0 | 55:46.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6414 | 2 | 8413 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:46.0 | 55:46.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6415 | 2 | 8413 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:46.0 | 55:46.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6416 | 2 | 8419 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:49.0 | 55:49.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6417 | 2 | 8419 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:49.0 | 55:49.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6418 | 2 | 8419 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:49.0 | 55:49.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6419 | 2 | 8419 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:49.0 | 55:49.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6420 | 2 | 8419 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:49.0 | 55:49.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6421 | 2 | 8419 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:49.0 | 55:49.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6422 | 2 | 8425 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:52.0 | 55:52.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6423 | 2 | 8425 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:52.0 | 55:52.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6424 | 2 | 8425 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:52.0 | 55:52.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6425 | 2 | 8425 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:52.0 | 55:52.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6426 | 2 | 8425 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:52.0 | 55:52.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6427 | 2 | 8425 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:52.0 | 55:52.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6428 | 2 | 8431 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:55.0 | 55:55.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6429 | 2 | 8431 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:55.0 | 55:55.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6430 | 2 | 8431 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:55.0 | 55:55.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6431 | 2 | 8431 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:55.0 | 55:55.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6432 | 2 | 8431 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:55.0 | 55:55.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6433 | 2 | 8431 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:55.0 | 55:55.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6434 | 2 | 8437 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:58.0 | 55:58.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6435 | 2 | 8437 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:58.0 | 55:58.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6436 | 2 | 8437 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:58.0 | 55:58.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6437 | 2 | 8437 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:58.0 | 55:58.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6438 | 2 | 8437 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:58.0 | 55:58.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6439 | 2 | 8437 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 55:58.0 | 55:58.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6440 | 2 | 8443 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:01.0 | 56:01.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6441 | 2 | 8443 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:01.0 | 56:01.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6442 | 2 | 8443 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:01.0 | 56:01.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6443 | 2 | 8443 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:01.0 | 56:01.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6444 | 2 | 8443 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:01.0 | 56:01.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6445 | 2 | 8443 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:01.0 | 56:01.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6446 | 2 | 8449 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:04.0 | 56:04.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6447 | 2 | 8449 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:04.0 | 56:04.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6448 | 2 | 8449 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:04.0 | 56:04.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6449 | 2 | 8449 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:04.0 | 56:04.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6450 | 2 | 8449 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:04.0 | 56:04.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6451 | 2 | 8449 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:04.0 | 56:04.0 | flow | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6452 | 2 | 8455 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:08.0 | 56:08.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6453 | 2 | 8455 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:08.0 | 56:08.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6454 | 2 | 8455 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:08.0 | 56:08.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6455 | 2 | 8455 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:08.0 | 56:08.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6456 | 2 | 8455 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:08.0 | 56:08.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6457 | 2 | 8455 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:08.0 | 56:08.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6458 | 2 | 8461 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:11.0 | 56:11.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6459 | 2 | 8461 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:11.0 | 56:11.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6460 | 2 | 8461 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:11.0 | 56:11.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6461 | 2 | 8461 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:11.0 | 56:11.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6462 | 2 | 8461 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:11.0 | 56:11.0 | battery | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6463 | 2 | 8461 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:11.0 | 56:11.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6464 | 2 | 8467 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:14.0 | 56:14.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6465 | 2 | 8467 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:14.0 | 56:14.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6466 | 2 | 8467 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:14.0 | 56:14.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6467 | 2 | 8467 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:14.0 | 56:14.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6468 | 2 | 8467 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:14.0 | 56:14.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6469 | 2 | 8467 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:14.0 | 56:14.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6470 | 2 | 8473 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:17.0 | 56:17.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6471 | 2 | 8473 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:17.0 | 56:17.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6472 | 2 | 8473 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:17.0 | 56:17.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6473 | 2 | 8473 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:17.0 | 56:17.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6474 | 2 | 8473 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:17.0 | 56:17.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6475 | 2 | 8473 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:17.0 | 56:17.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6476 | 2 | 8479 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:20.0 | 56:20.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6477 | 2 | 8479 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:20.0 | 56:20.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6478 | 2 | 8479 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:20.0 | 56:20.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6479 | 2 | 8479 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:20.0 | 56:20.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6480 | 2 | 8479 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:20.0 | 56:20.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6481 | 2 | 8479 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:20.0 | 56:20.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6482 | 2 | 8485 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:23.0 | 56:23.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6483 | 2 | 8485 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:23.0 | 56:23.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6484 | 2 | 8485 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:23.0 | 56:23.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6485 | 2 | 8485 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:23.0 | 56:23.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6486 | 2 | 8485 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:23.0 | 56:23.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6487 | 2 | 8485 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:23.0 | 56:23.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6488 | 2 | 8491 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:26.0 | 56:26.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6489 | 2 | 8491 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:26.0 | 56:26.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6490 | 2 | 8491 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:26.0 | 56:26.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6491 | 2 | 8491 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:26.0 | 56:26.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6492 | 2 | 8491 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:26.0 | 56:26.0 | battery | | 79 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6493 | 2 | 8491 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:26.0 | 56:26.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6494 | 2 | 8497 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:29.0 | 56:29.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6495 | 2 | 8497 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:29.0 | 56:29.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6496 | 2 | 8497 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:29.0 | 56:29.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6497 | 2 | 8497 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:29.0 | 56:29.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6498 | 2 | 8497 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:29.0 | 56:29.0 | battery | | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6499 | 2 | 8497 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:29.0 | 56:29.0 | flow | | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6500 | 2 | 8503 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:32.0 | 56:32.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6501 | 2 | 8503 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:32.0 | 56:32.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6502 | 2 | 8503 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:32.0 | 56:32.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6503 | 2 | 8503 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:32.0 | 56:32.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6504 | 2 | 8503 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:32.0 | 56:32.0 | battery | | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6505 | 2 | 8503 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:32.0 | 56:32.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6506 | 2 | 8509 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:35.0 | 56:35.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6507 | 2 | 8509 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:35.0 | 56:35.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6508 | 2 | 8509 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:35.0 | 56:35.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6509 | 2 | 8509 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:35.0 | 56:35.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6510 | 2 | 8509 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:35.0 | 56:35.0 | battery | | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6511 | 2 | 8509 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:35.0 | 56:35.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6512 | 2 | 8515 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:38.0 | 56:38.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6513 | 2 | 8515 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:38.0 | 56:38.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6514 | 2 | 8515 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:38.0 | 56:38.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6515 | 2 | 8515 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:38.0 | 56:38.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6516 | 2 | 8515 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:38.0 | 56:38.0 | battery | | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6517 | 2 | 8515 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 56:38.0 | 56:38.0 | flow | | 543 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6518 | 2 | 8521 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:05.0 | 57:05.0 | Phosgene | | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6519 | 2 | 8521 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:05.0 | 57:05.0 | alarms | 50-100 | | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6520 | 2 | 8521 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:05.0 | 57:05.0 | state | In monitoı | | state | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6521 | 2 | 8521 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:05.0 | 57:05.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6522 | 2 | 8521 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:05.0 | 57:05.0 | battery | | 78 | % | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6523 | 2 | 8521 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:05.0 | 57:05.0 | flow | | 543 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6524 | 2 | 8527 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:19.0 | 57:19.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6525 | 2 | 8527 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:19.0 | 57:19.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6526 | 2 | 8527 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:19.0 | 57:19.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6527 | 2 | 8527 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:19.0 | 57:19.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6528 | 2 | 8527 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:19.0 | 57:19.0 | battery | | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6529 | 2 | 8527 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:19.0 | 57:19.0 | flow | | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6530 | 2 | 8533 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:22.0 | 57:22.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6531 | 2 | 8533 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:22.0 | 57:22.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6532 | 2 | 8533 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:22.0 | 57:22.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6533 | 2 | 8533 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:22.0 | 57:22.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6534 | 2 | 8533 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:22.0 | 57:22.0 | battery | | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6535 | 2 | 8533 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:22.0 | 57:22.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6536 | 2 | 8539 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:25.0 | 57:25.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6537 | 2 | 8539 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:25.0 | 57:25.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6538 | 2 | 8539 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:25.0 | 57:25.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6539 | 2 | 8539 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:25.0 | 57:25.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6540 | 2 | 8539 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:25.0 | 57:25.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6541 | 2 | 8539 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:25.0 | 57:25.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6542 | 2 | 8545 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:29.0 | 57:29.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6543 | 2 | 8545 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:29.0 | 57:29.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6544 | 2 | 8545 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:29.0 | 57:29.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6545 | 2 | 8545 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:29.0 | 57:29.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6546 | 2 | 8545 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:29.0 | 57:29.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6547 | 2 | 8545 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:29.0 | 57:29.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6548 | 2 | 8551 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:32.0 | 57:32.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6549 | 2 | 8551 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:32.0 | 57:32.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6550 | 2 | 8551 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:32.0 | 57:32.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6551 | 2 | 8551 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:32.0 | 57:32.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6552 | 2 | 8551 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:32.0 | 57:32.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6553 | 2 | 8551 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:32.0 | 57:32.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6554 | 2 | 8557 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:35.0 | 57:35.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6555 | 2 | 8557 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:35.0 | 57:35.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6556 | 2 | 8557 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:35.0 | 57:35.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6557 | 2 | 8557 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:35.0 | 57:35.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6558 | 2 | 8557 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:35.0 | 57:35.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6559 | 2 | 8557 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:35.0 | 57:35.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6560 | 2 | 8563 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:38.0 | 57:38.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6561 | 2 | 8563 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:38.0 | 57:38.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6562 | 2 | 8563 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:38.0 | 57:38.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6563 | 2 | 8563 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:38.0 | 57:38.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6564 | 2 | 8563 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:38.0 | 57:38.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6565 | 2 | 8563 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:38.0 | 57:38.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6566 | 2 | 8569 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:41.0 | 57:41.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6567 | 2 | 8569 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:41.0 | 57:41.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6568 | 2 | 8569 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:41.0 | 57:41.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6569 | 2 | 8569 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:41.0 | 57:41.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6570 | 2 | 8569 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:41.0 | 57:41.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6571 | 2 | 8569 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:41.0 | 57:41.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6572 | 2 | 8575 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:44.0 | 57:44.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6573 | 2 | 8575 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:44.0 | 57:44.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6574 | 2 | 8575 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:44.0 | 57:44.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6575 | 2 | 8575 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:44.0 | 57:44.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6576 | 2 | 8575 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:44.0 | 57:44.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6577 | 2 | 8575 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:44.0 | 57:44.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6578 | 2 | 8581 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:47.0 | 57:47.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6579 | 2 | 8581 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:47.0 | 57:47.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6580 | 2 | 8581 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:47.0 | 57:47.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6581 | 2 | 8581 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:47.0 | 57:47.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6582 | 2 | 8581 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:47.0 | 57:47.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6583 | 2 | 8581 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:47.0 | 57:47.0 | flow | 542 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6584 | 2 | 8587 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:50.0 | 57:50.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6585 | 2 | 8587 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:50.0 | 57:50.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6586 | 2 | 8587 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:50.0 | 57:50.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6587 | 2 | 8587 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:50.0 | 57:50.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6588 | 2 | 8587 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:50.0 | 57:50.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6589 | 2 | 8587 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:50.0 | 57:50.0 | flow | 541 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6590 | 2 | 8593 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:53.0 | 57:53.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6591 | 2 | 8593 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:53.0 | 57:53.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6592 | 2 | 8593 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:53.0 | 57:53.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6593 | 2 | 8593 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:53.0 | 57:53.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6594 | 2 | 8593 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:53.0 | 57:53.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6595 | 2 | 8593 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:53.0 | 57:53.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6596 | 2 | 8599 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:56.0 | 57:56.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6597 | 2 | 8599 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:56.0 | 57:56.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6598 | 2 | 8599 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:56.0 | 57:56.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6599 | 2 | 8599 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:56.0 | 57:56.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6600 | 2 | 8599 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:56.0 | 57:56.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6601 | 2 | 8599 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:56.0 | 57:56.0 | flow | 534 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6602 | 2 | 8605 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:59.0 | 57:59.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6603 | 2 | 8605 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:59.0 | 57:59.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6604 | 2 | 8605 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:59.0 | 57:59.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6605 | 2 | 8605 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:59.0 | 57:59.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6606 | 2 | 8605 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:59.0 | 57:59.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6607 | 2 | 8605 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 57:59.0 | 57:59.0 | flow | 533 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6608 | 2 | 8611 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:02.0 | 58:02.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6609 | 2 | 8611 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:02.0 | 58:02.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6610 | 2 | 8611 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:02.0 | 58:02.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6611 | 2 | 8611 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:02.0 | 58:02.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6612 | 2 | 8611 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:02.0 | 58:02.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6613 | 2 | 8611 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:02.0 | 58:02.0 | flow | 533 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6614 | 2 | 8617 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:05.0 | 58:05.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6615 | 2 | 8617 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:05.0 | 58:05.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6616 | 2 | 8617 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:05.0 | 58:05.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6617 | 2 | 8617 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:05.0 | 58:05.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6618 | 2 | 8617 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:05.0 | 58:05.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6619 | 2 | 8617 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:05.0 | 58:05.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6620 | 2 | 8623 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:08.0 | 58:08.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6621 | 2 | 8623 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:08.0 | 58:08.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6622 | 2 | 8623 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:08.0 | 58:08.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6623 | 2 | 8623 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:08.0 | 58:08.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6624 | 2 | 8623 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:08.0 | 58:08.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6625 | 2 | 8623 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:08.0 | 58:08.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6626 | 2 | 8629 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:12.0 | 58:12.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6627 | 2 | 8629 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:12.0 | 58:12.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6628 | 2 | 8629 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:12.0 | 58:12.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6629 | 2 | 8629 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:12.0 | 58:12.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6630 | 2 | 8629 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:12.0 | 58:12.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6631 | 2 | 8629 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:12.0 | 58:12.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6632 | 2 | 8635 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:15.0 | 58:15.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6633 | 2 | 8635 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:15.0 | 58:15.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6634 | 2 | 8635 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:15.0 | 58:15.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6635 | 2 | 8635 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:15.0 | 58:15.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6636 | 2 | 8635 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:15.0 | 58:15.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6637 | 2 | 8635 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:15.0 | 58:15.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6638 | 2 | 8641 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:18.0 | 58:18.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6639 | 2 | 8641 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:18.0 | 58:18.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6640 | 2 | 8641 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:18.0 | 58:18.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6641 | 2 | 8641 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:18.0 | 58:18.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6642 | 2 | 8641 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:18.0 | 58:18.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6643 | 2 | 8641 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:18.0 | 58:18.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6644 | 2 | 8647 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:21.0 | 58:21.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6645 | 2 | 8647 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:21.0 | 58:21.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6646 | 2 | 8647 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:21.0 | 58:21.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6647 | 2 | 8647 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:21.0 | 58:21.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6648 | 2 | 8647 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:21.0 | 58:21.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6649 | 2 | 8647 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:21.0 | 58:21.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6650 | 2 | 8653 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:24.0 | 58:24.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6651 | 2 | 8653 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:24.0 | 58:24.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6652 | 2 | 8653 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:24.0 | 58:24.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6653 | 2 | 8653 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:24.0 | 58:24.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6654 | 2 | 8653 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:24.0 | 58:24.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6655 | 2 | 8653 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:24.0 | 58:24.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6656 | 2 | 8659 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:27.0 | 58:27.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6657 | 2 | 8659 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:27.0 | 58:27.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6658 | 2 | 8659 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:27.0 | 58:27.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6659 | 2 | 8659 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:27.0 | 58:27.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6660 | 2 | 8659 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:27.0 | 58:27.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6661 | 2 | 8659 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:27.0 | 58:27.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6662 | 2 | 8665 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:30.0 | 58:30.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6663 | 2 | 8665 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:30.0 | 58:30.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6664 | 2 | 8665 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:30.0 | 58:30.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6665 | 2 | 8665 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:30.0 | 58:30.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6666 | 2 | 8665 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:30.0 | 58:30.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6667 | 2 | 8665 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:30.0 | 58:30.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6668 | 2 | 8671 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:33.0 | 58:33.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6669 | 2 | 8671 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:33.0 | 58:33.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6670 | 2 | 8671 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:33.0 | 58:33.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6671 | 2 | 8671 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:33.0 | 58:33.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6672 | 2 | 8671 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:33.0 | 58:33.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6673 | 2 | 8671 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:33.0 | 58:33.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6674 | 2 | 8677 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:36.0 | 58:36.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6675 | 2 | 8677 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:36.0 | 58:36.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6676 | 2 | 8677 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:36.0 | 58:36.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6677 | 2 | 8677 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:36.0 | 58:36.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6678 | 2 | 8677 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:36.0 | 58:36.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6679 | 2 | 8677 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:36.0 | 58:36.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6680 | 2 | 8683 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:47.0 | 58:47.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6681 | 2 | 8683 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:47.0 | 58:47.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6682 | 2 | 8683 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:47.0 | 58:47.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6683 | 2 | 8683 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:47.0 | 58:47.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6684 | 2 | 8683 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:47.0 | 58:47.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6685 | 2 | 8683 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 58:47.0 | 58:47.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6686 | 2 | 8689 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 59:20.0 | 59:20.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6687 | 2 | 8689 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 59:20.0 | 59:20.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6688 | 2 | 8689 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 59:20.0 | 59:20.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6689 | 2 | 8689 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 59:20.0 | 59:20.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6690 | 2 | 8689 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 59:20.0 | 59:20.0 | battery | 78 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6691 | 2 | 8689 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 59:20.0 | 59:20.0 | flow | 531 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6692 | 2 | 8695 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 00:35.0 | 00:35.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6693 | 2 | 8695 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 00:35.0 | 00:35.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6694 | 2 | 8695 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 00:35.0 | 00:35.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6695 | 2 | 8695 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 00:35.0 | 00:35.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6696 | 2 | 8695 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 00:35.0 | 00:35.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6697 | 2 | 8695 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 00:35.0 | 00:35.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6698 | 2 | 8701 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 01:05.0 | 01:05.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6699 | 2 | 8701 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 01:05.0 | 01:05.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6700 | 2 | 8701 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 01:05.0 | 01:05.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6701 | 2 | 8701 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 01:05.0 | 01:05.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6702 | 2 | 8701 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 01:05.0 | 01:05.0 | battery | 78 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6703 | 2 | 8701 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 01:05.0 | 01:05.0 | flow | 532 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6704 | 2 | 8707 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:19.0 | 03:19.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6705 | 2 | 8707 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:19.0 | 03:19.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6706 | 2 | 8707 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:19.0 | 03:19.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6707 | 2 | 8707 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:19.0 | 03:19.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6708 | 2 | 8707 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:19.0 | 03:19.0 | battery | 78 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6709 | 2 | 8707 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:19.0 | 03:19.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6710 | 2 | 8713 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6711 | 2 | 8713 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6712 | 2 | 8713 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6713 | 2 | 8713 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6714 | 2 | 8713 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | battery | 78 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6715 | 2 | 8713 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 03:47.0 | 03:47.0 | flow | 531 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6716 | 2 | 8719 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 06:58.0 | 06:58.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6717 | 2 | 8719 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 06:58.0 | 06:58.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6718 | 2 | 8719 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 06:58.0 | 06:58.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6719 | 2 | 8719 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 06:58.0 | 06:58.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6720 | 2 | 8719 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 06:58.0 | 06:58.0 | battery | 77 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6721 | 2 | 8719 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 06:58.0 | 06:58.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6722 | 2 | 8725 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:01.0 | 07:01.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6723 | 2 | 8725 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:01.0 | 07:01.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6724 | 2 | 8725 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:01.0 | 07:01.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6725 | 2 | 8725 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:01.0 | 07:01.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6726 | 2 | 8725 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:01.0 | 07:01.0 | battery | 77 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6727 | 2 | 8725 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:01.0 | 07:01.0 | flow | 532 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6728 | 2 | 8731 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:24.0 | 07:24.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6729 | 2 | 8731 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:24.0 | 07:24.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6730 | 2 | 8731 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:24.0 | 07:24.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6731 | 2 | 8731 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:24.0 | 07:24.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6732 | 2 | 8731 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:24.0 | 07:24.0 | battery | 77 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6733 | 2 | 8731 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:24.0 | 07:24.0 | flow | 532 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6734 | 2 | 8737 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:47.0 | 07:47.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6735 | 2 | 8737 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:47.0 | 07:47.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6736 | 2 | 8737 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:47.0 | 07:47.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6737 | 2 | 8737 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:47.0 | 07:47.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6738 | 2 | 8737 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:47.0 | 07:47.0 | battery | 77 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6739 | 2 | 8737 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:47.0 | 07:47.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6740 | 2 | 8743 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:51.0 | 07:51.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6741 | 2 | 8743 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:51.0 | 07:51.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6742 | 2 | 8743 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:51.0 | 07:51.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6743 | 2 | 8743 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:51.0 | 07:51.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6744 | 2 | 8743 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:51.0 | 07:51.0 | battery | 77 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6745 | 2 | 8743 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 07:51.0 | 07:51.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6746 | 2 | 8749 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6747 | 2 | 8749 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6748 | 2 | 8749 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6749 | 2 | 8749 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6750 | 2 | 8749 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | battery | 77 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6751 | 2 | 8749 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 08:14.0 | 08:14.0 | flow | 531 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6752 | 2 | 8755 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6753 | 2 | 8755 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6754 | 2 | 8755 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6755 | 2 | 8755 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6756 | 2 | 8755 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | battery | 77 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6757 | 2 | 8755 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:21.0 | 09:21.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6758 | 2 | 8761 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6759 | 2 | 8761 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6760 | 2 | 8761 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6761 | 2 | 8761 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6762 | 2 | 8761 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | battery | 77 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6763 | 2 | 8761 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:33.0 | 09:33.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6764 | 2 | 8767 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6765 | 2 | 8767 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6766 | 2 | 8767 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6767 | 2 | 8767 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6768 | 2 | 8767 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | battery | 77 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6769 | 2 | 8767 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 09:36.0 | 09:36.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6770 | 2 | 8773 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6771 | 2 | 8773 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6772 | 2 | 8773 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6773 | 2 | 8773 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6774 | 2 | 8773 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | battery | 77 | % | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6775 | 2 | 8773 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 10:10.0 | 10:10.0 | flow | 531 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6776 | 2 | 8779 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:42.0 | 13:42.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6777 | 2 | 8779 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:42.0 | 13:42.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6778 | 2 | 8779 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:42.0 | 13:42.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6779 | 2 | 8779 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:42.0 | 13:42.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6780 | 2 | 8779 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:42.0 | 13:42.0 | battery | 76 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6781 | 2 | 8779 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:42.0 | 13:42.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6782 | 2 | 8785 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6783 | 2 | 8785 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6784 | 2 | 8785 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6785 | 2 | 8785 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6786 | 2 | 8785 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | battery | 76 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6787 | 2 | 8785 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:45.0 | 13:45.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6788 | 2 | 8791 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:48.0 | 13:48.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6789 | 2 | 8791 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:48.0 | 13:48.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6790 | 2 | 8791 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:48.0 | 13:48.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6791 | 2 | 8791 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:48.0 | 13:48.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6792 | 2 | 8791 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:48.0 | 13:48.0 | battery | 76 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6793 | 2 | 8791 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:48.0 | 13:48.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6794 | 2 | 8797 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:52.0 | 13:52.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6795 | 2 | 8797 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:52.0 | 13:52.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6796 | 2 | 8797 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:52.0 | 13:52.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6797 | 2 | 8797 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:52.0 | 13:52.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6798 | 2 | 8797 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:52.0 | 13:52.0 | battery | 76 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6799 | 2 | 8797 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 13:52.0 | 13:52.0 | flow | 531 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6800 | 2 | 8803 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 14:25.0 | 14:25.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6801 | 2 | 8803 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 14:25.0 | 14:25.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6802 | 2 | 8803 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 14:25.0 | 14:25.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6803 | 2 | 8803 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 14:25.0 | 14:25.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6804 | 2 | 8803 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 14:25.0 | 14:25.0 | battery | 76 | % | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6805 | 2 | 8803 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 14:25.0 | 14:25.0 | flow | 531 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6878 | 2 | 8881 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 23:48.0 | 23:48.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6879 | 2 | 8881 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 23:48.0 | 23:48.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6880 | 2 | 8881 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 23:48.0 | 23:48.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6881 | 2 | 8881 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 23:48.0 | 23:48.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6882 | 2 | 8881 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 23:48.0 | 23:48.0 | battery | 75 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6883 | 2 | 8881 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 23:48.0 | 23:48.0 | flow | 544 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6884 | 2 | 8887 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 24:22.0 | 24:22.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6885 | 2 | 8887 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 24:22.0 | 24:22.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6886 | 2 | 8887 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 24:22.0 | 24:22.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6887 | 2 | 8887 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 24:22.0 | 24:22.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6888 | 2 | 8887 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 24:22.0 | 24:22.0 | battery | 75 | % | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6889 | 2 | 8887 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 24:22.0 | 24:22.0 | flow | 544 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6890 | 2 | 8893 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 25:59.0 | 25:59.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6891 | 2 | 8893 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 25:59.0 | 25:59.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6892 | 2 | 8893 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 25:59.0 | 25:59.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6893 | 2 | 8893 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 25:59.0 | 25:59.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6894 | 2 | 8893 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 25:59.0 | 25:59.0 | battery | 74 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6895 | 2 | 8893 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 25:59.0 | 25:59.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6896 | 2 | 8899 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:23.0 | 26:23.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6897 | 2 | 8899 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:23.0 | 26:23.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6898 | 2 | 8899 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:23.0 | 26:23.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6899 | 2 | 8899 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:23.0 | 26:23.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6900 | 2 | 8899 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:23.0 | 26:23.0 | battery | 74 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6901 | 2 | 8899 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:23.0 | 26:23.0 | flow | 539 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6902 | 2 | 8905 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6903 | 2 | 8905 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6904 | 2 | 8905 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6905 | 2 | 8905 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6906 | 2 | 8905 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | battery | 74 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6907 | 2 | 8905 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | flow | 539 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6908 | 2 | 8911 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6909 | 2 | 8911 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6910 | 2 | 8911 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6911 | 2 | 8911 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6912 | 2 | 8911 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | battery | 74 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6913 | 2 | 8911 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | flow | 539 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6914 | 2 | 8917 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 30:46.0 | 30:46.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6915 | 2 | 8917 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 30:46.0 | 30:46.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6916 | 2 | 8917 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 30:46.0 | 30:46.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6917 | 2 | 8917 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 30:46.0 | 30:46.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6918 | 2 | 8917 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 30:46.0 | 30:46.0 | battery | 74 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6919 | 2 | 8917 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 30:46.0 | 30:46.0 | flow | 537 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6920 | 2 | 8923 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 31:07.0 | 31:07.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6921 | 2 | 8923 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 31:07.0 | 31:07.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6922 | 2 | 8923 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 31:07.0 | 31:07.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6923 | 2 | 8923 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 31:07.0 | 31:07.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6924 | 2 | 8923 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 31:07.0 | 31:07.0 | battery | 74 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6925 | 2 | 8923 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 31:07.0 | 31:07.0 | flow | 537 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6926 | 2 | 8929 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 33:37.0 | 33:37.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6927 | 2 | 8929 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 33:37.0 | 33:37.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6928 | 2 | 8929 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 33:37.0 | 33:37.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6929 | 2 | 8929 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 33:37.0 | 33:37.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6930 | 2 | 8929 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 33:37.0 | 33:37.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6931 | 2 | 8929 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 33:37.0 | 33:37.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6932 | 2 | 8935 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6933 | 2 | 8935 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6934 | 2 | 8935 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6935 | 2 | 8935 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6936 | 2 | 8935 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | battery | 73 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6937 | 2 | 8935 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 34:02.0 | 34:02.0 | flow | 536 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6968 | 2 | 8971 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6969 | 2 | 8971 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6970 | 2 | 8971 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6971 | 2 | 8971 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6972 | 2 | 8971 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6973 | 2 | 8971 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6980 | 2 | 8983 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6981 | 2 | 8983 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6982 | 2 | 8983 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6983 | 2 | 8983 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6984 | 2 | 8983 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6985 | 2 | 8983 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6992 | 2 | 8995 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6993 | 2 | 8995 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6994 | 2 | 8995 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6995 | 2 | 8995 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6996 | 2 | 8995 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6997 | 2 | 8995 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7004 | 2 | 9007 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7005 | 2 | 9007 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7006 | 2 | 9007 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7007 | 2 | 9007 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7008 | 2 | 9007 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7009 | 2 | 9007 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7016 | 2 | 9019 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7017 | 2 | 9019 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7018 | 2 | 9019 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7019 | 2 | 9019 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7020 | 2 | 9019 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7021 | 2 | 9019 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7028 | 2 | 9031 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7029 | 2 | 9031 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7030 | 2 | 9031 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7031 | 2 | 9031 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7032 | 2 | 9031 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7033 | 2 | 9031 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7040 | 2 | 9043 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7041 | 2 | 9043 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7042 | 2 | 9043 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7043 | 2 | 9043 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7044 | 2 | 9043 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7045 | 2 | 9043 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7052 | 2 | 9055 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7053 | 2 | 9055 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7054 | 2 | 9055 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7055 | 2 | 9055 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7056 | 2 | 9055 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7057 | 2 | 9055 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7064 | 2 | 9067 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7065 | 2 | 9067 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7066 | 2 | 9067 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7067 | 2 | 9067 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7068 | 2 | 9067 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7069 | 2 | 9067 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:39.0 | 37:39.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7076 | 2 | 9079 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7077 | 2 | 9079 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7078 | 2 | 9079 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7079 | 2 | 9079 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7080 | 2 | 9079 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7081 | 2 | 9079 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:42.0 | 37:42.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7088 | 2 | 9091 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:45.0 | 37:45.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7089 | 2 | 9091 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:45.0 | 37:45.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7090 | 2 | 9091 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:45.0 | 37:45.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7091 | 2 | 9091 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:45.0 | 37:45.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7092 | 2 | 9091 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:45.0 | 37:45.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7093 | 2 | 9091 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:45.0 | 37:45.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7100 | 2 | 9103 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:48.0 | 37:48.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7101 | 2 | 9103 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:48.0 | 37:48.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7102 | 2 | 9103 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:48.0 | 37:48.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7103 | 2 | 9103 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:48.0 | 37:48.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7104 | 2 | 9103 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:48.0 | 37:48.0 | battery | 73 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7105 | 2 | 9103 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:48.0 | 37:48.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7112 | 2 | 9115 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:51.0 | 37:51.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7113 | 2 | 9115 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:51.0 | 37:51.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7114 | 2 | 9115 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:51.0 | 37:51.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7115 | 2 | 9115 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:51.0 | 37:51.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7116 | 2 | 9115 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:51.0 | 37:51.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7117 | 2 | 9115 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:51.0 | 37:51.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7124 | 2 | 9127 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:54.0 | 37:54.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7125 | 2 | 9127 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:54.0 | 37:54.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7126 | 2 | 9127 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:54.0 | 37:54.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7127 | 2 | 9127 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:54.0 | 37:54.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7128 | 2 | 9127 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:54.0 | 37:54.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7129 | 2 | 9127 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:54.0 | 37:54.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7136 | 2 | 9139 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7137 | 2 | 9139 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7138 | 2 | 9139 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7139 | 2 | 9139 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7140 | 2 | 9139 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7141 | 2 | 9139 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7148 | 2 | 9151 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7149 | 2 | 9151 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7150 | 2 | 9151 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7151 | 2 | 9151 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7152 | 2 | 9151 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7153 | 2 | 9151 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7160 | 2 | 9163 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7161 | 2 | 9163 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7162 | 2 | 9163 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7163 | 2 | 9163 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | status | Fault:None | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7164 | 2 | 9163 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7165 | 2 | 9163 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7172 | 2 | 9175 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7173 | 2 | 9175 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7174 | 2 | 9175 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7175 | 2 | 9175 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7176 | 2 | 9175 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7177 | 2 | 9175 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7184 | 2 | 9187 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7185 | 2 | 9187 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7186 | 2 | 9187 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7187 | 2 | 9187 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7188 | 2 | 9187 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7189 | 2 | 9187 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7196 | 2 | 9199 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7197 | 2 | 9199 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7198 | 2 | 9199 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7199 | 2 | 9199 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7200 | 2 | 9199 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7201 | 2 | 9199 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7208 | 2 | 9211 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7209 | 2 | 9211 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7210 | 2 | 9211 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7211 | 2 | 9211 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7212 | 2 | 9211 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7213 | 2 | 9211 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7220 | 2 | 9223 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7221 | 2 | 9223 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7222 | 2 | 9223 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7223 | 2 | 9223 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7224 | 2 | 9223 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7225 | 2 | 9223 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7226 | 2 | 9235 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:22.0 | 38:22.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7227 | 2 | 9235 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:22.0 | 38:22.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7228 | 2 | 9235 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:22.0 | 38:22.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7229 | 2 | 9235 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:22.0 | 38:22.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7230 | 2 | 9235 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:22.0 | 38:22.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7231 | 2 | 9235 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:22.0 | 38:22.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7238 | 2 | 9241 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:25.0 | 38:25.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7239 | 2 | 9241 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:25.0 | 38:25.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7240 | 2 | 9241 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:25.0 | 38:25.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7241 | 2 | 9241 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:25.0 | 38:25.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7242 | 2 | 9241 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:25.0 | 38:25.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7243 | 2 | 9241 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:25.0 | 38:25.0 | flow | 536 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7244 | 2 | 9253 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:46.0 | 38:46.0 | Phosgene | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7245 | 2 | 9253 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:46.0 | 38:46.0 | alarms | 50-100 | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7246 | 2 | 9253 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:46.0 | 38:46.0 | state | In monitor | state | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7247 | 2 | 9253 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:46.0 | 38:46.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7248 | 2 | 9253 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:46.0 | 38:46.0 | battery | 72 | % | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7249 | 2 | 9253 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 38:46.0 | 38:46.0 | flow | 536 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7256 | 2 | 9259 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:00.0 | 39:00.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7257 | 2 | 9259 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:00.0 | 39:00.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7258 | 2 | 9259 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:00.0 | 39:00.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7259 | 2 | 9259 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:00.0 | 39:00.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7260 | 2 | 9259 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:00.0 | 39:00.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7261 | 2 | 9259 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:00.0 | 39:00.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7262 | 2 | 9265 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:21.0 | 39:21.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7263 | 2 | 9265 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:21.0 | 39:21.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7264 | 2 | 9265 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:21.0 | 39:21.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7265 | 2 | 9265 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:21.0 | 39:21.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7266 | 2 | 9265 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:21.0 | 39:21.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7267 | 2 | 9265 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:21.0 | 39:21.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7268 | 2 | 9271 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:24.0 | 39:24.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7269 | 2 | 9271 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:24.0 | 39:24.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7270 | 2 | 9271 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:24.0 | 39:24.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7271 | 2 | 9271 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:24.0 | 39:24.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7272 | 2 | 9271 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:24.0 | 39:24.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7273 | 2 | 9271 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:24.0 | 39:24.0 | flow | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7274 | 2 | 9277 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:27.0 | 39:27.0 | Phosgene | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7275 | 2 | 9277 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:27.0 | 39:27.0 | alarms | 50-100 | hilo | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7276 | 2 | 9277 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:27.0 | 39:27.0 | state | In monitor | state | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7277 | 2 | 9277 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:27.0 | 39:27.0 | status | Fault:Non | status | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7278 | 2 | 9277 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:27.0 | 39:27.0 | battery | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC.160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7279 | 2 | 9277 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:27.0 | 39:27.0 | flow | | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7280 | 2 | 9283 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:30.0 | 39:30.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7281 | 2 | 9283 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:30.0 | 39:30.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7282 | 2 | 9283 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:30.0 | 39:30.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7283 | 2 | 9283 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:30.0 | 39:30.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7284 | 2 | 9283 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:30.0 | 39:30.0 | battery | | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7285 | 2 | 9283 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:30.0 | 39:30.0 | flow | | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7286 | 2 | 9289 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:39.0 | 39:39.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7287 | 2 | 9289 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:39.0 | 39:39.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7288 | 2 | 9289 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:39.0 | 39:39.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7289 | 2 | 9289 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:39.0 | 39:39.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7290 | 2 | 9289 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:39.0 | 39:39.0 | battery | | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7291 | 2 | 9289 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 39:39.0 | 39:39.0 | flow | | 534 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7292 | 2 | 9295 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 40:02.0 | 40:02.0 | Phosgene | | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7293 | 2 | 9295 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 40:02.0 | 40:02.0 | alarms | 50-100 | | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7294 | 2 | 9295 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 40:02.0 | 40:02.0 | state | In monitor | | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7295 | 2 | 9295 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 40:02.0 | 40:02.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7296 | 2 | 9295 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 40:02.0 | 40:02.0 | battery | | 72 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7297 | 2 | 9295 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 40:02.0 | 40:02.0 | flow | | 534 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7298 | 2 | 9301 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:10.0 | 42:10.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7299 | 2 | 9301 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:10.0 | 42:10.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7300 | 2 | 9301 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:10.0 | 42:10.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7301 | 2 | 9301 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:10.0 | 42:10.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7302 | 2 | 9301 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:10.0 | 42:10.0 | battery | | 72 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7303 | 2 | 9301 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:10.0 | 42:10.0 | flow | | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7304 | 2 | 9307 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:43.0 | 42:43.0 | Phosgene | | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7305 | 2 | 9307 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:43.0 | 42:43.0 | alarms | 50-100 | | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7306 | 2 | 9307 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:43.0 | 42:43.0 | state | In monitor | | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7307 | 2 | 9307 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:43.0 | 42:43.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7308 | 2 | 9307 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:43.0 | 42:43.0 | battery | | 72 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7309 | 2 | 9307 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 42:43.0 | 42:43.0 | flow | | 535 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7310 | 2 | 9313 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:52.0 | 45:52.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7311 | 2 | 9313 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:52.0 | 45:52.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7312 | 2 | 9313 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:52.0 | 45:52.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7313 | 2 | 9313 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:52.0 | 45:52.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7314 | 2 | 9313 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:52.0 | 45:52.0 | battery | | 71 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7315 | 2 | 9313 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:52.0 | 45:52.0 | flow | | 534 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7316 | 2 | 9319 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:58.0 | 45:58.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7317 | 2 | 9319 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:58.0 | 45:58.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7318 | 2 | 9319 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:58.0 | 45:58.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7319 | 2 | 9319 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:58.0 | 45:58.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7320 | 2 | 9319 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:58.0 | 45:58.0 | battery | | 71 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7321 | 2 | 9319 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 45:58.0 | 45:58.0 | flow | | 534 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7322 | 2 | 9325 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:01.0 | 46:01.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7323 | 2 | 9325 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:01.0 | 46:01.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7324 | 2 | 9325 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:01.0 | 46:01.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7325 | 2 | 9325 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:01.0 | 46:01.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7326 | 2 | 9325 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:01.0 | 46:01.0 | battery | | 71 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7327 | 2 | 9325 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:01.0 | 46:01.0 | flow | | 534 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7328 | 2 | 9331 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:22.0 | 46:22.0 | Phosgene | | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7329 | 2 | 9331 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:22.0 | 46:22.0 | alarms | 50-100 | | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7330 | 2 | 9331 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:22.0 | 46:22.0 | state | In monitor | | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7331 | 2 | 9331 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:22.0 | 46:22.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7332 | 2 | 9331 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:22.0 | 46:22.0 | battery | | 71 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7333 | 2 | 9331 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:22.0 | 46:22.0 | flow | | 534 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7334 | 2 | 9337 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:37.0 | 46:37.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7335 | 2 | 9337 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:37.0 | 46:37.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7336 | 2 | 9337 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:37.0 | 46:37.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7337 | 2 | 9337 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:37.0 | 46:37.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7338 | 2 | 9337 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:37.0 | 46:37.0 | battery | | 71 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7339 | 2 | 9337 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:37.0 | 46:37.0 | flow | | 534 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7340 | 2 | 9343 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:57.0 | 46:57.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7341 | 2 | 9343 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:57.0 | 46:57.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7342 | 2 | 9343 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:57.0 | 46:57.0 | state | In monitor | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7343 | 2 | 9343 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:57.0 | 46:57.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7344 | 2 | 9343 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:57.0 | 46:57.0 | battery | | 71 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7345 | 2 | 9343 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 46:57.0 | 46:57.0 | flow | | 535 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7346 | 2 | 9349 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:20.0 | 47:20.0 | Phosgene | | 0 | ppb | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7347 | 2 | 9349 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:20.0 | 47:20.0 | alarms | 50-100 | | hilo | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7348 | 2 | 9349 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:20.0 | 47:20.0 | state | In monitor | | state | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7349 | 2 | 9349 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:20.0 | 47:20.0 | status | Fault:Non | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7350 | 2 | 9349 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:20.0 | 47:20.0 | battery | | 71 | % | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7351 | 2 | 9349 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 47:20.0 | 47:20.0 | flow | | 535 | cc/min | Gray | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7352 | 2 | 9355 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:56.0 | 49:56.0 | Phosgene | | 0 | ppb | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7353 | 2 | 9355 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:56.0 | 49:56.0 | alarms | 50-100 | | hilo | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7354 | 2 | 9355 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:56.0 | 49:56.0 | state | In monitoı | | state | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7355 | 2 | 9355 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:56.0 | 49:56.0 | status | Fault:Non‹ | | status | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7356 | 2 | 9355 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:56.0 | 49:56.0 | battery | | 71 | % | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7357 | 2 | 9355 | SPMFlex L | EPAERT86 | SPMFlex | SPMFlex L | 49:56.0 | 49:56.0 | flow | | 534 | cc/min | Green | 32.32681 | -80.9429 | 25 | LINC .160 | FALSE | 32.32681 | -80.9429 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| ReducedR | RUNID | InitialReac | MessageIc | MessageS | Instrumen | MeterApp | Received_ | Received_ | SensorNar | SensorRea | SensorUni | MeterApp | Latitude | Longitude | GPSDOP | DataSourc | IsFixedLoc | LINCLatitu | LINCLongi | FLAGS | SCID | RUN_NAN | RUN_DESC | MeterAppConfig_COMMENT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1574 | 2 | 3451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:09.0 | 16:09.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1575 | 2 | 3451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:09.0 | 16:09.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1576 | 2 | 3451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:09.0 | 16:09.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1577 | 2 | 3451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:09.0 | 16:09.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1578 | 2 | 3451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:09.0 | 16:09.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1579 | 2 | 3451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:09.0 | 16:09.0 | flow | 532 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1586 | 2 | 3463 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:12.0 | 16:12.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1587 | 2 | 3463 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:12.0 | 16:12.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1588 | 2 | 3463 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:12.0 | 16:12.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1589 | 2 | 3463 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:12.0 | 16:12.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1590 | 2 | 3463 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:12.0 | 16:12.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1591 | 2 | 3463 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:12.0 | 16:12.0 | flow | 532 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1598 | 2 | 3475 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:15.0 | 16:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1599 | 2 | 3475 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:15.0 | 16:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1600 | 2 | 3475 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:15.0 | 16:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1601 | 2 | 3475 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:15.0 | 16:15.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1602 | 2 | 3475 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:15.0 | 16:15.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1603 | 2 | 3475 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:15.0 | 16:15.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1610 | 2 | 3487 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:18.0 | 16:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1611 | 2 | 3487 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:18.0 | 16:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1612 | 2 | 3487 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:18.0 | 16:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1613 | 2 | 3487 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:18.0 | 16:18.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1614 | 2 | 3487 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:18.0 | 16:18.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1615 | 2 | 3487 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:18.0 | 16:18.0 | flow | 532 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1622 | 2 | 3499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:21.0 | 16:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1623 | 2 | 3499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:21.0 | 16:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1624 | 2 | 3499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:21.0 | 16:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1625 | 2 | 3499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:21.0 | 16:21.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1626 | 2 | 3499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:21.0 | 16:21.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1627 | 2 | 3499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:21.0 | 16:21.0 | flow | 532 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1634 | 2 | 3511 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:24.0 | 16:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1635 | 2 | 3511 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:24.0 | 16:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1636 | 2 | 3511 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:24.0 | 16:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1637 | 2 | 3511 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:24.0 | 16:24.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1638 | 2 | 3511 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:24.0 | 16:24.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1639 | 2 | 3511 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:24.0 | 16:24.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1646 | 2 | 3523 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:27.0 | 16:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1647 | 2 | 3523 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:27.0 | 16:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1648 | 2 | 3523 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:27.0 | 16:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1649 | 2 | 3523 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:27.0 | 16:27.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1650 | 2 | 3523 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:27.0 | 16:27.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1651 | 2 | 3523 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:27.0 | 16:27.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1652 | 2 | 3535 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:31.0 | 16:31.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1653 | 2 | 3535 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:31.0 | 16:31.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1654 | 2 | 3535 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:31.0 | 16:31.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1655 | 2 | 3535 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:31.0 | 16:31.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1656 | 2 | 3535 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:31.0 | 16:31.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1657 | 2 | 3535 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:31.0 | 16:31.0 | flow | 532 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1658 | 2 | 3541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:34.0 | 16:34.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1659 | 2 | 3541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:34.0 | 16:34.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1660 | 2 | 3541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:34.0 | 16:34.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1661 | 2 | 3541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:34.0 | 16:34.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1662 | 2 | 3541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:34.0 | 16:34.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1663 | 2 | 3541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:34.0 | 16:34.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1664 | 2 | 3547 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:37.0 | 16:37.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1665 | 2 | 3547 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:37.0 | 16:37.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1666 | 2 | 3547 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:37.0 | 16:37.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1667 | 2 | 3547 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:37.0 | 16:37.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1668 | 2 | 3547 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:37.0 | 16:37.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1669 | 2 | 3547 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:37.0 | 16:37.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1670 | 2 | 3553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:40.0 | 16:40.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1671 | 2 | 3553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:40.0 | 16:40.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1672 | 2 | 3553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:40.0 | 16:40.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1673 | 2 | 3553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:40.0 | 16:40.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1674 | 2 | 3553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:40.0 | 16:40.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1675 | 2 | 3553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:40.0 | 16:40.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1676 | 2 | 3559 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:43.0 | 16:43.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1677 | 2 | 3559 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:43.0 | 16:43.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1678 | 2 | 3559 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:43.0 | 16:43.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1679 | 2 | 3559 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:43.0 | 16:43.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |
| 1680 | 2 | 3559 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:43.0 | 16:43.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1681 | 2 | 3559 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:43.0 | 16:43.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1682 | 2 | 3565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:46.0 | 16:46.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1683 | 2 | 3565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:46.0 | 16:46.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1684 | 2 | 3565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:46.0 | 16:46.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1685 | 2 | 3565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:46.0 | 16:46.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1686 | 2 | 3565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:46.0 | 16:46.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1687 | 2 | 3565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:46.0 | 16:46.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1688 | 2 | 3571 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:49.0 | 16:49.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1689 | 2 | 3571 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:49.0 | 16:49.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1690 | 2 | 3571 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:49.0 | 16:49.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1691 | 2 | 3571 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:49.0 | 16:49.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1692 | 2 | 3571 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:49.0 | 16:49.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1693 | 2 | 3571 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:49.0 | 16:49.0 | flow | 532 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1700 | 2 | 3577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:52.0 | 16:52.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1701 | 2 | 3577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:52.0 | 16:52.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1702 | 2 | 3577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:52.0 | 16:52.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1703 | 2 | 3577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:52.0 | 16:52.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1704 | 2 | 3577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:52.0 | 16:52.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1705 | 2 | 3577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:52.0 | 16:52.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1706 | 2 | 3589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1707 | 2 | 3589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1708 | 2 | 3589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1709 | 2 | 3589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1710 | 2 | 3589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1711 | 2 | 3589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:55.0 | 16:55.0 | flow | 532 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1712 | 2 | 3595 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:58.0 | 16:58.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1713 | 2 | 3595 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:58.0 | 16:58.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1714 | 2 | 3595 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:58.0 | 16:58.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1715 | 2 | 3595 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:58.0 | 16:58.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1716 | 2 | 3595 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:58.0 | 16:58.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1717 | 2 | 3595 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 16:58.0 | 16:58.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1718 | 2 | 3601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:01.0 | 17:01.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1719 | 2 | 3601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:01.0 | 17:01.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1720 | 2 | 3601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:01.0 | 17:01.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1721 | 2 | 3601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:01.0 | 17:01.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1722 | 2 | 3601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:01.0 | 17:01.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1723 | 2 | 3601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:01.0 | 17:01.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1724 | 2 | 3607 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:04.0 | 17:04.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1725 | 2 | 3607 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:04.0 | 17:04.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1726 | 2 | 3607 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:04.0 | 17:04.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1727 | 2 | 3607 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:04.0 | 17:04.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1728 | 2 | 3607 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:04.0 | 17:04.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1729 | 2 | 3607 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:04.0 | 17:04.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1736 | 2 | 3613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:07.0 | 17:07.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1737 | 2 | 3613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:07.0 | 17:07.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1738 | 2 | 3613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:07.0 | 17:07.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1739 | 2 | 3613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:07.0 | 17:07.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1740 | 2 | 3613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:07.0 | 17:07.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1741 | 2 | 3613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:07.0 | 17:07.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1748 | 2 | 3625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:10.0 | 17:10.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1749 | 2 | 3625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:10.0 | 17:10.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1750 | 2 | 3625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:10.0 | 17:10.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1751 | 2 | 3625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:10.0 | 17:10.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1752 | 2 | 3625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:10.0 | 17:10.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1753 | 2 | 3625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:10.0 | 17:10.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1760 | 2 | 3637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:13.0 | 17:13.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1761 | 2 | 3637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:13.0 | 17:13.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1762 | 2 | 3637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:13.0 | 17:13.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1763 | 2 | 3637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:13.0 | 17:13.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1764 | 2 | 3637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:13.0 | 17:13.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1765 | 2 | 3637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:13.0 | 17:13.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1772 | 2 | 3649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:16.0 | 17:16.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1773 | 2 | 3649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:16.0 | 17:16.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1774 | 2 | 3649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:16.0 | 17:16.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1775 | 2 | 3649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:16.0 | 17:16.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1776 | 2 | 3649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:16.0 | 17:16.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1777 | 2 | 3649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:16.0 | 17:16.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1784 | 2 | 3661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:19.0 | 17:19.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1785 | 2 | 3661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:19.0 | 17:19.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1786 | 2 | 3661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:19.0 | 17:19.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1787 | 2 | 3661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:19.0 | 17:19.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1788 | 2 | 3661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:19.0 | 17:19.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1789 | 2 | 3661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:19.0 | 17:19.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1796 | 2 | 3673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:22.0 | 17:22.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1797 | 2 | 3673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:22.0 | 17:22.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1798 | 2 | 3673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:22.0 | 17:22.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1799 | 2 | 3673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:22.0 | 17:22.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1800 | 2 | 3673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:22.0 | 17:22.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1801 | 2 | 3673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:22.0 | 17:22.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1808 | 2 | 3685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:25.0 | 17:25.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1809 | 2 | 3685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:25.0 | 17:25.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1810 | 2 | 3685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:25.0 | 17:25.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1811 | 2 | 3685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:25.0 | 17:25.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1812 | 2 | 3685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:25.0 | 17:25.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1813 | 2 | 3685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:25.0 | 17:25.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1820 | 2 | 3697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:28.0 | 17:28.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1821 | 2 | 3697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:28.0 | 17:28.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1822 | 2 | 3697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:28.0 | 17:28.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1823 | 2 | 3697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:28.0 | 17:28.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1824 | 2 | 3697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:28.0 | 17:28.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1825 | 2 | 3697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:28.0 | 17:28.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1832 | 2 | 3709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:31.0 | 17:31.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1833 | 2 | 3709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:31.0 | 17:31.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1834 | 2 | 3709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:31.0 | 17:31.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1835 | 2 | 3709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:31.0 | 17:31.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1836 | 2 | 3709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:31.0 | 17:31.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1837 | 2 | 3709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:31.0 | 17:31.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1844 | 2 | 3721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1845 | 2 | 3721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1846 | 2 | 3721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1847 | 2 | 3721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1848 | 2 | 3721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1849 | 2 | 3721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:34.0 | 17:34.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1856 | 2 | 3733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1857 | 2 | 3733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1858 | 2 | 3733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1859 | 2 | 3733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1860 | 2 | 3733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1861 | 2 | 3733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:37.0 | 17:37.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1868 | 2 | 3745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1869 | 2 | 3745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1870 | 2 | 3745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1871 | 2 | 3745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1872 | 2 | 3745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1873 | 2 | 3745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:40.0 | 17:40.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1880 | 2 | 3757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1881 | 2 | 3757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1882 | 2 | 3757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1883 | 2 | 3757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1884 | 2 | 3757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1885 | 2 | 3757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:43.0 | 17:43.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1892 | 2 | 3769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1893 | 2 | 3769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1894 | 2 | 3769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1895 | 2 | 3769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1896 | 2 | 3769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1897 | 2 | 3769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:46.0 | 17:46.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1904 | 2 | 3781 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1905 | 2 | 3781 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1906 | 2 | 3781 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1907 | 2 | 3781 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1908 | 2 | 3781 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1909 | 2 | 3781 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:49.0 | 17:49.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1916 | 2 | 3793 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1917 | 2 | 3793 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1918 | 2 | 3793 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1919 | 2 | 3793 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1920 | 2 | 3793 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1921 | 2 | 3793 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:52.0 | 17:52.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1928 | 2 | 3805 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:56.0 | 17:56.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1929 | 2 | 3805 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:56.0 | 17:56.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1930 | 2 | 3805 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:56.0 | 17:56.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1931 | 2 | 3805 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:56.0 | 17:56.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 1932 | 2 | 3805 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:56.0 | 17:56.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1933 | 2 | 3805 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:56.0 | 17:56.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1940 | 2 | 3817 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:59.0 | 17:59.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1941 | 2 | 3817 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:59.0 | 17:59.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1942 | 2 | 3817 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:59.0 | 17:59.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1943 | 2 | 3817 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:59.0 | 17:59.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1944 | 2 | 3817 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:59.0 | 17:59.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1945 | 2 | 3817 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 17:59.0 | 17:59.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1952 | 2 | 3829 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:02.0 | 18:02.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1953 | 2 | 3829 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:02.0 | 18:02.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1954 | 2 | 3829 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:02.0 | 18:02.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1955 | 2 | 3829 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:02.0 | 18:02.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1956 | 2 | 3829 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:02.0 | 18:02.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1957 | 2 | 3829 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:02.0 | 18:02.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1964 | 2 | 3841 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:05.0 | 18:05.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1965 | 2 | 3841 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:05.0 | 18:05.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1966 | 2 | 3841 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:05.0 | 18:05.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1967 | 2 | 3841 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:05.0 | 18:05.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1968 | 2 | 3841 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:05.0 | 18:05.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1969 | 2 | 3841 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:05.0 | 18:05.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1976 | 2 | 3853 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:08.0 | 18:08.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1977 | 2 | 3853 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:08.0 | 18:08.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1978 | 2 | 3853 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:08.0 | 18:08.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1979 | 2 | 3853 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:08.0 | 18:08.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1980 | 2 | 3853 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:08.0 | 18:08.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1981 | 2 | 3853 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:08.0 | 18:08.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1988 | 2 | 3865 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:11.0 | 18:11.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1989 | 2 | 3865 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:11.0 | 18:11.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1990 | 2 | 3865 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:11.0 | 18:11.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1991 | 2 | 3865 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:11.0 | 18:11.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1992 | 2 | 3865 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:11.0 | 18:11.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 1993 | 2 | 3865 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:11.0 | 18:11.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2000 | 2 | 3877 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:14.0 | 18:14.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2001 | 2 | 3877 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:14.0 | 18:14.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2002 | 2 | 3877 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:14.0 | 18:14.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2003 | 2 | 3877 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:14.0 | 18:14.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2004 | 2 | 3877 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:14.0 | 18:14.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2005 | 2 | 3877 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:14.0 | 18:14.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2012 | 2 | 3889 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:17.0 | 18:17.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2013 | 2 | 3889 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:17.0 | 18:17.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2014 | 2 | 3889 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:17.0 | 18:17.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2015 | 2 | 3889 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:17.0 | 18:17.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2016 | 2 | 3889 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:17.0 | 18:17.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2017 | 2 | 3889 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:17.0 | 18:17.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2024 | 2 | 3901 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:20.0 | 18:20.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2025 | 2 | 3901 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:20.0 | 18:20.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2026 | 2 | 3901 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:20.0 | 18:20.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2027 | 2 | 3901 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:20.0 | 18:20.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2028 | 2 | 3901 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:20.0 | 18:20.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2029 | 2 | 3901 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:20.0 | 18:20.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2036 | 2 | 3913 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:23.0 | 18:23.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2037 | 2 | 3913 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:23.0 | 18:23.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2038 | 2 | 3913 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:23.0 | 18:23.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2039 | 2 | 3913 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:23.0 | 18:23.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2040 | 2 | 3913 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:23.0 | 18:23.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2041 | 2 | 3913 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:23.0 | 18:23.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2048 | 2 | 3925 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:26.0 | 18:26.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2049 | 2 | 3925 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:26.0 | 18:26.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2050 | 2 | 3925 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:26.0 | 18:26.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2051 | 2 | 3925 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:26.0 | 18:26.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2052 | 2 | 3925 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:26.0 | 18:26.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2053 | 2 | 3925 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:26.0 | 18:26.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2060 | 2 | 3937 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:29.0 | 18:29.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2061 | 2 | 3937 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:29.0 | 18:29.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2062 | 2 | 3937 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:29.0 | 18:29.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2063 | 2 | 3937 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:29.0 | 18:29.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2064 | 2 | 3937 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:29.0 | 18:29.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2065 | 2 | 3937 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:29.0 | 18:29.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2072 | 2 | 3949 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:32.0 | 18:32.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2073 | 2 | 3949 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:32.0 | 18:32.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2074 | 2 | 3949 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:32.0 | 18:32.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2075 | 2 | 3949 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:32.0 | 18:32.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 2076 | 2 | 3949 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:32.0 | 18:32.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2077 | 2 | 3949 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:32.0 | 18:32.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2084 | 2 | 3961 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2085 | 2 | 3961 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2086 | 2 | 3961 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2087 | 2 | 3961 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2088 | 2 | 3961 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2089 | 2 | 3961 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:35.0 | 18:35.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2096 | 2 | 3973 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2097 | 2 | 3973 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2098 | 2 | 3973 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2099 | 2 | 3973 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2100 | 2 | 3973 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2101 | 2 | 3973 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:38.0 | 18:38.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2108 | 2 | 3985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2109 | 2 | 3985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2110 | 2 | 3985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2111 | 2 | 3985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2112 | 2 | 3985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2113 | 2 | 3985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:41.0 | 18:41.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2120 | 2 | 3997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2121 | 2 | 3997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2122 | 2 | 3997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2123 | 2 | 3997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2124 | 2 | 3997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2125 | 2 | 3997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:44.0 | 18:44.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2132 | 2 | 4009 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2133 | 2 | 4009 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2134 | 2 | 4009 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2135 | 2 | 4009 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2136 | 2 | 4009 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2137 | 2 | 4009 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:47.0 | 18:47.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2144 | 2 | 4021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2145 | 2 | 4021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2146 | 2 | 4021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2147 | 2 | 4021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2148 | 2 | 4021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2149 | 2 | 4021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:50.0 | 18:50.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2156 | 2 | 4033 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2157 | 2 | 4033 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2158 | 2 | 4033 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2159 | 2 | 4033 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2160 | 2 | 4033 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2161 | 2 | 4033 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:53.0 | 18:53.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2168 | 2 | 4045 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2169 | 2 | 4045 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2170 | 2 | 4045 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2171 | 2 | 4045 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2172 | 2 | 4045 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2173 | 2 | 4045 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:56.0 | 18:56.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2180 | 2 | 4057 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2181 | 2 | 4057 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2182 | 2 | 4057 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2183 | 2 | 4057 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2184 | 2 | 4057 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2185 | 2 | 4057 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 18:59.0 | 18:59.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2192 | 2 | 4069 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2193 | 2 | 4069 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2194 | 2 | 4069 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2195 | 2 | 4069 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2196 | 2 | 4069 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2197 | 2 | 4069 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:02.0 | 19:02.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2204 | 2 | 4081 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2205 | 2 | 4081 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2206 | 2 | 4081 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2207 | 2 | 4081 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2208 | 2 | 4081 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2209 | 2 | 4081 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:05.0 | 19:05.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2216 | 2 | 4093 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2217 | 2 | 4093 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2218 | 2 | 4093 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2219 | 2 | 4093 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | status | Fault:None | | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2220 | 2 | 4093 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2221 | 2 | 4093 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:08.0 | 19:08.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2228 | 2 | 4105 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2229 | 2 | 4105 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2230 | 2 | 4105 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2231 | 2 | 4105 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2232 | 2 | 4105 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2233 | 2 | 4105 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:11.0 | 19:11.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2234 | 2 | 4117 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:15.0 | 19:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2235 | 2 | 4117 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:15.0 | 19:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2236 | 2 | 4117 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:15.0 | 19:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2237 | 2 | 4117 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:15.0 | 19:15.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2238 | 2 | 4117 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:15.0 | 19:15.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2239 | 2 | 4117 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:15.0 | 19:15.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2240 | 2 | 4123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:18.0 | 19:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2241 | 2 | 4123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:18.0 | 19:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2242 | 2 | 4123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:18.0 | 19:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2243 | 2 | 4123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:18.0 | 19:18.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2244 | 2 | 4123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:18.0 | 19:18.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2245 | 2 | 4123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:18.0 | 19:18.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2246 | 2 | 4129 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:21.0 | 19:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2247 | 2 | 4129 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:21.0 | 19:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2248 | 2 | 4129 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:21.0 | 19:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2249 | 2 | 4129 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:21.0 | 19:21.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2250 | 2 | 4129 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:21.0 | 19:21.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2251 | 2 | 4129 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:21.0 | 19:21.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2252 | 2 | 4135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:24.0 | 19:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2253 | 2 | 4135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:24.0 | 19:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2254 | 2 | 4135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:24.0 | 19:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2255 | 2 | 4135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:24.0 | 19:24.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2256 | 2 | 4135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:24.0 | 19:24.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2257 | 2 | 4135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:24.0 | 19:24.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2258 | 2 | 4141 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:27.0 | 19:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2259 | 2 | 4141 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:27.0 | 19:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2260 | 2 | 4141 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:27.0 | 19:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2261 | 2 | 4141 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:27.0 | 19:27.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2262 | 2 | 4141 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:27.0 | 19:27.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2263 | 2 | 4141 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:27.0 | 19:27.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2264 | 2 | 4147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:30.0 | 19:30.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2265 | 2 | 4147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:30.0 | 19:30.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2266 | 2 | 4147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:30.0 | 19:30.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2267 | 2 | 4147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:30.0 | 19:30.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2268 | 2 | 4147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:30.0 | 19:30.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2269 | 2 | 4147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:30.0 | 19:30.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2270 | 2 | 4153 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:33.0 | 19:33.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2271 | 2 | 4153 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:33.0 | 19:33.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2272 | 2 | 4153 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:33.0 | 19:33.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2273 | 2 | 4153 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:33.0 | 19:33.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2274 | 2 | 4153 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:33.0 | 19:33.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2275 | 2 | 4153 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:33.0 | 19:33.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2276 | 2 | 4159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:36.0 | 19:36.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2277 | 2 | 4159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:36.0 | 19:36.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2278 | 2 | 4159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:36.0 | 19:36.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2279 | 2 | 4159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:36.0 | 19:36.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2280 | 2 | 4159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:36.0 | 19:36.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2281 | 2 | 4159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:36.0 | 19:36.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2282 | 2 | 4165 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:39.0 | 19:39.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2283 | 2 | 4165 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:39.0 | 19:39.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2284 | 2 | 4165 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:39.0 | 19:39.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2285 | 2 | 4165 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:39.0 | 19:39.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2286 | 2 | 4165 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:39.0 | 19:39.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2287 | 2 | 4165 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:39.0 | 19:39.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2294 | 2 | 4171 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:42.0 | 19:42.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2295 | 2 | 4171 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:42.0 | 19:42.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2296 | 2 | 4171 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:42.0 | 19:42.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2297 | 2 | 4171 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:42.0 | 19:42.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2298 | 2 | 4171 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:42.0 | 19:42.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2299 | 2 | 4171 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:42.0 | 19:42.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2300 | 2 | 4183 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:45.0 | 19:45.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2301 | 2 | 4183 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:45.0 | 19:45.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2302 | 2 | 4183 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:45.0 | 19:45.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2303 | 2 | 4183 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:45.0 | 19:45.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2304 | 2 | 4183 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:45.0 | 19:45.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2305 | 2 | 4183 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:45.0 | 19:45.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2306 | 2 | 4189 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:48.0 | 19:48.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2307 | 2 | 4189 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:48.0 | 19:48.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2308 | 2 | 4189 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:48.0 | 19:48.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2309 | 2 | 4189 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:48.0 | 19:48.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2310 | 2 | 4189 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:48.0 | 19:48.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2311 | 2 | 4189 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:48.0 | 19:48.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2312 | 2 | 4195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:51.0 | 19:51.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2313 | 2 | 4195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:51.0 | 19:51.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2314 | 2 | 4195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:51.0 | 19:51.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2315 | 2 | 4195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:51.0 | 19:51.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2316 | 2 | 4195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:51.0 | 19:51.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2317 | 2 | 4195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:51.0 | 19:51.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2318 | 2 | 4201 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:54.0 | 19:54.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2319 | 2 | 4201 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:54.0 | 19:54.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2320 | 2 | 4201 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:54.0 | 19:54.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2321 | 2 | 4201 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:54.0 | 19:54.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2322 | 2 | 4201 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:54.0 | 19:54.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2323 | 2 | 4201 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:54.0 | 19:54.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2330 | 2 | 4207 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:57.0 | 19:57.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2331 | 2 | 4207 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:57.0 | 19:57.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2332 | 2 | 4207 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:57.0 | 19:57.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2333 | 2 | 4207 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:57.0 | 19:57.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2334 | 2 | 4207 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:57.0 | 19:57.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2335 | 2 | 4207 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 19:57.0 | 19:57.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2342 | 2 | 4219 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:00.0 | 20:00.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2343 | 2 | 4219 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:00.0 | 20:00.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2344 | 2 | 4219 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:00.0 | 20:00.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2345 | 2 | 4219 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:00.0 | 20:00.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2346 | 2 | 4219 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:00.0 | 20:00.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2347 | 2 | 4219 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:00.0 | 20:00.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2354 | 2 | 4231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:03.0 | 20:03.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2355 | 2 | 4231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:03.0 | 20:03.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2356 | 2 | 4231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:03.0 | 20:03.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2357 | 2 | 4231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:03.0 | 20:03.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2358 | 2 | 4231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:03.0 | 20:03.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2359 | 2 | 4231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:03.0 | 20:03.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2366 | 2 | 4243 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:06.0 | 20:06.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2367 | 2 | 4243 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:06.0 | 20:06.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2368 | 2 | 4243 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:06.0 | 20:06.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2369 | 2 | 4243 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:06.0 | 20:06.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2370 | 2 | 4243 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:06.0 | 20:06.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2371 | 2 | 4243 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:06.0 | 20:06.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2378 | 2 | 4255 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:09.0 | 20:09.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2379 | 2 | 4255 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:09.0 | 20:09.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2380 | 2 | 4255 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:09.0 | 20:09.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2381 | 2 | 4255 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:09.0 | 20:09.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2382 | 2 | 4255 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:09.0 | 20:09.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2383 | 2 | 4255 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:09.0 | 20:09.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2390 | 2 | 4267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:12.0 | 20:12.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2391 | 2 | 4267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:12.0 | 20:12.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2392 | 2 | 4267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:12.0 | 20:12.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2393 | 2 | 4267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:12.0 | 20:12.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2394 | 2 | 4267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:12.0 | 20:12.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2395 | 2 | 4267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:12.0 | 20:12.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2402 | 2 | 4279 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:15.0 | 20:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2403 | 2 | 4279 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:15.0 | 20:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2404 | 2 | 4279 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:15.0 | 20:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2405 | 2 | 4279 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:15.0 | 20:15.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2406 | 2 | 4279 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:15.0 | 20:15.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2407 | 2 | 4279 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:15.0 | 20:15.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2414 | 2 | 4291 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:18.0 | 20:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2415 | 2 | 4291 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:18.0 | 20:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2416 | 2 | 4291 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:18.0 | 20:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2417 | 2 | 4291 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:18.0 | 20:18.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2418 | 2 | 4291 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:18.0 | 20:18.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2419 | 2 | 4291 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:18.0 | 20:18.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2426 | 2 | 4303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:21.0 | 20:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2427 | 2 | 4303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:21.0 | 20:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2428 | 2 | 4303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:21.0 | 20:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2429 | 2 | 4303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:21.0 | 20:21.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2430 | 2 | 4303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:21.0 | 20:21.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2431 | 2 | 4303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:21.0 | 20:21.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2438 | 2 | 4315 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:24.0 | 20:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2439 | 2 | 4315 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:24.0 | 20:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2440 | 2 | 4315 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:24.0 | 20:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2441 | 2 | 4315 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:24.0 | 20:24.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2442 | 2 | 4315 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:24.0 | 20:24.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2443 | 2 | 4315 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:24.0 | 20:24.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2450 | 2 | 4327 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:27.0 | 20:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2451 | 2 | 4327 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:27.0 | 20:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2452 | 2 | 4327 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:27.0 | 20:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2453 | 2 | 4327 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:27.0 | 20:27.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2454 | 2 | 4327 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:27.0 | 20:27.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2455 | 2 | 4327 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:27.0 | 20:27.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2462 | 2 | 4339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:31.0 | 20:31.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2463 | 2 | 4339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:31.0 | 20:31.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2464 | 2 | 4339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:31.0 | 20:31.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2465 | 2 | 4339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:31.0 | 20:31.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2466 | 2 | 4339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:31.0 | 20:31.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2467 | 2 | 4339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:31.0 | 20:31.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2474 | 2 | 4351 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:34.0 | 20:34.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2475 | 2 | 4351 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:34.0 | 20:34.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2476 | 2 | 4351 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:34.0 | 20:34.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2477 | 2 | 4351 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:34.0 | 20:34.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2478 | 2 | 4351 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:34.0 | 20:34.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2479 | 2 | 4351 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:34.0 | 20:34.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2486 | 2 | 4363 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:37.0 | 20:37.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2487 | 2 | 4363 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:37.0 | 20:37.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2488 | 2 | 4363 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:37.0 | 20:37.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2489 | 2 | 4363 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:37.0 | 20:37.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2490 | 2 | 4363 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:37.0 | 20:37.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2491 | 2 | 4363 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:37.0 | 20:37.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2498 | 2 | 4375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:40.0 | 20:40.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2499 | 2 | 4375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:40.0 | 20:40.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2500 | 2 | 4375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:40.0 | 20:40.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2501 | 2 | 4375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:40.0 | 20:40.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2502 | 2 | 4375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:40.0 | 20:40.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2503 | 2 | 4375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:40.0 | 20:40.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2510 | 2 | 4387 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:43.0 | 20:43.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2511 | 2 | 4387 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:43.0 | 20:43.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2512 | 2 | 4387 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:43.0 | 20:43.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2513 | 2 | 4387 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:43.0 | 20:43.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2514 | 2 | 4387 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:43.0 | 20:43.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2515 | 2 | 4387 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:43.0 | 20:43.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2522 | 2 | 4399 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:46.0 | 20:46.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2523 | 2 | 4399 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:46.0 | 20:46.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2524 | 2 | 4399 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:46.0 | 20:46.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2525 | 2 | 4399 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:46.0 | 20:46.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2526 | 2 | 4399 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:46.0 | 20:46.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2527 | 2 | 4399 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:46.0 | 20:46.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2534 | 2 | 4411 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:49.0 | 20:49.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2535 | 2 | 4411 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:49.0 | 20:49.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2536 | 2 | 4411 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:49.0 | 20:49.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2537 | 2 | 4411 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:49.0 | 20:49.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2538 | 2 | 4411 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:49.0 | 20:49.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2539 | 2 | 4411 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:49.0 | 20:49.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2546 | 2 | 4423 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:52.0 | 20:52.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2547 | 2 | 4423 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:52.0 | 20:52.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2548 | 2 | 4423 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:52.0 | 20:52.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2549 | 2 | 4423 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:52.0 | 20:52.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2550 | 2 | 4423 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:52.0 | 20:52.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2551 | 2 | 4423 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:52.0 | 20:52.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2558 | 2 | 4435 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:55.0 | 20:55.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2559 | 2 | 4435 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:55.0 | 20:55.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2560 | 2 | 4435 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:55.0 | 20:55.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2561 | 2 | 4435 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:55.0 | 20:55.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2562 | 2 | 4435 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:55.0 | 20:55.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2563 | 2 | 4435 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:55.0 | 20:55.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2570 | 2 | 4447 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:58.0 | 20:58.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2571 | 2 | 4447 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:58.0 | 20:58.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2572 | 2 | 4447 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:58.0 | 20:58.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2573 | 2 | 4447 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:58.0 | 20:58.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2574 | 2 | 4447 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:58.0 | 20:58.0 | battery | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2575 | 2 | 4447 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 20:58.0 | 20:58.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2582 | 2 | 4459 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:01.0 | 21:01.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2583 | 2 | 4459 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:01.0 | 21:01.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2584 | 2 | 4459 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:01.0 | 21:01.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2585 | 2 | 4459 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:01.0 | 21:01.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2586 | 2 | 4459 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:01.0 | 21:01.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2587 | 2 | 4459 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:01.0 | 21:01.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2594 | 2 | 4471 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:04.0 | 21:04.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2595 | 2 | 4471 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:04.0 | 21:04.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2596 | 2 | 4471 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:04.0 | 21:04.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2597 | 2 | 4471 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:04.0 | 21:04.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2598 | 2 | 4471 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:04.0 | 21:04.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2599 | 2 | 4471 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:04.0 | 21:04.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2606 | 2 | 4483 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:07.0 | 21:07.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2607 | 2 | 4483 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:07.0 | 21:07.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2608 | 2 | 4483 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:07.0 | 21:07.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2609 | 2 | 4483 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:07.0 | 21:07.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2610 | 2 | 4483 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:07.0 | 21:07.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2611 | 2 | 4483 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:07.0 | 21:07.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2618 | 2 | 4495 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:10.0 | 21:10.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2619 | 2 | 4495 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:10.0 | 21:10.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2620 | 2 | 4495 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:10.0 | 21:10.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2621 | 2 | 4495 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:10.0 | 21:10.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2622 | 2 | 4495 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:10.0 | 21:10.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2623 | 2 | 4495 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:10.0 | 21:10.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2630 | 2 | 4507 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:13.0 | 21:13.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2631 | 2 | 4507 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:13.0 | 21:13.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2632 | 2 | 4507 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:13.0 | 21:13.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2633 | 2 | 4507 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:13.0 | 21:13.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2634 | 2 | 4507 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:13.0 | 21:13.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2635 | 2 | 4507 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:13.0 | 21:13.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2642 | 2 | 4519 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:16.0 | 21:16.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2643 | 2 | 4519 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:16.0 | 21:16.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2644 | 2 | 4519 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:16.0 | 21:16.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2645 | 2 | 4519 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:16.0 | 21:16.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2646 | 2 | 4519 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:16.0 | 21:16.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2647 | 2 | 4519 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:16.0 | 21:16.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2654 | 2 | 4531 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2655 | 2 | 4531 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2656 | 2 | 4531 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2657 | 2 | 4531 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2658 | 2 | 4531 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2659 | 2 | 4531 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:20.0 | 21:20.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2702 | 2 | 4543 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:23.0 | 21:23.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2703 | 2 | 4543 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:23.0 | 21:23.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2704 | 2 | 4543 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:23.0 | 21:23.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2705 | 2 | 4543 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:23.0 | 21:23.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2706 | 2 | 4543 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:23.0 | 21:23.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2707 | 2 | 4543 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:23.0 | 21:23.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2744 | 2 | 4591 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:44.0 | 21:44.0 | Phosgene | | 0 | ppb | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2745 | 2 | 4591 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:44.0 | 21:44.0 | alarms | 50-100 | | hilo | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2746 | 2 | 4591 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:44.0 | 21:44.0 | state | In monitor | | state | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2747 | 2 | 4591 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:44.0 | 21:44.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2748 | 2 | 4591 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:44.0 | 21:44.0 | battery | | 86 | % | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2749 | 2 | 4591 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 21:44.0 | 21:44.0 | flow | | 531 | cc/min | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2834 | 2 | 4711 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2835 | 2 | 4711 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2836 | 2 | 4711 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2837 | 2 | 4711 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2838 | 2 | 4711 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | battery | | 86 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2839 | 2 | 4711 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:04.0 | 23:04.0 | flow | | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2846 | 2 | 4723 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2847 | 2 | 4723 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2848 | 2 | 4723 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2849 | 2 | 4723 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2850 | 2 | 4723 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2851 | 2 | 4723 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:07.0 | 23:07.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2858 | 2 | 4735 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2859 | 2 | 4735 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2860 | 2 | 4735 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2861 | 2 | 4735 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2862 | 2 | 4735 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2863 | 2 | 4735 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:10.0 | 23:10.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2870 | 2 | 4747 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2871 | 2 | 4747 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2872 | 2 | 4747 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2873 | 2 | 4747 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2874 | 2 | 4747 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2875 | 2 | 4747 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:13.0 | 23:13.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2882 | 2 | 4759 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2883 | 2 | 4759 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2884 | 2 | 4759 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2885 | 2 | 4759 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2886 | 2 | 4759 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2887 | 2 | 4759 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:16.0 | 23:16.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2894 | 2 | 4771 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:20.0 | 23:20.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2895 | 2 | 4771 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:20.0 | 23:20.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2896 | 2 | 4771 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:20.0 | 23:20.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2897 | 2 | 4771 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:20.0 | 23:20.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2898 | 2 | 4771 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:20.0 | 23:20.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2899 | 2 | 4771 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:20.0 | 23:20.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2906 | 2 | 4783 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:23.0 | 23:23.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2907 | 2 | 4783 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:23.0 | 23:23.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2908 | 2 | 4783 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:23.0 | 23:23.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2909 | 2 | 4783 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:23.0 | 23:23.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2910 | 2 | 4783 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:23.0 | 23:23.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2911 | 2 | 4783 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:23.0 | 23:23.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2918 | 2 | 4795 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:26.0 | 23:26.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2919 | 2 | 4795 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:26.0 | 23:26.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2920 | 2 | 4795 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:26.0 | 23:26.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2921 | 2 | 4795 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:26.0 | 23:26.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2922 | 2 | 4795 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:26.0 | 23:26.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2923 | 2 | 4795 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:26.0 | 23:26.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2930 | 2 | 4807 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:29.0 | 23:29.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2931 | 2 | 4807 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:29.0 | 23:29.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2932 | 2 | 4807 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:29.0 | 23:29.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2933 | 2 | 4807 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:29.0 | 23:29.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2934 | 2 | 4807 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:29.0 | 23:29.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2935 | 2 | 4807 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:29.0 | 23:29.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2942 | 2 | 4819 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:32.0 | 23:32.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2943 | 2 | 4819 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:32.0 | 23:32.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2944 | 2 | 4819 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:32.0 | 23:32.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2945 | 2 | 4819 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:32.0 | 23:32.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2946 | 2 | 4819 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:32.0 | 23:32.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2947 | 2 | 4819 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:32.0 | 23:32.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2954 | 2 | 4831 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:35.0 | 23:35.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2955 | 2 | 4831 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:35.0 | 23:35.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2956 | 2 | 4831 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:35.0 | 23:35.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2957 | 2 | 4831 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:35.0 | 23:35.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2958 | 2 | 4831 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:35.0 | 23:35.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2959 | 2 | 4831 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:35.0 | 23:35.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2966 | 2 | 4843 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:38.0 | 23:38.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2967 | 2 | 4843 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:38.0 | 23:38.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2968 | 2 | 4843 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:38.0 | 23:38.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2969 | 2 | 4843 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:38.0 | 23:38.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2970 | 2 | 4843 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:38.0 | 23:38.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2971 | 2 | 4843 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:38.0 | 23:38.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2978 | 2 | 4855 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:41.0 | 23:41.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2979 | 2 | 4855 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:41.0 | 23:41.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2980 | 2 | 4855 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:41.0 | 23:41.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2981 | 2 | 4855 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:41.0 | 23:41.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2982 | 2 | 4855 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:41.0 | 23:41.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2983 | 2 | 4855 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:41.0 | 23:41.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2990 | 2 | 4867 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:44.0 | 23:44.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2991 | 2 | 4867 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:44.0 | 23:44.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2992 | 2 | 4867 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:44.0 | 23:44.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2993 | 2 | 4867 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:44.0 | 23:44.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2994 | 2 | 4867 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:44.0 | 23:44.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 2995 | 2 | 4867 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:44.0 | 23:44.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3002 | 2 | 4879 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:47.0 | 23:47.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3003 | 2 | 4879 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:47.0 | 23:47.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3004 | 2 | 4879 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:47.0 | 23:47.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3005 | 2 | 4879 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:47.0 | 23:47.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3006 | 2 | 4879 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:47.0 | 23:47.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3007 | 2 | 4879 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:47.0 | 23:47.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3014 | 2 | 4891 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:50.0 | 23:50.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3015 | 2 | 4891 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:50.0 | 23:50.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3016 | 2 | 4891 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:50.0 | 23:50.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3017 | 2 | 4891 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:50.0 | 23:50.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3018 | 2 | 4891 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:50.0 | 23:50.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3019 | 2 | 4891 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:50.0 | 23:50.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3026 | 2 | 4903 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:53.0 | 23:53.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3027 | 2 | 4903 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:53.0 | 23:53.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3028 | 2 | 4903 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:53.0 | 23:53.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3029 | 2 | 4903 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:53.0 | 23:53.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3030 | 2 | 4903 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:53.0 | 23:53.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3031 | 2 | 4903 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:53.0 | 23:53.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3038 | 2 | 4915 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:56.0 | 23:56.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3039 | 2 | 4915 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:56.0 | 23:56.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3040 | 2 | 4915 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:56.0 | 23:56.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3041 | 2 | 4915 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:56.0 | 23:56.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3042 | 2 | 4915 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:56.0 | 23:56.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3043 | 2 | 4915 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:56.0 | 23:56.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3050 | 2 | 4927 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:59.0 | 23:59.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3051 | 2 | 4927 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:59.0 | 23:59.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3052 | 2 | 4927 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:59.0 | 23:59.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3053 | 2 | 4927 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:59.0 | 23:59.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3054 | 2 | 4927 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:59.0 | 23:59.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3055 | 2 | 4927 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 23:59.0 | 23:59.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3062 | 2 | 4939 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:02.0 | 24:02.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3063 | 2 | 4939 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:02.0 | 24:02.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3064 | 2 | 4939 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:02.0 | 24:02.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3065 | 2 | 4939 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:02.0 | 24:02.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3066 | 2 | 4939 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:02.0 | 24:02.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3067 | 2 | 4939 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:02.0 | 24:02.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3074 | 2 | 4951 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:05.0 | 24:05.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3075 | 2 | 4951 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:05.0 | 24:05.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3076 | 2 | 4951 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:05.0 | 24:05.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3077 | 2 | 4951 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:05.0 | 24:05.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3078 | 2 | 4951 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:05.0 | 24:05.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3079 | 2 | 4951 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:05.0 | 24:05.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3086 | 2 | 4963 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:09.0 | 24:09.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3087 | 2 | 4963 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:09.0 | 24:09.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3088 | 2 | 4963 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:09.0 | 24:09.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3089 | 2 | 4963 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:09.0 | 24:09.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3090 | 2 | 4963 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:09.0 | 24:09.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3091 | 2 | 4963 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:09.0 | 24:09.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3098 | 2 | 4975 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:12.0 | 24:12.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3099 | 2 | 4975 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:12.0 | 24:12.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3100 | 2 | 4975 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:12.0 | 24:12.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3101 | 2 | 4975 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:12.0 | 24:12.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3102 | 2 | 4975 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:12.0 | 24:12.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3103 | 2 | 4975 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:12.0 | 24:12.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3110 | 2 | 4987 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:15.0 | 24:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3111 | 2 | 4987 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:15.0 | 24:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3112 | 2 | 4987 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:15.0 | 24:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3113 | 2 | 4987 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:15.0 | 24:15.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3114 | 2 | 4987 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:15.0 | 24:15.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3115 | 2 | 4987 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:15.0 | 24:15.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3122 | 2 | 4999 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:18.0 | 24:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3123 | 2 | 4999 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:18.0 | 24:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3124 | 2 | 4999 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:18.0 | 24:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3125 | 2 | 4999 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:18.0 | 24:18.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3126 | 2 | 4999 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:18.0 | 24:18.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3127 | 2 | 4999 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:18.0 | 24:18.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3134 | 2 | 5011 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:21.0 | 24:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3135 | 2 | 5011 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:21.0 | 24:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3136 | 2 | 5011 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:21.0 | 24:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3137 | 2 | 5011 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:21.0 | 24:21.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3138 | 2 | 5011 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:21.0 | 24:21.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3139 | 2 | 5011 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:21.0 | 24:21.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3146 | 2 | 5023 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:24.0 | 24:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3147 | 2 | 5023 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:24.0 | 24:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3148 | 2 | 5023 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:24.0 | 24:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3149 | 2 | 5023 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:24.0 | 24:24.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3150 | 2 | 5023 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:24.0 | 24:24.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3151 | 2 | 5023 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:24.0 | 24:24.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3158 | 2 | 5035 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:27.0 | 24:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3159 | 2 | 5035 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:27.0 | 24:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3160 | 2 | 5035 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:27.0 | 24:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3161 | 2 | 5035 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:27.0 | 24:27.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3162 | 2 | 5035 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:27.0 | 24:27.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3163 | 2 | 5035 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:27.0 | 24:27.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3170 | 2 | 5047 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:30.0 | 24:30.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3171 | 2 | 5047 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:30.0 | 24:30.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3172 | 2 | 5047 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:30.0 | 24:30.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3173 | 2 | 5047 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:30.0 | 24:30.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3174 | 2 | 5047 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:30.0 | 24:30.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3175 | 2 | 5047 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:30.0 | 24:30.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3182 | 2 | 5059 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:33.0 | 24:33.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3183 | 2 | 5059 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:33.0 | 24:33.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3184 | 2 | 5059 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:33.0 | 24:33.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3185 | 2 | 5059 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:33.0 | 24:33.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3186 | 2 | 5059 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:33.0 | 24:33.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3187 | 2 | 5059 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:33.0 | 24:33.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3194 | 2 | 5071 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:36.0 | 24:36.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3195 | 2 | 5071 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:36.0 | 24:36.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3196 | 2 | 5071 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:36.0 | 24:36.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3197 | 2 | 5071 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:36.0 | 24:36.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3198 | 2 | 5071 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:36.0 | 24:36.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3199 | 2 | 5071 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:36.0 | 24:36.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3206 | 2 | 5083 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:39.0 | 24:39.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3207 | 2 | 5083 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:39.0 | 24:39.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3208 | 2 | 5083 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:39.0 | 24:39.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3209 | 2 | 5083 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:39.0 | 24:39.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3210 | 2 | 5083 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:39.0 | 24:39.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3211 | 2 | 5083 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:39.0 | 24:39.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3218 | 2 | 5095 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:42.0 | 24:42.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3219 | 2 | 5095 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:42.0 | 24:42.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3220 | 2 | 5095 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:42.0 | 24:42.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3221 | 2 | 5095 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:42.0 | 24:42.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3222 | 2 | 5095 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:42.0 | 24:42.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3223 | 2 | 5095 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:42.0 | 24:42.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3254 | 2 | 5107 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:45.0 | 24:45.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3255 | 2 | 5107 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:45.0 | 24:45.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3256 | 2 | 5107 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:45.0 | 24:45.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3257 | 2 | 5107 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:45.0 | 24:45.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3258 | 2 | 5107 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:45.0 | 24:45.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3259 | 2 | 5107 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:45.0 | 24:45.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3266 | 2 | 5143 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3267 | 2 | 5143 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3268 | 2 | 5143 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3269 | 2 | 5143 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3270 | 2 | 5143 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3271 | 2 | 5143 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 24:59.0 | 24:59.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3278 | 2 | 5155 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3279 | 2 | 5155 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3280 | 2 | 5155 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3281 | 2 | 5155 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3282 | 2 | 5155 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3283 | 2 | 5155 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:02.0 | 25:02.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3290 | 2 | 5167 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3291 | 2 | 5167 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3292 | 2 | 5167 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3293 | 2 | 5167 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3294 | 2 | 5167 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3295 | 2 | 5167 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:05.0 | 25:05.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3296 | 2 | 5179 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3297 | 2 | 5179 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3298 | 2 | 5179 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3299 | 2 | 5179 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3300 | 2 | 5179 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3301 | 2 | 5179 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:08.0 | 25:08.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3302 | 2 | 5185 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:11.0 | 25:11.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3303 | 2 | 5185 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:11.0 | 25:11.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3304 | 2 | 5185 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:11.0 | 25:11.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3305 | 2 | 5185 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:11.0 | 25:11.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3306 | 2 | 5185 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:11.0 | 25:11.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3307 | 2 | 5185 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:11.0 | 25:11.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3308 | 2 | 5191 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:14.0 | 25:14.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3309 | 2 | 5191 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:14.0 | 25:14.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3310 | 2 | 5191 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:14.0 | 25:14.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3311 | 2 | 5191 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:14.0 | 25:14.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3312 | 2 | 5191 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:14.0 | 25:14.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3313 | 2 | 5191 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:14.0 | 25:14.0 | flow | 531 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3314 | 2 | 5197 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:18.0 | 25:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3315 | 2 | 5197 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:18.0 | 25:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3316 | 2 | 5197 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:18.0 | 25:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3317 | 2 | 5197 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:18.0 | 25:18.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3318 | 2 | 5197 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:18.0 | 25:18.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3319 | 2 | 5197 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:18.0 | 25:18.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3320 | 2 | 5203 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:21.0 | 25:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3321 | 2 | 5203 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:21.0 | 25:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3322 | 2 | 5203 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:21.0 | 25:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3323 | 2 | 5203 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:21.0 | 25:21.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3324 | 2 | 5203 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:21.0 | 25:21.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3325 | 2 | 5203 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:21.0 | 25:21.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3326 | 2 | 5209 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:24.0 | 25:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3327 | 2 | 5209 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:24.0 | 25:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3328 | 2 | 5209 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:24.0 | 25:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3329 | 2 | 5209 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:24.0 | 25:24.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3330 | 2 | 5209 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:24.0 | 25:24.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3331 | 2 | 5209 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:24.0 | 25:24.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3338 | 2 | 5215 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:27.0 | 25:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3339 | 2 | 5215 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:27.0 | 25:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3340 | 2 | 5215 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:27.0 | 25:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3341 | 2 | 5215 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:27.0 | 25:27.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3342 | 2 | 5215 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:27.0 | 25:27.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3343 | 2 | 5215 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:27.0 | 25:27.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3344 | 2 | 5227 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:30.0 | 25:30.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3345 | 2 | 5227 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:30.0 | 25:30.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3346 | 2 | 5227 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:30.0 | 25:30.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3347 | 2 | 5227 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:30.0 | 25:30.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3348 | 2 | 5227 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:30.0 | 25:30.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3349 | 2 | 5227 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:30.0 | 25:30.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3350 | 2 | 5233 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:33.0 | 25:33.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3351 | 2 | 5233 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:33.0 | 25:33.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3352 | 2 | 5233 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:33.0 | 25:33.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3353 | 2 | 5233 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:33.0 | 25:33.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3354 | 2 | 5233 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:33.0 | 25:33.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3355 | 2 | 5233 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:33.0 | 25:33.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3356 | 2 | 5239 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:36.0 | 25:36.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3357 | 2 | 5239 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:36.0 | 25:36.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3358 | 2 | 5239 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:36.0 | 25:36.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3359 | 2 | 5239 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:36.0 | 25:36.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3360 | 2 | 5239 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:36.0 | 25:36.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3361 | 2 | 5239 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:36.0 | 25:36.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3362 | 2 | 5245 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:39.0 | 25:39.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3363 | 2 | 5245 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:39.0 | 25:39.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3364 | 2 | 5245 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:39.0 | 25:39.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3365 | 2 | 5245 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:39.0 | 25:39.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3366 | 2 | 5245 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:39.0 | 25:39.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3367 | 2 | 5245 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:39.0 | 25:39.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3368 | 2 | 5251 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:42.0 | 25:42.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3369 | 2 | 5251 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:42.0 | 25:42.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3370 | 2 | 5251 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:42.0 | 25:42.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3371 | 2 | 5251 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:42.0 | 25:42.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3372 | 2 | 5251 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:42.0 | 25:42.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3373 | 2 | 5251 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:42.0 | 25:42.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3380 | 2 | 5257 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:45.0 | 25:45.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3381 | 2 | 5257 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:45.0 | 25:45.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3382 | 2 | 5257 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:45.0 | 25:45.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3383 | 2 | 5257 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:45.0 | 25:45.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3384 | 2 | 5257 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:45.0 | 25:45.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3385 | 2 | 5257 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:45.0 | 25:45.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3386 | 2 | 5263 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:48.0 | 25:48.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3387 | 2 | 5263 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:48.0 | 25:48.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3388 | 2 | 5263 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:48.0 | 25:48.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3389 | 2 | 5263 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:48.0 | 25:48.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3390 | 2 | 5263 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:48.0 | 25:48.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3391 | 2 | 5263 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:48.0 | 25:48.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3392 | 2 | 5269 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:51.0 | 25:51.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3393 | 2 | 5269 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:51.0 | 25:51.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3394 | 2 | 5269 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:51.0 | 25:51.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3395 | 2 | 5269 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:51.0 | 25:51.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3396 | 2 | 5269 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:51.0 | 25:51.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3397 | 2 | 5269 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:51.0 | 25:51.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3398 | 2 | 5275 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:54.0 | 25:54.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3399 | 2 | 5275 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:54.0 | 25:54.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3400 | 2 | 5275 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:54.0 | 25:54.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3401 | 2 | 5275 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:54.0 | 25:54.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3402 | 2 | 5275 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:54.0 | 25:54.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3403 | 2 | 5275 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:54.0 | 25:54.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3404 | 2 | 5281 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:57.0 | 25:57.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3405 | 2 | 5281 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:57.0 | 25:57.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3406 | 2 | 5281 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:57.0 | 25:57.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3407 | 2 | 5281 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:57.0 | 25:57.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3408 | 2 | 5281 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:57.0 | 25:57.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3409 | 2 | 5281 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 25:57.0 | 25:57.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3410 | 2 | 5287 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:00.0 | 26:00.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3411 | 2 | 5287 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:00.0 | 26:00.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3412 | 2 | 5287 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:00.0 | 26:00.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3413 | 2 | 5287 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:00.0 | 26:00.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3414 | 2 | 5287 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:00.0 | 26:00.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3415 | 2 | 5287 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:00.0 | 26:00.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3428 | 2 | 5293 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:03.0 | 26:03.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3429 | 2 | 5293 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:03.0 | 26:03.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3430 | 2 | 5293 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:03.0 | 26:03.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3431 | 2 | 5293 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:03.0 | 26:03.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3432 | 2 | 5293 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:03.0 | 26:03.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3433 | 2 | 5293 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:03.0 | 26:03.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3434 | 2 | 5317 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3435 | 2 | 5317 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3436 | 2 | 5317 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3437 | 2 | 5317 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3438 | 2 | 5317 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3439 | 2 | 5317 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:12.0 | 26:12.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3440 | 2 | 5323 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:15.0 | 26:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3441 | 2 | 5323 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:15.0 | 26:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3442 | 2 | 5323 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:15.0 | 26:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3443 | 2 | 5323 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:15.0 | 26:15.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3444 | 2 | 5323 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:15.0 | 26:15.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3445 | 2 | 5323 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:15.0 | 26:15.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3446 | 2 | 5329 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:18.0 | 26:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3447 | 2 | 5329 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:18.0 | 26:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3448 | 2 | 5329 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:18.0 | 26:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3449 | 2 | 5329 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:18.0 | 26:18.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3450 | 2 | 5329 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:18.0 | 26:18.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3451 | 2 | 5329 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:18.0 | 26:18.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3452 | 2 | 5335 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:21.0 | 26:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3453 | 2 | 5335 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:21.0 | 26:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3454 | 2 | 5335 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:21.0 | 26:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3455 | 2 | 5335 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:21.0 | 26:21.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3456 | 2 | 5335 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:21.0 | 26:21.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3457 | 2 | 5335 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:21.0 | 26:21.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3458 | 2 | 5341 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:25.0 | 26:25.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3459 | 2 | 5341 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:25.0 | 26:25.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3460 | 2 | 5341 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:25.0 | 26:25.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3461 | 2 | 5341 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:25.0 | 26:25.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3462 | 2 | 5341 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:25.0 | 26:25.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3463 | 2 | 5341 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:25.0 | 26:25.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3464 | 2 | 5347 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:28.0 | 26:28.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3465 | 2 | 5347 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:28.0 | 26:28.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3466 | 2 | 5347 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:28.0 | 26:28.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3467 | 2 | 5347 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:28.0 | 26:28.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3468 | 2 | 5347 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:28.0 | 26:28.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3469 | 2 | 5347 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:28.0 | 26:28.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3470 | 2 | 5353 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:31.0 | 26:31.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3471 | 2 | 5353 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:31.0 | 26:31.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3472 | 2 | 5353 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:31.0 | 26:31.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3473 | 2 | 5353 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:31.0 | 26:31.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3474 | 2 | 5353 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:31.0 | 26:31.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3475 | 2 | 5353 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:31.0 | 26:31.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3482 | 2 | 5359 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3483 | 2 | 5359 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3484 | 2 | 5359 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3485 | 2 | 5359 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3486 | 2 | 5359 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3487 | 2 | 5359 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:34.0 | 26:34.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3488 | 2 | 5371 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3489 | 2 | 5371 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3490 | 2 | 5371 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3491 | 2 | 5371 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3492 | 2 | 5371 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3493 | 2 | 5371 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:37.0 | 26:37.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3494 | 2 | 5377 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:40.0 | 26:40.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3495 | 2 | 5377 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:40.0 | 26:40.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3496 | 2 | 5377 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:40.0 | 26:40.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3497 | 2 | 5377 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:40.0 | 26:40.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3498 | 2 | 5377 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:40.0 | 26:40.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3499 | 2 | 5377 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:40.0 | 26:40.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3500 | 2 | 5383 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:43.0 | 26:43.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3501 | 2 | 5383 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:43.0 | 26:43.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3502 | 2 | 5383 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:43.0 | 26:43.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3503 | 2 | 5383 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:43.0 | 26:43.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3504 | 2 | 5383 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:43.0 | 26:43.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3505 | 2 | 5383 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:43.0 | 26:43.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3518 | 2 | 5389 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:46.0 | 26:46.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3519 | 2 | 5389 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:46.0 | 26:46.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3520 | 2 | 5389 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:46.0 | 26:46.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3521 | 2 | 5389 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:46.0 | 26:46.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3522 | 2 | 5389 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:46.0 | 26:46.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3523 | 2 | 5389 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:46.0 | 26:46.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3530 | 2 | 5407 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3531 | 2 | 5407 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3532 | 2 | 5407 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3533 | 2 | 5407 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3534 | 2 | 5407 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3535 | 2 | 5407 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:55.0 | 26:55.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3542 | 2 | 5419 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3543 | 2 | 5419 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3544 | 2 | 5419 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3545 | 2 | 5419 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3546 | 2 | 5419 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3547 | 2 | 5419 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 26:58.0 | 26:58.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3554 | 2 | 5431 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3555 | 2 | 5431 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3556 | 2 | 5431 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3557 | 2 | 5431 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3558 | 2 | 5431 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3559 | 2 | 5431 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:01.0 | 27:01.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3566 | 2 | 5443 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3567 | 2 | 5443 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3568 | 2 | 5443 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3569 | 2 | 5443 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3570 | 2 | 5443 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3571 | 2 | 5443 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:04.0 | 27:04.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3578 | 2 | 5455 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3579 | 2 | 5455 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3580 | 2 | 5455 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3581 | 2 | 5455 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3582 | 2 | 5455 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3583 | 2 | 5455 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:07.0 | 27:07.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3590 | 2 | 5467 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3591 | 2 | 5467 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3592 | 2 | 5467 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3593 | 2 | 5467 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3594 | 2 | 5467 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3595 | 2 | 5467 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:10.0 | 27:10.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3602 | 2 | 5479 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3603 | 2 | 5479 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3604 | 2 | 5479 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3605 | 2 | 5479 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3606 | 2 | 5479 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3607 | 2 | 5479 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:13.0 | 27:13.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3614 | 2 | 5491 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3615 | 2 | 5491 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3616 | 2 | 5491 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3617 | 2 | 5491 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3618 | 2 | 5491 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3619 | 2 | 5491 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:16.0 | 27:16.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3626 | 2 | 5503 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3627 | 2 | 5503 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3628 | 2 | 5503 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3629 | 2 | 5503 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3630 | 2 | 5503 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3631 | 2 | 5503 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:19.0 | 27:19.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3638 | 2 | 5515 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3639 | 2 | 5515 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3640 | 2 | 5515 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3641 | 2 | 5515 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3642 | 2 | 5515 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3643 | 2 | 5515 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:22.0 | 27:22.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3650 | 2 | 5527 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3651 | 2 | 5527 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3652 | 2 | 5527 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3653 | 2 | 5527 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3654 | 2 | 5527 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3655 | 2 | 5527 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:25.0 | 27:25.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3662 | 2 | 5539 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3663 | 2 | 5539 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3664 | 2 | 5539 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3665 | 2 | 5539 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3666 | 2 | 5539 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3667 | 2 | 5539 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:28.0 | 27:28.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3674 | 2 | 5551 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3675 | 2 | 5551 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3676 | 2 | 5551 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3677 | 2 | 5551 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3678 | 2 | 5551 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3679 | 2 | 5551 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:31.0 | 27:31.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3686 | 2 | 5563 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:34.0 | 27:34.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3687 | 2 | 5563 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:34.0 | 27:34.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3688 | 2 | 5563 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:34.0 | 27:34.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3689 | 2 | 5563 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:34.0 | 27:34.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3690 | 2 | 5563 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:34.0 | 27:34.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3691 | 2 | 5563 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:34.0 | 27:34.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3698 | 2 | 5575 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:37.0 | 27:37.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3699 | 2 | 5575 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:37.0 | 27:37.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3700 | 2 | 5575 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:37.0 | 27:37.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3701 | 2 | 5575 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:37.0 | 27:37.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3702 | 2 | 5575 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:37.0 | 27:37.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3703 | 2 | 5575 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:37.0 | 27:37.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3710 | 2 | 5587 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:40.0 | 27:40.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3711 | 2 | 5587 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:40.0 | 27:40.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3712 | 2 | 5587 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:40.0 | 27:40.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3713 | 2 | 5587 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:40.0 | 27:40.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3714 | 2 | 5587 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:40.0 | 27:40.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3715 | 2 | 5587 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:40.0 | 27:40.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3722 | 2 | 5599 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:43.0 | 27:43.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3723 | 2 | 5599 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:43.0 | 27:43.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3724 | 2 | 5599 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:43.0 | 27:43.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3725 | 2 | 5599 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:43.0 | 27:43.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3726 | 2 | 5599 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:43.0 | 27:43.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3727 | 2 | 5599 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:43.0 | 27:43.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3728 | 2 | 5611 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:46.0 | 27:46.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3729 | 2 | 5611 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:46.0 | 27:46.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3730 | 2 | 5611 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:46.0 | 27:46.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3731 | 2 | 5611 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:46.0 | 27:46.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3732 | 2 | 5611 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:46.0 | 27:46.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3733 | 2 | 5611 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:46.0 | 27:46.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3734 | 2 | 5617 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:49.0 | 27:49.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3735 | 2 | 5617 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:49.0 | 27:49.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3736 | 2 | 5617 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:49.0 | 27:49.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3737 | 2 | 5617 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:49.0 | 27:49.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3738 | 2 | 5617 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:49.0 | 27:49.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3739 | 2 | 5617 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:49.0 | 27:49.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3746 | 2 | 5623 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:58.0 | 27:58.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3747 | 2 | 5623 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:58.0 | 27:58.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3748 | 2 | 5623 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:58.0 | 27:58.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3749 | 2 | 5623 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:58.0 | 27:58.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3750 | 2 | 5623 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:58.0 | 27:58.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3751 | 2 | 5623 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 27:58.0 | 27:58.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3752 | 2 | 5629 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:01.0 | 28:01.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3753 | 2 | 5629 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:01.0 | 28:01.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3754 | 2 | 5629 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:01.0 | 28:01.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3755 | 2 | 5629 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:01.0 | 28:01.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3756 | 2 | 5629 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:01.0 | 28:01.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3757 | 2 | 5629 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:01.0 | 28:01.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3758 | 2 | 5641 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:15.0 | 28:15.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3759 | 2 | 5641 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:15.0 | 28:15.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3760 | 2 | 5641 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:15.0 | 28:15.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3761 | 2 | 5641 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:15.0 | 28:15.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3762 | 2 | 5641 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:15.0 | 28:15.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3763 | 2 | 5641 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:15.0 | 28:15.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3770 | 2 | 5647 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:18.0 | 28:18.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3771 | 2 | 5647 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:18.0 | 28:18.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3772 | 2 | 5647 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:18.0 | 28:18.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3773 | 2 | 5647 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:18.0 | 28:18.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3774 | 2 | 5647 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:18.0 | 28:18.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3775 | 2 | 5647 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:18.0 | 28:18.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3782 | 2 | 5659 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:21.0 | 28:21.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3783 | 2 | 5659 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:21.0 | 28:21.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3784 | 2 | 5659 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:21.0 | 28:21.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3785 | 2 | 5659 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:21.0 | 28:21.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3786 | 2 | 5659 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:21.0 | 28:21.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3787 | 2 | 5659 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:21.0 | 28:21.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3794 | 2 | 5671 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:24.0 | 28:24.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3795 | 2 | 5671 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:24.0 | 28:24.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3796 | 2 | 5671 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:24.0 | 28:24.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3797 | 2 | 5671 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:24.0 | 28:24.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3798 | 2 | 5671 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:24.0 | 28:24.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3799 | 2 | 5671 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:24.0 | 28:24.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3806 | 2 | 5683 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:27.0 | 28:27.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3807 | 2 | 5683 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:27.0 | 28:27.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3808 | 2 | 5683 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:27.0 | 28:27.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3809 | 2 | 5683 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:27.0 | 28:27.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3810 | 2 | 5683 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:27.0 | 28:27.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3811 | 2 | 5683 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:27.0 | 28:27.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3818 | 2 | 5695 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:30.0 | 28:30.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3819 | 2 | 5695 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:30.0 | 28:30.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3820 | 2 | 5695 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:30.0 | 28:30.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3821 | 2 | 5695 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:30.0 | 28:30.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3822 | 2 | 5695 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:30.0 | 28:30.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3823 | 2 | 5695 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:30.0 | 28:30.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3830 | 2 | 5707 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:33.0 | 28:33.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3831 | 2 | 5707 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:33.0 | 28:33.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3832 | 2 | 5707 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:33.0 | 28:33.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3833 | 2 | 5707 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:33.0 | 28:33.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3834 | 2 | 5707 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:33.0 | 28:33.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3835 | 2 | 5707 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:33.0 | 28:33.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3842 | 2 | 5719 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:36.0 | 28:36.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3843 | 2 | 5719 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:36.0 | 28:36.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3844 | 2 | 5719 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:36.0 | 28:36.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3845 | 2 | 5719 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:36.0 | 28:36.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3846 | 2 | 5719 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:36.0 | 28:36.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3847 | 2 | 5719 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:36.0 | 28:36.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3854 | 2 | 5731 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:39.0 | 28:39.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3855 | 2 | 5731 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:39.0 | 28:39.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3856 | 2 | 5731 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:39.0 | 28:39.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3857 | 2 | 5731 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:39.0 | 28:39.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3858 | 2 | 5731 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:39.0 | 28:39.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3859 | 2 | 5731 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:39.0 | 28:39.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3866 | 2 | 5743 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:42.0 | 28:42.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3867 | 2 | 5743 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:42.0 | 28:42.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3868 | 2 | 5743 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:42.0 | 28:42.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3869 | 2 | 5743 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:42.0 | 28:42.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3870 | 2 | 5743 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:42.0 | 28:42.0 | battery | | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3871 | 2 | 5743 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:42.0 | 28:42.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3878 | 2 | 5755 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3879 | 2 | 5755 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3880 | 2 | 5755 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3881 | 2 | 5755 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3882 | 2 | 5755 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3883 | 2 | 5755 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:54.0 | 28:54.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3884 | 2 | 5767 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3885 | 2 | 5767 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3886 | 2 | 5767 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3887 | 2 | 5767 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3888 | 2 | 5767 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3889 | 2 | 5767 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 28:57.0 | 28:57.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3902 | 2 | 5773 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3903 | 2 | 5773 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3904 | 2 | 5773 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3905 | 2 | 5773 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3906 | 2 | 5773 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3907 | 2 | 5773 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:00.0 | 29:00.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3914 | 2 | 5791 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3915 | 2 | 5791 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3916 | 2 | 5791 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3917 | 2 | 5791 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3918 | 2 | 5791 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3919 | 2 | 5791 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:03.0 | 29:03.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3926 | 2 | 5803 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3927 | 2 | 5803 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3928 | 2 | 5803 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3929 | 2 | 5803 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3930 | 2 | 5803 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3931 | 2 | 5803 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:06.0 | 29:06.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3938 | 2 | 5815 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3939 | 2 | 5815 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3940 | 2 | 5815 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3941 | 2 | 5815 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3942 | 2 | 5815 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3943 | 2 | 5815 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:09.0 | 29:09.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3950 | 2 | 5827 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3951 | 2 | 5827 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3952 | 2 | 5827 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3953 | 2 | 5827 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3954 | 2 | 5827 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3955 | 2 | 5827 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:12.0 | 29:12.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3962 | 2 | 5839 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3963 | 2 | 5839 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3964 | 2 | 5839 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3965 | 2 | 5839 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3966 | 2 | 5839 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3967 | 2 | 5839 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:15.0 | 29:15.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3974 | 2 | 5851 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3975 | 2 | 5851 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3976 | 2 | 5851 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3977 | 2 | 5851 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3978 | 2 | 5851 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3979 | 2 | 5851 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:18.0 | 29:18.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3986 | 2 | 5863 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3987 | 2 | 5863 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3988 | 2 | 5863 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3989 | 2 | 5863 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3990 | 2 | 5863 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3991 | 2 | 5863 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:21.0 | 29:21.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3998 | 2 | 5875 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 3999 | 2 | 5875 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4000 | 2 | 5875 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4001 | 2 | 5875 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4002 | 2 | 5875 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4003 | 2 | 5875 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:24.0 | 29:24.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4010 | 2 | 5887 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4011 | 2 | 5887 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4012 | 2 | 5887 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4013 | 2 | 5887 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4014 | 2 | 5887 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Conti | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4015 | 2 | 5887 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:27.0 | 29:27.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4022 | 2 | 5899 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4023 | 2 | 5899 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4024 | 2 | 5899 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4025 | 2 | 5899 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4026 | 2 | 5899 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4027 | 2 | 5899 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:30.0 | 29:30.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4034 | 2 | 5911 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4035 | 2 | 5911 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4036 | 2 | 5911 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4037 | 2 | 5911 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4038 | 2 | 5911 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4039 | 2 | 5911 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:33.0 | 29:33.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4046 | 2 | 5923 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4047 | 2 | 5923 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4048 | 2 | 5923 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4049 | 2 | 5923 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4050 | 2 | 5923 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4051 | 2 | 5923 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:36.0 | 29:36.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4058 | 2 | 5935 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4059 | 2 | 5935 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4060 | 2 | 5935 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4061 | 2 | 5935 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4062 | 2 | 5935 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4063 | 2 | 5935 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:39.0 | 29:39.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4064 | 2 | 5947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4065 | 2 | 5947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4066 | 2 | 5947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4067 | 2 | 5947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4068 | 2 | 5947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4069 | 2 | 5947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:42.0 | 29:42.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4082 | 2 | 5953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4083 | 2 | 5953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4084 | 2 | 5953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4085 | 2 | 5953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4086 | 2 | 5953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4087 | 2 | 5953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:50.0 | 29:50.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4094 | 2 | 5971 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4095 | 2 | 5971 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4096 | 2 | 5971 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4097 | 2 | 5971 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4098 | 2 | 5971 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4099 | 2 | 5971 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:53.0 | 29:53.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4106 | 2 | 5983 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4107 | 2 | 5983 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4108 | 2 | 5983 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4109 | 2 | 5983 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4110 | 2 | 5983 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4111 | 2 | 5983 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 29:57.0 | 29:57.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4118 | 2 | 5995 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4119 | 2 | 5995 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4120 | 2 | 5995 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4121 | 2 | 5995 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4122 | 2 | 5995 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4123 | 2 | 5995 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:00.0 | 30:00.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4130 | 2 | 6007 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4131 | 2 | 6007 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4132 | 2 | 6007 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4133 | 2 | 6007 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4134 | 2 | 6007 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4135 | 2 | 6007 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:03.0 | 30:03.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4142 | 2 | 6019 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4143 | 2 | 6019 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4144 | 2 | 6019 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4145 | 2 | 6019 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4146 | 2 | 6019 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4147 | 2 | 6019 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:06.0 | 30:06.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4154 | 2 | 6031 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4155 | 2 | 6031 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4156 | 2 | 6031 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4157 | 2 | 6031 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4158 | 2 | 6031 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4159 | 2 | 6031 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:09.0 | 30:09.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4166 | 2 | 6043 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4167 | 2 | 6043 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4168 | 2 | 6043 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4169 | 2 | 6043 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4170 | 2 | 6043 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4171 | 2 | 6043 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:12.0 | 30:12.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4178 | 2 | 6055 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4179 | 2 | 6055 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4180 | 2 | 6055 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4181 | 2 | 6055 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4182 | 2 | 6055 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4183 | 2 | 6055 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:15.0 | 30:15.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4190 | 2 | 6067 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4191 | 2 | 6067 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4192 | 2 | 6067 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4193 | 2 | 6067 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4194 | 2 | 6067 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4195 | 2 | 6067 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:18.0 | 30:18.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4202 | 2 | 6079 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4203 | 2 | 6079 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4204 | 2 | 6079 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4205 | 2 | 6079 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4206 | 2 | 6079 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4207 | 2 | 6079 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:21.0 | 30:21.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4214 | 2 | 6091 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4215 | 2 | 6091 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4216 | 2 | 6091 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4217 | 2 | 6091 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4218 | 2 | 6091 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4219 | 2 | 6091 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:24.0 | 30:24.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4226 | 2 | 6103 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4227 | 2 | 6103 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4228 | 2 | 6103 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4229 | 2 | 6103 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4230 | 2 | 6103 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | battery | 85 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4231 | 2 | 6103 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:27.0 | 30:27.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4238 | 2 | 6115 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4239 | 2 | 6115 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4240 | 2 | 6115 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4241 | 2 | 6115 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4242 | 2 | 6115 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4243 | 2 | 6115 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:30.0 | 30:30.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4244 | 2 | 6127 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4245 | 2 | 6127 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4246 | 2 | 6127 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4247 | 2 | 6127 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4248 | 2 | 6127 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4249 | 2 | 6127 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:33.0 | 30:33.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4256 | 2 | 6133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:36.0 | 30:36.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4257 | 2 | 6133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:36.0 | 30:36.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4258 | 2 | 6133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:36.0 | 30:36.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4259 | 2 | 6133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:36.0 | 30:36.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4260 | 2 | 6133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:36.0 | 30:36.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4261 | 2 | 6133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 30:36.0 | 30:36.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4268 | 2 | 6145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:04.0 | 31:04.0 | Phosgene | 0 | ppb | Gray | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4269 | 2 | 6145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:04.0 | 31:04.0 | alarms | 50-100 | hilo | Gray | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4270 | 2 | 6145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:04.0 | 31:04.0 | state | In monitor | state | Gray | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4271 | 2 | 6145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:04.0 | 31:04.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4272 | 2 | 6145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:04.0 | 31:04.0 | battery | 84 | % | Gray | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4273 | 2 | 6145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:04.0 | 31:04.0 | flow | 530 | cc/min | Gray | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4316 | 2 | 6193 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4317 | 2 | 6193 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4318 | 2 | 6193 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4319 | 2 | 6193 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4320 | 2 | 6193 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4321 | 2 | 6193 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 31:57.0 | 31:57.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4328 | 2 | 6205 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4329 | 2 | 6205 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4330 | 2 | 6205 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4331 | 2 | 6205 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4332 | 2 | 6205 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC | .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4333 | 2 | 6205 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:00.0 | 32:00.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4340 | 2 | 6217 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4341 | 2 | 6217 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4342 | 2 | 6217 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4343 | 2 | 6217 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4344 | 2 | 6217 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4345 | 2 | 6217 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:03.0 | 32:03.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4352 | 2 | 6229 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4353 | 2 | 6229 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4354 | 2 | 6229 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4355 | 2 | 6229 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4356 | 2 | 6229 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4357 | 2 | 6229 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:06.0 | 32:06.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4358 | 2 | 6235 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:27.0 | 32:27.0 | Phosgene | | 0 | ppb | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4359 | 2 | 6235 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:27.0 | 32:27.0 | alarms | 50-100 | | hilo | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4360 | 2 | 6235 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:27.0 | 32:27.0 | state | In monitor | | state | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4361 | 2 | 6235 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:27.0 | 32:27.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4362 | 2 | 6235 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:27.0 | 32:27.0 | battery | | 84 | % | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4363 | 2 | 6235 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:27.0 | 32:27.0 | flow | | 529 | cc/min | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4364 | 2 | 6247 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:33.0 | 32:33.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4365 | 2 | 6247 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:33.0 | 32:33.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4366 | 2 | 6247 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:33.0 | 32:33.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4367 | 2 | 6247 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:33.0 | 32:33.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4368 | 2 | 6247 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:33.0 | 32:33.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4369 | 2 | 6247 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:33.0 | 32:33.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4370 | 2 | 6253 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:36.0 | 32:36.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4371 | 2 | 6253 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:36.0 | 32:36.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4372 | 2 | 6253 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:36.0 | 32:36.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4373 | 2 | 6253 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:36.0 | 32:36.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4374 | 2 | 6253 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:36.0 | 32:36.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4375 | 2 | 6253 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:36.0 | 32:36.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4376 | 2 | 6259 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:39.0 | 32:39.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4377 | 2 | 6259 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:39.0 | 32:39.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4378 | 2 | 6259 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:39.0 | 32:39.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4379 | 2 | 6259 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:39.0 | 32:39.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4380 | 2 | 6259 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:39.0 | 32:39.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4381 | 2 | 6259 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:39.0 | 32:39.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4388 | 2 | 6265 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:42.0 | 32:42.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4389 | 2 | 6265 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:42.0 | 32:42.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4390 | 2 | 6265 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:42.0 | 32:42.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4391 | 2 | 6265 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:42.0 | 32:42.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4392 | 2 | 6265 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:42.0 | 32:42.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4393 | 2 | 6265 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:42.0 | 32:42.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4400 | 2 | 6277 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:45.0 | 32:45.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4401 | 2 | 6277 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:45.0 | 32:45.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4402 | 2 | 6277 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:45.0 | 32:45.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4403 | 2 | 6277 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:45.0 | 32:45.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4404 | 2 | 6277 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:45.0 | 32:45.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4405 | 2 | 6277 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:45.0 | 32:45.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4412 | 2 | 6289 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:48.0 | 32:48.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4413 | 2 | 6289 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:48.0 | 32:48.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4414 | 2 | 6289 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:48.0 | 32:48.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4415 | 2 | 6289 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:48.0 | 32:48.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4416 | 2 | 6289 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:48.0 | 32:48.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4417 | 2 | 6289 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:48.0 | 32:48.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4424 | 2 | 6301 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:51.0 | 32:51.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4425 | 2 | 6301 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:51.0 | 32:51.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4426 | 2 | 6301 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:51.0 | 32:51.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4427 | 2 | 6301 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:51.0 | 32:51.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4428 | 2 | 6301 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:51.0 | 32:51.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4429 | 2 | 6301 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:51.0 | 32:51.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4436 | 2 | 6313 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:54.0 | 32:54.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4437 | 2 | 6313 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:54.0 | 32:54.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4438 | 2 | 6313 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:54.0 | 32:54.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4439 | 2 | 6313 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:54.0 | 32:54.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4440 | 2 | 6313 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:54.0 | 32:54.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4441 | 2 | 6313 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:54.0 | 32:54.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4448 | 2 | 6325 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:57.0 | 32:57.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4449 | 2 | 6325 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:57.0 | 32:57.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4450 | 2 | 6325 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:57.0 | 32:57.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4451 | 2 | 6325 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:57.0 | 32:57.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4452 | 2 | 6325 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:57.0 | 32:57.0 | battery | | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4453 | 2 | 6325 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 32:57.0 | 32:57.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4460 | 2 | 6337 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:00.0 | 33:00.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4461 | 2 | 6337 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:00.0 | 33:00.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4462 | 2 | 6337 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:00.0 | 33:00.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4463 | 2 | 6337 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:00.0 | 33:00.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4464 | 2 | 6337 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:00.0 | 33:00.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4465 | 2 | 6337 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:00.0 | 33:00.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4472 | 2 | 6349 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:03.0 | 33:03.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4473 | 2 | 6349 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:03.0 | 33:03.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4474 | 2 | 6349 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:03.0 | 33:03.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4475 | 2 | 6349 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:03.0 | 33:03.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4476 | 2 | 6349 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:03.0 | 33:03.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4477 | 2 | 6349 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:03.0 | 33:03.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4484 | 2 | 6361 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4485 | 2 | 6361 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4486 | 2 | 6361 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4487 | 2 | 6361 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4488 | 2 | 6361 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4489 | 2 | 6361 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:17.0 | 33:17.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4496 | 2 | 6373 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4497 | 2 | 6373 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4498 | 2 | 6373 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4499 | 2 | 6373 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4500 | 2 | 6373 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4501 | 2 | 6373 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:20.0 | 33:20.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4508 | 2 | 6385 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4509 | 2 | 6385 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4510 | 2 | 6385 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4511 | 2 | 6385 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4512 | 2 | 6385 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4513 | 2 | 6385 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:23.0 | 33:23.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4520 | 2 | 6397 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4521 | 2 | 6397 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4522 | 2 | 6397 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4523 | 2 | 6397 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4524 | 2 | 6397 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4525 | 2 | 6397 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:26.0 | 33:26.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4532 | 2 | 6409 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4533 | 2 | 6409 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4534 | 2 | 6409 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4535 | 2 | 6409 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4536 | 2 | 6409 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4537 | 2 | 6409 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:29.0 | 33:29.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4544 | 2 | 6421 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4545 | 2 | 6421 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4546 | 2 | 6421 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4547 | 2 | 6421 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4548 | 2 | 6421 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4549 | 2 | 6421 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:32.0 | 33:32.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4562 | 2 | 6439 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4563 | 2 | 6439 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4564 | 2 | 6439 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4565 | 2 | 6439 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4566 | 2 | 6439 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4567 | 2 | 6439 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:35.0 | 33:35.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4610 | 2 | 6451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4611 | 2 | 6451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4612 | 2 | 6451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4613 | 2 | 6451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4614 | 2 | 6451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4615 | 2 | 6451 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:38.0 | 33:38.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4640 | 2 | 6499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | Phosgene | 0 | ppb | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4641 | 2 | 6499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | alarms | 50-100 | hilo | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4642 | 2 | 6499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | state | In monitor | state | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4643 | 2 | 6499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4644 | 2 | 6499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | battery | 84 | % | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4645 | 2 | 6499 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 33:59.0 | 33:59.0 | flow | 530 | cc/min | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4652 | 2 | 6529 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4653 | 2 | 6529 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4654 | 2 | 6529 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4655 | 2 | 6529 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4656 | 2 | 6529 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4657 | 2 | 6529 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:14.0 | 34:14.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4664 | 2 | 6541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4665 | 2 | 6541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4666 | 2 | 6541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4667 | 2 | 6541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4668 | 2 | 6541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4669 | 2 | 6541 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:17.0 | 34:17.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4676 | 2 | 6553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4677 | 2 | 6553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4678 | 2 | 6553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4679 | 2 | 6553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4680 | 2 | 6553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4681 | 2 | 6553 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:20.0 | 34:20.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4688 | 2 | 6565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4689 | 2 | 6565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4690 | 2 | 6565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4691 | 2 | 6565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4692 | 2 | 6565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4693 | 2 | 6565 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:23.0 | 34:23.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4700 | 2 | 6577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4701 | 2 | 6577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4702 | 2 | 6577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4703 | 2 | 6577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4704 | 2 | 6577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4705 | 2 | 6577 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:26.0 | 34:26.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4712 | 2 | 6589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4713 | 2 | 6589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4714 | 2 | 6589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4715 | 2 | 6589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4716 | 2 | 6589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4717 | 2 | 6589 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:29.0 | 34:29.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4724 | 2 | 6601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4725 | 2 | 6601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4726 | 2 | 6601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4727 | 2 | 6601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4728 | 2 | 6601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4729 | 2 | 6601 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:32.0 | 34:32.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4736 | 2 | 6613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:35.0 | 34:35.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4737 | 2 | 6613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:35.0 | 34:35.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4738 | 2 | 6613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:35.0 | 34:35.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4739 | 2 | 6613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:35.0 | 34:35.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4740 | 2 | 6613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:35.0 | 34:35.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4741 | 2 | 6613 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:35.0 | 34:35.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4748 | 2 | 6625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:38.0 | 34:38.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4749 | 2 | 6625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:38.0 | 34:38.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4750 | 2 | 6625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:38.0 | 34:38.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4751 | 2 | 6625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:38.0 | 34:38.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4752 | 2 | 6625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:38.0 | 34:38.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4753 | 2 | 6625 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:38.0 | 34:38.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4760 | 2 | 6637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:41.0 | 34:41.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4761 | 2 | 6637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:41.0 | 34:41.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4762 | 2 | 6637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:41.0 | 34:41.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4763 | 2 | 6637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:41.0 | 34:41.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4764 | 2 | 6637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:41.0 | 34:41.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4765 | 2 | 6637 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:41.0 | 34:41.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4772 | 2 | 6649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:44.0 | 34:44.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4773 | 2 | 6649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:44.0 | 34:44.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4774 | 2 | 6649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:44.0 | 34:44.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4775 | 2 | 6649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:44.0 | 34:44.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4776 | 2 | 6649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:44.0 | 34:44.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4777 | 2 | 6649 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:44.0 | 34:44.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4784 | 2 | 6661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:47.0 | 34:47.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4785 | 2 | 6661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:47.0 | 34:47.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4786 | 2 | 6661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:47.0 | 34:47.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4787 | 2 | 6661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:47.0 | 34:47.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4788 | 2 | 6661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:47.0 | 34:47.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4789 | 2 | 6661 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:47.0 | 34:47.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4796 | 2 | 6673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:50.0 | 34:50.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4797 | 2 | 6673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:50.0 | 34:50.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4798 | 2 | 6673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:50.0 | 34:50.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4799 | 2 | 6673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:50.0 | 34:50.0 | status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4800 | 2 | 6673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:50.0 | 34:50.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4801 | 2 | 6673 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:50.0 | 34:50.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4808 | 2 | 6685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4809 | 2 | 6685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4810 | 2 | 6685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4811 | 2 | 6685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4812 | 2 | 6685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4813 | 2 | 6685 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:54.0 | 34:54.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4820 | 2 | 6697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4821 | 2 | 6697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4822 | 2 | 6697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4823 | 2 | 6697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4824 | 2 | 6697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4825 | 2 | 6697 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 34:57.0 | 34:57.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4832 | 2 | 6709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4833 | 2 | 6709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4834 | 2 | 6709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4835 | 2 | 6709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4836 | 2 | 6709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4837 | 2 | 6709 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:00.0 | 35:00.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4844 | 2 | 6721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4845 | 2 | 6721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4846 | 2 | 6721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4847 | 2 | 6721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4848 | 2 | 6721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4849 | 2 | 6721 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:03.0 | 35:03.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4856 | 2 | 6733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4857 | 2 | 6733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4858 | 2 | 6733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4859 | 2 | 6733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4860 | 2 | 6733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4861 | 2 | 6733 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:06.0 | 35:06.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4868 | 2 | 6745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4869 | 2 | 6745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4870 | 2 | 6745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4871 | 2 | 6745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4872 | 2 | 6745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4873 | 2 | 6745 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:09.0 | 35:09.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4880 | 2 | 6757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4881 | 2 | 6757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4882 | 2 | 6757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4883 | 2 | 6757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4884 | 2 | 6757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4885 | 2 | 6757 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:12.0 | 35:12.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4898 | 2 | 6769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4899 | 2 | 6769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4900 | 2 | 6769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4901 | 2 | 6769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4902 | 2 | 6769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4903 | 2 | 6769 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:15.0 | 35:15.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4910 | 2 | 6787 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4911 | 2 | 6787 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4912 | 2 | 6787 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4913 | 2 | 6787 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4914 | 2 | 6787 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4915 | 2 | 6787 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:18.0 | 35:18.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4922 | 2 | 6799 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4923 | 2 | 6799 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4924 | 2 | 6799 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4925 | 2 | 6799 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4926 | 2 | 6799 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4927 | 2 | 6799 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:21.0 | 35:21.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4934 | 2 | 6811 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4935 | 2 | 6811 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4936 | 2 | 6811 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4937 | 2 | 6811 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4938 | 2 | 6811 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4939 | 2 | 6811 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:24.0 | 35:24.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4946 | 2 | 6823 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4947 | 2 | 6823 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4948 | 2 | 6823 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4949 | 2 | 6823 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 4950 | 2 | 6823 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4951 | 2 | 6823 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:27.0 | 35:27.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4958 | 2 | 6835 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4959 | 2 | 6835 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4960 | 2 | 6835 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4961 | 2 | 6835 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4962 | 2 | 6835 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4963 | 2 | 6835 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:30.0 | 35:30.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4970 | 2 | 6847 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4971 | 2 | 6847 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4972 | 2 | 6847 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4973 | 2 | 6847 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4974 | 2 | 6847 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4975 | 2 | 6847 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:33.0 | 35:33.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4982 | 2 | 6859 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4983 | 2 | 6859 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4984 | 2 | 6859 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4985 | 2 | 6859 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4986 | 2 | 6859 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4987 | 2 | 6859 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:36.0 | 35:36.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4994 | 2 | 6871 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:40.0 | 35:40.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4995 | 2 | 6871 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:40.0 | 35:40.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4996 | 2 | 6871 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:40.0 | 35:40.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4997 | 2 | 6871 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:40.0 | 35:40.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4998 | 2 | 6871 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:40.0 | 35:40.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 4999 | 2 | 6871 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:40.0 | 35:40.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5006 | 2 | 6883 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:43.0 | 35:43.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5007 | 2 | 6883 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:43.0 | 35:43.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5008 | 2 | 6883 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:43.0 | 35:43.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5009 | 2 | 6883 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:43.0 | 35:43.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5010 | 2 | 6883 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:43.0 | 35:43.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5011 | 2 | 6883 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:43.0 | 35:43.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5018 | 2 | 6895 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:46.0 | 35:46.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5019 | 2 | 6895 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:46.0 | 35:46.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5020 | 2 | 6895 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:46.0 | 35:46.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5021 | 2 | 6895 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:46.0 | 35:46.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5022 | 2 | 6895 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:46.0 | 35:46.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5023 | 2 | 6895 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:46.0 | 35:46.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5030 | 2 | 6907 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5031 | 2 | 6907 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5032 | 2 | 6907 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5033 | 2 | 6907 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5034 | 2 | 6907 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5035 | 2 | 6907 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:49.0 | 35:49.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5042 | 2 | 6919 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5043 | 2 | 6919 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5044 | 2 | 6919 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5045 | 2 | 6919 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5046 | 2 | 6919 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5047 | 2 | 6919 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:52.0 | 35:52.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5054 | 2 | 6931 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5055 | 2 | 6931 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5056 | 2 | 6931 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5057 | 2 | 6931 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5058 | 2 | 6931 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5059 | 2 | 6931 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:55.0 | 35:55.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5066 | 2 | 6943 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5067 | 2 | 6943 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5068 | 2 | 6943 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5069 | 2 | 6943 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5070 | 2 | 6943 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5071 | 2 | 6943 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 35:58.0 | 35:58.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5078 | 2 | 6955 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5079 | 2 | 6955 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5080 | 2 | 6955 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5081 | 2 | 6955 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5082 | 2 | 6955 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5083 | 2 | 6955 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:01.0 | 36:01.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5090 | 2 | 6967 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5091 | 2 | 6967 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5092 | 2 | 6967 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5093 | 2 | 6967 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |
| 5094 | 2 | 6967 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5095 | 2 | 6967 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:04.0 | 36:04.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5096 | 2 | 6979 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5097 | 2 | 6979 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5098 | 2 | 6979 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5099 | 2 | 6979 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5100 | 2 | 6979 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5101 | 2 | 6979 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:07.0 | 36:07.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5108 | 2 | 6985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5109 | 2 | 6985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5110 | 2 | 6985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5111 | 2 | 6985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5112 | 2 | 6985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5113 | 2 | 6985 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:10.0 | 36:10.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5126 | 2 | 6997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5127 | 2 | 6997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5128 | 2 | 6997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5129 | 2 | 6997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5130 | 2 | 6997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5131 | 2 | 6997 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:13.0 | 36:13.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5132 | 2 | 7015 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:20.0 | 36:20.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5133 | 2 | 7015 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:20.0 | 36:20.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5134 | 2 | 7015 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:20.0 | 36:20.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5135 | 2 | 7015 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:20.0 | 36:20.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5136 | 2 | 7015 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:20.0 | 36:20.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5137 | 2 | 7015 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:20.0 | 36:20.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5144 | 2 | 7021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:44.0 | 36:44.0 | Phosgene | 0 | ppb | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5145 | 2 | 7021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:44.0 | 36:44.0 | alarms | 50-100 | hilo | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5146 | 2 | 7021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:44.0 | 36:44.0 | state | In monitoı | state | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5147 | 2 | 7021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:44.0 | 36:44.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5148 | 2 | 7021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:44.0 | 36:44.0 | battery | 84 | % | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5149 | 2 | 7021 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 36:44.0 | 36:44.0 | flow | 530 | cc/min | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5174 | 2 | 7051 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5175 | 2 | 7051 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5176 | 2 | 7051 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5177 | 2 | 7051 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5178 | 2 | 7051 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5179 | 2 | 7051 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:21.0 | 37:21.0 | flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5186 | 2 | 7063 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5187 | 2 | 7063 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5188 | 2 | 7063 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5189 | 2 | 7063 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5190 | 2 | 7063 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5191 | 2 | 7063 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:24.0 | 37:24.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5198 | 2 | 7075 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5199 | 2 | 7075 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5200 | 2 | 7075 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5201 | 2 | 7075 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5202 | 2 | 7075 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5203 | 2 | 7075 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:27.0 | 37:27.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5210 | 2 | 7087 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5211 | 2 | 7087 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5212 | 2 | 7087 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5213 | 2 | 7087 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5214 | 2 | 7087 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5215 | 2 | 7087 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:30.0 | 37:30.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5222 | 2 | 7099 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5223 | 2 | 7099 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5224 | 2 | 7099 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5225 | 2 | 7099 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5226 | 2 | 7099 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5227 | 2 | 7099 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:33.0 | 37:33.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5234 | 2 | 7111 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5235 | 2 | 7111 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5236 | 2 | 7111 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5237 | 2 | 7111 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5238 | 2 | 7111 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5239 | 2 | 7111 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:36.0 | 37:36.0 | flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5246 | 2 | 7123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:40.0 | 37:40.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5247 | 2 | 7123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:40.0 | 37:40.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5248 | 2 | 7123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:40.0 | 37:40.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5249 | 2 | 7123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:40.0 | 37:40.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5250 | 2 | 7123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:40.0 | 37:40.0 | battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5251 | 2 | 7123 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:40.0 | 37:40.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5258 | 2 | 7135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5259 | 2 | 7135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5260 | 2 | 7135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5261 | 2 | 7135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5262 | 2 | 7135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 battery | 84 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5263 | 2 | 7135 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5270 | 2 | 7147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5271 | 2 | 7147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5272 | 2 | 7147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5273 | 2 | 7147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5274 | 2 | 7147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5275 | 2 | 7147 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5288 | 2 | 7159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5289 | 2 | 7159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5290 | 2 | 7159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5291 | 2 | 7159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5292 | 2 | 7159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5293 | 2 | 7159 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:57.0 | 37:57.0 flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5300 | 2 | 7177 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5301 | 2 | 7177 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5302 | 2 | 7177 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5303 | 2 | 7177 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5304 | 2 | 7177 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5305 | 2 | 7177 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:00.0 | 38:00.0 flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5312 | 2 | 7195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5313 | 2 | 7195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5314 | 2 | 7195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5315 | 2 | 7195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5316 | 2 | 7195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5317 | 2 | 7195 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:03.0 | 38:03.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5324 | 2 | 7213 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5325 | 2 | 7213 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5326 | 2 | 7213 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5327 | 2 | 7213 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5328 | 2 | 7213 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5329 | 2 | 7213 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:06.0 | 38:06.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5336 | 2 | 7231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5337 | 2 | 7231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5338 | 2 | 7231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5339 | 2 | 7231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5340 | 2 | 7231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5341 | 2 | 7231 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:09.0 | 38:09.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5348 | 2 | 7249 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5349 | 2 | 7249 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5350 | 2 | 7249 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5351 | 2 | 7249 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5352 | 2 | 7249 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5353 | 2 | 7249 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:12.0 | 38:12.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5360 | 2 | 7267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5361 | 2 | 7267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5362 | 2 | 7267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5363 | 2 | 7267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5364 | 2 | 7267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5365 | 2 | 7267 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:15.0 | 38:15.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5372 | 2 | 7285 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5373 | 2 | 7285 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5374 | 2 | 7285 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5375 | 2 | 7285 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5376 | 2 | 7285 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5377 | 2 | 7285 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:18.0 | 38:18.0 flow | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5384 | 2 | 7303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5385 | 2 | 7303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5386 | 2 | 7303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5387 | 2 | 7303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5388 | 2 | 7303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5389 | 2 | 7303 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:21.0 | 38:21.0 flow | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5396 | 2 | 7321 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5397 | 2 | 7321 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5398 | 2 | 7321 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5399 | 2 | 7321 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 status | Fault:None | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5400 | 2 | 7321 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 battery | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5401 | 2 | 7321 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:24.0 | 38:24.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5408 | 2 | 7339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5409 | 2 | 7339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5410 | 2 | 7339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5411 | 2 | 7339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5412 | 2 | 7339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | battery | | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5413 | 2 | 7339 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:27.0 | 38:27.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5420 | 2 | 7357 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5421 | 2 | 7357 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5422 | 2 | 7357 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5423 | 2 | 7357 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5424 | 2 | 7357 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | battery | | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5425 | 2 | 7357 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:30.0 | 38:30.0 | flow | | 529 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5432 | 2 | 7375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5433 | 2 | 7375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5434 | 2 | 7375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5435 | 2 | 7375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5436 | 2 | 7375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | battery | | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5437 | 2 | 7375 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:33.0 | 38:33.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5480 | 2 | 7393 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5481 | 2 | 7393 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5482 | 2 | 7393 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5483 | 2 | 7393 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5484 | 2 | 7393 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | battery | | 83 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5485 | 2 | 7393 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:36.0 | 38:36.0 | flow | | 530 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5492 | 2 | 7477 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | Phosgene | | 0 | ppb | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5493 | 2 | 7477 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | alarms | 50-100 | | hilo | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5494 | 2 | 7477 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | state | In monitor | | state | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5495 | 2 | 7477 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5496 | 2 | 7477 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | battery | | 83 | % | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 5497 | 2 | 7477 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 38:57.0 | 38:57.0 | flow | | 530 | cc/min | Gray | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6938 | 2 | 8941 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:02.0 | 37:02.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6939 | 2 | 8941 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:02.0 | 37:02.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6940 | 2 | 8941 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:02.0 | 37:02.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6941 | 2 | 8941 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:02.0 | 37:02.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6942 | 2 | 8941 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:02.0 | 37:02.0 | battery | | 76 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6943 | 2 | 8941 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:02.0 | 37:02.0 | flow | | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6944 | 2 | 8947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:05.0 | 37:05.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6945 | 2 | 8947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:05.0 | 37:05.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6946 | 2 | 8947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:05.0 | 37:05.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6947 | 2 | 8947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:05.0 | 37:05.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6948 | 2 | 8947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:05.0 | 37:05.0 | battery | | 76 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6949 | 2 | 8947 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:05.0 | 37:05.0 | flow | | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6950 | 2 | 8953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:08.0 | 37:08.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6951 | 2 | 8953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:08.0 | 37:08.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6952 | 2 | 8953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:08.0 | 37:08.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6953 | 2 | 8953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:08.0 | 37:08.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6954 | 2 | 8953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:08.0 | 37:08.0 | battery | | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6955 | 2 | 8953 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:08.0 | 37:08.0 | flow | | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6956 | 2 | 8959 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:11.0 | 37:11.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6957 | 2 | 8959 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:11.0 | 37:11.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6958 | 2 | 8959 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:11.0 | 37:11.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6959 | 2 | 8959 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:11.0 | 37:11.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6960 | 2 | 8959 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:11.0 | 37:11.0 | battery | | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6961 | 2 | 8959 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:11.0 | 37:11.0 | flow | | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6962 | 2 | 8965 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6963 | 2 | 8965 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6964 | 2 | 8965 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6965 | 2 | 8965 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6966 | 2 | 8965 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | battery | | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6967 | 2 | 8965 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:14.0 | 37:14.0 | flow | | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6974 | 2 | 8977 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6975 | 2 | 8977 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6976 | 2 | 8977 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6977 | 2 | 8977 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6978 | 2 | 8977 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | battery | | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6979 | 2 | 8977 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:17.0 | 37:17.0 | flow | | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6986 | 2 | 8989 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | Phosgene | | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6987 | 2 | 8989 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | alarms | 50-100 | | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6988 | 2 | 8989 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | state | In monitor | | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6989 | 2 | 8989 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | status | Fault:Non | | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6990 | 2 | 8989 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | battery | | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6991 | 2 | 8989 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:20.0 | 37:20.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6998 | 2 | 9001 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 6999 | 2 | 9001 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7000 | 2 | 9001 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7001 | 2 | 9001 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7002 | 2 | 9001 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7003 | 2 | 9001 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:23.0 | 37:23.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7010 | 2 | 9013 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7011 | 2 | 9013 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7012 | 2 | 9013 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7013 | 2 | 9013 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7014 | 2 | 9013 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7015 | 2 | 9013 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:26.0 | 37:26.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7022 | 2 | 9025 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7023 | 2 | 9025 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7024 | 2 | 9025 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7025 | 2 | 9025 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7026 | 2 | 9025 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7027 | 2 | 9025 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:29.0 | 37:29.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7034 | 2 | 9037 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7035 | 2 | 9037 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7036 | 2 | 9037 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7037 | 2 | 9037 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7038 | 2 | 9037 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7039 | 2 | 9037 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:32.0 | 37:32.0 | flow | 536 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7046 | 2 | 9049 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7047 | 2 | 9049 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7048 | 2 | 9049 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7049 | 2 | 9049 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7050 | 2 | 9049 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7051 | 2 | 9049 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:35.0 | 37:35.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7058 | 2 | 9061 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:38.0 | 37:38.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7059 | 2 | 9061 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:38.0 | 37:38.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7060 | 2 | 9061 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:38.0 | 37:38.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7061 | 2 | 9061 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:38.0 | 37:38.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7062 | 2 | 9061 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:38.0 | 37:38.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7063 | 2 | 9061 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:38.0 | 37:38.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7070 | 2 | 9073 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:41.0 | 37:41.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7071 | 2 | 9073 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:41.0 | 37:41.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7072 | 2 | 9073 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:41.0 | 37:41.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7073 | 2 | 9073 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:41.0 | 37:41.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7074 | 2 | 9073 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:41.0 | 37:41.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7075 | 2 | 9073 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:41.0 | 37:41.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7082 | 2 | 9085 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:44.0 | 37:44.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7083 | 2 | 9085 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:44.0 | 37:44.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7084 | 2 | 9085 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:44.0 | 37:44.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7085 | 2 | 9085 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:44.0 | 37:44.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7086 | 2 | 9085 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:44.0 | 37:44.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7087 | 2 | 9085 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:44.0 | 37:44.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7094 | 2 | 9097 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:47.0 | 37:47.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7095 | 2 | 9097 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:47.0 | 37:47.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7096 | 2 | 9097 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:47.0 | 37:47.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7097 | 2 | 9097 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:47.0 | 37:47.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7098 | 2 | 9097 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:47.0 | 37:47.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7099 | 2 | 9097 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:47.0 | 37:47.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7106 | 2 | 9109 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7107 | 2 | 9109 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7108 | 2 | 9109 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7109 | 2 | 9109 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7110 | 2 | 9109 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7111 | 2 | 9109 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:50.0 | 37:50.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7118 | 2 | 9121 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7119 | 2 | 9121 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7120 | 2 | 9121 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7121 | 2 | 9121 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7122 | 2 | 9121 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7123 | 2 | 9121 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:53.0 | 37:53.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7130 | 2 | 9133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:56.0 | 37:56.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7131 | 2 | 9133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:56.0 | 37:56.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7132 | 2 | 9133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:56.0 | 37:56.0 | state | In monitor | state | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7133 | 2 | 9133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:56.0 | 37:56.0 | status | Fault:Non | status | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7134 | 2 | 9133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:56.0 | 37:56.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC .159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contr | Perimeter air monitoring using SPM Flex at 3 locations. |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7135 | 2 | 9133 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:56.0 | 37:56.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7142 | 2 | 9145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:59.0 | 37:59.0 | Phosgene | 0 | ppb | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7143 | 2 | 9145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:59.0 | 37:59.0 | alarms | 50-100 | hilo | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7144 | 2 | 9145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:59.0 | 37:59.0 | state | In monitoı | state | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7145 | 2 | 9145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:59.0 | 37:59.0 | status | Fault:Nonı | status | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7146 | 2 | 9145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:59.0 | 37:59.0 | battery | 75 | % | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |
| 7147 | 2 | 9145 | SPMFlex L | EPAERT85 | SPMFlex | SPMFlex L | 37:59.0 | 37:59.0 | flow | 537 | cc/min | Green | 32.32393 | -80.9428 | 25 | LINC.159 | FALSE | 32.32393 | -80.9428 | 4354 | Abel Contı | Perimeter air monitoring using SPM Flex at 3 locations. |

**From:** Eichinger, Kevin <Eichinger.Kevin@epa.gov> on behalf of Eichinger, Kevin
**Sent on:** Saturday, August 3, 2019 1:05:48 PM
**To:** Prys, Paul <Paul.Prys@tetratech.com>
**CC:** John Snyder <john.snyder@tetratech.com>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** SPM Data 08/03/2019 2400 hours - 0900 hours
**Attachments:** VIPER_Export_SPM_159.csv (1.87 MB), VIPER_Export_SPM_161.csv (3.35 MB), VIPER_Export_SPM_160.csv (3.01 MB)

**From:** Eichinger, Kevin
**Sent:** Saturday, August 3, 2019 8:55 AM
**To:** Prys, Paul <Paul.Prys@tetratech.com>
**Cc:** John Snyder <john.snyder@tetratech.com>; Garrard, Jordan (Garrard.Jordan@epa.gov) <Garrard.Jordan@epa.gov>
**Subject:** Download Site

https://viper.ert.org/R04AbleFire/

Username: R04AbleFire
Password: R04AbleF!re2019

---

**Kevin Eichinger, CHMM - Federal On-Scene Coordinator and Industrial Hygienist**
**U.S. Environmental Protection Agency, Region 4** | 61 Forsyth St SW | Atlanta, Georgia | 30303
**Superfund and Emergency Management Division**
**Emergency Response, Removal, Prevention and Prepardness Branch (ERRPPB)**
office: **404-562-8268** | cell: **678-897-3759** | **response.epa.gov**

**From:** Montouchet, Lucas <Lucas.Montouchet@tetratech.com>
**Sent on:** Friday, August 9, 2019 7:57:06 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Surface Water Summary Table
**Attachments:** Able Contracting Fire SW Validated Table.pdf (34.73 KB)

Attached is the Able Contracting Fire Surface Water Summary Table.

**Lucas Montouchet** | Environmental Scientist I
Direct **(678) 775-3099** | Main **(678) 775-3080** | Cell **(678) 313-6255** | Lucas.Montouchet@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | Environmental Services Divisions

**SURFACE WATER RESULTS SUMMARY TABLE**
**DETECTIONS ONLY**
**ABLE CONTRACTING FIRE**

| Parameter | MCL/RSL[1] | DHEC (max/cont) /EPA (chr/acute)[2] | ACF-SW-POND |
|---|---|---|---|
| | Groundwate | Surface Water | |
| **Metals (µg/L)** | | | |
| Aluminum | 2,000 | 87/750 | 251 |
| Antimony | 6 | 190/900 | 32.3 |
| Arsenic | 10 | 340/150 | 493 |
| Barium | 2,000 | 220/2,000 | 133 |
| Cadmium | 5 | 0.53/0.10 | 3.6 |
| Calcium | NL | 116,000/NL | 725,000 |
| Chromium | 100 | 580/28 | 148 |
| Copper | 1,300 | 3.8/2.9 | 20.2 |
| Iron | 1,400 | 1,000/NL | 300 |
| Lead | 15 | 14/0.54 | 5.0 U |
| Magnesium | NL | 82,000/NL | 48,900 |
| Manganese | 48 | 93/1,680 | 526 |
| Nickel | 40 | 150/16 | 30.5 |
| Potassium | NL | 53,000/NL | 75,300 |
| Sodium | NL | 680,000/NL | 248,000 |
| Vanadium | NL | 27/79 | 22.7 |
| Zinc | 600 | 37/37 | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | |
| 1,2-Dichloroethane | 5 | 2,000/8,200 | 0.55 J |
| 2-Butanone (MEK) | 1,200 | 22,000/200,000 | 43.2 J+ |
| 2-Hexanone | 10 | 99/1,800 | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | 630 | 170/2,200 | 5.0 U |
| Acetone | 1,800 | 1,700/15,000 | 269 J+ |
| Benzene | 5 | 160/700 | 21.4 |
| Chloromethane | 19 | NL | 1.8 |
| Ethylbenzene | 700 | 61/550 | 6.0 |
| m&p-Xylene | 400 | 27/240 | 1.8 J |
| Naphthalene | 40 | 21/170 | 2.3 |
| o-Xylene | 400 | 27/240 | 1.1 |
| Toluene | 1,000 | 62/560 | 10.5 |
| Xylene (Total) | 10,000 | 27/240 | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | |
| 2,4-Dimethylphenol | 40 | 15/140 | 6.0 J |
| 2-Methylphenol(o-Cresol) | 100 | 67/600 | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | 200 | 62/560 | 7.9 J |
| Phenol | 580 | 160/4,700 | 9.8 UJ |

**Notes:**

1 Drinking water values are compared to EPA MCLs. When an MCL is not listed, the EPA RSL is

2 Surface water values are compared to DHEC Freshwater Aquatic Life levels. When DHEC levels are not listed, EPA Surface Water Screening Values are used

SHAD Reported value exceeds the comparison criteria

Acute Acute exposure

Chr Chronic exposure

Cont Continuous exposure

J The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

J+ The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased high.

J- The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased low.

Max Maximum exposure level

MCL Maximum contaminant level

NL Not listed

RSL Regional Screening Level; Tapwater TR=1E-06, THQ=0.1

U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).

UJ The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is estimated.

µg/L micrograms per liter

**From:** Snyder, John <John.Snyder@tetratech.com>
**Sent on:** Saturday, August 3, 2019 4:00:25 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Surface Water Summary
**Attachments:** Able Contracting Fire SW Pre-Review Table.pdf (8.15 KB)

**John Snyder, PG, PE** | Environmental Engineer
Mobile **+1 (770) 402-9013** | john.snyder@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | **Tetra Tech** EMI
Raleigh, NC (Cary) | tetratech.com

**PRE-REVIEW SURFACE WATER RESULTS SUMMARY TABLE**
**DETECTIONS ONLY**
**ABLE CONTRACTING FIRE**

| Parameter | MCL/RSL[1] | ACF-GW-472R | | DHEC (max/cont) /EPA (chr/acute)[2] | ACF-SW-DITCH | ACF-SW-POND |
|---|---|---|---|---|---|---|
| | Groundwater | | | Surface Water | | |
| **Metals (µg/L)** | | | | | | |
| Aluminum | *2,000* | 100 U | | *87/750* | 527 | 251 |
| Antimony | 6 | 5.0 U | | *190/900* | 61.0 | 32.3 |
| Arsenic | 10 | 10.0 U | | 340/150 | 554 | 493 |
| Barium | 2,000 | 5.7 | | *220/2,000* | 175 | 133 |
| Cadmium | 5 | 1.0 U | | 0.53/0.10 | 4.3 | 3.6 |
| Calcium | NL | 27,200 | | *116,000/NL* | 904,000 | 725,000 |
| Chromium | 100 | 5.0 U | | 580/28 | 191 | 148 |
| Copper | 1,300 | 27.6 | | 3.8/2.9 | 38.1 | 20.2 |
| Iron | *1,400* | 50.0 U | | *1,000/NL* | 1,070 | 300 |
| Lead | 15 | 5.0 U | | 14/0.54 | 3.0 J | 5.0 U |
| Magnesium | NL | 9,370 | | *82,000/NL* | 83,100 | 48,900 |
| Manganese | *48* | 21.8 | | *93/1,680* | 820 | 526 |
| Nickel | *40* | 2.6 J | | 150/16 | 43.2 | 30.5 |
| Potassium | NL | 2,760 J | | *53,000/NL* | 112,000 | 75,300 |
| Sodium | NL | 10,600 | | *680,000/NL* | 430,000 | 248,000 |
| Vanadium | NL | 5.0 U | | *27/79* | 36.4 | 22.7 |
| Zinc | *600* | 130 | | 37/37 | 72.7 | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | | | | |
| 1,2-Dichloroethane | 5 | 1.0 U | | *2,000/8,200* | 0.83 J | 0.55 J |
| 2-Butanone (MEK) | *1,200* | 5.0 U | | *22,000/200,000* | 71.6 | 43.2 |
| 2-Hexanone | *10* | 5.0 U | | *99/1,800* | 3.5 J | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | *630* | 5.0 U | | *170/2,200* | 9.4 J | 5.0 U |
| Acetone | *1,800* | 25.0 U | | *1,700/15,000* | 325 | 269 |
| Benzene | 5 | 1.0 U | | *160/700* | 29.7 | 21.4 |
| Chloromethane | *19* | 0.69 J | | NL | 2.0 U | 1.8 |
| Ethylbenzene | 700 | 1.0 U | | *61/550* | 6.2 | 6.0 |
| m&p-Xylene | *400* | 2.0 U | | *27/240* | 2.4 J | 1.8 J |
| Naphthalene | *40* | 1.0 U | | *21/170* | 3.9 | 2.3 |
| o-Xylene | *400* | 1.0 U | | *27/240* | 1.6 J | 1.1 |
| Toluene | 1,000 | 1.0 U | | *62/560* | 14.5 | 10.5 |
| Xylene (Total) | 10,000 | 1.0 U | | *27/240* | 2.0 U | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | | | | |
| 2,4-Dimethylphenol | *40* | 100 U | | *15/140* | 108 | 6.0 J |
| 2-Methylphenol(o-Cresol) | *100* | 100 U | | *67/600* | 137 | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | *200* | 100 U | | *62/560* | 82.9 J | 7.9 J |

**Notes:**

1 Drinking water values are compared to EPA MCLs. When an MCL is not listed, the EPA RSL is used

2 Surface water values are compared to DHEC Freshwater Aquatic Life levels. When DHEC levels are not listed, EPA Surface Water Screening Values are used

SHAD Reported value exceeds the comparison criteria

Acute Acute exposure

Chr Chronic exposure

Cont Continuous exposure

J The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

Max Maximum exposure level

MCL Maximum contaminant level

NL Not listed

RSL Regional Screening Level; Tapwater TR=1E-06, THQ=0.1

U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).

µg/L micrograms per liter

**From:** Pinkney, James <Pinkney.James@epa.gov> on behalf of Pinkney, James
**Sent on:** Wednesday, July 31, 2019 3:27:30 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** The Jasper County Sun Times and Bluffton Today (SC) Inquiry

Jordan,

Is the below response accurate? Do we have a photo to provide?

INQUIRY:

The Jasper County Sun Times and Bluffton Today (SC) (Shellie Murdaugh) [Received 7/31] – OPEN – the reporter was recently informed that the EPA was on site at Able Contracting in the Okatie area of Jasper County. Her questions are as follows: DDL 7/31 COB

Was the EPA asked by SCDHEC to come to the site to monitor the water and air quality in the area?

When did the EPA arrive at the site and when did the leave, if they have left?

What happened when the EPA came to the site? What does this agency do and what were the results of any testing done?

Under what circumstances would the EPA be called in to monitor air quality or water quality at a location such as Able Contracting?

RESPONSE:

EPA was requested by SCDHEC to assist in air monitoring and sampling on Thursday, July 25, 2019. EPA conducted air monitoring and air sampling to determine if hazardous substances are being released from the pile to the air or water. EPA conducted air monitoring from Thursday evening to Monday morning, approximately 88 hours.

EPA conducted air monitoring for particulates and VOCs, CO, H2S, O2 and LEL. Elevated particulate readings were observed at various times throughout the day and night. The air monitoring data has been shared with SCDECH and Jasper County.

EPA collected 2 rounds of air samples at the source and downwind at the closest resident. The samples have been sent to an offsite location for analysis. The samples will be analyzed for numerous chemical compounds.

EPA also collected water samples from the firefighting water runoff currently being contained in a series of onsite drainage ditches. Those water samples will be analyzed for numerous compounds as well.
As of July 29, 2019, EPA has ceased air monitoring and will demobilized from the area. EPA will continue to coordinate with Jasper County and SCDHEC and will share analytical results as soon as they are received.

Share Copy link Download Delete Copy to Version history Previous 325 of 3

**From:** Reynolds, Scott <REYNOLDS@dhec.sc.gov>
**Sent on:** Tuesday, July 30, 2019 4:29:23 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** Two requests

I hope the demob and trip back went smoothly. Thanks for the assistance.

I'm not sure if it will be part of any order or guidance for Able night staff, but since you had some quality night time observation opportunities, any qualitative guidance that you can suggest (can't see mailbox, street sign, nearest building, length of frontage due to smoke, etc. ) could be useful.

If there is any any continuous particulate data from the DusTracks that you can provide, that would be useful. We've never had the neighborhood monitors challenged by the concentration levels measured near the site and the additional time series data may be helpful in gauging their performance. We've coloed 'em with FRM at typical ambient concentrations, but we've been getting pretty far from that end of the scale early morning...

Thanks again.

Scott Reynolds
Senior Scientist
S.C. Dept. of Health & Environmental Control
Office: (803) 898-3305

dhec

**From:** Snyder, John <John.Snyder@tetratech.com>
**Sent on:** Friday, July 26, 2019 1:18:38 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** update summary tables
**Attachments:** Viper Summary report_AR and DustTrack_ABLE CONTRACTING_072619.pdf (166.16 KB)

**John Snyder, PG, PE** | Environmental Engineer
Mobile **+1 (770) 402-9013** | john.snyder@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | **Tetra Tech** EMI
Raleigh, NC (Cary) | tetratech.com

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** **Able Contracting Fire**

***From:*** **7/25/19 19:51** ***To:*** ***7/26/19 7:00***

| Station 155 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 7,362 | 5,396 | 0 - 30,618 ppb | 49.5 ppb | 1,000 ppb |
| | CO | No | 7,362 | 662 | 0 - 36 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,362 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,362 | 7,362 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,362 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Moderate | 11,564 | 11,564 | 2 - 652 µg/m³ | 13.8 µg/m³ | See SOG #: T106 |

| Station 156 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 6,209 | 315 | 0 - 1,349 ppb | 7.4 ppb | 1,000 ppb |
| | CO | No | 6,209 | 2,943 | 0 - 41 ppm | 5.1 ppm | 83 ppm |
| | $H_2S$ | No | 6,209 | 202 | 0 - 2.3 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,209 | 6,209 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,209 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Moderate | 14,670 | 14,670 | 9 - 438 µg/m³ | 33.8 µg/m³ | See SOG #: T106 |

| Station 157 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 6,741 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,741 | 6,741 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,741 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Moderate | 8,281 | 8,281 | 11 - 216 µg/m³ | 23.3 µg/m³ | See SOG #: T106 |

| Command Post | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 6,476 | 15 | 0 - 698 ppb | 0.4 ppb | 1,000 ppb |
| | CO | No | 6,476 | 26 | 0 - 10 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,476 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,476 | 6,476 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,476 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compound |

**From:** Snyder, John <John.Snyder@tetratech.com>
**Sent on:** Thursday, August 8, 2019 8:28:13 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** validated water
**Attachments:** Able Contracting Fire SW Validated Table.pdf (9.19 KB)

**John Snyder, PG, PE** | Environmental Engineer
Mobile **+1 (770) 402-9013** | john.snyder@tetratech.com

**Tetra Tech** | Complex World, Clear Solutions™ | **Tetra Tech** EMI
Raleigh, NC (Cary) | tetratech.com

SURFACE WATER RESULTS SUMMARY TABLE
DETECTIONS ONLY
ABLE CONTRACTING FIRE

| Parameter | MCL/RSL[1] | ACF-GW-472R | | DHEC (max/cont) /EPA (chr/acute)[2] | ACF-SW-DITCH | ACF-SW-POND |
|---|---|---|---|---|---|---|
| | | Groundwater | | | Surface Water | |
| **Metals (µg/L)** | | | | | | |
| Aluminum | *2,000* | 100 U | | *87/750* | **527** | **251** |
| Antimony | 6 | 5.0 U | | *190/900* | 61.0 | 32.3 |
| Arsenic | 10 | 10.0 U | | 340/150 | **554** | **493** |
| Barium | 2,000 | 5.7 | | *220/2,000* | 175 | 133 |
| Cadmium | 5 | 1.0 U | | 0.53/0.10 | **4.3** | **3.6** |
| Calcium | NL | 27,200 | | *116,000/NL* | 904,000 | 725,000 |
| Chromium | 100 | 5.0 U | | 580/28 | **191** | **148** |
| Copper | 1,300 | 27.6 | | 3.8/2.9 | **38.1** | **20.2** |
| Iron | *1,400* | 50.0 U | | *1,000/NL* | **1,070** | 300 |
| Lead | 15 | 5.0 U | | 14/0.54 | **3.0 J** | 5.0 U |
| Magnesium | NL | 9,370 | | *82,000/NL* | **83,100** | 48,900 |
| Manganese | *48* | 21.8 | | *93/1,680* | **820** | **526** |
| Nickel | *40* | 2.6 J | | 150/16 | **43.2** | **30.5** |
| Potassium | NL | 2,760 J | | *53,000/NL* | **112,000** | **75,300** |
| Sodium | NL | 10,600 | | *680,000/NL* | 430,000 | 248,000 |
| Vanadium | NL | 5.0 U | | *27/79* | **36.4** | 22.7 |
| Zinc | *600* | 130 | | 37/37 | **72.7** | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | | | | |
| 1,2-Dichloroethane | 5 | 1.0 U | | *2,000/8,200* | 0.83 J | 0.55 J |
| 2-Butanone (MEK) | *1,200* | 5.0 U | | *22,000/200,000* | 71.6 | 43.2 J+ |
| 2-Hexanone | *10* | 5.0 U | | *99/1,800* | 3.5 J | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | *630* | 5.0 U | | *170/2,200* | 9.4 J | 5.0 U |
| Acetone | *1,800* | 25.0 U | | *1,700/15,000* | 325 | 269 J+ |
| Benzene | 5 | 1.0 U | | *160/700* | 29.7 | 21.4 |
| Chloromethane | *19* | 0.69 J | | NL | 2.0 U | 1.8 |
| Ethylbenzene | 700 | 1.0 U | | *61/550* | 6.2 | 6.0 |
| m&p-Xylene | *400* | 2.0 U | | *27/240* | 2.4 J | 1.8 J |
| Naphthalene | *40* | 1.0 U | | *21/170* | 3.9 | 2.3 |
| o-Xylene | *400* | 1.0 U | | *27/240* | 1.6 J | 1.1 |
| Toluene | 1,000 | 1.0 U | | *62/560* | 14.5 | 10.5 |
| Xylene (Total) | 10,000 | 1.0 U | | *27/240* | 2.0 U | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | | | | |
| 2,4-Dimethylphenol | *40* | 100 U | | *15/140* | **108 J-** | 6.0 J |
| 2-Methylphenol(o-Cresol) | *100* | 100 U | | *67/600* | **137 J-** | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | *200* | 100 U | | *62/560* | **82.9 J-** | 7.9 J |
| Phenol | *580* | 100 UJ | | *160/4,700* | 67.8 J- | 9.8 UJ |

**Notes:**

1 Drinking water values are compared to EPA MCLs. When an MCL is not listed, the EPA RSL is used

2 Surface water values are compared to DHEC Freshwater Aquatic Life levels. When DHEC levels are not listed, EPA Surface Water Screening Values are used

**SHAD** Reported value exceeds the comparison criteria

Acute Acute exposure

Chr Chronic exposure

Cont Continuous exposure

J The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

J+ The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased high.

J- The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased low.

Max Maximum exposure level

MCL Maximum contaminant level

NL Not listed

RSL Regional Screening Level; Tapwater TR=1E-06, THQ=0.1

U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).

**SURFACE WATER RESULTS SUMMARY TABLE**
**DETECTIONS ONLY**
**ABLE CONTRACTING FIRE**

| | |
|---|---|
| UJ | The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is estimated. |
| µg/L | micrograms per liter |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** **Able Contracting Fire**

***From:*** **7/25/19 19:51** ***To:*** **7/26/19 7:00**

**Station 155**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 7,362 | 5,396 | 0 - 30,618 ppb | 49.5 ppb | 1,000 ppb |
| | CO | No | 7,362 | 662 | 0 - 36 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,362 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,362 | 7,362 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,362 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Moderate | 11,564 | 11,564 | 2 - 652 µg/m³ | 13.8 µg/m³ | See SOG #: T106 |

**Station 156**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 6,209 | 315 | 0 - 1,349 ppb | 7.4 ppb | 1,000 ppb |
| | CO | No | 6,209 | 2,943 | 0 - 41 ppm | 5.1 ppm | 83 ppm |
| | $H_2S$ | No | 6,209 | 202 | 0 - 2.3 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,209 | 6,209 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,209 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Moderate | 14,670 | 14,670 | 9 - 438 µg/m³ | 33.8 µg/m³ | See SOG #: T106 |

**Station 157**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 6,741 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,741 | 6,741 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,741 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Moderate | 8,281 | 8,281 | 11 - 216 µg/m³ | 23.3 µg/m³ | See SOG #: T106 |

**Command Post**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 6,476 | 15 | 0 - 698 ppb | 0.4 ppb | 1,000 ppb |
| | CO | No | 6,476 | 26 | 0 - 10 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,476 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,476 | 6,476 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,476 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

**From:** Eichinger, Kevin <Eichinger.Kevin@epa.gov> on behalf of Eichinger, Kevin
**Sent on:** Saturday, July 27, 2019 7:08:25 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** John Snyder <john.snyder@tetratech.com>
**Subject:** Viper Summary report_AR and DustTrack-07-27-19.pdf
**Attachments:** Viper Summary report_AR and DustTrack-07-27-19.pdf (193.92 KB)

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name: Able Contracting Fire***

***From:*** ***7/26/19 7:00*** ***To:*** ***7/26/19 18:59***

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 7,598 | 109 | 0 - 6,319 ppb | 7 ppb | 1,000 ppb |
| | CO | No | 7,598 | 529 | 0 - 19 ppm | 0.3 ppm | 83 ppm |
| | $H_2S$ | No | 7,598 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,598 | 7,598 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,598 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 25,313 | 25,310 | 0 - 220 μg/m³ | 6.3 μg/m³ | See SOG #: T106 |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 7,795 | 111 | 0 - 5,277 ppb | 2.4 ppb | 1,000 ppb |
| | CO | No | 7,795 | 148 | 0 - 13 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 7,795 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,795 | 7,795 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,795 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Unhealthy | 44,965 | 44,965 | 1 - 1260 μg/m³ | 84.2 μg/m³ | See SOG #: T106 |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 8,496 | 4,210 | 0 - 20,802 ppb | 45.9 ppb | 1,000 ppb |
| | CO | No | 8,496 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 8,496 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 8,496 | 8,496 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 8,496 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy for Sensative Groups | 38,022 | 38,022 | 14 - 1390 μg/m³ | 52 μg/m³ | See SOG #: T106 |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 7,855 | 88 | 0 - 21,572 ppb | 4.7 ppb | 1,000 ppb |
| | CO | No | 7,855 | 607 | 0 - 24 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,855 | 17 | 0 - 1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,855 | 7,855 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,855 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| μg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

## Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

**Project Name:** ABLE CONTRACTING FIRE

**From:** 8/2/19 20:59 **To:** 8/3/19 2:59

| Location 1 (Southeast Corner; Residential Property Line) | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL / RML / 60 min AEGL) |
| SPM Flex 1 | Phosgene (COCl2) | 0 | 2192 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 2 (West Side of Pile) | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL / RML / 60 min AEGL) |
| SPM Flex 2 | Phosgene (COCl2) | 0 | 1337 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 3 (Upwind; North) | | | | | | | |
|---|---|---|---|---|---|---|---|
| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL / RML / 60 min AEGL) |
| SPM Flex 3 | Phosgene (COCl2) | 0 | 1844 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

Notes:

- AEGL Acute Exposure Guideline levels for airborne chemicals (8 hour exposure)
- min Minute
- PEL Permissible exposure limit
- ppb Parts per billion
- RML Removal Management Level
- TLV Threshold limit value

View PDF controls

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** ABLE CONTRACTING FIRE

***From:*** **8/3/19** **0:00** ***To:*** ***8/4/19*** ***6:59***

| Location 1 (Southeast Corner; Residential Property Line) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 1 | Phosgene (COCl2) | 3 | 4337 | 3 | 0 - 6 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 2 (West Side of Pile) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 2 | Phosgene (COCl2) | 0 | 3267 | 0 | 0 - 0 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

| Location 3 (Upwind; North) | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL / RML / 60 min AEGL)** |
| SPM Flex 3 | Phosgene (COCl2) | 5 | 4319 | 5 | 0 - 22 ppb | 0 ppb | 100 ppb / 0.23ppb / 40 ppb |

Notes:

| | |
|---|---|
| AEGL | Acute Exposure Guideline levels for airborne chemicals (8 hour exposure) |
| min | Minute |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| RML | Removal Management Level |
| TLV | Threshold limit value |

# Mobile Air Monitoring Summary Tables

***Project Name:***

***From:*** 8/3/19 12:10 ***To:*** *8/4/19 7:12*

### Location 1

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

### Location 2

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 1 | 12 | 1 | 0 - 3 ppm | 0.25 ppm | 83 ppm |

### Location 3

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 2 | 12 | 2 | 0 - 210 ppm | 20.8 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

### Location 4

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 1 | 0 - 10 ppm | 0.83 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

### Location 5

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

### Location 6

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

### Location 7

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

### Location 8

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| MultiRAE Pro | VOC | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 1 ppm |
| | CO | 0 | 12 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |

Notes:

| | |
|---|---|
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| min | Minute |
| PEL | Permissible exposure limit |
| ppm | Parter per million |
| VOC | Volatile organic compoud |

**From:** <AlarmServer@viper.ert.org>
**Sent on:** Saturday, July 27, 2019 2:15:25 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** VIPER: Run 4323-8 - Instrument (.156) DustTrack Alarm

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

R04 Able Contracting Fire Deployment

(.156) DustTrack
All Times Eastern, DST Observed

Status Update

| Alarm Level | Alarm Name | ReadingID | Received | Latitude | Longitude | Sensor | Value | Units |
|---|---|---|---|---|---|---|---|---|
| WARNING | 2 Min PM2.5 TWA > .25 | 2168731 | 7/26/2019 10:08:43 PM | 32.3231200 | -80.9426000 | 2 Min PM2.5 TWA | 0.977275 (from 38 readings) | mg/m3 |

These alerts will expire after 30 Minute(s) .

Once all alerts expire, a confirmation email will be sent. Otherwise, the next Status Update will be sent at 7/27/2019 2:15:33 AM.

Current Readings:
stel: False bool
total TWA: 0.105 twa
PM10 TWA: 0.104 twa
RESP TWA: 0.103 twa
PM2.5 TWA: 0.102 twa
PM1 TWA: 0.102 twa
Total: 0.684 mg/m3
PM10: 0.684 mg/m3
RESP: 0.684 mg/m3
PM2.5: 0.684 mg/m3
24 Hr PM2.5 TWA: 0.095805 mg/m3
1 Hr PM2.5 TWA: 0.668383 mg/m3
2 Min PM2.5 TWA: 0.977275 mg/m3
PM1: 0.684 mg/m3
Received: 7/26/2019 10:08:43 PM

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

**From:** <AlarmServer@viper.ert.org>
**Sent on:** Saturday, July 27, 2019 12:15:25 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** VIPER: Run 4323-8 - Instrument (.156) DustTrack Alarm

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

R04 Able Contracting Fire Deployment

(.156) DustTrack
All Times Eastern, DST Observed

Status Update

| Alarm Level | Alarm Name | ReadingID | Received | Latitude | Longitude | Sensor | Value | Units |
|---|---|---|---|---|---|---|---|---|
| WARNING | 2 Min PM2.5 TWA > .25 | 1974743 | 7/26/2019 7:55:37 PM | 32.3230770 | -80.9426120 | 2 Min PM2.5 TWA | 0.368092 (from 43 readings) | mg/m3 |

These alerts will expire after 30 Minute(s) .

Once all alerts expire, a confirmation email will be sent. Otherwise, the next Status Update will be sent at 7/26/2019 10:15:33 PM.

Current Readings:
stel: False bool
total TWA: 0.105 twa
PM10 TWA: 0.104 twa
RESP TWA: 0.103 twa
PM2.5 TWA: 0.102 twa
PM1 TWA: 0.102 twa
Total: 0.172 mg/m3
PM10: 0.172 mg/m3
RESP: 0.172 mg/m3
PM2.5: 0.172 mg/m3
24 Hr PM2.5 TWA: 0.060989 mg/m3
1 Hr PM2.5 TWA: 0.211497 mg/m3
2 Min PM2.5 TWA: 0.187383 mg/m3
PM1: 0.172 mg/m3
Received: 7/26/2019 8:06:34 PM

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

**From:** <AlarmServer@viper.ert.org>
**Sent on:** Saturday, July 27, 2019 2:15:25 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** VIPER: Run 4323-8 - Instrument (.156) DustTrack Alarm

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

R04 Able Contracting Fire Deployment

(.156) DustTrack
All Times Eastern, DST Observed

Status Update

| Alarm Level | Alarm Name | ReadingID | Received | Latitude | Longitude | Sensor | Value | Units |
|---|---|---|---|---|---|---|---|---|
| WARNING | 2 Min PM2.5 TWA > .25 | 2168731 | 7/26/2019 10:08:43 PM | 32.3231200 | -80.9426000 | 2 Min PM2.5 TWA | 0.977275 (from 38 readings) | mg/m3 |

These alerts will expire after 30 Minute(s) .

Once all alerts expire, a confirmation email will be sent. Otherwise, the next Status Update will be sent at 7/27/2019 2:15:33 AM.

Current Readings:
stel: False bool
total TWA: 0.105 twa
PM10 TWA: 0.104 twa
RESP TWA: 0.103 twa
PM2.5 TWA: 0.102 twa
PM1 TWA: 0.102 twa
Total: 0.684 mg/m3
PM10: 0.684 mg/m3
RESP: 0.684 mg/m3
PM2.5: 0.684 mg/m3
24 Hr PM2.5 TWA: 0.095805 mg/m3
1 Hr PM2.5 TWA: 0.668383 mg/m3
2 Min PM2.5 TWA: 0.977275 mg/m3
PM1: 0.684 mg/m3
Received: 7/26/2019 10:08:43 PM

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

**From:** <AlarmServer@viper.ert.org>
**Sent on:** Saturday, July 27, 2019 12:15:25 AM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** VIPER: Run 4323-8 - Instrument (.156) DustTrack Alarm

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

R04 Able Contracting Fire Deployment

(.156) DustTrack
All Times Eastern, DST Observed

Status Update

| Alarm Level | Alarm Name | ReadingID | Received | Latitude | Longitude | Sensor | Value | Units |
|---|---|---|---|---|---|---|---|---|
| WARNING | 2 Min PM2.5 TWA > .25 | 1974743 | 7/26/2019 7:55:37 PM | 32.3230770 | -80.9426120 | 2 Min PM2.5 TWA | 0.368092 (from 43 readings) | mg/m3 |

These alerts will expire after 30 Minute(s) .

Once all alerts expire, a confirmation email will be sent. Otherwise, the next Status Update will be sent at 7/26/2019 10:15:33 PM.

Current Readings:
stel: False bool
total TWA: 0.105 twa
PM10 TWA: 0.104 twa
RESP TWA: 0.103 twa
PM2.5 TWA: 0.102 twa
PM1 TWA: 0.102 twa
Total: 0.172 mg/m3
PM10: 0.172 mg/m3
RESP: 0.172 mg/m3
PM2.5: 0.172 mg/m3
24 Hr PM2.5 TWA: 0.060989 mg/m3
1 Hr PM2.5 TWA: 0.211497 mg/m3
2 Min PM2.5 TWA: 0.187383 mg/m3
PM1: 0.172 mg/m3
Received: 7/26/2019 8:06:34 PM

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

**From:** <AlarmServer@viper.ert.org>
**Sent on:** Saturday, July 27, 2019 12:00:45 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** VIPER: Run 4323-8 - Instrument (.156) DustTrack Alarm

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

R04 Able Contracting Fire Deployment

(.156) DustTrack
All Times Eastern, DST Observed

| Alarm Level | Alarm Name | ReadingID | Received | Latitude | Longitude | Sensor | Value | Units |
|---|---|---|---|---|---|---|---|---|
| WARNING | 2 Min PM2.5 TWA > .25 | 3024417 | 7/27/2019 7:57:58 AM | 32.3230850 | -80.9426050 | 2 Min PM2.5 TWA | 0.381500 (from 52 readings) | mg/m3 |

These alerts will expire after 30 Minute(s) .

Once all alerts expire, a confirmation email will be sent. Otherwise, the next Status Update will be sent at 7/27/2019 9:00:40 AM.

Current Readings:
stel: False bool
total TWA: 0.105 twa
PM10 TWA: 0.104 twa
RESP TWA: 0.103 twa
PM2.5 TWA: 0.102 twa
PM1 TWA: 0.102 twa
Total: 0.028 mg/m3
PM10: 0.028 mg/m3
RESP: 0.028 mg/m3
PM2.5: 0.028 mg/m3
24 Hr PM2.5 TWA: 0.117625 mg/m3
1 Hr PM2.5 TWA: 0.028013 mg/m3
2 Min PM2.5 TWA: 0.016158 mg/m3
PM1: 0.028 mg/m3
Received: 7/27/2019 7:54:39 AM

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.156%29%20DustTrack&FromAlarmServer=true

**From:** <AlarmServer@viper.ert.org>
**Sent on:** Friday, July 26, 2019 11:59:13 PM
**To:** Garrard, Jordan <Garrard.Jordan@epa.gov>
**Subject:** VIPER: Run 4323-8 - Instrument (.157) DustTrack Alarm

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.157%29%20DustTrack&FromAlarmServer=true

R04 Able Contracting Fire Deployment

(.157) DustTrack
All Times Eastern, DST Observed

Status Update

| Alarm Level | Alarm Name | ReadingID | Received | Latitude | Longitude | Sensor | Value | Units |
|---|---|---|---|---|---|---|---|---|
| WARNING | 2 Min PM2.5 TWA > .25 | 1960087 | 7/26/2019 7:46:29 PM | 32.3240620 | -80.9427050 | 2 Min PM2.5 TWA | 0.251175 (from 35 readings) | mg/m3 |

These alerts will expire after 30 Minute(s) .

Once all alerts expire, a confirmation email will be sent. Otherwise, the next Status Update will be sent at 7/26/2019 9:59:21 PM.

Current Readings:
stel: False bool
total TWA: 0.027 twa
PM10 TWA: 0.027 twa
RESP TWA: 0.026 twa
PM2.5 TWA: 0.026 twa
PM1 TWA: 0.025 twa
Total: 0.023 mg/m3
PM10: 0.023 mg/m3
RESP: 0.023 mg/m3
PM2.5: 0.023 mg/m3
1 Hr PM2.5 TWA: 0.159975 mg/m3
2 Min PM2.5 TWA: 0.193383 mg/m3
24 Hr PM2.5 TWA: 0.044261 mg/m3
PM1: 0.023 mg/m3
Received: 7/26/2019 7:55:38 PM

https://viper.ert.org/DeploymentManager/ViewInstrument.aspx?RunIdentifier=4323-8&InstrumentID=%28.157%29%20DustTrack&FromAlarmServer=true

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** 7/27/19 0700 hours ***To:*** *7/28/19* *0700 hours*

| Location 1 | | | | | | |
|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Avera** |
| AreaRAE 1 | VOC | No | 11,334 | 6,623 | 0 - 2535 ppb | 86.3 ppb |
| | CO | No | 11,334 | 455 | 0 - 11 ppm | 0.2 ppm |
| | $H_2S$ | No | 11,334 | 0 | 0 - 0 ppm | 0 ppm |
| | $O_2$ | No | 11,334 | 11,334 | 20.9 - 20.9% | 20.9% |
| | LEL | No | 11,334 | 0 | 0 - 0% | 0% |
| DustTrak 1 | PM-2.5 | Good | 41,230 | 39,154 | 0 - 498 $\mu g/m^3$ | 8.5 µg/m |

| Location 2 | | | | | | |
|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Avera** |
| AreaRAE 2 | VOC | No | 11,166 | 45 | 0 - 718 ppb | 6.1 ppb |
| | CO | No | 11,166 | 135 | 0 - 7 ppm | 0 ppm |
| | $H_2S$ | No | 11,166 | 4 | 0 - 0.6 ppm | 0 ppm |
| | $O_2$ | No | 11,166 | 11,166 | 20.9 - 20.9% | 20.9% |
| | LEL | No | 11,166 | 0 | 0 - 0 % | 0% |
| DustTrak 2 | PM-2.5 | Very Unhealthy | 48,763 | 48,763 | 8 - 6550 $\mu g/m^3$ | 202.6 µg/r |

| Location 3 | | | | | | |
|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Avera** |
| AreaRAE 3 | VOC | No | 11,528 | 7,621 | 0 - 3538 ppb | 70.6 ppb |
| | CO | No | 11,528 | 31 | 0 - 7 ppm | 0 ppm |
| | $H_2S$ | No | 11,528 | 0 | 0 - 0 ppm | 0 ppm |
| | $O_2$ | No | 11,528 | 11,528 | 20.9 - 20.9% | 20.9% |
| | LEL | No | 11,528 | 0 | 0 - 0% | 0% |
| DustTrak 3 | PM-2.5 | Unhealthy | 42,191 | 42,191 | 16 - 7890 $\mu g/m^3$ | 88.4 µg/m |

| Location 4 | | | | | | |
|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Averag** |
| AreaRAE 4 | VOC | No | 11,437 | 2,233 | 0 - 205804 ppb | 31.7 ppb |
| | CO | No | 11,437 | 418 | 0 - 28 ppm | 0.3 ppm |
| | $H_2S$ | No | 11,437 | 0 | 0 - 0 ppm | 0 ppm |
| | $O_2$ | No | 11,437 | 11,437 | 20.9 - 21.5% | 20.9% |
| | LEL | No | 11,437 | 0 | 0 - 0% | 0% |

| | |
|---|---|
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppm | Parter per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| $\mu g/m^3$ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** **Able Contracting Fire**

***From:*** **7/25/19 19:51** ***To:*** ***7/26/19 7:00***

| Station 155 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 7,362 | 5,396 | 0 - 30,618 ppb | 49.5 ppb | 1,000 ppb |
| | CO | No | 7,362 | 662 | 0 - 36 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,362 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,362 | 7,362 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,362 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Moderate | 11,564 | 11,564 | 2 - 652 µg/m³ | 13.8 µg/m³ | See SOG #: T106 |

| Station 156 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 6,209 | 315 | 0 - 1,349 ppb | 7.4 ppb | 1,000 ppb |
| | CO | No | 6,209 | 2,943 | 0 - 41 ppm | 5.1 ppm | 83 ppm |
| | $H_2S$ | No | 6,209 | 202 | 0 - 2.3 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,209 | 6,209 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,209 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Moderate | 14,670 | 14,670 | 9 - 438 µg/m³ | 33.8 µg/m³ | See SOG #: T106 |

| Station 157 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 6,741 | 0 | 0 - 0 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,741 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,741 | 6,741 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,741 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Moderate | 8,281 | 8,281 | 11 - 216 µg/m³ | 23.3 µg/m³ | See SOG #: T106 |

| Command Post | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 6,476 | 15 | 0 - 698 ppb | 0.4 ppb | 1,000 ppb |
| | CO | No | 6,476 | 26 | 0 - 10 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 6,476 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,476 | 6,476 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,476 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compound |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name: Able Contracting Fire***

***From:*** 7/26/19 7:00 ***To:*** *7/26/19* *18:59*

| Location 1 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 7,598 | 109 | 0 - 6,319 ppb | 7 ppb | 1,000 ppb |
| | CO | No | 7,598 | 529 | 0 - 19 ppm | 0.3 ppm | 83 ppm |
| | $H_2S$ | No | 7,598 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,598 | 7,598 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,598 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 25,313 | 25,310 | 0 - 220 µg/m³ | 6.3 µg/m³ | See SOG #: T106 |

| Location 2 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 7,795 | 111 | 0 - 5,277 ppb | 2.4 ppb | 1,000 ppb |
| | CO | No | 7,795 | 148 | 0 - 13 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 7,795 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,795 | 7,795 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,795 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Unhealthy | 44,965 | 44,965 | 1 - 1260 µg/m³ | 84.2 µg/m³ | See SOG #: T106 |

| Location 3 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 8,496 | 4,210 | 0 - 20,802 ppb | 45.9 ppb | 1,000 ppb |
| | CO | No | 8,496 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 8,496 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 8,496 | 8,496 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 8,496 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy for Sensative Groups | 38,022 | 38,022 | 14 - 1390 µg/m³ | 52 µg/m³ | See SOG #: T106 |

| Location 4 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 7,855 | 88 | 0 - 21,572 ppb | 4.7 ppb | 1,000 ppb |
| | CO | No | 7,855 | 607 | 0 - 24 ppm | 0.5 ppm | 83 ppm |
| | $H_2S$ | No | 7,855 | 17 | 0 - 1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,855 | 7,855 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,855 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppb | Parts per billion |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name:*** Able Contracting Fire

***From:*** **7/26/19** **1900 hours** ***To:*** ***7/27/19*** ***0700 hours***

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 6,934 | 4,053 | 0 - 881 ppb | 27.8 ppb | 1 ppm |
| | CO | No | 6,934 | 268 | 0 - 11 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 6,934 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 6,934 | 6,934 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 6,934 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 36,181 | 36,175 | 0 - 417 µg/m³ | 7.6 µg/m³ | See SOG #: T106 |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 7,164 | 1,248 | 0 - 1513 ppb | 24.8 ppb | 1 ppm |
| | CO | No | 7,164 | 426 | 0 - 16 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 7,164 | 13 | 0 - 1 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,164 | 7,164 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,164 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Very Unhealthy | 44,566 | 44,566 | 10 - 10400 µg/m³ | 167.8 µg/m³ | See SOG #: T106 |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 7,952 | 7,952 | 0 - 920 ppb | 31.9 ppb | 1 ppm |
| | CO | No | 7,952 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 7,952 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,952 | 7,952 | 20.9 - 21.1% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,952 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy | 39,505 | 39,505 | 16 - 2430 µg/m³ | 57.8 µg/m³ | See SOG #: T106 |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 7,372 | 219 | 0 - 112984 ppb | 29.2 ppb | 1 ppm |
| | CO | No | 7,372 | 59 | 0 - 23 ppm | 0.1 ppm | 83 ppm |
| | $H_2S$ | No | 7,372 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 7,372 | 7,372 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 7,372 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |

| | |
|---|---|
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppm | Parter per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| $\mu g/m^3$ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

# Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

***Project Name: Able Contracting Fire***

**From:** 7/28/19 0700 hours **To:** 7/29/19 0200 hours

| Location 1 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 1 | VOC | No | 2,452 | 1,406 | 0 - 3,302 ppb | 77.7 ppb | 1,000 ppb |
| | CO | No | 2,452 | 26 | 0 - 6 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,452 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,452 | 2,452 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,452 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 6,341 | 6,332 | 0 - 351 µg/m³ | 8.6 µg/m³ | See SOG #: T106 |

| Location 2 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 2 | VOC | No | 2,432 | 1 | 0 - 119 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 2,432 | 3 | 0 - 4 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,432 | 1 | 0 - 0.4 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,432 | 2,432 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,432 | 0 | 0 - 0 % | 0% | 10% |
| DustTrak 2 | PM-2.5 | Unhealthy for Sensitive Groups | 7,267 | 7,267 | 11 - 363 µg/m³ | 40.6 µg/m³ | See SOG #: T106 |

| Location 3 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 3 | VOC | No | 2,449 | 1,096 | 0 - 3,200 ppb | 36 ppb | 1,000 ppb |
| | CO | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 83 ppm |
| | $H_2S$ | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,449 | 2,449 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,449 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy | 4,708 | 4,708 | 19 - 1060 µg/m³ | 101.6 µg/m³ | See SOG #: T106 |

| Location 4 | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Instrument** | **Analyte** | **Period Average Exceedances** | **Number of Readings** | **Number of Detections** | **Concentration Range** | **Period Average** | **Action Level (PEL/TLV/60 min AEGL)** |
| AreaRAE 4 | VOC | No | 2,434 | 404 | 0 - 36,051 ppb | 27.5 ppb | 1,000 ppb |
| | CO | No | 2,434 | 95 | 0 - 19 ppm | 0.2 ppm | 83 ppm |
| | $H_2S$ | No | 2,434 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,434 | 2,434 | 20.9 - 21.3% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,434 | 0 | 0 - 0% | 0% | 10% |

Notes:

| | |
|---|---|
| % | Percent |
| < | Less than |
| > | Greater than |
| AEGL | Acute Exposure Guideline levels for airborne chemicals |
| CO | Carbon monoxide |
| $H_2S$ | Hydrogen Sulfide |
| LEL | Lower Explosive Level |
| min | Minute |
| $O_2$ | Oxygen |
| PEL | Permissible exposure limit |
| ppm | Parts per million |
| ppm | Parts per million |
| PM | Particulate matter |
| SOG | Standard Operating Guidelines |
| TLV | Threshold limit value |
| µg/m³ | Micrograms per cubic meter |
| VOC | Volatile organic compoud |

## Air Monitoring Summary Tables

The table below summarizes monitoring data collected on using EPA's Viper wireless remote monitoring system

Project Name: Able Contracting Fire

From: 7/28/19 0700 hours To: 7/29/19 0200 hours

**Location 1**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 1 | VOC | No | 2,452 | 1,405 | 0 - 3,330 ppb | 77.7 ppb | 1,000 ppb |
| | CO | No | 2,452 | 26 | 0 - 8 ppm | 0 ppm | 35 ppm |
| | $H_2S$ | No | 2,452 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,452 | 2,452 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,452 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 1 | PM-2.5 | Good | 6,541 | 6,532 | 0 - 351 µg/m³ | 5.6 µg/m³ | See SOG #: T106 |

**Location 2**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 2 | VOC | No | 2,452 | 1 | 0 - 119 ppb | 0 ppb | 1,000 ppb |
| | CO | No | 2,452 | 3 | 0 - 4 ppm | 0 ppm | 35 ppm |
| | $H_2S$ | No | 2,452 | 1 | 0 - 0.4 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,452 | 2,452 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,452 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 2 | PM-2.5 | Unhealthy for Sensitive Groups | 7,267 | 7,267 | 11 - 352 µg/m³ | 40.6 µg/m³ | See SOG #: T106 |

**Location 3**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 3 | VOC | No | 2,449 | 1,085 | 0 - 3,230 ppb | 35 ppb | 1,000 ppb |
| | CO | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 35 ppm |
| | $H_2S$ | No | 2,449 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,449 | 2,449 | 20.9 - 20.9% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,449 | 0 | 0 - 0% | 0% | 10% |
| DustTrak 3 | PM-2.5 | Unhealthy | 4,708 | 4,708 | 19 - 1060 µg/m³ | 122.8 µg/m³ | See SOG #: T106 |

**Location 4**

| Instrument | Analyte | Period Average Exceedances | Number of Readings | Number of Detections | Concentration Range | Period Average | Action Level (PEL/TLV/60 min AEGL) |
|---|---|---|---|---|---|---|---|
| AreaRAE 4 | VOC | No | 2,454 | 404 | 0 - 38,051 ppb | 27.5 ppb | 1,000 ppb |
| | CO | No | 2,454 | 55 | 0 - 29 ppm | 0.2 ppm | 35 ppm |
| | $H_2S$ | No | 2,454 | 0 | 0 - 0 ppm | 0 ppm | 0.5 ppm |
| | $O_2$ | No | 2,454 | 2,454 | 20.9 - 21.5% | 20.9% | <19.5 or >23% |
| | LEL | No | 2,454 | 0 | 0 - 0% | 0% | 10% |

Notes:

% Percent
< Less than
> Greater than
AEGL Acute Exposure Guideline Levels for airborne chemicals
CO Carbon monoxide
$H_2S$ Hydrogen Sulfide
LEL Lower Explosive Level
min Minute
$O_2$ Oxygen
PEL Permissible exposure limit
ppb Parts per billion
ppm Parts per million
PM Particulate matter
SOG Standard Operating Guidelines
TLV Threshold limit value
µg/m³ Micrograms per cubic meter
VOC Volatile organic compound

View PDF controls

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, August 9, 2019 8:11:45 PM
**To:** jstever107@aol.com
**CC:** Matthew Huyser <Huyser.Matthew@epa.gov>
**Subject:** Water data
**Attachments:** Able Contracting Fire SW Pond Validated Table.pdf (34.73 KB)

Mr. Stever

Attached is the water sampling data collected from your pond. Over all the water looks descent, it does have some exceedances of some metals with arsenic and cadmium being the most significant, but no SVOCs or VOCs above SCDECH or EPA standards. You can reach out to SCDECH storm water or water enforcement to speak to someone more knowledgeable of surface water criteria. EPA OSC Matt Huyser will be taking over the project, since I am leaving for a preplanned vacation. I have copied him on this email. If you need to speak to Matt his phone number is 678-427-8829. Matt may need to place additional samplers or air monitoring stations on your property. When we receive finalized air data, we will forward to you. Thank you for your help and cooperation.

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**SURFACE WATER RESULTS SUMMARY TABLE**
**DETECTIONS ONLY**
**ABLE CONTRACTING FIRE**

| Parameter | MCL/RSL [1] | DHEC (max/cont) /EPA (chr/acute) [2] | ACF-SW-POND |
|---|---|---|---|
| | Groundwater | Surface Water | |
| **Metals (µg/L)** | | | |
| Aluminum | 2,000 | 87/750 | **251** |
| Antimony | 6 | 190/900 | 32.3 |
| Arsenic | 10 | 340/150 | **493** |
| Barium | 2,000 | 220/2,000 | 133 |
| Cadmium | 5 | 0.53/0.10 | **3.6** |
| Calcium | NL | 116,000/NL | 725,000 |
| Chromium | 100 | 580/28 | **148** |
| Copper | 1,300 | 3.8/2.9 | **20.2** |
| Iron | 1,400 | 1,000/NL | 300 |
| Lead | 15 | 14/0.54 | 5.0 U |
| Magnesium | NL | 82,000/NL | 48,900 |
| Manganese | 48 | 93/1,680 | **526** |
| Nickel | 40 | 150/16 | **30.5** |
| Potassium | NL | 53,000/NL | **75,300** |
| Sodium | NL | 680,000/NL | 248,000 |
| Vanadium | NL | 27/79 | 22.7 |
| Zinc | 600 | 37/37 | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | |
| 1,2-Dichloroethane | 5 | 2,000/8,200 | 0.55 J |
| 2-Butanone (MEK) | 1,200 | 22,000/200,000 | 43.2 J+ |
| 2-Hexanone | 10 | 99/1,800 | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | 630 | 170/2,200 | 5.0 U |
| Acetone | 1,800 | 1,700/15,000 | 269 J+ |
| Benzene | 5 | 160/700 | 21.4 |
| Chloromethane | 19 | NL | 1.8 |
| Ethylbenzene | 700 | 61/550 | 6.0 |
| m&p-Xylene | 400 | 27/240 | 1.8 J |
| Naphthalene | 40 | 21/170 | 2.3 |
| o-Xylene | 400 | 27/240 | 1.1 |
| Toluene | 1,000 | 62/560 | 10.5 |
| Xylene (Total) | 10,000 | 27/240 | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | |
| 2,4-Dimethylphenol | 40 | 15/140 | 6.0 J |
| 2-Methylphenol(o-Cresol) | 100 | 67/600 | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | 200 | 62/560 | 7.9 J |
| Phenol | 580 | 160/4,700 | 9.8 UJ |

**Notes:**

| | |
|---|---|
| 1 | Drinking water values are compared to EPA MCLs. When an MCL is not listed, the EPA RSL is |
| 2 | Surface water values are compared to DHEC Freshwater Aquatic Life levels. When DHEC levels are not listed, EPA Surface Water Screening Values are used |
| SHAD | Reported value exceeds the comparison criteria |
| Acute | Acute exposure |
| Chr | Chronic exposure |
| Cont | Continuous exposure |
| J | The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample. |
| J+ | The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased high. |
| J- | The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample, biased low. |
| Max | Maximum exposure level |
| MCL | Maximum contaminant level |
| NL | Not listed |
| RSL | Regional Screening Level; Tapwater TR=1E-06, THQ=0.1 |
| U | The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). |
| UJ | The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is estimated. |
| µg/L | micrograms per liter |

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Friday, July 26, 2019 10:46:43 PM
**To:** jstever107@aol.com
**Subject:** Water Quality Parameters

Mr. Stever,

Below is the results of the water quality screening we conducted this afternoon on your pond and in the drainage ditch along western side of the property for comparison. We only accessed the pond where Able Contracting removed the water withdrawal pipe. If you have any additional questions feel free to contact me at 678-644-8648 or via email.

Pond:
Dissolved Oxygen (DO) – 0.65mg/L
pH – 7.86
Conductivity – 4.05 mS/cm
Turbidity – 191 NTU
Temperature – 34.1
Total Dissolved Solids (TDS) – 2.6
Oxygen Reducing Potential (ORP) - -458 mV
Salinity – 2.1 parts per thousands (ppt)

Point 1:
DO – 0.25 mg/L
pH – 7.90
Conductivity – 5.39 mS/cm
Turbidity – 199 NTU
Temperature – 32.01
TDS – 3.40
ORP – -338
Salinity – 2.9

Point 2:
DO – 1.64 mg/L
pH – 7.86
Conductivity – 5.71 mS/cm
Turbidity – 92.6 NTU
Temperature – 31.65
TDS – 3.60
ORP – -338
Salinity – 3.1

Point 3:
DO – 2.11 mg/L
pH – 7.86
Conductivity – 5.14 mS/cm
Turbidity – 141 NTU

**From:** Garrard, Jordan <Garrard.Jordan@epa.gov> on behalf of Garrard, Jordan
**Sent on:** Monday, July 29, 2019 2:39:15 PM
**To:** jstever107@aol.com
**Subject:** water sampling

Mr. Stever,

We collected an additional water quality parameter monitoring sample from a central bank location of pond as well as an actual water sample that will be analyzed. I will forward the results to you when I receive them later this week.

Temp – 27.73
pH – 7.93
Cond – 3.65 mS/cm
Turbidity – 97.3 NTU
ORP – -405
DO – 2.76 mg/L
Salinity – 1.93 ppt

Thanks

Jordan Garrard
On-Scene Coordinator
EPA Region 4
Emergency Response and Removal Branch
Work: 404-562-8642
Cell: 678-644-8648

**From:** Threatt, Richard <threatrl@dhec.sc.gov>
**Sent on:** Monday, August 12, 2019 5:17:34 PM
**To:** Huyser, Matthew <Huyser.Matthew@epa.gov>; Garrard, Jordan <Garrard.Jordan@epa.gov>
**CC:** Boswell, Wendy <BOSWELWM@dhec.sc.gov>; Elizabeth Basil <basilej@dhec.sc.gov>
**Subject:** Water testing at Able
**Attachments:** Able Contracting Fire SW Pre-Review Table.pdf (8.15 KB)

Jordan or Matthew,
Could either of you shed some light on the attached results as to where you might have sampled to get the groundwater results?

Richard L. Threatt, Jr.
Office Manager
Lowcountry- Beaufort EA
S.C. Dept. of Health & Environmental Control
Office: (843) 846-1030
Cell: (843) 986-4426
Fax: (843) 846-0604
Connect: **www.scdhec.gov** **Facebook** **Twitter**

dhec

**PRE-REVIEW SURFACE WATER RESULTS SUMMARY TABLE**
**DETECTIONS ONLY**
**ABLE CONTRACTING FIRE**

| Parameter | MCL/*RSL*[1] | ACF-GW-472R | | DHEC (max/cont) /*EPA (chr/acute)*[2] | ACF-SW-DITCH | ACF-SW-POND |
|---|---|---|---|---|---|---|
| | Groundwater | | | Surface Water | | |
| **Metals (µg/L)** | | | | | | |
| Aluminum | *2,000* | 100 U | | *87/750* | **527** | **251** |
| Antimony | 6 | 5.0 U | | *190/900* | 61.0 | 32.3 |
| Arsenic | 10 | 10.0 U | | 340/150 | **554** | **493** |
| Barium | 2,000 | 5.7 | | *220/2,000* | 175 | 133 |
| Cadmium | 5 | 1.0 U | | 0.53/0.10 | **4.3** | **3.6** |
| Calcium | NL | 27,200 | | *116,000/NL* | 904,000 | 725,000 |
| Chromium | 100 | 5.0 U | | 580/28 | **191** | **148** |
| Copper | 1,300 | 27.6 | | 3.8/2.9 | **38.1** | **20.2** |
| Iron | *1,400* | 50.0 U | | *1,000/NL* | **1,070** | 300 |
| Lead | 15 | 5.0 U | | 14/0.54 | **3.0 J** | 5.0 U |
| Magnesium | NL | 9,370 | | *82,000/NL* | **83,100** | 48,900 |
| Manganese | *48* | 21.8 | | *93/1,680* | **820** | **526** |
| Nickel | *40* | 2.6 J | | 150/16 | **43.2** | **30.5** |
| Potassium | NL | 2,760 J | | *53,000/NL* | **112,000** | **75,300** |
| Sodium | NL | 10,600 | | *680,000/NL* | 430,000 | 248,000 |
| Vanadium | NL | 5.0 U | | *27/79* | **36.4** | 22.7 |
| Zinc | *600* | 130 | | 37/37 | **72.7** | 24.4 |
| **Volatile Organic Compounds (µg/L)** | | | | | | |
| 1,2-Dichloroethane | 5 | 1.0 U | | *2,000/8,200* | 0.83 J | 0.55 J |
| 2-Butanone (MEK) | *1,200* | 5.0 U | | *22,000/200,000* | 71.6 | 43.2 |
| 2-Hexanone | *10* | 5.0 U | | *99/1,800* | 3.5 J | 5.0 U |
| 4-Methyl-2-pentanone (MIBK) | *630* | 5.0 U | | *170/2,200* | 9.4 J | 5.0 U |
| Acetone | *1,800* | 25.0 U | | *1,700/15,000* | 325 | 269 |
| Benzene | 5 | 1.0 U | | *160/700* | 29.7 | 21.4 |
| Chloromethane | *19* | 0.69 J | | NL | 2.0 U | 1.8 |
| Ethylbenzene | 700 | 1.0 U | | *61/550* | 6.2 | 6.0 |
| m&p-Xylene | *400* | 2.0 U | | *27/240* | 2.4 J | 1.8 J |
| Naphthalene | *40* | 1.0 U | | *21/170* | 3.9 | 2.3 |
| o-Xylene | *400* | 1.0 U | | *27/240* | 1.6 J | 1.1 |
| Toluene | 1,000 | 1.0 U | | *62/560* | 14.5 | 10.5 |
| Xylene (Total) | 10,000 | 1.0 U | | *27/240* | 2.0 U | 1.1 |
| **Semivolatile Organic Compounds (µg/L)** | | | | | | |
| 2,4-Dimethylphenol | *40* | 100 U | | *15/140* | **108** | 6.0 J |
| 2-Methylphenol(o-Cresol) | *100* | 100 U | | *67/600* | **137** | 11.1 |
| 3&4-Methylphenol(m&p Cresol) | *200* | 100 U | | *62/560* | **82.9 J** | 7.9 J |

**Notes:**

| | |
|---|---|
| 1 | Drinking water values are compared to EPA MCLs. When an MCL is not listed, the EPA RSL is used |
| 2 | Surface water values are compared to DHEC Freshwater Aquatic Life levels. When DHEC levels are not listed, EPA Surface Water Screening Values are used |
| **SHAD** | Reported value exceeds the comparison criteria |
| Acute | Acute exposure |
| Chr | Chronic exposure |
| Cont | Continuous exposure |
| J | The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample. |
| Max | Maximum exposure level |
| MCL | Maximum contaminant level |
| NL | Not listed |
| RSL | Regional Screening Level; Tapwater TR=1E-06, THQ=0.1 |
| U | The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). |
| µg/L | micrograms per liter |

**From:** Bates, Lloyd <Bates.Lloyd@epa.gov> on behalf of Bates, Lloyd
**Sent on:** Monday, July 29, 2019 12:21:06 PM
**To:** R4_Workcodeassign <R4_Workcodeassign@epa.gov>
**CC:** Garrard, Jordan <Garrard.Jordan@epa.gov>; Eichinger, Kevin <Eichinger.Kevin@epa.gov>; Webster, James <Webster.James@epa.gov>; Moore, Tony <moore.tony@epa.gov>; Johnson, Dora Ann <Johnson.Dora@epa.gov>; Jones, Katrina <Jones.Katrina@epa.gov>
**Subject:** WORK CODE ASSIGNMENT REQUEST: SEMD (ABLE CONTRACTING FIRE)
**Urgent:** High

**Attachments:** Workcode Assignment Request Form.xlsx (11.08 KB)

Please assign the Work Codes reflected on the attached Excel sheet to People Plus for the specified employees.

L Monty Bates
Sr. Site Administrative Officer
ERRP Budget/Finance Lead
EAS Liaison
Resource/Scientific Integrity Branch
Superfund Division
(Office) 404-562-8354
(Cell) 404-310-9897

| | | | |
|---|---|---|---|
| DIVISION: | SUPERFUND EMERGENCY RESPONSE DIV. | DATE: | 7/29/2019 |
| REQUESTOR: | L. MONTY BATES | SITE NAME: | ABLE CONTRACTING FIRE |
| REQUESTOR PHONE NUMBER: | 404-562-8354 | | |

## WORK CODE ASSIGNMENT REQUEST

| WORKCODE(S) | EMPLOYEE NAME | EMPLOYEE ID | EFFECTIVE DATE |
|---|---|---|---|
| C4A9RS0004DTDC6 | JORDAN GARRARD | 00025447 | |
| C4A9RV0004DTDC6 | JORDAN GARRARD | 00025447 | |
| | | | |
| C4A9RS0004DTDC6 | KEVIN EICHINGER | 00032287 | |
| C4A9RV0004DTDC6 | KEVIN EICHINGER | 00032287 | |
| | | | |
| C4A9RS0004DTDC6 | JAMES WEBSTER | 00020738 | |
| C4A9RV0004DTDC6 | JAMES WEBSTER | 00020738 | |
| | | | |
| C4A9RS0004DTDC6 | TONY MOORE | 00013651 | |
| C4A9RV0004DTDC6 | TONY MOORE | 00013651 | |
| | | | |
| C4A9JU0004DTDC6 | LLOYD BATES | 00020403 | |
| C4A9JU0004DTDC6 | DORA ANN JOHNSON | 00013786 | |
| C4A9JU0004DTDC6 | KATRINA JONES | 00013987 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

**From:** Tisha L. Williams <tlwilliams@jaspercountysc.gov>
**Sent on:** Friday, August 2, 2019 7:55:03 PM
**To:** Frank Edwards <fedwards@jaspercountysc.gov>; Lisa Wagner <lwagner@jaspercountysc.gov>; chris.collins2@redcross.org; haley.lawson@redcross.org; David Tedder <dtedder@jaspercountysc.gov>; Andrew Fulghum <afulghum@jaspercountysc.gov>; reecemc@dhec.sc.gov; porterhj@dhec.sc.gov; keith.frost@dhec.sc.gov; thompsrb@dhec.sc.gov; keislecv@dhec.sc.gov; blalocje@dhec.sc.gov; dickmaj@dhec.sc.gov; Garrard, Jordan <Garrard.Jordan@epa.gov>; John Snyder <john.snyder@tetratech.com>; Clay Graves <cgraves@jaspercountysc.gov>; Russell Wells <rwells@jaspercountysc.gov>; eturner@emd.sc.gov; threatrl@dhec.sc.gov; ltucker@emd.sc.gov
**Subject:** ZN Able Construction/Able Recycling/Enforcement
**Attachments:** Local Emergency Declaration - Able Recycling Center.pdf (45.38 KB)

All:

Please find attached the Local Emergency Declaration regarding Able Construction/Able Recycling Center.

Thank you,

**Tisha L. Williams**
Administrative Assistant
**(843) 717-3690**

**Jasper County Administrator's Office**
***Mr. Andrew P. Fulghum***
**358 Third Avenue**
**Ridgeland, South Carolina 29936**

# Declaration of Local Emergency

Whereas, I in my capacity as County Council Chairman, and pursuant to the authority granted pursuant to Article III of the Jasper County Code of Ordinances, and the adopted Jasper County Emergency Operation Plan and its Letter of Promulgation, have determined that a local emergency exists in the area described below, based upon the following:

1)SC DHEC has declared an imminent and substantial danger to human health and the environment in its Emergency Order dated 5:12pm August 1, 2019 regarding the unhealthy environmental situation arising from the continuing fire at Able Recycling Center on Schinger Avenue, (a copy of the Order attached);

2) EPA and DHEC have determined from sampling the air quality that an "Unhealthy" level of particulate concentrations continue to exist;

3) the situation as exist constitutes an ongoing danger to the health, safety and welfare of these residents living in close proximity to the site, especially members of vulnerable populations such as pregnant women, children and those suffering from pulmonary conditions.

Having determine the emergency exists it is ordered that

1) All Residents living along Schinger Avenue between 352 and 472 Schinger Avenue voluntarily evacuate and seek alternative housing for at least the next seven days until 8a.m. Friday August 9th);

2) Residents are further advised that Jasper County has made arrangements for temporary housing, and to that end, efforts are being made to contact each residence individually.

3) This Declaration shall remain in effect until such time as SC DHEC determines the Air Quality at this area no longer poses a public health danger to these residents or County Council declares the Emergence no longer exists.

And it is so Ordered.

S/ D Thomas Johnson, Jr.

D. Thomas Johnson Jr., Chairman

Jasper County Council

DATE: August 2, 2019 TIME: 3:20 p.m.

JASPER COUNTY SEAL SOUTH CAROLINA

## Armstrong, Kathy

**From:** Russell, Chris
**Sent:** Thursday, September 19, 2019 6:31 PM
**To:** Armstrong, Kathy
**Cc:** Cobb, Wilda
**Subject:** Able Contracting Fire FOIA Info
**Attachments:** Able Texts ; Able Texts ; Able Texts

Good Afternoon Kathy:

While doing some maintenance on my I-Phone, I noted that 4 emails that documented pics/text from the Able Contracting Fire, that I believed were sent to myself to be placed in the Able Contracting Fire FOIA shared drive were actually still stuck in my Outbox as undelivered. In turn, I sent them again to my Outlook account and am now forwarding them on to you. Three of the docs are included with this email, I will follow up this email with another email with the last document.

To my knowledge, that should cover everything.

Please let me know if you have any questions, etc pertaining to this email.

Respectfully,

Chris Russell

**Armstrong, Kathy**

**From:** Russell, Chris
**Sent:** Thursday, September 19, 2019 2:01 PM
**To:** Russell, Chris
**Subject:** Able Texts

Verizon LTE 8:30 PM

Terry >

Mon, Aug 26, 1:53 PM

69 on site and 44 off site so far, killing it bro and no visible smoke

Go get 'em you big stud.

Did you go see Chandler

Not yet. Is there a particularly good

Verizon LTE 8:30 PM

Terry >

Go get 'em you big stud.

Did you go see Chandler

Not yet. Is there a particularly good time to go?

I just saw him drive up

To the ship

Shop

Verizon LTE 8:31 PM

3 People >

Text Message
Sun, Aug 25, 3:01 PM



Verizon LTE 8:31 PM

3 People >



Myra Reece

MR

Nice pics!

Thanks Chris !
Can you send me
a summary by 3
today. Couple
sentences about
school clearance
and site objectives
today. # truck
loads as usual

MR

Verizon LTE 8:31 PM

3 People >

Since its after 3, no mam, but I will pull something together here in a minute

Myra Reece

MR Sorry. 😁. Meant 4

Mon, Aug 26, 7:08 AM

Looking Awesome This Morning:

Respectfully,

Chris Russell
Federal On Scene Coordinator
EPA Region 4 - Florida Outpost
Cell: (850) 274-2575

## Armstrong, Kathy

**From:** Russell, Chris
**Sent:** Thursday, September 19, 2019 2:02 PM
**To:** Russell, Chris
**Subject:** Able Texts

Verizon LTE 8:28 PM

John >

North side yet.
Just getting light.
Don't see anything
roarring yet

Good deal, I'm gonna need a START from about 1:45 - 3 today to screen a school with me, just need a four gas meter

Can do

Verizon LTE 8:29 PM

John >

Can do

SW corner pumping some decent smoke

Good deal, please grab some pics.

Not huge, but

breeze is kicking it

Verizon LTE 8:29 PM

John >



Not huge, but breeze is kicking it south

Mon, Aug 26, 7:31 PM

Inbound

You walking over now ?

Verizon LTE 8:29 PM

Terry >

Text Message
Sat, Aug 24, 11:32 AM

Give me call.

Sat, Aug 24, 3:29 PM

You forget something? Like your deputy ops chief?

He said he was good bro

Something is

Verizon LTE 8:29 PM

Terry >

He said he was good bro

Something is wrong with the west side of the pile. It's not smoking.

😁😁😁

Sat, Aug 24, 4:59 PM

We will need

Respectfully,

Chris Russell
Federal On Scene Coordinator
EPA Region 4 - Florida Outpost
Cell: (850) 274-2575

## Armstrong, Kathy

| | |
|---|---|
| **From:** | Russell, Chris |
| **Sent:** | Thursday, September 19, 2019 1:57 PM |
| **To:** | Russell, Chris |
| **Subject:** | Able Texts |

Verizon LTE 8:31 PM

3 People >

This Morning:
Progress!!



Verizon LTE 8:32 PM

3 People >

Terry Tanner

TT Yes it does.

Myra Reece

MR Nice!

Henry Porter

HP Excellent

Verizon LTE 8:33 PM

Rick >

Text Message
Wed, Aug 21, 8:34 PM

Chris, did you and Mr Crumley discuss any travel fees for the pump truck?

He said it was a one hour mobe fee at 425

Ok thank you sir

Verizon LTE 8:33 PM

Rick >

Thu, Aug 22, 9:28 AM

Chris. Office trailer is in its way

Thu, Aug 22, 3:16 PM

Please call me when you can. We are shut down for lightening at the moment. Need to know about trucks for tomorrow

Verizon LTE 8:33 PM

Rick >

for tomorrow

Terry wants to take a look, so we will head down in a little while and get his take and hook up with ya. Any idea how many trucks went off site today

14 loads out

Thanks buddy, I

Respectfully,

Chris Russell
Federal On Scene Coordinator
EPA Region 4 - Florida Outpost
Cell: (850) 274-2575

## Armstrong, Kathy

**From:** Russell, Chris
**Sent:** Thursday, September 19, 2019 6:33 PM
**To:** Armstrong, Kathy
**Cc:** Cobb, Wilda
**Subject:** FW: Able Texts

Hello Kathy:

As denoted in my last email, here is the last document, relative to the docs taken off of my I-Phone.

Please let me know if you have any questions, etc. relative to this matter.

Respectfully,

Chris Russell
Federal On Scene Coordinator
US EPA Region 4: Florida Outpost
Cell: (850) 274-1575

**From:** Russell, Chris <Russell.Chris@epa.gov>
**Sent:** Thursday, September 19, 2019 1:45 PM
**To:** Russell, Chris <Russell.Chris@epa.gov>
**Subject:** Able Texts

Verizon LTE 8:27 PM

Courtney >

Text Message
Thu, Aug 22, 3:02 PM

Earl Sheppard, BJWSA Wastewater Operations Manager. 8438128067

Thu, Aug 22, 8:06 PM

How goes the battle

Fri, Aug 23, 9:53 AM

Verizon LTE 8:28 PM

Courtney >

Are you coming to the Objectives meeting at 10

Sun, Aug 25, 2:14 PM

Would you like me to compose an email to Myra addressing Mr. Lopatt's email?

I already did, thought I copied you on it

Verizon LTE 8:28 PM

Courtney >

You did. I was simply offering corroboration.

Gotcha, think we are good

Mon, Aug 26, 2:59 PM

Vac truck: 17 loads
On site: 82 loads
Off site: 50 loads

Mon, Aug 26, 7:44 PM

Verizon LTE 8:28 PM

Courtney >

are good

Mon, Aug 26, 2:59 PM

Vac truck: 17 loads
On site: 82 loads
Off site: 50 loads

Mon, Aug 26, 7:44 PM

You coming bro

Mon, Aug 26, 10:09 PM

On my way.

Verizon LTE 8:28 PM

John >

Sun, Aug 25, 6:42 AM

How's the smoke brotha

Foggy, not as bad as it has been though

Any big smoke stacks or chimneys

Haven't been on North side yet.

Respectfully,

Chris Russell
Federal On Scene Coordinator
EPA Region 4 - Florida Outpost
Cell: (850) 274-2575